

REFERENCES

1. Aseyev, G. G. and Zaitsev, I. D., Calculation of Activity Coefficients of Multicomponent Strong Electrolyte Solutions, *Ukr. Khim. Zh.*, 1982, **48**, pp. 596–600.
2. Zaitsev, I. D. and Aseyev, G. G., Database for the Heat Properties of Inorganic Materials, In: *Upravlenie Sistemami i Mashinami* (System and Machine Control), Kiev, 1982, pp. 122–125.
3. Aseyev, G. G., Tokar', M. I., and Kalyuzhnaya, L. N., Water Activity and Its Dependence on the Heat Capacity of Electrolyte Solutions, *Nauchno-Tekhnicheskii Progress v Proizvodstve Khimicheskikh Veshchestv i Materialov* (Scientific and Technical Progress in the Production of Chemical Substances and Materials), Naukova Dumka, Kiev, 1984, pp. 98–99.
4. Zaitsev, I. D. and Aseyev, G. G., SAPFIR System for the Calculation of the Physicochemical Properties of Inorganic Substances and Their Mixtures, *Inform. Byul. po Khim. Promyshlennosti SEV*, Moscow, 1984, No. 2(105), pp. 33–35.
5. Aseyev, G. G. and Kalyuzhnaya, L. N., Method of Calculation of the Activity Coefficients of Binary Electrolyte Solutions, In: *Nauchno-Tekhnicheskii Progress v Proizvodstve Khimicheskikh Veshchestv i Materialov* (Scientific and Technical Progress in the Production of Chemical Substances and Materials), Naukova Dumka, Kiev, 1984, pp. 99–100.
6. Aseyev, G. G., et al., Teploemkost' Rastvorov Khloridov Nekotorykh Metallov Chetvertogo Perioda pri Temperaturakh ot 298.15 do 348.15 K (Heat Capacity of Chloride Solutions of Some IV Period Metals at Temperatures from 298.15 to 348.15 K), Available from ONIITEKhim, Cherkassy, 1985, No. 1077khp-85.
7. Aseyev, G. G. and Tokar', M. I., Calculation of the Activity Coefficients of Binary Electrolyte Solutions from Heat Capacity, In: *Nauchno-Tekhnicheskii Progress v Proizvodstve Khimicheskikh Veshchestv i Materialov* (Scientific and Technical Progress in the Production of Chemical Substances and Materials), Naukova Dumka, Kiev, 1984, pp. 98–99.
8. Aseyev, G. G., et al., Issledovanie Teploemkosti Vodnykh Rastvorov Bromida Kaliya, Ammoniya, Magniya i Kadmiya v Zavisimosti ot Temperatury i Kontsentratsii (Study into the Heat Capacities of Aqueous Solutions of Potassium, Ammonium, Magnesium, and Cadmium Bromides as Functions of Temperature and Concentration), Available from ONIITEKhim, Cherkassy, 1985, No. 1198khp-85.

9. Aseyev, G. G., Elektrostaticheskie, Sol'vatatsionnye i Khimicheskie Vozdeistviya v Kontsentrirovannykh Rasstvorakh Elektrolitov (Electrostatic, Solvation, and Chemical Interactions in Strong Electrolyte Solutions), Available from ONIITEKhim, Cherkassy, 1985, No. 1153-khp88.
10. Zaitsev, I. D. and Aseyev, G. G., *Fiziko-Khimicheskie Svoistva Binarnykh i Mnogokomponentnykh Rastvorov Neorganicheskikh Veshchestv* (Physicochemical Properties of Binary and Multicomponent Solutions of Inorganic Substances), Khimiya, Moscow, 1988.
11. Aseyev, G. G., Calculation of the Heat Capacity of Multicomponent Electrolyte Solutions, In: *Metroligicheskoe Obespechenie Izmerenii Parametrov Sostava i Svoistv Veshchestv i Materialov na Predpriiyatiyakh i v Organizatsiyakh Khimicheskoi Promyshlennosti*, KhNPO Karbonat, Khar'kov, 1988, pp. 181–186.
12. Aseyev, G. G., Calculation of the Viscosity of Multicomponent Aqueous Inorganic Systems, In: *Metroligicheskoe Obespechenie Izmerenii Parametrov Sostava i Svoistv Veshchestv i Materialov na Predpriiyatiyakh i v Organizatsiyakh Khimicheskoi Promyshlennosti*, KhNPO Karbonat, Khar'kov, 1988, pp. 186–189.
13. Aseyev, G. G., Teoreticheskaya Zavisimost' Koefitsentov Aktivnosti Kontsentrirovannyykh Rastvorov Elektrolitov, Osnovannaya na Potentsiale Mezhionnogo Vzaimodeistviya (Based on Interionic Potential Theoretical Dependence of the Activity Coefficients of Concentrated Electrolyte Solutions), Available from ONIITEKhim, Cherkassy, 1989, No. 528-khp89.
14. Aseyev, G. G., Razvitie Teorii Kontsentrirovannyykh Rastvorov Elektrolitov (Development of a Theory of Concentrated Electrolyte Solutions), Ser. *Obshchotraslevye Voprosy*, NIITEKhim., Moscow, 1989, No. 8.
15. Aseyev, G. G. and Yudina, L. V., Srednie Ionnye Koefitsenty Aktivnosti Sil'nykh Elektrolitov v Vodnykh Rastvorakh, Zavisimashchie ot Elektrostaticeskikh, Sol'vatatsionnykh i Khimicheskikh Vzaimodeistviy (Mean Ionic Activity Coefficients of Strong Electrolytes in Aqueous Solutions, Depending on Electrostatic, Solvation, and Chemical Interactions), Available from ONIITEKhim, Cherkassy, 1990, No. 688-khp90.
16. Aseyev, G. G., Issledovanie Urovneniya Rascheta Koefitsentov Aktivnosti Kontsentrirovannyykh Rastvorov Elektrolitov (Study into an Equation for the Calculation of the Activity Coefficients of Concentrated Electrolyte Solutions), Available from ONIITEKhim, Cherkassy, 1989, No. 98-khp90.
17. Aseyev, G. G. and Yudina, L. V., Aktivnost' Vody v Kontsentrirovannyykh Rastvorakh Elektrolitov (Water Activity in Concentrated Electrolyte Solutions and Interionic Interactions), Available from ONIITEKhim, Cherkassy, 1989, No. 133-khp91.
18. Aseyev, G. G., *Perenosnye Svoistva v Kontsentrirovannyykh Rastvorakh Elektrolitov (Elektricheskaya Provodimost', Vyazkost', Diffuziya)*. Obzory po Teplofizicheskim Svoistvam Veshchestv (Transport Priorities in Concentrated Electrolyte Solutions (Electric Conductivity, Viscosity, and Diffusion). Review on the Thermophysical Properties of Substances), AN SSSR, Moscow, 1991, No. 5(91).
19. Aseyev, G. G., Teoriya Neobratimykh Protsessov, Protekayushchikh v Rastvorakh Elektrolitov, Ser. *Obshchotraslevye Voprosy* (Theory of Irreversible Processes in Electrolyte Solutions, Ser. Common Industry Problems), NIITEKhim, Moscow, 1991, No. 2(304).
20. Zaytsev, I. D. and Aseyev, G. G., *Properties of Aqueous Solutions of Elektrolites*, CRC Press, Boca Raton–Ann Arbor–London–Tokyo, 1992.
21. Aseyev, G. G. and Zaytsev, I. D., *Volumetric Properties of Electrolyte Solutions: Estimation Methods and Experimental Data*, Begell House, Inc., New York–Walingford (UK), 1996.
22. Aseyev, G. G., *Thermal Properties of Electrolyte Solutions. Methods for Calculation of Multicomponent Systems and Experimental Data*, Begell House, Inc., New York–Walingford (UK), 1996.
23. Aseyev, G. G., *Electrolytes: Intercparticle Interactions. Theory, Calculation Methods, and Experimental Data*, Begell House, Inc., New York, 1998.
24. Aseyev, G. G., *Electrolytes: Transport Phenomena. Methods for Calculation of Multicomponent Solutions, and Experimental Data on Viscosities and Diffusion Coefficients*, Begell House, Inc., New York, 1998.
25. Aseyev, G. G., *Electrolytes: Properties of Solutions Methods for Calculation of Multicomponent Systems and Experimental data on Thermal Conductivity and Surface Tension*, Begell House, Inc., New York, 1999.
26. Aseyev, G. G., *Electrolytes: Transport Phenomena. Calculation of Multicomponent Systems and Experimental Data on Electrical Conductivity*, Begell House, Inc., New York, 1998.

27. Aseyev, G. G., *Electrolytes, Equilibria in Solutions and Phase Equilibria: Calculation of Multicomponent Systems and Experimental Data on the Activities of Water, Pressure Vapor and Osmotic Coefficients*, Begell House, Inc., New York, 1998.
28. Söhnel, O. and Novotny P., *Tabulky hustot vodných roztoků anorganických látok*, Academia, Praha, 1983.
29. Freier, R. K., *Aqueous Solutions. Data for Inorganic and Organic Compounds*, Berlin–New York, 1978, Vol. 2.
30. Sarkasov, R. A., Mironova, O. P., and Gebekova, Z. G., Study into the Physicochemical Properties of the $\text{AlCl}_3\text{-LiCl-H}_2\text{O}$ System, *Zh. Prikl. Khim.*, 1989, No. 8, pp. 1866–1868.
31. Novotny, P. and Sohnel, O., Densities of Binary Aqueous Solutions of 306 Inorganic Substances, *J. Chem. Eng. Data*, 1988, **33**, No. 1, pp. 49–55.
32. Celeda, J., Calculation of the Density of Aqueous Solutions of Strong Electrolytes from Individual Ionic Parameters, *Collect. Czech. Chem. Commun.*, 1983, **48**, No. 6, pp. 1538–1551.
33. Medkov, B. K., Petrov, M. R., and Roslyakova, O. N., $\text{Al}(\text{NO}_3)_3\text{-UO}_2(\text{NO}_3)_2\text{-H}_2\text{O}$ System at 25°C, *Zh. Neorg. Khim.*, 1987, **32**, No. 7, pp. 1783–1784.
34. Perry, R. N., ed., *Perry's Chemical Engineers Handbook*, 6th ed., McGraw-Hill Book Co., New York, 1984.
35. Ivanov, A. A., Kirilenko, I. A., Selin, A. N., and Zaitseva, L. A., Properties of Concentrated Aluminum Sulfate Aqueous Solutions, *Zh. Neorg. Khim.*, 1987, **32**, No. 4, pp. 1052–1056.
36. Vasil'eva, L. F., et al., Density and Viscosity of Aluminum Sulfate Aqueous Solutions, *Zh. Neorg. Khim.*, 1976, No. 9, pp. 1943–1945.
37. Berdysheva, N. A., et al., Some Physicochemical Properties of Aqueous Solutions of the Basic Aluminum Sulfate, *Trudy UNIKhIM: Tekhnologiya Neorganicheskikh Koagulyantov*, Sverdlovsk, 1988, pp. 55–59.
38. Weast, R. C., ed., *CRC Handbook of Chemistry and Physics*, 69th ed., CRC Press, Boca Raton, Florida, 1989.
39. Chen, C.-T. A. and Millero, F. J., Equations of State for NaCl , MgCl_2 , Na_2SO_4 , and MgSO_4 Aqueous Solutions at 1 atm from 0 to 50°C and from 0.001 to 1.5 m, *J. Chem. Eng. Data*, 1980, **25**, pp. 307–310.
40. Isono, T., Density, Viscosity, and Electrolytic Conductivity of Concentrated Aqueous Electrolyte Solutions at Several Temperatures, *J. Chem. Eng. Data*, 1984, **29**, No. 1, pp. 45–52.
41. Perron, G., Desnoyers, J. E., and Millero, F. J., Apparent Molar Volumes and Heat Capacities of Alkaline Earth in Water at 25°C, *Can. J. Chem.*, 1974, **52**, No. 22, pp. 3738–3741.
42. Price, W. E., Woolf, L. A., and Harris, K. R., Intradiffusion Coefficients for Zinc and Water Shear Viscosities in Aqueous Zinc (II) Perchlorate Solutions at 25°C, *J. Phys. Chem.*, 1990, **94**, pp. 5109–5114.
43. Isono, T., Densities, Viscosities, and Electrolytic Conductivities of Concentrated Aqueous of 31 Solutes in the Temperature Range 15–55°C and Empirical Equations for the Relative Viscosity, *Rept. Inst. Phys. Chem. Res.*, 1985, **61**, No. 2, pp. 53–79.
44. Puchalka, D. and Atkinson, G., Densities and Apparent Molal Volumes of Aqueous BaCl_2 Solutions from 15 to 140°C and from 1 to 200 bar, *J. Chem. Eng. Data*, 1991, **36**, No. 4, pp. 449–452.
45. Mal'kov, I. V., Vorob'ev, A. F., and Vasil'ev, V. A., Heat Capacity and Density of Two- and Three-Component Solutions of Some S-Element Iodides at 298.15 K, In: *Termodinamika i Stroenie Rastvorov*, Ivanovo, 1982, pp. 19–23.
46. Basargin, B. N., Sal'nikov, V. S., and Leont'ev, V. K., Density, Viscosity, and Interface Tension of Saturated Aqueous Solutions of Potassium and Barium Nitrates, *Zh. Prikl. Khim.*, 1976, **49**, No. 2, pp. 477–479.
47. Shevchuk, V. G., Storozhenko, D. A., and Kiseli, N. N., $\text{Li}_2\text{SO}_4(\text{Na}_2\text{SO}_4)\text{-CoSO}_4\text{-H}_2\text{O}$ Systems at 25–75°C, *Zh. Neorg. Khim.*, 1980, **25**, No. 3, pp. 838–843.
48. Grzybowski, W. and Atkinson, G., Thermodynamics of Concentrated Electrolyte Mixtures. Apparent Molar Volumes, Adiabatic Compressibilities, and Hydration Numbers of Aqueous ZnBr_2 , CaBr_2 and NaBr at 25°C, *J. Chem. Eng. Data*, 1986, **31**, No. 3, pp. 309–312.
49. Gates, J. A. and Wood, R. H., Density and Apparent Molar Volume of Aqueous CaCl_2 , *J. Chem. Eng. Data*, 1989, **34**, No. 1, pp. 53–56.

331 REFERENCES

50. Saluja, P. P. S. and Leblanc, J. C., Apparent Molar Heat Capacities and Volumes of Aqueous Solutions of $MgCl_2$, $CaCl_2$, and $SrCl_2$ at Elevated Temperatures, *J. Chem. Eng. Data*, 1987, **32**, No. 1, pp. 72–76.
51. Phutela, R. C., Pitzer, K. S., and Saluja, P. P. S., Thermodynamics of Aqueous Magnesium Chloride, Calcium Chloride, and Strontium Chloride at Elevated Temperatures, *J. Chem. Eng. Data*, 1987, **32**, No. 2, pp. 76–80.
52. Gates, J. A. and Wood, R. H., Densities of Aqueous Solutions of $NaCl$, $MgCl_2$, KCl , $NaBr$, $LiCl$ and $CaCl_2$ from 0.05 to 5.0 mol·kg⁻¹ and 0.1013 to 40 MPa at 298.15 K, *J. Chem. Eng. Data*, 1985, **30**, No. 1, pp. 44–49.
53. Romankiw, L. A. and Chou, I. M., Densities of Aqueous $NaCl$, KCl , $MgCl_2$, and $CaCl_2$ Binary Solutions in the Concentration Range 0.5–6.1 m at 25, 30, 35, 40, and 45°C, *J. Chem. Eng. Data*, 1983, **28**, pp. 300–305.
54. Monnin, C., Densities and Apparent Molal Volumes of Aqueous $CaCl_2$ and $MgCl_2$ Solutions, *J. Solution Chem.*, 1987, **16**, No. 12, pp. 1035–1048.
55. Kumar, A., Densities and Apparent Molal Volumes of Aqueous Concentrated Calcium Chloride Solutions from 50 to 200°C at 20, 27 bar, *J. Solution Chem.*, 1986, **15**, No. 5, pp. 409–412.
56. Perron, G., Roux, A., and Desnoyers, J. E., Heat Capacities and Volumes of $NaCl$, $MgCl_2$, $CaCl_2$ and $NiCl_2$ up to 6 Molal in Water, *Can. J. Chem.*, 1981, **59**, pp. 3049–3054.
57. Kumar, A. and Atkinson, G., Thermodynamics of Concentrated Electrolytes. 3. Apparent Molal Volumes, Compressibilities and Expansibilities of $NaCl$ – $CaCl_2$ Mixtures from 5 to 35°C, *J. Phys. Chem.*, 1983, **87**, No. 26, pp. 5504–5507.
58. Emara, M. M. and Farid, N. A., Thermodinamic Molar Properties of Aqueous of Ca and Mg Salts Using Sound Velocity Measurements, *J. Indian Chem. Soc.*, 1981, **58**, No. 5, pp. 474–478.
59. Valyashko, V. M., Phase Equilibria and Properties of Aqueous Solutions at High Temperatures and Pressures. The Properties of Steam, *Proc. 10th Int. Conf.*, Moscow, 1984, Vol. 2, pp. 134–144.
60. Pepinov, R. I., Lobkova, N. I., Panakhov, I. A., et al., Volume Properties of Calcium Chloride Aqueous Solutions in a Wide Range of State Parameters, In: *Teplofizicheskie Svoistva Veshchestv i Rastvorov Novosibirsk*, 1988, pp. 90–102.
61. Gurovich, B. M., et al., *Tablitsy Teplofizicheskikh Svoistv Vodnykh Rastvorov Nekotorykh Neorganicheskikh Veshchestv* (Tables of the Thermophysical Properties of Aqueous Solutions of Some Inorganic Substances), TPI, Tashkent, 1975.
62. Tsai, S. V., Gilyarov, V. N., Zaremba, V. I., and Puchkov, L. V., Volume Properties of Aqueous Solutions of Calcium Chloride at High State Parameters, *Geokhimiya*, 1988, **7**, pp. 968–972.
63. Alekhin, O. S., L'vov, S. N., and Zaremba, V. L., Volume Properties of Calcium Chloride Aqueous Solutions at Pressures from 0.1 to 100 MPa at 298.15 K, *Geokhimiya*, 1980, **10**, pp. 1554–1557.
64. Ketsko, V. A. and Valyashko, V. M., Ob'emnye Svoistva Vodnykh Rastvorov Khloristogo Kal'tsiya pri Vysokikh Temperaturakh i Davleniyakh (Volume Properties of Calcium Chloride Aqueous Solutions at High Temperatures and Pressures), Available from VINITI, 1984, No. 6208–84.
65. Spitzer J. J., Singh P. P., et al., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes: $CaCl_2$, $Cd(NO_3)_2$, $CoCl_2$, $Cu(ClO_4)_2$, $Mg(ClO_4)_2$, and $NiCl_2$, *J. Solution Chem.*, 1978, **7**, No. 2, pp. 81–86.
66. Vasilev, V. A., Fedyainov, N. V., and Kurenko, V. V., Heat Capacities and Volumes of Isopiestic Solutions of the Beryllium Subgroup Metals, *Zh. Fiz. Khim.*, 1973, **47**, No. 11, pp. 2799–2803.
67. Oakes, C. S., Simonson, J. M., and Bodnar, R. J., The System $NaCl$ – $CaCl_2$ – H_2O . 2. Densities for Ionic Strengths of 0.1–19.2 mol/kg at 298.15 and 308.15 K and at 0.1 MPa, *J. Chem. Eng. Data*, 1990, **35**, No. 3, pp. 307–309.
68. Muradov, Sh. Ya., Mamedov, F. I., Imanov, F. V., and Mamedov, R. K., Density of the H_2O – $CaCl_2$ System at High State Variables, In: *Rezul'taty Issledovaniii Protsessov Vodopodgotovki, Vodnogo Rezhima na TES i Teplofizicheskikh Svoistv Rastvorov Teplonositeli* (Results of Investigation of Water Preparation, Thermoelectric Plant Water Schedule and the Thermophysical Properties of Heat-Transfer Liquid Solutions), Baku, 1988, pp. 85–90.
69. Abdullaev, L. M., Muradov, Sh. Ya., and Guseinov, A. A., Saturation Pressure of $CaCl_2$ Aqueous Solutions, *Izv. Vyssh. Uchebn. Zaved., Ser.: Neft' i Gaz*, 1989, **10**, pp. 11–12.
70. Onori, G., Adiabatic Compressibility and Local Structure in Aqueous Solutions of Strong II-I Electrolytes, *Acoust. Lett.*, 1990, **14**, No. 1, pp. 7–16.

71. Bogatykh, S. A. and Evnovich, I. D., Investigation of the Densities of LiCl, LiBr, and CaCl₂ Aqueous Solutions as Applied to for Gas Dehumidification, *Zh. Prikl. Khim.*, 1965, **38**, No. 4, pp. 945–946.
72. Gurovich, B. M., Gorelov, A. Ya., and Mezheritskii, S. M., *Tablitsy Teplofizicheskikh Svoistv Vodnykh Rastvorov Nekotorykh Neorganicheskikh Veshchestv* (Tables of the Thermophysical Properties of Aqueous Solutions of Some Inorganic Substances), Second Edition, TPI, Tashkent, 1987.
73. Spitzer, J. J., Singh, P. P., Olofsson, I. V., and Hepler, L. G., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes at 25°C: Cd(ClO₄)₂, Ca(ClO₄)₂, Co(ClO₄)₂, Mn(ClO₄)₂, Ni(ClO₄)₂, Zn(ClO₄)₂, *J. Solut. Chem.*, 1978, **7**, No. 8, pp. 623–629.
74. Berdysheva, N. A., Kisil', Yu. K., Ryabin, V. A., et al., Physicochemical Investigations of Magnesium and Calcium Chromate Solutions, In: *Khimiya Tekhnologiya i Primenenie Soedinenii Khroma i Sul'fidnykh Solei* (Technology and Application of Chromium and Compounds and Sulfide Salts), Sverdlovsk, 1975, pp. 38–39.
75. Popova, T. B. and Berdyukova, V. A., Physicochemical Properties of Saturated Solutions in the Ca(NO₃)₂–Ca(OH)₂–H₂O at 25°C, *Zh. Prikl. Khim.*, 1986, **59**, No. 1B, pp. 8–12.
76. Spitzer, J. J., Olofsson, I. V., Singh, P. P., Hepler, L. G., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes at 298.15 K: Ca(NO₃)₂, Co(NO₃)₂, Cu(NO₃)₂, Mg(NO₃)₂, Mn(NO₃)₂, Ni(NO₃)₂, and Zn(NO₃)₂, *J. Chem. Thermodyn.*, 1979, **11**, No. 3, pp. 233–238.
77. Kuznetsov, V. V. and Trostin, V. N., Volume and Transport Properties of Aqueous Solutions of Magnesium, Calcium, and Strontium Nitrates, In: *Termodenamicheskie Svoistva Rastvorov pri Ekstremal'nykh Usloviyakh* (Thermodynamic Properties of Solutions under Extreme Conditions), IKhTI, Ivanovo, 1987, pp. 113–118.
78. Herrington, T. M., Roffey, M. C., and Smith, D. P., Densities of Aqueous Electrolytes MnCl₂, CoCl₂, NiCl₂, ZnCl₂, and CdCl₂ from 25 to 72°C at 1 atm, *J. Chem. Eng. Data*, 1986, **31**, No. 2, pp. 221–225.
79. Rard, J. A., Miller, D. G., Densities and Apparent Molar Volumes of Aqueous Manganese, Cadmium and Zinc Chlorides at 25°C, *J. Chem. Eng. Data*, 1984, **29**, pp. 151–156.
80. Lo Surdo, A. and Millero, F. J., Apparent Molal Volumes and Adiabatic Compressibilities of Aqueous Transition Metal Chlorides at 25°C, *J. Phys. Chem.*, 1980, **84**, No. 7, pp. 710–715.
81. Celeda, J., Skramovsky, S., and Zilkova, J., The Metachors of Polyvalent and Associated Electrolytes in Aqueous Solutions, *Collect. Czech. Chem. Commun.*, 1984, **49**, No. 5, pp. 1079–1089.
82. Sohnel, O. and Novotny, P., Densities of Aqueous Solutions of 18 Inorganic Substances, *J. Chem. Eng. Data*, 1984, **29**, pp. 379–382.
83. Jha, D. K. and Jha, B. L., Partial Molar Volumes and Partial Molar Compressibilities of ZnSO₄, CdSO₄, Zn(NO₃)₂, Cd(NO₃)₂, and LiCl₂, *Indian J. Pure and Appl. Phys.*, 1990, **28**, No. 6, pp. 346–348.
84. Lo Surdo, A. and Millero, F. J., The Volume and Compressibility Change for the Formation of Transition Metal Sulfate Ion Pairs at 25°C, *J. Solution Chem.*, 1980, **9**, No. 3, pp. 163–181.
85. Easteal, A. J., et al., Diffusion Measurements and their Relation to Structure for Cadmium and Sulphate Ions in Concentrated Aqueous Solutions, *Chem. Phys. Letters*, 1986, **125**, pp. 279–282.
86. Einfeldt, J., Ahnfeldt, B., and Zorn, B., Viscositatsmessungen an wasrigen Me⁺²-sulfatlosungen, *Wiss. Z. Wilhelm-Pieck-Univ. Rostok*, 1985, **34**, No 1. pp. 31–38.
87. Phang, S., The Density, Viscosity and Transference Number of Aqueous Cobalt Chloride at 298.15 K, *Austr. J. Chem.*, 1980, **33**, pp. 641–645.
88. Maksimova, I. N., Pak Chzhon Su, and Pravdin, N. N., *Fiziko-Khimicheskie Svoistva Rastvorov Elektrolitov v Shirokom Diapozone Temperatur i Konsentratsii* (Physicochemical Properties of Electrolyte Solutions in Wide Temperature and Concentration Ranges), VINITI, Leningrad, 1984, No. 4113–84.
89. Pogue, R. F. and Atkinson, G., Solution Thermodynamics of First-Row Transition Elements. 2. Apparent Molal Volumes of Aqueous MnCl₂, Mn(ClO₄)₂, CoCl₂, Co(ClO₄)₂, FeCl₂, and Fe(ClO₄)₂ from 15 to 55°C, *J. Chem. Eng. Data*, 1989, **34**, No. 2, pp. 227–232.
90. Easteal, A. J., Mills, R., and Woolf, L. A., Tracer Diffusion, Conductance and Shear Viscosity of Chromium(III) Perchlorate and Chromium(III) Chloride Solutions at 298.15 K, *J. Phys. Chem.*, 1989, **93**, No. 12, pp. 4968.
91. Swaddle, T. W. and Mak, M. K. S., The Partial Molar Volumes of Aqueous Metal Cations: Their Prediction and Relation to Volumes of Activation for Water Exchange, *Can. J. Chem.*, 1986, **61**, pp. 473–480.

92. Spitzer, J. J., Olofsson, I. V., Singh, P. P., and Hepler, L. G., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes at 25°C: Cr(NO₃)₃, LaCl₃, K₃Fe(CN)₆ and K₄Fe(CN)₆, *Can. J. Chem.*, 1979, **57**, No. 21, pp. 2798–2803.
93. Ohling, W. and Schneider, G. M., Densities and Isothermal Compressibilities of Aqueous Solutions of Lithium Chloride and Cesium Bromide at 293.15 K to 200 MPa, *J. Chem. Thermodyn.*, 1979, **11**, No. 2, pp. 1203–1204.
94. Gucker, F. T., Stuble, D., and Hill, D. J., The Isentropic Compressibilities of Aqueous Solutions of Some Alkali Halides at 298.15 K, *J. Chem. Thermodyn.*, 1975, **7**, No. 9, pp. 865–873.
95. Novotny, P. and Sonnel, O., Densities of Binary Aqueous Solutions of 306 Inorganic Substances, *J. Chem. Eng. Data*, 1988, **33**, No. 1, pp. 49–55.
96. Horsak, I. and Slama, I., Densities of Aqueous Electrolyte Solutions. A Model for a Data Bank, *J. Chem. Eng. Data*, 1986, **31**, No. 4, pp. 434–437.
97. Lyons, P. A. and Riley, J. F., Diffusion Coefficients for Aqueous Solutions of Calcium Chloride and Cesium Chloride at 25°C, *J. Am. Chem. Soc.*, 1954, **76**, No. 10, pp. 5216.
98. Vasilev, V. A., Kruchina, V. I., and Novikov, A. N., Heat Capacity and Density of the M₂CrO₄–H₂O (M = Na, Cs) Systems at 298.15 K: Determination of the Standard Heat Capacities and Volume of Chromate(VI)-Ion in an Aqueous Solution, *Izv. Vyssh. Uchebn. Zaved., Ser.: Khimiya i Khim. Tekhnol.*, 1987, **30**, No. 4, pp. 53–56.
99. Berchiesi, G., Berchiesi, M. A., and Giola Lobbia, G., Apparent Molar Volumes of Alkali Metals Nitrates at 30°C, *J. Chem. Eng. Data*, 1974, **19**, No. 4, pp. 326–328.
100. Khutsistova, F. M., Berdyukova, V. A., Popova, T. B., et al., The CsNO₃–AgNO₃–H₂O System at 25°C, *Zh. Neorg. Khim.*, 1988, **33**, No. 4, pp. 1024–1027.
101. Pogue, R. and Atkinson, G., Solution Thermodynamics of First-Row Transition Elements. 1. Apparent Molar Volumes of Aqueous NiCl₂, Ni(ClO₄)₂, CuCl₂, and Cu(ClO₄)₂ from 15 to 55°C, *J. Chem. Eng. Data*, 1988, **33**, No. 3, pp. 370–376.
102. Ugai, D. P., Tukhtaev, S., and Saitova, M. T., The Ammonium Nitrate – Copper Nitrate System – Water System, *Zh. Neorg. Khim.*, 1986, **31**, No. 8, pp. 2129–2132.
103. Karapet'yants, M. Kh., Vasilev, V. A., and Sanaev, E. S., Study of the Heat Capacities and Volume Properties of MeCl₂–H₂O (Me = Fe, Ni) Solutions at 25°C, *Zh. Fiz. Khim.*, 1977, **51**, No. 9, pp. 2180–2183.
104. Chernen'kaya, E. I., Vernigora, G. A., Pavlyuchenko, E. N., and Makarovskaya, I. N., *Zh. Prikl. Khim.*, 1982, **55**, No. 8, pp. 1845–1847.
105. Sedneva, T. A., Sidorova, T. A., Sednev, Yu. M., and Mashkova, N. V., Density and Viscosity of Solutions, *Zh. Prikl. Khim.*, 1990, **63**, No. 5, pp. 1118–1120.
106. Allred, G. C. and Wooley, E. M., Heat Capacities and Densities of Solutions of NaCl, DCl and NaOD in D₂O at 283.15, 298.15 and 313.15 K: C⁰_p and V⁰ for ionization of D₂O, *J. Chem. Thermodyn.*, 1981, **13**, No. 6, pp. 585–590.
107. Pogue, R. and Atkinson, G., Apparent Molar Volumes and Heat Capacities of Aqueous HCl and HClO₄ at 15–55°C, *J. Chem. Eng. Data*, 1988, **33**, No. 4, pp. 495–499.
108. Hershey, J. P., Damasceno, R., and Millero, F. J., Densities and Compressibilities of Aqueous HCl and NaOH from 0 to 45°C. The Effect of Pressure on the Ionization of Water, *J. Solution Chem.*, 1984, **13**, No. 12, pp. 825–848.
109. Hovey, J. K., Hepler, L. G., and Tremaine, P. R., Apparent Molar Heat Capacities and Volumes of Aqueous HClO₄, HNO₃, (CH₃)₄NOH and K₂SO₄ at 398.15 K, *Thermochim. Acta*, 1988, **126**, pp. 245–253.
110. Hovey, J. K. and Hepler, L. G., Apparent and Partial Molar Heat Capacities and Volumes of Aqueous HClO₄ and HNO₃ from 10 to 55°C, *Can. J. Chem.*, 1989, **67**, No. 9, pp. 1489–1495.
111. Smirnova, N. I., Bus'ko, E. A., and Burkov, K. A., Apparent Molar Volume of Perchloric Acid at Various Concentrations, *Zh. Obshchey Khimii*, 1990, **60**, No. 7, pp. 1487–1490.
112. Latysheva, V. A. and Grigor'eva, E. G., Investigation of the Volume, Adiabatic Compressibility, and Isobaric Expansibility of Aqueous Perchloric Acid at 25°C, *Zh. Obshchey Khimii*, 1975, **45**, No. 5, pp. 971–976.
113. Kozhevnikov, O. A., Volkov, V. A., and Kozhevnikova, L. S., Volume and Compressibility of Aqueous Hydrofluoric Acid, *Zh. Prikl. Khim.*, 1983, **56**, No. 4, pp. 746–749.

114. Enea, O., Singh, P. P., Wooley, E. M., McCurdy, K. G., et al., Heat Capacities of Aqueous Nitric Acid, Sodium Nitrate and Potassium Nitrate at 298.15 K: C_p^0 of Ionization of Water, *J. Chem. Thermodyn.*, 1977, **9**, No. 8, pp. 731–734.
115. Larson, J. W., Zeeb, K. G., Hepler, L. G., Heat Capacities and Volumes of Dissociation of Phosphoric Acid (1st, 2nd and 3rd) Bicarbonate Ion and Bisulfate Ion in Aqueous Solution, *Can. J. Chem.*, 1982, **60**, pp. 2141–2150.
116. Lo Surdo, A., Bernstrom, K., Jonsson, C. A., Millero, F. G., Molar Volume and Adiabatic Compressibility of Aqueous Phosphate Solutions at 25°C, *J. Phys. Chem.*, 1979, **83**, No. 10, pp. 1255–1262.
117. Guseinov, G. G., Investigation of the Dependence of the Heat Transfer Coefficient of Aqueous Orthophosphoric Acid and Sulfuric Acid on Their Densities in the Liquid Phases, *Trudy 1-oi Vsesoyuz. Konf. po Zhidkofaznym Materialam* (Proc. of the 1st All-Union Conf. on Liquid-Phase Materials), Ivanovo, 1990, p. 37.
118. Maksimova, I. N., Ovanes'yan, K. K., and Bullan, V. A., Investigation of the Physicochemical Properties of Aqueous Sulfuric Acid and Potassium Hydroxide at Low Temperatures, *Zh. Prikl. Khim.*, 1972, **45**, No. 10, pp. 2173–2176.
119. Hovey, J. K. and Hepler, L. G., Thermodynamics of Sulfuric Acid: Apparent and Partial Molar Heat Capacities and Volumes of Aqueous HSO_4^- from 10–55°C and Calculation of the Second Dissociation Constant to 350°C, *J. Chem. Soc. Faraday Trans.*, 1990, **86**, No. 16, pp. 2831–2839.
120. Kumar, A., Densities and Apparent Molar Volumes of Aqueous NaCl–KBr Mixtures at 298.15 K, *Can. J. Chem.*, 1985, **63**, pp. 3200–3202.
121. Arhundov, T. S., Ivanova, M. V., and Tahirov, A. D., Thermal Properties of High Temperature Aqueous Electrolyte Solutions. The Properties of Steam. *Proc. 10th Int. Conf.*, Moscow, 1984, Vol. 2, pp. 316–323.
122. Fedorov, M. K. and Zaremba, V. I., *Ob'emye Svoistva Rastvorov Galogenidov Shchelochnykh Metallov pri Vysokikh Parametrikakh Sostoyaniya. Obzornaya Informatsiya* (Volume Properties of Aqueous Alkaline Metal Halides at High State Parameters: Review), Gosstandart, Moscow, 1983.
123. Vorob'ev, A. F., Vasilev, V. A., Mikhailin, B. V., and Strakhov, V. M., Heat Capacities and Volume Properties of $\text{NiBr}_2\text{-H}_2\text{O}$, $\text{KBr}\text{-H}_2\text{O}$, and $\text{NiBr}_2\text{-H}_2\text{O}$ Solutions, *Zh. Fiz. Khim.*, 1979, **53**, No. 10, pp. 2493–2496.
124. Gorbachev, S. V., Kondrat'ev, V. P., and Androsov, V. I., Specific Volumes of Aqueous Potassium Bromide, Iodide, and Nitrate, *Zh. Fiz. Khim.*, 1974, **48**, No. 11, pp. 2675–2677.
125. Egorov, V. Ya., Zaremba, V. I., Stashulenok, V. K., and Fedorov, M. K., Udel'nye i Partsial'nye Mol'nye Ob'emy Rastvorov $\text{KBr}\text{-H}_2\text{O}$ i $\text{KI}\text{-H}_2\text{O}$ pri Temperaturakh 298–623 K i Davleniyakh do 150 MPa (Specific and Partial Molar Volumes of $\text{KBr}\text{-H}_2\text{O}$ and $\text{KI}\text{-H}_2\text{O}$ Solutions at 298–623 K and Pressures of up to 150 MPa), Available from VINITI, 1976, No. 1240–76.
126. Out, D. J. P. and Los, J. M., Viscosity of Aqueous Solutions of Univalent Electrolytes from 5 to 95°C, *J. Solut. Chem.*, 1980, **9**, No. 1, pp. 19–35.
127. Imanova, M. V., Iskanderov, A. N., and Akhundov, T. S., $P_p\text{-T}$ and $P_s\text{-T}_s$ Dependences of High-Temperature Electrolyte Solutions, In: *Obrabotka Vysokomineralizovannykh Vod i Teplofizicheskie Svoistva* (Treatment of Highly Mineralized Water and Thermophysical Properties), Baku, 1985, pp. 99–102.
128. Iskanderov, A. I., Imanov, M. V., Akhundov, T. S., et al., Volume Properties of Aqueous Potassium Chloride, *Izv. Vyssh. Uchebn. Zaved., Ser.: Neft' i Gaz.*, 1988, **6**, p. 70.
129. Gorbachev, S. V., Kondrat'ev, V. P., and Androsov, V. I., Specific Volumes of KCl Aqueous Solutions at High Temperatures, In: *Fizicheskaya Khimiya i Elektrokhimija* (Physical Chemistry and Electrochemistry), Moscow, 1972, pp. 46–47.
130. Novikov, B. E. and Korzhavina, N. A., Volumetric Properties of Liquid and Vapor K_2CO_3 Solutions at Phase Equilibrium. The Properties of Steam, *Proc. 10th Int. Conf.*, Moscow, 1984, Vol. 2, pp. 190–195.
131. Novikov, B. E. and Korzhavina, N. A., Thermodynamic Study of Aqueous and Vapor K_2CO_3 Solutions under Phase Equilibrium in a Wide Temperature and Concentration Ranges, *Teplof. Vysokikh Temperatur*, 1987, **25**, No. 3, pp. 475–480.
132. Plotnost' Vodnykh Rastvorov Karyonata Kaliya v Oblasti Dvukhfazogo Ravnovesiya Par-Zhidkost' pri Temperaturakh ot 298.15 do 673.15 K Kontsentratsiyakh do 50 mas%. Tablitsy Rekomenduyemykh Spravochnykh Danniykh (Density of Aqueous Potassium Carbonate in the Field of Two-Phase

- Vapor–Liquid Equilibrium at Temperatures from 298.15 to 673.15 K and Concentrations of up to 50wt.-%: Tables of Recommended Data), GSSD, p. 241–87.
133. Puchkov, L. V., Kurochkina, V. V., and Matveeva, R. P., Plotnost' i Davlenie Nasyshchennogo Para Vodnykh Rastvorov K_2CO_3 pri Temperaturakh do 315°C (Density and Pressure of the Saturated Vapor of K_2CO_3 Aqueous Solutions at Temperatures as High as 315°C), Available from VINITI, 1976, No. 3476–767.
 134. Novikov, B. E. and Korzhavina, N. A., *Experimental and Analytical Determination of the Density of Aqueous Potassium Solutions*, Vodno-Khimicheskii Rezhim TES i AES (Aqueous-and-Chemical Mode of Thermoelectric and Atomic Power Plants, Moscow, 1986, pp. 102–109.
 135. Olofsson, I. V., Apparent Molar Heat Capacities and Volumes of Aqueous NaC, KCl and KNO_3 at 298.15 K. Comparison of Picker Flow Calorimeter with Other Calorimeters, *J. Chem. Thermodyn.*, 1979, **11**, No. 10, pp. 1005–1014.
 136. Chen, C.-T. A., Emmet, R. T., and Millero, F. J., The Apparent Molar Volumes of Aqueous Solutions of NaCl, KCl, $MgCl_2$, Na_2SO_4 and $MgSO_4$ from 0 to 1000 bars at 0.25 and 50°C, *J. Chem. Eng. Data*, 1977, **22**, No. 2, pp. 201–207.
 137. Millero, F. J. and Knok, J. H., Apparent Molar Volumes of Aqueous NaF , Na_2SO_4 , KCl, K_2SO_4 , $MgCl_2$ and $MgSO_4$ Solutions at 0 and 50°C, *J. Chem. Eng. Data*, 1973, **18**, pp. 407–411.
 138. Bell, J. T., Helton, D. M., and Rogers, T. G., Densities of Aqueous KCl and UO_2SO_4 from 25 to 374°C, *J. Chem. Eng. Data*, 1970, **15**, No. 1, pp. 44–46.
 139. Iminova, M. V., Experimental Investigation of the Thermal Properties of Aqueous Potassium Chloride, *Izv. Vyssh. Uchebn. Zaved., Ser.: Neft' i Gaz*, 1985, **4**, pp. 61–63.
 140. Gilyarov, V. N., Tsai, S. V., Puchkov, L. V., and Zarembo, V. I., PVTX Data for the KCl–H₂O System at Temperatures from 298.15 to 573.15 K and Pressures from the Equilibrium One to 1000 bar, *Zh. Prikl. Khim.*, 1987, **60**, No. 1, pp. 44–47.
 141. Gilyarov, V. N., Tsai, S. V., Puchkov, L. V., and Zarembo, V. I., PVTX Data for Aqueous Potassium Chloride at High Temperatures and Pressures, *Zh. Prikl. Khim.*, 1986, **59**, No. 5, pp. 987–991.
 142. Egorov, V. Ya., Zarembo, V. I., and Fedorov, M. K., PVTX Dependences in the KCl–H₂O System at Temperatures up to 350°C and Pressures to 1500 kgf/cm², *Zh. Prikl. Khim.*, 1976, **49**, No. 1, pp. 124–128.
 143. Pepinov, R. I. and Lobkova, N. V., Volume Properties of Aqueous Sodium and Potassium Chlorides, *Zh. Fiz. Khim.*, 1988, **62**, No. 5, pp. 1249–1254.
 144. Gorbachev, S. V., Kondrat'ev, V. P., Androsov, V. I., and Kolupaev, V. G., Specific Volumes of Aqueous Solutions of Alkaline Metal Chlorides, *Zh. Fiz. Khim.*, 1974, **48**, No. 11, pp. 2789–2791.
 145. Pepinov, R. I., Lobkova, N. V., et al., Density of Aqueous Potassium Chloride in a Wide Range of State Parameters, *Teplofiz. Vysokikh Temperatur*, 1984, **22**, No. 6, pp. 1210–1212.
 146. Sretenskaya, N. G., Razina, M. V., and Belonozhko, A. B., Calculation of the Thermodynamic Properties of the KCl–H₂O System at High State Parameters Based on a Modified Redlich–Kwong Equation, *Geokhimiya*, 1989, No. 3, pp. 402–411.
 147. Dedick, E. A., Hershey, J. P., Sotolongo, S., et al., The PVT Properties of Concentrated Aqueous Electrolytes. IX. The Volume Properties of KCl and K_2SO_4 and their Mixtures with NaCl and Na_2SO_4 as a Function of Temperature, *J. Solution Chem.*, 1990, No. 4, pp. 353–373.
 148. Ally, M. R., Klatt, L. N., Zalfash, A., and Linkous, R. L., Densities and Refractive Indexes of Aqueous (Li, K, Na)NO₃, *J. Chem. Eng. Data*, 1991, **36**, No. 2, pp. 209–213.
 149. Haldor, P. and Majumdar, D. K., Viscosity of Solutions of Simple 1:1 Electrolytes in Amide-Water Solvent Mixtures, *Z. Phys. Chem.*, N. F., 1990, **166**, pp. 183–193.
 150. Celeda, J. and Skramovsky, S., The Metachor as a Characteristic of the Association of Electrolytes in Aqueous Solutions, *Collect. Czech. Chem. Commun.*, 1984, **49**, No. 5, pp. 1061–1078.
 151. Roux, A., Musbally, G. M., Perron, G., et al., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes at 25°C: $NaClO_3$, $NaClO_4$, $NaNO_3$, $NaBrO_3$, $NaIO_3$, $KClO_3$, $KBrO_3$, KIO_3 , NH_4NO_3 , NH_4Cl and NH_4ClO_4 , *Can. J. Chem.*, 1978, **56**, No. 1, pp. 24–28.
 152. Olofsson, I. V., Spitzer, J. J., Hepler, L. G., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes at 25°C: Na_2SO_4 , K_2SO_4 , $Na_2S_2O_3$, $Na_2S_2O_8$, $K_2S_2O_8$, K_2CrO_8 , Na_2MoO_4 and Na_2WO_4 , *Can. J. Chem.*, 1978, **56**, No. 14, pp. 1871–1873.

153. Vasilev, V. A., Lar'kov, A. P., and Kruchina, T. I., Heat Capacity and Density of Aqueous K_2CrO_4 Solutions at 298.15 and their Interrelation with the Specific Features of CrO_4^{2-} Hydration, *Zh. Prikl. Khim.*, 1984, **58**, No. 11, pp. 2761–2765.
154. Hovey, J. K. and Hepler, L. G., Apparent and Partial Molar Heat Capacities and Volumes of CrO_4^{2-} (aq), $HCrO_4^-$ (aq) and $Cr_2O_7^{2-}$ (aq) at 25°C: Chemical Relaxation and Calculation of Equilibrium Constants for High Temperatures, *J. Phys. Chem.*, 1990, **94**, No. 20, pp. 7821–7830.
155. Vasilev, V. A., Kruchina, T. I., et al., Issledovanie Teploemkosti i Plotnosti Vodnykh Rastvorov Khromatov Metallov v Svyazi s Periodicheskim Zakonom (Study into the Heat Capacity and Density of Aqueous Solutions of Metal Chromates in Connection with the Periodic Law), Available from VINITI, 1984, No. 7579–84.
156. Vorob'ev, A. F., Mal'kov, I. V., Vasil'ev, V. A., and Lar'kov, A. P., Heat Capacity and Density of Aqueous Nickel and Potassium at 298.15 K, *Zh. Fiz. Khim.*, 1982, **56**, No. 4, pp. 1021–1022.
157. Protsenko, P. I., et al., on Some Properties of Potassium Nitrite, *Zh. Prikl. Khim.*, 1976, No. 10, pp. 2335–2337.
158. Puchkov, L. V., Matashch, V. G., and Matveeva, R. P., Densities of Aqueous Solutions of Sodium and Potassium Nitrates in a Wide Concentration and Temperature Ranges (to 350°C), *Zh. Prikl. Khim.*, 1979, **52**, No. 5, pp. 1015–1018.
159. Traktuev, O. M. and Ptitsina, V. N., Eksperimental'noe Issledovanie Plotnosti Vodnykh Rastvorov $NaNO_3$, $NaNO_3$, KNO_3 iikh Smesei (Experimental Study into the Density of Aqueous $NaNO_3$, $NaNO_2$ and KNO_3 and Their Mixtures), Available from VINITI, 1989, No. 3572-B29.
160. Herrington, T. M., Pethbridge, A. D., and Roffey, M. G., Densities of Aqueous Lithium, Sodium and Potassium Hydroxides from 25 to 75°C at 1 atm, *J. Chem. Eng. Data*, 1986, **31**, No. 1, pp. 31–34.
161. Roux, A. H., Perron, G., and Desnoyers, J. E., Capacites calorifiques, volumes, expansibilites et compressibilites des solutions aqueuses concentrees de $LiOH$, $NaOH$ et KOH , *Can. J. Chem.*, 1984, **62**, pp. 878–885.
162. Krutilova, L. E., Legkii I. N., Maksimova, I. N., and Nikol'skii, V. A., Density and Viscosity of Aqueous Solutions with Potassium and Rubidium Hydroxides, *Zh. Prikl. Khim.*, 1981, **54**, No. 3, pp. 535–537.
163. Corti, H. R., Fernandez Prini R., and Svarc, F., Densities and Partial Molar Volumes of Aqueous Solutions of Lithium, Sodium and Potassium Hydroxides up to 250°C, *J. Solution Chem.*, 1990, No. 8, pp. 793–809.
164. Correla, R. J. and Kestin, J., Viscosity and Density of Aqueous Na_2SO_4 and K_2SO_4 Solutions in the Temperature Range 20–90°C and the Pressure Range 0–30 MPa, *J. Chem. Eng. Data*, 1981, **26**, No. 1, pp. 43–47.
164. Valyashko, V. M., Dibrov, I. A., Puchkov, L. A., et al., *Thermophysical Properties of the NaCl-H₂O System in a Wide Range of the State Parameters, Reviews on the Thermophysical Properties of Substances*, IVTAN, Moscow, 1986, No. 4(60), pp. 3–112.
165. Ishii, T. and Fujita, S., Properties of Potassium Sulfate Aqueous Solution and Crystal, *J. Chem. Eng. Data*, 1978, **23**, No. 1, pp. 19–23.
166. Perron, G., Desnoyers, J. E., and Millero, F. J., Apparent Molar Volumes and Capacities of Alkaline Earth in Water at 25°C, *Can. J. Chem.*, 1974, **52**, No. 22, pp. 3738–3741.
167. Ravich, M. I. and Borovaya, F. E., Volume Properties of Aqueous Potassium Sulfate at High Pressures in a Temperature Range of 300–500°C, *Zh. Neorg. Khim.*, 1971, **16**, No. 11, pp. 3135–3142.
168. Puchkov, L. V., Kurochkina, V. V., and Matveeva, R. P., Plotnost' Vodnykh Rastvorov Sul'fatov Litiya, Natriya i Kaliya pri Temperaturakh do 315°C (Density of Aqueous Lithium, Sodium, and Potassium Sulfates at temperatures of up to 315°C), Available from VINITI, 1976, No. 3474–76.
169. Mashovets, V. P., Baron, N. M., and Shcherba, M. U., Viscosity and Density of Aqueous $LiCl$, $LiBr$, and LiI at Moderate and Low Temperatures, *Zh. Prikl. Khim.*, 1971, **44**, No. 9, pp. 1981–1985.
170. Dembecki, F. and Gazinski, B., Formuly aproksymacyjne opisujace fizyczne wlasnosci wodnego roztworu bromsku litu, *Archiwum termodynamiki*, 1980, **1**, Nos. 3–4, pp. 211–224.
171. Bogatykh, S. A., Dependences for Calculation of the Physical Parameters of Aqueous $LiCl$, $LiBr$, and $CaCl_2$ Serve as Moisture Absorbing Substances, *Zh. Prikl. Khim.*, 1974, **47**, No. 11, pp. 2553–2554.
172. Majer, V., Inglese, A., and Wood, R. H., Volumetric properties of $LiCl(aq)$ from 0.05 to 3.0 mol·kg⁻¹, 322 to 550 K and 0.8 to 32.6 MPa, *J. Chem. Thermodyn.*, 1989, **21**, No. 3, pp. 321–329.

173. Gucker, F. T., Stubley, D., and Hill, D. J., The Isentropic Compressibilities of Aqueous Solutions of Lithium Chloride at 298.15 K, *J. Chem. Thermodyn.*, 1977, **9**, No. 10, pp. 987–989.
174. Lyubimov, S. L. and Churagulov, B. R., Ob'emnye Svoistva LiCl v Vode v Shirokom Diapozone Kontsentratsii pri Davleniyakh do 150 MPa i Temperaturakh 298 K (Volumetric Properties of LiCl in a Wide Concentration Range at Pressures up to 150 MPa and 298 K), Available from VINITI, 1984, No. 5009-84.
175. Pepinov, R. I., Lobkova, N. V., and Panakhov, N. A., Density and Viscosity of Aqueous Lithium Chloride in a Wide Range of State Parameters, *Teplofiz. Vysokikh Temperatur*, 1989, **27**, No. 6, pp. 1086–1089.
176. Tanaka, K. and Tamamushi, R., A Physico-Chemical Study of Concentrated Aqueous Solution of Lithium Chloride, *Z. Naturforssch. A*, 1991, **46a**, No. 1, pp. 141–147.
177. Onori, G., The Hydration of Alkali Chlorides in Aqueous Solutions, *Nuovo Cim. D.*, 1989, **11D**, No. 10, pp. 1467–1479.
178. Majer, V., Hui L., Crovetto, R., and Wood, R. H., Volumetric Properties of Aqueous 1–1 Electrolyte Solutions near and above the Critical Temperature of Water. II. Densities and Apparent Molar Volumes of LiCl (aq) and NaBr (aq) at Molalities from 0.0025 mol·kg⁻¹ to 3.0 mol·kg⁻¹, Temperatures from 604.4 K to 725 K and Pressures from 18.5 MPa to 38.0 MPa, *J. Chem. Thermodyn.*, 1991, **23**, No. 4, pp. 365–378.
179. Pitzer, K. S. and Tanger IV, J. S., Critical Exponents for the Coexistence Curves for NaCl–H₂O Near the Critical Temperature of H₂O. Reply to Comment by A. N. Harvey and J. M. H. Levelt Sengers, *Chem. Phys. Lett.*, 1989, **156**, No. 4, pp. 418–419.
180. Lo Surdo A., Alzola, E. M., and Millero, F. J., The (p, v, t) Properties of Concentrated Aqueous Electrolytes. I. Densities and Apparent Molar Volumes of NaCl, Na₂SO₄, MgCl₂ and MgSO₄ Solutions from 0.1 mol·kg⁻¹ to Saturation and from 273.15 to 323.15 K, *J. Chem. Thermodyn.*, 1982, **14**, No. 7, pp. 649–662.
181. Chen, C.-T. A. and Millero, F. J., Equations of State for NaCl, MgCl₂, Na₂SO₄ and MgSO₄ Aqueous Solutions at High Pressures, *J. Chem. Eng. Data*, 1981, **26**, pp. 270–274.
182. Connaughton, L. M. and Millero, F. J., The PVT Properties of Concentrated Aqueous Electrolytes: VIII. The Volume Changes for Mixing the Major Sea Salts at an Ionic Strength of 3.0 from 5 to 95°C, *J. Solution Chem.*, 1987, **16**, No. 7, pp. 491–502.
183. Miller, D. G., Rard, J. A., Eppstein, L. B., and Albright, J. G., Mutual Diffusion Coefficients and Ionic Transport Coefficients LiI of MgCl₂–H₂O at 25°C, *J. Phys. Chem.*, 1984, **88**, No. 23, pp. 5739–5748.
184. Millero, F. J., Connaughton, L. M., Vinokurova, F., and Chetirkin, P. V., PVT Properties of Concentrated Aqueous Electrolytes. III. Volume Changes for Mixing the Major Sea Salts at I = 1.0 and 3.0 at 25°C, *J. Solution Chem.*, 1985, **14**, No. 12, pp. 837–851.
185. Mahiuddin, S. and Ismail, K., Temperature and Concentration Dependence of Viscosity of Mg(NO₃)₂–H₂O systems, *Canad. J. Chem.*, 1982, **60**, No. 23, pp. 2883–2888.
186. Phutela, R. C. and Pitzer, K. S., Densities and Apparent Molar Volumes of Aqueous Magnesium Sulfate and Sodium Sulfate to 473 K and 100 bar, *J. Chem. Eng. Data*, 1986, **31**, No. 3, pp. 320–327.
187. Connaughton, L. M. and Millero, F. J., The PVT Properties of Concentrated Aqueous Electrolytes: V. Densities and Apparent Molal Volumes of the Four Major Sea Salts from Dilute Solution to Saturation and from 0 to 100°C, *J. Solution Chem.*, 1986, **15**, No. 12, pp. 989–1002.
188. Spitzer, J. J., Olofsson, I. V., Singh, P. P., and Hepler, L. G., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes at 25°C: NaIO₃, KMnO₄ and MnCl₂, *Thermochim. Acta*, 1979, **28**, No. 1, pp. 155–160.
189. Stokes, R. H., The Apparent Molar Volumes of Aqueous Ammonia, Ammonium Chloride, Aniline and Anilinium Chloride at 25°C and the Volume Changes on Ionization, *Austr. J. Chem.*, 1975, **28**, No. 10, pp. 2109–2114.
190. Celeda, J. and Jedinakova, V., Contributions to the Chemistry of Highly Concentrated Aqueous Electrolyte Solutions. XXIII. A Densimetric Study of the NH₄⁺ Ion in Aqueous Solutions, *Collect. Czech. Chem. Commun.*, 1971, **36**, No. 12, pp. 3885–3890.
191. Campbell, A. N., Evidence for the Existence of Complex Ions in Mixed Solutions of Indium Trichloride and Ammonium Chloride, *Can. J. Chem.*, 1979, **57**, No. 6, pp. 702–704.

192. Thiesen, W. E. and Simonson, J. M., Enthalpy of Dilution and the Thermodynamics of NH_4Cl (aq) to 523 K and 35 MPa, *J. Phys. Chem.*, 1990, **94**, No. 20, pp. 7794–7800.
193. Sohnle, O., Novotny, P., and Wurzelova, J., Hustoty Vodnych Roztoku Nekterych Anorganickych Latek, *Chem. Listy*, 1982, **76**, No. 9, pp. 979–984.
194. Sharma, R. C. and Gaur, H. C., Densities and Molar Volumes of the Ammonium Nitrate-Water System, *J. Chem. Eng. Data*, 1977, **22**, No. 1, pp. 41–44.
195. Majer, V., Inglese, A., and Wood, R. H., Volumetric Properties of NaBr (aq, $m = 0.05$ to 3.0 mol·kg, $T = 322$ to 550 K, $P = 0.8$ to 32.6 MPa), *J. Chem. Thermodyn.*, 1989, **21**, No. 4, pp. 397–4067.
196. Galas, O. V., Lyubimov, S. L., and Churagulov, B. R., Compression of Aqueous Sodium Bromide Solutions in a Temperature Range of 298–363 K and a Pressure of up to 200 MPa, *Zh. Fiz. Khim.*, 1989, **63**, No. 4, pp. 1057–1058.
197. Karapet'yants, M. Kh., Vasilev, V. A., Mikhailin, B. V., and Strakhov, V. M., Heat Capacities of Density of Aqueous Solutions of Sodium and Rubidium Bromides at 25°C, *Zh. Fiz. Khim.*, 1979, **53**, No. 1, pp. 207–209.
198. Gehrig, M., Lentz, H., and Frank, E. U., Concentrated Aqueous Sodium Chloride Solutions from 200 to 600°C and to 3000 bar. Phase Equilibria and PVT-Data, *Ber. Bunsenges. Phys. Chem.*, 1983, **87**, No. 7, pp. 597–600.
199. Akhundov, T. S., Akhmedova, I. N., Tairov, A. D., et al., Thermal Properties of $\text{Ba}(\text{NO}_3)_2$ Aqueous Solutions at High Pressures and Temperatures, In: *Rezul'taty Issledovanii Protsessov Vodopodgotovki, Vodnogo Rezhima na TES i Teplofizicheskikh Svoistv Rastvorov Teplonositelei* (Results of Investigation of Water Preparation, Thermoelectric Plant Water Schedule and the Thermophysical Properties of Heat-Transfer Liquid Solutions), Baku, 1988, pp. 10–17.
200. Onori, G., The Hydration of Alkali Halids in Aqueous Solutions, *Acoust. Lett.*, 1989, **12**, No. 7, pp. 125–133.
201. Kolotov, Ya. L. and Basin, A. S., Experimental Investigation of the Density of Aqueous Solutions of Lithium Bromide at High Temperatures, In: *Issledovanie Teplofizicheskikh Svoistv Zhidkikh Rastvorov i Splavov* (Investigation of the Thermophysical Properties of Liquid Solutions and Alloys), Novosibirsk, pp. 5–20.
202. Onori, G., The Hydration of Alkali Halides in Aqueous Solutions, *Acoust. Lett.*, 1989, **12**, No. 7, pp. 125–133.
203. Archer, D. G., Thermodynamic Properties of the $\text{NaBr} + \text{H}_2\text{O}$ System, *J. Phys. and Chem. Ref. Data*, 1991, **20**, No. 3, pp. 509–555.
204. Hershey, J. P., Sotolongo, S., and Millero, F. J., Densities and Compressibilities of Aqueous Sodium Carbonate and Bicarbonate from 0 to 45°C, *J. Solution Chem.*, 1983, **12**, No. 4, pp. 233–254.
205. Puchkov, L. V. and Kurochkin, V. V., Density and Pressure of the Saturated Vapor of Aqueous Soda at temperatures to 320°C, In: *Issledovaniya v Oblassti Neorganicheskoi Tekhnologii* (Studies in the Field of Inorganic Technology), Nauka, Moscow, 1972, pp. 263–267.
206. Karov, Z. G., Urusova, R. Kh., Kyarova, A. A., and Afaunova, R. Z., Isotherm (30°C) of Solubility and Some Properties of Saturated Solutions in the $\text{Na}_2\text{MoO}_4\text{-Na}_2\text{CO}_3\text{-H}_2\text{O}$ System, *Zh. Neorg. Khim.*, 1988, **33**, No. 11, pp. 2923–2929.
207. Karov, Z. G., Kyarov, A. A., Lepeshkov, I. N., and El'mesova, R. M., heterogeneous Equilibrium and the Properties of Saturated Solutions in the $\text{Na}_2\text{MoO}_4\text{-Na}_2\text{CO}_3\text{-H}_2\text{O}$ System at 100°C, *Zh. Neorg. Khim.*, 1987, **32**, No. 2, pp. 467–472.
208. Pitzer, K. S., Peiperl, J. C., and Busey, R. H., Thermodynamic Properties of Aqueous Sodium Chloride Solutions, *J. Phys. Chem. Ref. Data*, 1984, **13**, No. 1, pp. 1–102.
209. Rogers, P. S. Z. and Pitzer, K. S., Volumetric Properties of Aqueous Sodium Chloride Solutions, *J. Phys. Chem. Ref. Data*, 1982, **11**, No. 1, pp. 15–81.
210. Majer, V., Gates, J. A., Inglese, A., and Wood, R. H., Volumetric Properties of Aqueous NaCl Solutions from 0.0025 to 5.0 mol·kg, 323 to 600 K and 0.1 to 40 MPa, *J. Chem. Thermodyn.*, 1988, **20**, No. 8, pp. 949–968.
211. Perron, G., Fortier, J.-L., and Desnoyers, J. E., The Apparent Molar Heat Capacities and Volumes of Aqueous NaCl from 0.01 to 3 mol·kg in the Temperature Range 274.65 to 318.15 K, *J. Chem. Thermodyn.*, 1975, **7**, No. 12, pp. 1177–1184.
212. Rogers, P. S. Z., Bradley, D. J., and Pitzer, K. S., Densities of Aqueous Sodium Chloride Solutions from 75 to 200°C at 20 bar, *J. Chem. Eng. Data*, 1982, **27**, No. 1, pp. 47–50.

213. Rowe, A. M. and Chou, J. C. S., Pressure-Volume-Temperature-Concentration Relation of Aqueous NaCl Solutions, *J. Chem. Eng. Data*, 1970, **15**, No. 1, pp. 61–66.
214. Dessauges, G., Miljevic, N., and Van Hook, W. A., Isotope Effects in Aqueous Systems. 9. Partial Molar Volumes of NaCl/H₂O and NaCl/D₂O at 15, 30 and 45°C, *J. Phys. Chem.*, 1980, **84**, No. 20, pp. 2587–2595.
215. Millero, F. J., The Apparent and Partial Molal Volume of Aqueous Sodium Chloride Solutions at Various Temperatures, *J. Phys. Chem.*, 1970, **74**, No. 2, pp. 356–362.
216. Khaibulin, I. Kh., *Vodnye i Parofaznye Rastvory. Sistema Voda-Khloristy Natrii. Tablitsy Termodinamicheskikh Svoistv Gazov i Zhidkostei* (Aqueous and Vapor Solutions. The Water–Sodium Chloride System. Tables of the Thermodynamic Properties of Gases and Liquids), Izd. Standartov, Moscow, 1980, No. 6.
217. Valyashko, M. V., et al., *Teplofizicheskie Svoistva Sistemy NaCl-H₂O v Shirokom Intervale Parametrov Sostoyaniya. Obzory po Teplofiz. Svoistvam Veshchestv* (Thermophysical Properties of the NaCl–H₂O System in a Wide Range of State Parameters. Reviews on the Thermophysical Properties of Substances), IVTAN, Moscow, 1986, No. 4.
218. Urusova, M. A., PVTx Dependences in the NaCl–H₂O System at High Temperatures and Pressures, In: *Metody Eksperimental'nogo Issledovaniya Gidrotermal'nykh Ravnovesii* (Methods of Experimental Study of Hydrothermal Equilibria), Nauka, Novosibirsk, 1979, pp. 54–71.
219. Zaremba, V. I. and L'vov, S. N., On the Possibility of Calculation of the Volumetric Properties of Water–Salt Systems at High Temperatures and Pressures, *Zh. Neorg. Khim.*, 1980, **25**, No. 11, pp. 3068–3072.
220. Urusova, M. A., The Volumetric Properties of Aqueous Sodium Chloride Solutions at High Temperatures and Pressures, *Zh. Neorg. Khim.*, 1975, **20**, No. 11, pp. 3103–3110.
221. Pepinov, R. I., Lobkova, N. V., and Zokhrabbekova, G. Yu., Density of Aqueous Sodium Chloride Solutions in a Wide Range of State Parameters, *Teplofiz. Vysokikh Temperatur*, 1983, **21**, No. 4, pp. 827–828.
222. L'vov, S. N., Zaremba, V. I., and Gilyarov, V. N., Precision Studies of the Volumetric Properties of Aqueous Sodium Chloride Solutions at High State Parameters, *Geokhimiya*, 1981, **4**, pp. 505–516.
223. Nagasaka, Y., et al., Measurements of the Thermal Conductivity of Aqueous NaCl Solutions at Pressures up to 40 MPa, *Ber. Bunsenges. Phys. Chem.*, 1983, No. 87, pp. 859–866.
224. Lvov, S. N. and Wood, R. H., Equation of State of Aqueous NaCl Solutions over a Wide Range of Temperatures, Pressures and Concentrations, In: Water and Steam, *Proc. 11th Int. Conf.*, New York, 1990, pp. 402–411.
225. Akhundov, T. S., Imanova, M. V., and Ismail-Zade, Sh. M., The Thermal Properties of Aqueous Sodium Chloride Solutions at Concentrations of 100 and 300 g/L, *Izv. Vyssh. Uchebn. Zaved., Ser.: Neft' i Gaz*, 1985, **2**, pp. 58–60.
226. Akhundov, T. S. and Imanova, M. V., The Thermal Properties of Aqueous Sodium Chloride Solutions at Concentrations of 200 g/L, *Inzh.-Fiz. Zh.*, 1984, **6**, pp. 957–959.
227. Lvov, S. N. and Wood, R. H., Equation of State of Aqueous NaCl Solutions over a Wide Range of Temperatures, Pressures and Concentrations, *Fluid Phase Equilibria*, 1990, **60**, No. 3.P. 273–287.
228. Onori, G. and Santucci, A., Volumetric Properties of 1–1 Electrolyte Solutions and Ionic Hydration, *J. Chem. Phys.*, 1990, **93**, No. 4, pp. 2939–2945.
229. Knight, C. L. and Bodnar, R. J., Synthetic Fluid Inclusions: IX. Critical PVTx Properties of NaCl–H₂O Solutions, *Geochim. et Cosmochim. Acta*, 1989, **53**, No. 1, pp. 3–8.
230. Onori, G., Ionic Hydration in Sodium Chloride Solutions, *J. Chem. Phys.*, 1988, **89**, No. 1, pp. 510–516.
231. Gallagher, J. C., and Levelt Sengers, J. M. H., Modeling the Thermodynamic Properties of Sodium Chloride in Steam through Extended Corresponding States, *Int. J. Thermophys.*, 1988, **9**, No. 5, pp. 649–661.
232. Pitzer, K. S. and Tanger, J. S., Near-Critical NaCl–H₂O: an Equation of State and Discussion of Anomalous Properties, *Int. J. Thermophys.*, 1988, **9**, No. 5, pp. 635–648.
233. Majer, V., Hui, L., Crovetto, R., and Wood, R. H., Volumetric Properties of Aqueous 1–1 Electrolyte Solutions near and above the Critical Temperature of Water. I. Densities and Apparent Molar Volumes of NaCl(aq) from 0.0025 mol·kg⁻¹ to 3.1 mol·kg⁻¹, 604.4 K to 725.5 and 18.5 MPa to 38.0 MPa, *J. Chem. Thermodyn.*, 1991, **23**, No. 4, pp. 365–378.

234. Janz, G. J., Oliver, B. G., et al., Electrical Conductance, Diffusion, Viscosity and Density of Sodium Nitrate, Sodium Perchlorate and Sodium Thiocyanate in Concentrated Aqueous Solutions, *J. Phys. Chem.*, 1970, **74**, No. 6, pp. 1285–1289.
235. Loseva, G. K. and Semchenko, D. P., Teploemkost' i Plotnost' Vodnykh Rastvorov Khlorata i Perkhlorata Natriya pri 25, 40 i 60°C (Heat Capacity and Density of Aqueous Sodium Chlorates and Perchlorates at 25, 40, and 60°C), Available from VINITI, 1973, No. 5537–73.
236. Akhundov, T. S., Iskenderov, A. I., Imanova, A. I., and Ishkhanov, U. B., Experimental Study of the Thermal Properties of Aqueous Sodium Fluoride, *Zh. Fiz. Khim.*, 1988, **62**, No. 7, pp. 1932–1933.
237. Barbero, J. A., McCurdy, K. G., and Tremaine, P. R., Apparent Molar Heat Capacities and Volumes of Aqueous Hydrogen Sulfide and Sodium Hydrogen Sulfide near 25°C: the Temperature Dependence of H₂S Ionization, *Can. J. Chem.*, 1982, **60**, pp. 1872–1880.
238. Karov, Z. G., Karov, A. A., Urusova, R. Kh., and Shakov, Z. M., Phase Equilibrium and the Properties of Saturated Solutions in the NaMoO₄–NaI–H₂O System at 25°C, *Zh. Neorg. Khim.*, 1987, **32**, No. 2, pp. 473–479.
239. Akhundov, T. S., Imanova, M. V., Tairov, A. D., and Ismail-Zade, Sh. M., Experimental Study of the P-V-T and Ps-Ts Dependences of Aqueous Sodium Iodide Solutions, In: *Teplofizicheskie Vysokokip-yashchikh Zhidkosteii* (Thermophysical Properties of High-Boiling Liquids), AzINEFTEKHIM, Baku, 1983, pp. 3–10.
240. Akhundov, T. S., Tairov, A. D., Imanova, M. V., and Iskanderov, A. I., Thermal Equation of State of Aqueous Sodium Iodide Solutions, *Izv. Vyssh. Uchebn. Zaved.*, Ser.: *Energetika*, 1989, **6**, p. 97.
241. Iskanderov, A. I., Imanov, M. V., Akhundov, R. T., et al., Volumetric Properties of Aqueous Potassium Chloride solutions, *Izv. Vyssh. Uchebn. Zaved.*, Ser.: *Neft' i Gaz*, 1988, **6**, p. 70.
242. Akhundov, T. S., Imanova, M. V., and Ismail-Zade, Sh. M., Thermal Properties of Aqueous Sodium Iodide Solutions at a Concentration of 5 gel, *Izv. Vyssh. Uchebn. Zaved.*, Ser.: *Energetika*, 1984, **1**, pp. 95–97.
243. Akhundov, T. S. and Imanova, M. V., Thermal Properties of Aqueous Sodium Iodide Solutions at a Concentration of 200 gel, *Inzh.-Fiz. Zh.*, 1983, **45**, No. 1, pp. 140–142.
244. Akhundov, T. S., Imanova, M. V., and Arutyunyan, G. S., Thermal Properties of Aqueous Sodium Iodide Solutions at Concentrations of 0 and 50 gel, *Dokl. AN SSSR*, 1983, **271**, No. 5, pp. 1146–1149.
245. Akhundov, T. S., Imanova, M. V., and Tairova, A. D., Thermal Properties of Aqueous Sodium Iodide Solutions at a Concentration of 400 gel, *Dokl. AN Azerb.SSR*, 1983, vol. 39, No. 7, pp. 40–43.
246. Guseinov, A. G., Iskanderov, A. I., Akhundov, R. T., Agaeva, D. A., and Akhundov, T. S., P-V-T and Ps-Ts Dependences of Aqueous Sodium Fluoride, In: *Termodinamicheskie i Perenosnye Svoistva Veshchestv* (Thermodynamic and Transport Properties of Substances), Baku, 1989, pp. 14–20.
247. Traktuev, O. M. and Ptitsina, V. N., Eksperimental'noe Issledovanie Plotnosti Vodnykh Rastvorov NaNO₃, NaNO₂, KNO₃ i Ikh Smesei (Experimental Study of the Density of Aqueous NaNO₃, NaNO₂, KNO₃ and Their Mixtures), Available from VINITI, 1989, No. 3572, pp. 3572–1989.
248. Protsenko, P. I., Tsikhirova, N. Kh., Gorbatkova, B. Kh., and Rusina, O. N., Properties of NaNO₃–Zn(NO₃)₂–H₂O Solutions Saturated at 25°C, *Zh. Prikl. Khim.*, 1980, **53**, No. 7, pp. 1513–1516.
249. Swarin, S. J. and Curran, D. J., Dilatometry with Pressure-Transducing Instrumentation: Determination of the Apparent Molar Volume of NaOH in Water at 299.3 K, *J. Chem. Thermodyn.*, 1978, **10**, No. 4, pp. 381–386.
250. Krey, J., Dampfdruck und Dichte des systems H₂O–NaOH, *Z. Phys. Chem.*, N. F., 1972, **81**, No. 5/6, pp. 252–273.
251. Pabalan, R. T. and Pitzer, K. S., Thermodynamics of NaOH(aq) in Hydrothermal Solutions, *Geochim. et Cosmochim. Acta*, 1987, **57**, pp. 829–837.
252. Martynova, O. I., Androsov, V. I., and Vospennikov, V. V., Termodinamicheskie Svoistva Sistemy Gidrookis' Natriya–Voda (Thermodynamic Properties of the Soda–Water System), *Obzory po Teplofizich. Svoistvam Veshchestv*, IVTAN, Moscow, 1982, No. 4(36).
253. Glazyrina, L. N. and Katyshev, S. F., Density and Surface Tension of Aqueous Sodium Sulfide Solutions, *Zh. Prikl. Khim.*, 1986, **59**, No. 3, pp. 665–667.
254. Tsai, S. V., Gilyarov, V. N., Puchkov, L. V., and Zaremba, V. I., Volumetric Properties of Aqueous Sodium Sulfate Solutions at High Temperatures and Pressures, *Zh. Prikl. Khim.*, 1986, **59**, No. 5, pp. 992–994.

255. Pepinov, R. I., Lobkova, N. V., and Zokhrabbekova, G. Yu., Density of Aqueous Sodium Sulfate solutions in a Wide Range of State Parameters, *Teplofiz. Vysokikh Temperatur*, 1985, **23**, No. 2, pp. 399–402.
256. Khaibullin, L. Kh. and Novikov, B. E., Thermodynamic Investigation of Aqueous and Vapor Sodium Sulfate Solutions at High Temperatures, *Teplofiz. Vysokikh Temperatur*, 1973, **11**, No. 320–327.
257. Skramovsky, S. and Celeda, J., Metachors and Dissociation of Salts of Oxyacids of Group VI Heavy Metals in Aqueous Solutions, *Collect. Czech. Chem. Commun.*, 1985, **50**, No. 9, pp. 1917–1927.
258. Novoselov, A. G., et al., Study into the Physical Properties of Aqueous Sodium Sulfite Solutions, *Zh. Prikl. Khim.*, 1989, No. 5, p. 1144.
259. Rard, J. A., Densities and Apparent Molar Volumes of Aqueous Nickel Chloride, *J. Chem. Eng. Data*, 1986, **31**, No. 2, pp. 183–186.
260. Stokes, R. H., Phang, S., and Mills, R., Density, Conductance, Transference Numbers and Diffusion Measurements in Concentrated Solutions of Nickel Chloride at 25°C, *J. Solution Chem.*, 1979, **8**, No. 7, pp. 489–500.
261. Stokes, R. H., Phang, S., and Mills, R., Density, Conductance, Transference Numbers and Diffusion Measurements in Concentrated Solutions of Nickel Chloride at 25°C, *J. Solution Chem.*, 1979, **8**, No. 7, pp. 489–500.
262. Mel'nikov, Yu. A., et al., Investigation of the Density and Viscosity of Nickel Nitrate Solutions [II], *Khimich. Prom.*, 1990, No. 2, pp. 97–98.
263. Fedotov, N. V. and Maksimova, I. N., Viscosity, Density, and Conductance of Nickel Sulfate solutions at High Temperatures, *Zh. Prikl. Khim.*, 1971, **44**, No. 9, pp. 1986–1989.
264. Protsenko, P. I., et al., Viscosity, conductance, and Density of Aqueous Rubidium Nitrite Solutions, *Zh. Prikl. Khim.*, 1976, No. 1, p. 2337.
265. Kumar, A., Densities of Aqueous Strontium Chloride Solutions up to 200°C and at 20 bar, *J. Chem. Eng. Data*, 1986, **31**, No. 3, pp. 347–349.
266. Pogue, R. F. and Atkinson, G., Solution Thermodynamics of First Row Transition Elements. 3. Apparent Molal Volumes of Aqueous $ZnCl_2$ and $Zn(ClO_4)_2$ from 15 to 55°C and an Examination of Solute-Solute and Solute-Solvent Interactions, *J. Solution Chem.*, 1989, **18**, No. 3, pp. 249–264.
267. Jain, S. K., Jain, A. K., Gupta, A. K., and Singh, V. V., Densities and Refractive Indices of Aqueous Zinc Nitrate Solutions, *J. Chem. Eng. Data*, 1985, **30**, pp. 301–304.
268. Mikhailin, B. V., Vorob'ev, A. F., and Vasilev, V. A., Heat Capacity and Density of Aqueous Cesium and Copper Bromide Solutions at 298.15 K, *Zh. Fiz. Khim.*, 1982, **56**, No. 8, pp. 1937–1940.
269. Desnoyers, J. E., Arel, M., Perron, G., and Jolicoeur, C., Apparent Molal Volumes of Alkali Halides in Water at 25. Influence of Structural Hydration Interactions on the Concentration Dependence, *J. Phys. Chem.*, 1969, **73**, No. 10, pp. 3346–3351.
270. Soluja, P. P. S., LeBlanc, J. C., and Hume, H. B., Apparent Molar Heat Capacities and Volumes of Aqueous Solutions of Several 1:1 Electrolytes at Elevated Temperatures, *Can. J. Chem.*, 1986, **64**, pp. 926–931.
271. Onori, G., Santucci, A., and Marchesoni, F., Volumetric Properties of Aqueous Alkali Halides and Ionic Hydration, *J. Mol. Liquids*, 1991, **49**, pp. 209–223.
272. Ostoff, A. G., Snowden, B. S., and Woessner, D. E., Viscosity of Orotonated and Deuterated Water Solutions of Alkali Metal Chlorides, *J. Phys. Chem.*, 1969, **73**, No. 8, pp. 2784–2785.
273. The Viscosity and Structure of Solutions. Part 2, J. Crudden et al., *J. Chem. Soc. Faraday Trans.*, 1986, **82**, No. 7, pp. 2195–2006.
274. Voznesenskaya, V. I. and Mikulin, G. I., Tables of Water Activity in Strong Electrolyte Solutions at 25°C, In: *Voprosy Fizicheskoi Khimii Rastvorov Elektrolitov* (Problems of the Physical Chemistry of Electrolyte Solutions), G. I. Mikulina, Ed., Khimiya, Lenizdat, 1968.
275. Cisternas, L. A. and Lam, E. J., An Analytic Correlation for the Vapor Pressure of Aqueous and Non-Aqueous Solutions of Single and Mixed Electrolytes. Part II. Application and Extension, *Fluid Phase Equilibria*, 1991, **62**, No. 1/2, pp. 11–27.
276. Goldberg, R. N. and Nuttall, R. L., Evaluated Activity and Osmotic Coefficients for Aqueous Solutions: the Alkaline Earth Metal Haloiodes, *J. Phys. Chem. Ref. Data*, 1978, **7**, No. 1, pp. 263–310.
277. Patil, K. R., Tripathi, A. D., Pathak, G., and Katti, S. S., Thermodynamic Properties of Aqueous Electrolyte Solutions. 2. Vapor Pressure of Aqueous Solutions of $NaBr$, NaI , KCl , KBr , KI , $RbCl$, $CsCl$,

- CsBr, CsI, MgCl₂, CaCl₂, CaBr₂, CaI₂, SrCl₂, SrBr₂, SrI₂, BaCl₂, and BaBr₂, *J. Chem. Eng. Data*, 1991, **36**, No. 2, pp. 225–230.
278. Matuzenko, M. Yu., Zaremba, V. I., and Puchkov, L. V., Vapor Pressure over Aqueous Magnesium and Barium Chloride Solutions at 400–630 K, *Zh. Obshchei Khimii*, 1984, **54**, No. 11, pp. 2414–2419.
279. Matuzenko, M. Yu., Zaremba, V. I., and Puchkov, L. V., Water Activity and Electrolyte Activity Coefficients in Aqueous Magnesium and Barium Chloride Solutions at High Temperatures, *Zh. Obshchei Khimii*, 1984, **54**, No. 11, pp. 2419–2423.
280. Valyashko, V. M., Urusova, M. A., Ketsko, V. A., and Kravchuk, K. G., Phase Equilibria and Thermodynamic Properties of Solutions in the MgCl₂–H₂O, CaCl₂–H₂O, and BaCl₂–H₂O Systems at High Temperatures, *Zh. Neorg. Khimii*, 1987, **32**, No. 11, pp. 2811–2819.
281. Ryabin, V. A., Ostroumov, M. A., and Svit, T. F., *Termodinamicheskie Svoistva Veshchestv. Spravochnik* (Thermodynamic Properties of Substances: Handbook), Khimiya, Leningrad, 1977.
282. Galkin, V. I., Lilich, L. S., Kurbanova, Z. N., and Chernykh, L. V., Steam Pressure in Binary HClO₄–H₂O and Me(ClO₄)–H₂O Solutions at 0 and 50°C, *Zh. Fiz. Khim.*, 1973, **47**, pp. 443–444.
283. Pan, C.-F., Activity and Osmotic Coefficients in Dilute Aqueous Solutions of Bi-Valent Electrolytes at 25°C, *J. Chem. Eng. Data*, 1977, **22**, No. 2, pp. 234–237.
284. Holmes, H. F. and Mesmer, R. E., Isopiestic Studies of Aqueous Solutions at Elevated Temperatures. V. SrCl₂ and BaCl₂, *J. Chem. Thermodyn.*, 1981, **13**, No. 11, pp. 1025–1033.
285. Moore, J. T., Humphries, W. T., and Patterson, C. S., Isopiestic Studies of Some Aqueous Electrolyte Solutions at 80°C, *J. Chem. Eng. Data*, 1972, **17**, No. 2, pp. 180–182.
286. Suryanarayana, C. V. and Pugazhendhi, P., Relation between Osmotic Pressure and Internal Pressure, *Indian J. Pure and Appl. Phys.*, 1990, **28**, No. 5, pp. 291–292.
287. Akhundov, T. S., Akhmedova, T. N., Tairov, A. D., et al., Thermal Properties of Aqueous Ba(NO₃)₂ Solutions at High Pressures and Temperatures, In: *Rezul'taty Issledovanii Protsessov Vodopodgotovki, Vodnogo Rezhima na TES i Teplofizicheskikh Svoistv Rastvorov Teplonositelei* (Results of Investigation of Water Preparation, Thermoelectric Plant Water Schedule and the Thermophysical Properties of Heat-Transfer Liquid Solutions), Baku, 1988, pp. 10–17.
288. Sako, T., Hakuta, T., and Yoshitome, H., Vapor Pressures of Binary (H₂O–HCl, –MgCl₂, and –CaCl₂) and Ternary (H₂O–MgCl₂–CaCl₂) Aqueous Solutions, *J. Chem. Eng. Data*, 1985, **30**, No. 2, pp. 224–228.
289. Zaremba, V. I., L'vov, S. N., and Matuzenko, M. Yu., Pressure of Saturated Steam and Activity Coefficients of Calcium Chloride in the CaCl₂–H₂O System at 423–623 K, *Geokhimiya*, 1980, No. 4, pp. 610–614.
290. Urusova, M. A. and Valyashko, V. M., Vapor Pressure and Water Activity in Concentrated Aqueous Solutions with Alkali (Li, K, and Cs) and Alkaline-Earth (Mg and Ca) Metals at Elevated Temperatures, *Zh. Neorg. Khimii*, 1987, **32**, No. 1, pp. 44–48.
291. Ketsko, V. A., Urusova, M. A., and Valyashko, V. M., Solubility and Vapor Pressure of Solutions in the CaCl₂–H₂O System at 250–400°C, *Zh. Neorg. Khimii*, 1984, **29**, No. 9, pp. 2443–2445.
292. Abdulaev, L. M., Muradov, Sh. Ya., and Guseinov, A. A., Pressure of Saturated Aqueous CaCl₂ Solutions, *Izv. Vyssh. Uchebn. Zaved., Ser.: Neft' i Gaz*, 1989, No. 10, pp. 11–12.
293. Cisternas, L. A. and Lam, E. J., A Analytic Correlation of Vapor Pressure of Aqueous and Non-Aqueous Solutions of Single and Mixed Electrolytes, *Fluid Phase Equilibria*, 1989, **53**, pp. 243–249.
294. Staples, B. R. and Nuttall, R. L., The Activity and Osmotic Coefficients of Aqueous Calcium Chloride at 298.15 K, *J. Phys. Chem. Ref. Data*, 1977, **6**, No. 2, pp. 385–407.
295. Zaremba, V. I. and Puchkov, L. V., Standard Values of the Thermodynamic Functions of Stoichiometric Ion Mixtures in Aqueous Solutions at Temperatures to 623 K, *Obzory po Teplofizicheskim Svoistvam Veshchestv*, IVTAN, Moscow, 1980, No. 4(30), pp. 3–58.
296. Holmes, H. F., Baes, C. F., and Mesmer, R. E., Isopiestic Studies of Aqueous Solutions at Elevated Temperatures. I. KCl, CaCl₂ and MgCl₂, *J. Chem. Thermodyn.*, 1978, **10**, No. 10, pp. 983–996.
297. Davis, T. M., Duckett, L. M., Garvey, C. E., Hollifield, J. M., and Patterson, C. S., Osmotic Coefficients of Aqueous LiCl and CaCl₂ from Their Isopiestic Ratios to NaCl at 50°C, *J. Chem. Eng. Data*, 1986, **31**, No. 1, pp. 54–55.
298. Rard, J. A. and Spedding, F. H., Isopiestic Determination of the Osmotic Coefficients of Aqueous CaCl₂ Solutions at 25°C, *J. Chem. Eng. Data*, 1977, **22**, No. 1, pp. 56–58.

299. Rard, J. A., Habenschuss, A., and Spedding, F. H., A Review of the Osmotic Coefficients of Aqueous CaCl_2 at 25°C, *J. Chem. Eng. Data*, 1977, **22**, No. 2, pp. 180–186.
300. Platford, R. F., Osmotic Coefficients of Aqueous Solutions of Seven Compounds at 0°C, *J. Chem. Eng. Data*, 1973, **18**, No. 2, pp. 215–217.
301. White, D. F., Doberstein, A. L., Gates, J. A., Tillett, D. M., and Wood, R. H., Heat Capacities of Aqueous CaCl_2 from 306 to 603 K at 17.5 MPa, *J. Chem. Thermodyn.*, 1987, **19**, pp. 251–259.
302. Ananthaswamy, J. and Atkinson, G., Thermodynamics of Concentrated Electrolyte Mixtures. 5. A Review of ..., *J. Chem. Eng. Data*, 1985, **30**, No. 1, pp. 120–128.
303. *Spravochnik po Elektrokhimii* (Electrochemistry Handbook), Sukhotin, A. M., Ed., Khimiya, Lenigrad, 1981, pp. 114–119.
304. Filipov, V. K., Agafonova, K. A., Makarevskii, V. M., and Yakimov, M. A., Thermodynamic Study into the Ternary $\text{LiCl}-\text{CdCl}_2-\text{H}_2\text{O}$ System at 25°C, *Zh. Prikl. Khimii*, 1975, **48**, No. 2, pp. 313–318.
305. Goldberg, R. N., Evaluated activity and Osmotic Coefficients for aqueous Solutions: Bi-Univalent Compounds of Zinc, Cadmium, and Ethylene Bis(Trimethylammonium) Chloride and Iodide, *J. Phys. Chem. Ref. Data*, 1981, **10**, No. 1, pp. 1–55.
306. Matuzenko, M. Yu., Zarembo, V. I., Puchkov, L. V., and Gilyarov, V. N., Standard Thermodynamic Functions of Magnesium and Cadmium Sulfates in Aqueous Solutions at High Temperatures, *Zh. Prikl. Khimii*, 1982, **55**, No. 4, pp. 770–775.
307. Matuzenko, M. Yu., Zarembo, V. I., Puchkov, L. V., and Gilyarov, V. N., Tensiometry Study of the $\text{MgSO}_4-\text{H}_2\text{O}$ and $\text{CdSO}_4-\text{H}_2\text{O}$ Systems at 383–444 K, *Zh. Prikl. Khimii*, 1982, **55**, No. 4, pp. 816–820.
308. Lobo, V. M. M., Part A, Lobo, V. M. M., and Quaresma, J. L., *Handbook of Elektrolite Solutions. Physical Sciences Data Series*, Elsevier, Amsterdam–Oxford–New York–Tokyo, 1989, Part B, Vol. 41.
309. Goldberg, R. N., Nuttall, R. L., and Staples, B. R., Evaluated Activity and Osmotic Coefficients for Aqueous Solutions: Iron Chloride and the Bi-Univalent Compounds of Nickel and Cobalt, *J. Phys. Chem. Ref. Data*, 1979, **8**, No. 4, pp. 923–1003.
310. Sadowska, T. and Libus, W., Thermodynamic Properties and Solution Equilibria of Aqueous Bivalent Transition Metal Nitrates and Magnesium Nitrate, *J. Solution Chem.*, 1982, **11**, No. 7, pp. 457–468.
311. Filipov, V. K. and Nokhrin, V. I., The $\text{Li}_2\text{SO}_4-\text{MeSO}_4-\text{H}_2\text{O}$ ($\text{Me} = \text{Mn, Co, Cu}$) Systems at 25°C, *Zh. Neorg. Khim.*, 1985, **30**, No. 2, pp. 513–516.
312. Awakura, Y., Park, S.-K., and Majima, H., Activities of Water and Solutes in the Solution System $\text{H}_2\text{SO}_4-\text{Cr}_2(\text{SO}_4)_3-\text{H}_2\text{O}$, *Metallurg. Trans. B*, 1989, **20B**, No. 6, pp. 763–771.
313. Vlasov, Yu. G. and Seleznev, B. L., Water Activity, Osmotic Coefficients, Activity Coefficients of CsI and CsBr in Aqueous Solutions at 25°C, *Zh. Fiz. Khimii*, 1972, **46**, No. 9, pp. 2387–2388.
314. Hamer, W. J. and Wu, Y.-C., Osmotic Coefficients and Mean Activity Coefficient of Univalent Electrolytes in Water at 25°C, *J. Phys. Chem. Ref. Data*, 1972, **1**, No. 4, pp. 1048–1099.
315. Rard, J. A., and Miller, D. G., Isopiestic Determination of the Osmotic and Activity Coefficients of Aqueous CsCl , SrCl_2 , and Mixtures of NaCl at 25°C, *J. Chem. Eng. Data*, 1982, **27**, No. 2, pp. 169–173.
316. Holmes, H. F. and Mesmer, R. E., Isopiestic Studies of Aqueous Solutions at Elevated Temperatures. VI. LiCl and CsCl , *J. Chem. Thermodyn.*, 1981, **13**, No. 11, pp. 1035–1046.
317. Lilley, T. H., and Scott, R. P., The Osmotic Coefficients of Aqueous Solutions of Cesium Chloride at the Freezing Temperatures of the Solutions, *J. Chem. Thermodyn.*, 1974, **6**, No. 10, pp. 1015–1017.
318. Holmes, H. F. and Mesmer, R. E., Thermodynamic Properties of Aqueous Solutions of Alkali Metal Chlorides to 250°C, *J. Phys. Chem.*, 1983, **87**, No. 7, pp. 1242–1255.
319. Goldberg, R. N., Evaluated Activity and Osmotic Coefficients for Aqueous Solutions: Bi-Univalent Compounds of Lead, Copper, Manganese, and Uranium, *J. Phys. Chem. Ref. Data*, 1979, **8**, No. 4, pp. 1005–1050.
320. Miller, D. G., Rard, J. A., Eppstein, L. B., and Robinson, R. A., Mutual Diffusion Coefficients, Electrical Conductances, Osmotic Coefficients, and Ionic Transport Coefficients I_{ij} for Aqueous CuSO_4 at 25°C, *J. Solut. Chem.*, 1980, **9**, No. 7, pp. 467–496.
321. Susarev, M. P., Gorelik, L. I., Toikka, A. M., et al., Steam Pressure over Iron Chloride Solutions, *Zh. Prikl. Khimii*, 1976, **49**, No. 5, pp. 1045–1048.

322. Perry, R. H., ed., *Perry's Chemical Engineering Handbook*, 6th ed., McGraw-Hill Book Company, New York, 1984, pp. 3–73.
323. Hala, E., Wichterle, I., Polak, J., and Boublík, T., *Vapor-Liquid Equilibrium Data at Normal Pressures*, Pergamon Press, 1968, Oxford-Coudon, pp. 457–485.
324. Lyudmirskaia, G. S., Barsukova, T. A., and Bogomol'nyi, V. M., *Ravnovesie Zhidkost'-Par: Spravochnik* (Liquid-Vapor Equilibrium: Handbook), Bogomol'nyi, A.M., Ed., Khimiya, Leningrad, 1987, p. 17.
325. Freier, R. K., *Aqueous Solutions Data for Inorganic and Organic Compounds*, Berlin, New York, 1978, **2**, pp. 51–54, 56.
326. Sako, T., Hakuta, T., and Yoshitome, H., Salt Effects on Vapor-Liquid Equilibria for Volatile Strong Electrolyte-Water Systems, *J. Chem. Eng. Jap.*, 1984, **17**, No. 4, pp. 381–388.
327. Kao, J. T. F., Vapor-Liquid Equilibrium of Water-Hydrogen Chloride System, *J. Chem. Eng. Data*, 1970, **15**, No. 3, pp. 362–367.
328. Gibbons, R. M., and Laughton, A. P., an Equation of State for Hydrochloric Acid Solutions, *Fluid Phase Equilibria*, 1984, **18**, pp. 61–68.
329. Hanson, D. R. and Mauersberger, K., HCl/H₂O Solid-Phase Vapor Pressures and HCl Solubility in ICl, *J. Phys. Chem.*, 1990, **94**, No. 11, pp. 4700–4705.
330. Hanson, D. and Mauersberger, K., Solubility and Equilibrium Vapor Pressures of HCl Dissolved in Polar Stratyspheric Cloud Materials: ICl and the Trihydrate of Nitric Acid, *Geophys. Res. Lett.*, 1988, **15**, No. 13, pp. 1507–1510.
331. Liu, Y. and Gren, U., Description of Vapor-Liquid Equilibrium of the HCl/H₂O System Using an Activity-Coefficient Model, *Fluid Phase Equilibria*, 1991, **63**, No. 1/2, pp. 49–63.
332. Holmes, H. F., Busey, R. H., Simonson, J. M., et al., The Enthalpy of Dilution of HCl (aq) to 648 K and 40 MPa. Thermodynamic Properties, *J. Chem. Thermodyn.*, 1987, **19**, No. 8, pp. 863–890.
333. Miki, N., Maeno, M., Maruhashi, K., and Ohmi, T., Vapor-Liquid Equilibrium of the Binary System HF–H₂O Extending to Extremely Anhydrous Hydrogen Fluoride, *J. Electrochem. Soc.*, 1990, **137**, No. 3, pp. 787–790.
334. Lemire, R. J., Brown, C. P., and Campbell, A. B., Vapor Pressures of Nitric Acid and Water in the Systems HNO₃ and HNO₃–Th(NO₃)₄–H₂O at 50°C, *J. Chem. Eng. Data*, 1985, **30**, No. 4, pp. 421–424.
335. Clegg, S. L. and Brimblecombe, P., Equilibrium Partial Pressures and Mean Activity and Osmotic Coefficients of 0–100% Nitric Acid as a Function of Temperature, *J. Phys. Chem.*, 1990, **94**, No. 13, pp. 5369–5380.
336. Hanson, D. and Mauersberger, K., Vapor Pressures of HNO₃/H₂O Solutions at Low Temperatures, *J. Phys. Chem.*, 1988, **92**, No. 21, pp. 6167–6170.
337. Tang, I. N., Munkelwitz, H. R., and Lee, J. H., Vapor-Liquid Equilibrium Measurements for Dilute Nitric Acid Solutions, *Atmosph. Environm.*, 1988, **22**, No. 11, pp. 2579–2585.
338. Bolsaitis, P. and Elliott, J. F., Thermodynamic Activities and Equilibrium Partial Pressures for Aqueous Sulfuric Acid Solutions, *J. Chem. Eng. Data*, 1990, **35**, No. 1, pp. 69–85.
339. Wilson, R. W. and Stein, F. P., Correlation of Sulfuric Acid-Water Partial Pressures, *Fluid Phase Equilibria*, 1989, **53**, pp. 279–288.
340. Ayers, G. P., Gillett, R. W., and Gras, J. L., on the Vapor Pressure of Sulfuric Acid, *Geophys. Res. Lett.*, 1980, **7**, No. 6, pp. 433–436.
341. Staples, B. R., Activity and Osmotic Coefficients of Aqueous Sulfuric Acid at 298.15 K, *J. Phys. Chem. Ref. Data*, 1981, **10**, No. 3, pp. 778–798.
342. Rard, J. A., Hobenschuss, A., and Spedding, F. H., A Review of the Osmotic Coefficients of Aqueous H₂SO₄ at 25°C, *J. Chem. Eng. Data*, 1976, **21**, No. 3, pp. 374–379.
343. Rard, J. A., Isopiestic Determination of the Osmotic Coefficients of Aqueous H₂SO₄ at 25°C, *J. Chem. Eng. Data*, 1983, **28**, No. 4, pp. 384–387.
344. L'vov, S. N., Antonov, N. A., and Fedorov, M. K., Pressure of the Saturated Vapor of KBr and KI Aqueous Solutions at 150–350°C, *Zh. Prikl. Khim.*, 1976, **49**, No. 5, pp. 1048–1051.
345. Fanghanel, Th. and Grjotheim, K., Thermodynamics of Aqueous Reciprocal Salt Systems. III. Isopiestic Determination of Osmotic and Activity Coefficients of Aqueous MgCl₂, MgBr₂, KCl and KBr at 100.3°C, *Acta Chem. Scand.*, 1990, **44**, No. 9, pp. 892–895.

346. Akhundo, V. T., S., Imanova, M. V., and Tahiro, V. A. D., Thermal Properties of High Temperature Aqueous Electrolyte Solutions. The Properties of Steam, *Proc. 10th Int. Conf.*, Moscow, 1984, Vol. 2, pp. 316–323.
347. Pan, C.-F., Activity and Osmotic Coefficients in Dilute Aqueous Solutions of the Univalent Electrolytes at 25°C, *J. Chem. Eng. Data*, 1981, **26**, No. 2, pp. 183–184.
348. Puchkov, L. V., Kurochkina, V. V., and Matveeva, R. P., Density and Pressure of the Saturated Vapor of Potassium Carbonate Aqueous Solutions at Temperatures below 315°C, *Available from VINITI*, 1976, No. 3476–76.
349. Korzhavina, N. A. and Novikov, B. E., Pressure of the Saturated Vapor over Carbonate Aqueous Solutions at Temperatures from 25 to 400°C and Concentrations below 80 Mass %, Tables of Recommended Data, GSSSD R242-87, *Available from VNIKI*, 1987, No. 452-kk87.
350. Roy, R. N., Gibbons, J. J., Williams, R., et al., The Thermodynamics of Aqueous Carbonate Solutions. II. Mixtures of Potassium Carbonate, Bicarbonate, and Chloride, *J. Chem. Thermodyn.*, 1984, **16**, No. 4, pp. 303–315.
351. Sarbar, M., Covington, A. K., Nuttall, R. L., and Goldberg, R. N., Activity and Osmotic Coefficients of Aqueous Potassium Carbonate, *J. Chem. Thermodyn.*, 1982, **14**, No. 7, pp. 695–702.
352. Novikov, B. E. and Korzhavina, N. A., Volumetric Properties of Liquid and Vapor K_2CO_3 Solutions at Phase Equilibrium. The Properties of Steam, *Proc. 10th Int. Conf.*, Moscow, 1984, Vol. 2, pp. 190–195.
353. Novikov, B. E. and Korzhavina, N. A., Thermodynamic Investigation of K_2CO_3 Aqueous and Vapor Solutions at the Phase Equilibrium in a Wide Temperature and Concentration Ranges, *Teplofiz. Vysokikh Temp.*, 1987, **25**, No. 3, p. 475–480.
354. Puchkov, L. V., Kurochkina, V. V., and Matveeva, R. P., Density and Pressure of the Saturated Vapor of K_2CO_3 Aqueous Solutions at Temperatures below 315°C, *Available from VINITI*, 1976, No. 3476–767.
355. Hovey, J. K., Pitzer, K. S., Tanger, J. C., Bischoff, J. L., and Rosenbauer, R. J., Vapor-Liquid Phase Equilibria of Potassium Chloride-Water Mixtures: Equation-of-State Representation for $KCl-H_2O$ and $NaCl-H_2O$, *J. Phys. Chem.*, 1990, **94**, No. 3, pp. 1175–1179.
356. Zaremba, V. I., Antonov, N. A., Gilyarov, V. N., Fedorov, M. K., On the Activity Coefficients of KCl in the $KCl-H_2O$ System at 150–350°C and Pressures below 1500°C, *Zh. Prikl. Khim.*, 1976, **49**, No. 6, pp. 1221–1225.
357. Thiessen, D. B. and Wilson, A. J., An Isopiestic Method for Measurement of Electrolyte Activity Coefficients, *AICHE J.*, 1987, **33**, No. 11, pp. 1926–1929.
358. Vega, R., and Vera, J. H., Phase Equilibria of Concentrated Aqueous Solutions Containing Relative Strong Electrolytes, *Can. J. Chem. Eng.*, 1976, **54**, No. 3, pp. 245–248.
359. Snipes, H. P., Manly, C., and Ensor, D. D., Heats of Dilution of Aqueous Electrolytes: Temperature Dependence, *J. Chem. Eng. Data*, 1975, **20**, No. 3, pp. 287–291.
360. Davis, T. M., Duckett, L. M., Owen, J. F., Patterson, C. S., and Saleeby, R., Osmotic Coefficients of Aqueous $LiCl$ and KCl from Their Isopiestic Ratios to $NaCl$ at 45°C, *J. Chem. Eng. Data*, 1985, **30**, No. 4, pp. 432–434.
361. Gomez-Estevez, J. L., Osmotic Coefficients of Aqueous $NaCl$ and KCl Solutions, *J. Chem. Soc. Faraday Trans. I*, 1986, **82**, pp. 2167–2174.
362. Ninkovic, R. R., and Radovanovic, D. N., Osmotic and Activity Coefficients of the Aqueous Mixtures $KCl-MgSO_4$ and $K_2SO_4-MgCl_2$ at 25°C, *J. Serb. Chem. Soc.*, 1991, **56**, No. 3, pp. 151–160.
363. Manohar, S. and Ananthaswamy, J., Thermodynamic Properties of Electrolyte Solutions: an EMF Study of the Activity Coefficients of KCl in the System $KCl-KNO_3-H_2O$ at 25, 35 and 45°C, *J. Solution Chem.*, 1990, **19**, No. 11, pp. 1125–1135.
364. Chinnappa Reddy, D. and Ananthaswamy, J., Thermodynamic Properties of Aqueous Electrolyte Solutions: an e.m.f. Study of $\{KCl(Ma) + SrCl_2(Mb)\}(aq)$ at the Temperatures 298.15 K, 308.15 K, and 318.15 K, *J. Chem. Thermodyn.*, 1990, **22**, No. 10, pp. 1015–1023.
365. Iminova, M. V., Experimental Investigation of the Thermal Properties of Potassium Chloride Aqueous Solutions, *Izv. Vyssh. Uchebn. Zaved.*, 1985, No. 4, pp. 61–63.
366. Pabalan, R. T. and Pitzer, K. S., Apparent Molal Heat Capacity and Other Thermodynamic Properties of Aqueous KCl Solutions to High Temperatures and Pressures, *J. Chem. Eng. Data*, 1988, **33**, No. 3, pp. 354–362.

367. Goldberg, R. H., Evaluated Activity and Osmotic Coefficients for Aqueous Solutions: Thirty-Six Uni-Bivalent Electrolytes, *J. Phys. Chem. Ref. Data*, 1981, **10**, No. 3, pp. 671–764.
368. Reznik, F. Ya., Viteeva, L. N., and Voskresenskaya, I. E., Thermodynamic Properties of KH_2PO_4 , K_2HPO_4 and K_3PO_4 Aqueous Solutions, *Proceedings of the Basic Chemistry Research and Project Institute*, 1974, No. 34, pp. 79–81.
369. Egorov, V. Ya., Zarembo, V. I., Soboleva, N. G., and Puchkov, L. V., Water Activity and Activity Coefficients of Electrolytes Dissolved in Aqueous solutions of Alkaline-Metal Nitrates at 423–623 K, *Zh. Prikl. Khim.*, 1981, **54**, No. 6, pp. 1247–1250.
370. Puchkov, L. V., Chakhal'yan, O. Kh., and Kebe, M., Vapor Pressure and Boiling Point of Solutions of Alkaline-Metal Hydroxides, *Zh. Prikl. Khim.*, 1978, **51**, No. 11, pp. 2442–2446.
371. Zarembo, V. I., Matuzenko, M. Yu., and Egorov, V. Ya., Water Activity and Activity Coefficients of Electrolytes Dissolved in the $\text{Li}_2\text{SO}_4\text{--H}_2\text{O}$, $\text{Na}_2\text{SO}_4\text{--H}_2\text{O}$ & $\text{K}_2\text{SO}_4\text{--H}_2\text{O}$ Systems, *Zh. Prikl. Khim.*, 1981, **54**, No. 4, pp. 918–920.
372. Puchkov, L. V., Kurochkin, V. V., and Matveeva, R. P., Pressure of the Saturated Vapor of Aqueous Solutions of Solutions of Lithium, Sodium, and Potassium Sulfates at Temperatures below 315°C, Available from VINITI, 1976, No. 3475–76.
373. Holmes, H. F. and Mesmer, R. E., Isopiestic Studies of Aqueous Solutions at Elevated Temperatures. VIII. The Alkali-Metal Sulfates, *J. Chem. Thermodyn.*, 1986, **18**, No. 3, pp. 263–275.
374. Gruzdev, V. A., Verba, O. I., and Seryakov, A. V., Equilibrium Pressure of Aqueous Solutions of Lithium Chloride at High Concentrations, *Thermophysical Properties of Substances and Solutions*, Proceedings, Novosibirsk, 1988, pp. 70–81.
375. Richardson, C. B. and Kurtz, C. A., A Novel Isopiestic Measurement of Water Activity in Concentrated and Supersaturated Lithium Halide Solutions, *J. Amer. Chem. Soc.*, 1984, **106**, No. 22, pp. 665–668.
376. Borita, D. A., Maas, A. J., and Grant, C. B., Vapor Pressure-Temperature-Concentration Relationship for System Lithium Bromide and Water (40–70% Lithium Bromide), *J. Chem. Eng. Data*, 1975, **20**, No. 3, pp. 316–319.
377. Fedorov, M. K., Antonov, N. A., and L'vov, S. N., Pressure of the Saturated Vapor of LiCl , LiBr and LiI Aqueous Solutions and Their Dissolution Thermodynamic Properties at 150–350°C and Pressures below 1500 bar, *Zh. Prikl. Khim.*, 1976, **49**, No. 6, pp. 1226–1232.
378. Patil, K. R., Tripathi, A. D., Pathak, G., and Katti, S. S., Thermodynamic Properties of Aqueous Electrolyte Solutions. 1. Vapor Pressure of Aqueous Solutions of LiCl , LiBr , and LiI , *J. Chem. Eng. Data*, 1990, **35**, No. 2, pp. 166–168.
379. Voigt, W., Dittrich, A., Hausdal, B., and Grjotheim, K., Thermodynamics of Aqueous Reciprocal Salt Systems. II. Isopiestic Determination of the Osmotic and Activity Coefficients in $\text{LiNO}_3\text{--NaBr}\text{--H}_2\text{O}$ and $\text{LiBr}\text{--NaNO}_3\text{--H}_2\text{O}$ at 100.3°C, *Acta Chem. Scand.*, 1990, **44**, No. 1, pp. 12–17.
380. Gruzdev, V. A., Verba, O. I., and Seryakova, A. V., Equilibrium Pressure of Aqueous Solutions of Lithium Chloride at High Concentrations, *Thermophysical Properties of Substances and Solutions*, Proceedings, Novosibirsk, 1988, pp. 51–64.
381. Gibbard, H. F., Jr., and Scarchard, G., Liquid-Vapor Equilibrium of Aqueous Lithium Chloride, from 25°C to 100°C and from 1, 0 to 18 Molal, and Related Properties, *J. Chem. Eng. Data*, 1973, **18**, No. 3, pp. 293–298.
382. Gruzdev, V. A. and Verba, O. I., Equilibrium Pressure of the Vapor of Lithium Chloride Aqueous Solutions, *Proceedings of the VIII All-Union Conf.*, Novosibirsk, 1989, Part I, pp. 53–58.
383. Grjotheim, K., Voigt, W., Hausdal, B., and Dittrich, A., Isopiestic Determination of Osmotic Coefficients at 100°C by Means of a Simple Apparatus, *Acta Chem. Scand.*, 1988, **42A**, Nos. 8–9, pp. 470–476.
384. Filipov, V. K. and Nokhrin, V. I., $\text{Li}_2\text{SO}_4\text{--MeSO}_4\text{--H}_2\text{O}$ ($\text{Me} = \text{Mg, Ni, Zn}$) Systems at 25°C, *Zh. Neorg. Khim.*, 1985, **30**, No. 2, pp. 501–505.
385. Urusova, M. A. and Valyashko, V. M., Vapor Pressure and the Thermodynamic Properties of Magnesium Chloride Aqueous Solutions at 250°C, *Zh. Neorg. Khim.*, 1984, **29**, No. 9, pp. 2437–2439.
386. Urusova, M. A. and Valyashko, V. M., Solubility, Vapor Pressure, and Thermodynamic Properties of solutions in the $\text{MgCl}_2\text{--H}_2\text{O}$ System at 300–350°C, *Zh. Neorg. Khim.*, 1983, **28**, No. 7, pp. 1845–1849.

387. Rard, J. A. and Miller, D. G., Isopiestic Determination of the Osmotic and Activity Coefficients of Aqueous $MgCl_2$ Solutions at 25°C, *J. Chem. Eng. Data*, 1981, **26**, No. 1, pp. 38–43.
388. Filipov, V. K. and Charykov, N. A., Phase Equilibria in the Na^+ , Mn^{++} II Cl^- , SO_4^- : H_2O System at 25°C, *Zh. Neorg. Khim.*, 1989, **34**, No. 6.
389. Valyashko, V. M., Ursanova, M. A., Fogt, V., and Emons, G. G., Properties of Solutions in the $MgCl_2$ – H_2O System in Wide Temperature and Concentration Ranges, *Zh. Neorg. Khim.*, 1988, **33**, No. 1, pp. 228–232.
390. Emons, H.-H., Voigt, W., and Wollny, F.-W., Dampfdruckenmessungen am System Magnesiumchloridwasser, *Z. Phys. Chem. (DDR)*, 1986, **267**, pp. 1–8.
391. Roux, A., Musbally, G. M., Perron, G., et al., Apparent Molal Heat Capacities and Volumes at 25°C: $NaClO_3$, $NaClO_4$, $NaNO_3$, $NaBrO_3$, $NaIO_3$, $KClO_3$, $KBrO_3$, KIO_3 , NH_4NO_3 , NH_4Cl and NH_4ClO_3 , *Can. J. Chem.*, 1978, **56**, No. 1, pp. 24–28.
392. Phutela, R. and Pitzer, K. S., Heat Capacity and other Thermodynamic Properties of Aqueous Magnesium Sulfate to 473 K, *J. Phys. Chem.*, 1986, **90**, pp. 895–901.
393. Filipov, V. K., Shestakov, N. E., and Charykova, M. V., Thermodynamic Calculation of Phase Equilibria in the SO_4^- – H_2O System at 30°C, *Khimiya i Termodinamika Rastvorov*, Izd. Leningrad. Univ., Leningrad, 1986, No. 6, pp. 167–185.
394. Holmes, H. F. and Mesmer, R. E., Isopiestic Studies of Aqueous Solutions at Elevated Temperatures. VII. $MgSO_4$ and $NiSO_4$, *J. Chem. Thermodyn.*, 1983, **15**, No. 8, pp. 709–720.
395. Rard, J. A. and Miller, D. G., Isopiestic Determination of the Osmotic Coefficients of Aqueous Na_2SO_4 , $MgSO_4$, and Na_2SO_4 – $MgSO_4$ at 25°C, *J. Chem. Eng. Data*, 1981, **26**, No. 1, pp. 33–38.
396. Rard, J. A. and Miller, D. G., Isopiestic Determination of the Osmotic and Activity Coefficients of Aqueous $MnCl_2$, $MnSO_4$ and $RbCl$ at 25°C, *J. Chem. Eng. Data*, 1984, **29**, No. 4, pp. 443–446.
397. Deckwer, W. D., Density, Viscosity, Vapor Pressure, and Hydrogen Solubility of Aqueous $MnSO_4$ Solutions, *J. Chem. Eng. Data*, 1980, **25**, No. 1, pp. 75–76.
398. Thiesen, W. E. and Simonson, J. M., Enthalpy of Dilution and the Thermodynamics of NH_4Cl (aq) to 523 K and 35 MPa, *J. Phys. Chem.*, 1990, **94**, No. 20, pp. 7794–7800.
399. Bonner, O. D., The Osmotic and Activity Coefficients of Some Salts Having Relatively Large Molar Volumes, *J. Chem. Eng. Data*, 1976, **21**, No. 4, pp. 498–499.
400. Sorina, G. A., Blinova, M. B., and Tsekhaneskaya, Yu. V., Boiling Point of Ammonium Nitrate Aqueous Solutions under Pressure, *Zh. Prikl. Khim.*, 1983, **56**, No. 8, pp. 1878–1881.
401. Filipov, V. K., Charykova, M. V., and Trofimov, Yu. M., Thermodynamic Study into the Na^+ , NH_4^+ II SO_4^- : H_2O and Na^+ , NH_4^+ II $H_2PO_4^-$: H_2O Systems at 25°C, *Zh. Prikl. Khim.*, 1987, **60**, No. 2, pp. 257–262.
402. Akhundov, G. S., Imanova, M. V., and Tairov, A. D., Thermal Properties of Sodium Bromide Aqueous Solutions, *Teplofizicheskie Svoistva Veshchestv i Materialov, GSSSD*, Izd. Standartov, Moscow, 1984, No. 21, pp. 60–71.
403. Mashovets, V. P., Zaremba, V. I., and Fedorov, M. K., Pressure of the Saturated Vapor of $NaCl$, $NaBr$ and NaI Aqueous Solutions at 150–300°C, *Zh. Prikl. Khim.*, 1973, **46**, No. 3, pp. 650–652.
404. Imanova, M. V., Iskanderov, A. N., and Akhundov, T. S., P-p-T and Ps-Ts Dependences of High-Temperature Electrolyte solutions, In: *Obrabotka Vysokomineralizovannykh Vod i Teplofizicheskie Svoistva*, Baku, 1985, pp. 99–102.
405. Archer, D. G., Thermodynamic Properties of the $NaBr + H_2O$ System, *J. Phys. and Chem. Ref. Data*, 1991, **20**, No. 3, pp. 509–555.
406. Puchkov, L. V. and Kurochkin, V. V., Density and Pressure of the Saturated Vapor of Sodium Carbonate Aqueous Solutions at Temperatures below 320°C, In: *Issledovaniya v Oblassti Neorganicheskoi Tekhnologii*, Nauka, Moscow, 1972, pp. 263–267.
407. Peiper, J. C. and Pitzer, K. S., Thermodynamics of Aqueous Carbonate Solutions Including Mixtures of Sodium Carbonate, Bicarbonate, and Chloride, *J. Chem. Thermodyn.*, 1982, **14**, No. 7, pp. 613–638.
408. Khvorostin, Ya. S., Filipov, V. K., and Reshetova, L. I., Determination of the Activity Coefficients of Sodium Carbonate by an Isopiestic Method, *Zh. Fiz. Khim.*, 1975, **49**, No. 5, pp. 1271–1272.
409. Clerke, E. C. W. and Glew, D. N., Evaluation of the Thermodynamic Functions for Aqueous Sodium Chloride from Equilibrium and Calorimetric Measurements below 154°C, *J. Phys. Chem. Ref. Data*, 1985, **14**, No. 2, pp. 489–610.

410. *Tables of the Thermodynamic Properties of Liquids and Gases, Water and Vapor Solutions. Sodium Chloride – Water System*, Izd. Standartov, Moscow, 1980, No. 6.
411. Bischoff, J. L., Rosenbauer, R. J., and Pitzer, K. S., The System NaCl–H₂O; Relations of Vapor-Liquid near the Critical Temperature of Water and of Vapor-Liquid-Halite from 300 to 500°C, *Geochimica et Cosmochimica Acta*, 1986, **50**, pp. 1437–1444.
412. Bodnar, R. J., Burnham, C. W., and Sterner, S. M., Synthetic Fluid Inclusions in Natural Quartz. III. Determination of Phase Equilibrium Properties in the System H₂O–NaCl to 1000°C and 1500 bars, *Geochimica et Cosmochimica Acta*, 1985, **49**, pp. 1861–1873.
413. Urusova, M. A., Phase Equilibria and Thermodynamic Characteristic of Solutions in the NaCl–H₂O and NaOH–H₂O Systems at 350–550°C, *Geokhimiya*, 1974, No. 9, pp. 1360–1366.
414. Urusova, M. A., Phase Equilibria in the Systems Sodium Hydroxide – Water and Sodium Chloride – Water at 350–550°C, *Zh. Neorg. Khim.*, 1974, **19**, No. 3, pp. 828–833.
415. Parisod, C. J. and Plattner, E., Vapor-Liquid Eqilibria of the NaCl–H₂O System in the Temperature Range 300–440°C, *J. Chem. Eng. Data*, 1981, **26**, No. 1, pp. 16–20.
416. Gibbard, H. F., Jr., Scatchard, G., Rousseau, R. A., and Creek, J. L., Liquid-Vapor Equilibrium of Aqueous Sodium Chloride, from 298 to 373 K and from 1 to 6 mol/kg, and Related Properties, *J. Chem. Eng. Data*, 1974, **19**, No. 3, pp. 281–288.
417. Marshall, W. L., Critical Curves of Aqueous Electrolyte Related to Ionization Behaviour: New Temperatures for Sodium Chloride Solutions, *J. Chem. Soc. Faraday Trans.*, 1990, **86**, No. 10, pp. 1807–1814.
418. Tanger, J. C. T. and Pitzer, K. S., Thermodynamics of NaCl–H₂O: a New Equation of State for the near-Critical Region and Comparisons with Other Equations for Adjoining Regions, *Geochim. et Cosmochim. Acta*, 1989, **53**, No. 5, pp. 973–987.
419. Bischoff, J. L. and Rosenbauer, R. J., Liquid-Vapor Relations in the Critical Region of the System NaCl–H₂O from 380 to 415°C: a Refined Determination of the Critical Point and Two-Phase Boundary of Seawater, *Geochim. et Cosmochim. Acta*, 1988, **52**, No. 8, pp. 2121–2126.
420. Rosenbauer, R. J. and Bischoff, J. L., Pressure-Composition Relations for Coexisting Gases and Liquids and the Critical Points in the System NaCl–H₂O at 450, 475, and 500°C, *Geochim. et Cosmochim. Acta*, 1987, **51**, pp. 2349–2354.
421. Bischoff, J. L. and Pitzer, K. S., Liquid-Vapor Relations for the System NaCl–H₂O: Summary of the P-T-x Surface from 300 to 500°C, *Amer. J. Sci.*, 1989, **289**, pp. 217–248.
422. Pitzer, K. S. and Tanger, J. C., Near-Critical NaCl–H₂O: an Equation of State and Discussion of Anomalous Properties, *Int. J. Thermophys.*, 1988, **9**, No. 5, pp. 635–648.
423. Pitzer, K. S., Bischoff, J. L., and Rosenbauer, R. J., Critical Behavior of Dilute NaCl in H₂O, *Chem. Phys. Lett.*, 1987, **134**, No. 1, pp. 60–63.
424. Harvey, A. H. and Levelt Sengers, J. M. H., On the NaCl–H₂O Coexistence Curve Near the Critical Temperature of H₂O, *Chem. Phys. Lett.*, 1989, **156**, No. 4, pp. 415–417.
425. Thurmond, V. L. and Brass, G. W., Activity and Osmotic Coefficients of NaCl in Concentrated Solutions from 0 to 40°C, *J. Chem. Eng. Data*, 1988, **33**, No. 4, pp. 411–414.
426. Filipov, V. K. and Charykova, M. V., Phase Equilibria in the Na⁺ || Cl⁻, SO₄²⁻, H₂PO₄: H₂O system at 25°C, *Zh. Prikl. Khim.*, 1991, **64**, No. 1, pp. 3–7.
427. Pitzer, K. S., Peiper, J. C., and Busey, R. H., Thermodynamic Properties of Aqueous Sodium Chloride Solutions, *J. Phys. Chem. Ref. Data*, 1984, **13**, No. 1, pp. 1–102.
428. Holmes, H. F. and Mesmer, R. E., Isopiestic Studies of Aqueous Solutions at Elevated Temperatures. 10. (1 – y)NaCl + yCsCl(aq), *J. Phys. Chem.*, 1990, **94**, No. 20, pp. 7800–7805.
429. Sarada, S. and Ananthaswamy, J., Thermodynamic Properties of Electrolyte Solutions: Emf Study of the System NaCl–Na₂SO₄–H₂O at 25, 35 and 45°C, *J. Chem. Soc. Faraday Trans.*, 1990, **86**, No. 1, pp. 81–84.
430. Schonert, H., The Debye-Hückel Theory for Hydrated Ions. I. Osmotic and Activity Coefficients of Binary Aqueous Solutions of Some 1:1 Electrolytes at 25°C, *Ber. Bunsenges. Phys. Chem.*, 1990, **94**, No. 6, pp. 658–664.
431. Schonert, H., The Debye-Hückel Theory for Hydrated Ions. I. Osmotic and Activity Coefficients of Binary Aqueous Solutions of Some 1:1 Electrolytes at 25°C, *Ber. Bunsenges. Phys. Chem.*, 1990, **94**, pp. 658–664.

432. Partanen, J. I. and Minkkinen, P. O., Activity and Osmotic Coefficients of Dilute Sodium Chloride Solutions at 273 K, *J. Chem. Eng. Data*, 1991, **36**, No. 4, pp. 432–435.
433. Akhunzhov, T. S., Imanov, M. V., and Ismail-Zade, Sh. M., Thermal Properties of Sodium Chloride Aqueous Solutions at Concentrations of 100 and 300 gel, *Izv. Vyssh. Uchebn. Zaved., Ser.: Neft' i Gaz*, 1985, No. 2, pp. 58–60.
434. Akhundov, T. S. and Imanova, M. V., Thermal Properties of Sodium Chloride Aqueous Solution at a Concentration of 200 gel, *Inzh. Fiz. Zh.*, 1984, No. 6, pp. 957–959.
435. Knight, C. L. and Bodnar, R. J., Synthetic Fluid Inclusions: IX. Critical PVTx Properties of NaCl–H₂O Solutions, *Geochim. et Cosmochim. Acta*, 1989, **53**, No. 1, pp. 3–8.
436. Gallagher, J. C. and Levelt Sengers, J. M. H., Modeling the Thermodynamic Properties of Sodium Chloride in Steam through Extended Corresponding States, *Int. J. Thermophys.*, 1988, **9**, No. 5, pp. 649–661.
437. Valyashko, V. M., et al., *Thermophysical Properties of the NaCl–H₂O system in a Wide Range of State Parameters, Reviews on Thermophysical Properties of Substances*, IVTAN, Moscow, 1986, No. 4(60).
438. Gates, J. A., Tillett, D. M., et al., Apparent Molar Heat Capacities of Aqueous NaCl Solutions from 0, 0.5 to 3.0 mol/kg, 350 to 600 K and 2 to 18 MPa, *J. Chem. Thermodyn.*, 1987, **19**, No. 2, pp. 131–146.
439. Akhundov, T. S., Iskanderov, A. I., Imanova, M. V., and Ishkhanov, N. B., Experimental Study of the Thermal Properties of Sodium Fluoride Aqueous Solutions, *Zh. Fiz. Khim.*, 1988, **62**, No. 7, pp. 1932–1933.
440. Guseinov, A. G., Iskanderov, A. I., Akhundov, R. T., Agaeva, D. A., and Akhundov, T. S., P-V-T and Ps-Ts Dependences of Sodium Fluoride Aqueous Solution, In: *Thermodynamic and Transport Properties of Substances*, Baku, 1989, pp. 14–20.
441. Sarbar, M., Covington, A. K., Nuttall, R. L., and Goldberg, R. N., The Activity and Osmotic Coefficients of Aqueous Sodium Bicarbonate Solutions, *J. Chem. Thermodyn.*, 1982, **14**, No. 10, pp. 967–976.
442. Akhundov, T. S., Imanova, M. V., Tairov, A. D., and Ismail-Zade, Sh. M., Experimental Study of P-V-T and Ps-Ts Dependence of Sodium Iodide Aqueous Solutions, In: *Thermal Properties of Liquids with High Boiling Temperature*, Baku, 1983, pp. 3–10.
443. Akhundov, T. S., Imanova, M. V., and Ismail-Zade, Sh. M., Thermal Properties of Sodium Iodide Aqueous Solution at a Concentration of 5 gel, *Izv. Vyssh. Uchebn. Zaved., Ser.: Energetika*, 1984, No. 1, pp. 95–97.
444. Akhundov, T. S. and Imanova, M. V., Thermal Properties of Sodium Iodide Aqueous Solution at 200 gel, *Inzh.-Fiz. Zh.*, 1983, **45**, No. 1, pp. 140–142.
445. Akhundov, T. S., Imanova, M. V., and Arutyunyan, G. S., Thermal Properties of Sodium Iodide Aqueous Solutions at 20 and 50 gel, *Dokl. Akad. Nauk SSSR*, 1983, **271**, No. 5, pp. 1146–1149.
446. Akhundov, T. S., Imanova, M. V., and Tairova, A. D., Thermal Properties of Sodium Iodide Aqueous Solution at 400 gel, *Dokl. Akad. Nauk Azerb. SSR*, 1983, **39**, No. 7, pp. 40–43.
447. Staples, B. R., Activity and Osmotic Coefficients of Aqueous Alkali Metal Nitrites, *J. Phys. Chem. Ref. Data*, 1981, **10**, No. 3, pp. 765–777.
448. Wu, Y. C. and Hamer, W. J., Comments. Revised Values of the Osmotic Coefficients and Mean Activity Coefficients of Sodium Nitrate in Water at 25°C, *J. Phys. Chem. Ref. Data*, 1980, **9**, No. 2, pp. 513–518.
449. Martynova, O. I., Androsov, V. I., and Vospennikov, V. V., Thermodynamic Properties of the Sodium Hydroxide – Water System, *Reviews on the Thermophysical Properties of Substances*, IVTAN, Moscow, 1982, No. 4(36), pp. 4–108.
450. Allred, G. C. and Wooley, E. M., Heat Capacities of Aqueous HCl, NaOH and NaCl at 283.15, 298.15 and 313.15 K: C_p for Ionization of Water, *J. Chem. Thermodyn.*, 1981, **13**, pp. 147–154.
451. Krey, J., Dampfdruck und Dichte des systems H₂O–NaOH, *Z. Phys. Chem.*, N. F., 1972, **81**, No. 5/6, pp. 252–273.
452. Martynova, O. I., Androsov, V. I., and Vospennikov, V. V., Thermodynamic Properties of the Sodium Hydroxide – Water System, *Reviews on the Thermophysical Properties of Substances*, IVTAN, Moscow, 1982, No. 4(36), pp. 4–108.

453. Androsov, V. I. and Vospennikov, V. V., The Thermodynamic Properties of Sodium Hydroxide-Water System, In: Properties of Steam, *Proceed. 10th Int. Conf.*, Moscow, 1984, pp. 165–169.
454. Campbell, A. N. and Bhatnagar, O. N., Osmotic and Activity Coefficients of Sodium Hydroxide in Water from 150 to 250°C, *J. Chem. Eng. Data*, 1984, **29**, No. 2, pp. 166–168.
455. Filippov, V. K., Veretennikova, G. A., and Nokhrin, V. N., Thermodynamic Study of the Na_2SO_4 - NiSO_4 - H_2O System at 25°C, *Zh. Prikl. Khim.*, 1984, **57**, No. 9, pp. 1938–1943.
456. Pabalan, R. and Pitzer, K. S., Heat Capacity and Other Thermodynamic Properties of Na_2SO_4 (aq) in Hydrothermal Solutions and the Solubilities of Na_2SO_4 -Minerals in the system $\text{Na}-\text{Cl}-\text{SO}_4-\text{OH}-\text{H}_2\text{O}$ to 300°C, *Geochim. Cosmochim. Acta*, 1988, **92**, No. 10, pp. 2393–2404.
457. Rard, J. A., Isopiestic Determination of the Osmotic and Activity Coefficients of Aqueous NiCl_2 , $\text{Pr}(\text{NO}_3)_3$, and $\text{Ln}(\text{NO}_3)_3$ and Solubility of NiCl_2 at 25°C, *J. Chem. Eng. Data*, 1987, **32**, No. 3, pp. 334–341.
458. Holmes, H. F. and Mesmer, R. E., Isopiestic Studies of Aqueous Solutions at Elevated Temperatures. IV. NiCl_2 and CoCl_2 , *J. Chem. Thermodyn.*, 1981, **13**, No. 2, pp. 131–137.
459. Sarbar, M., Covington, A. K., Nuttall, R. L., and Goldberg, R. N., Activity and Osmotic Coefficients of Aqueous Nickel (II) Nitrate Solutions, *J. Chem. Thermodyn.*, 1982, **19**, No. 6, pp. 573–545.
460. Urusova, M. A., Pressure of Vapor in the System SrCl_2 - H_2O at Temperatures above 250°C System, *Zh. Neorg. Khim.*, 1986, **31**, No. 7, pp. 1916–1917.
461. Rard, J. A. and Miller, D. G., Isopiestic Determination of the Osmotic and Activity Coefficients of ZnCl_2 (aq) at 298.15 K, *J. Chem. Thermodyn.*, 1989, **21**, pp. 463–482.
462. Verba, O. I., Gruzdev, V. A., Genrikh, V. N., et al., Thermophysical Properties of Mixed Aqueous Solutions of Calcium Chloride and Sodium Chloride, In: *Investigation of Thermophysical Properties of Liquids*, Novosibirsk, 1977, pp. 40–59.
463. Popova, O. V. and Drakin, S. I., *Calculation of the Apparent Heat Capacity of Electrolytes in Aqueous Solution under Infinite Dissolution*, Moscow, MKhTI, 1990.
464. Jauch, K., Die Spezifische Wärme Wasseriger Salzlösungen, *Z. Phys.*, 1921, **4**, pp. 441–447.
465. Hovey, J. K. and Tremaine, P. R., Thermodynamics of Aqueous Aluminum: Standard Partial Molar Heat Capacities of Aluminum (3^+) from 10 to 55°C, *Geochim. Cosmochim. Acta*, 1986, **50**, No. 3, pp. 453–459.
466. Myasnikova, V. F., Drakin, S. I., Karapet'yants, M. Kh., and Lantukhova, L. V., Heat Capacity of Aqueous Solutions of Salts with Trivalent Ions, *Zh. Fiz. Khim.*, 1968, **42**, pp. 2055–2057.
467. Spitzer, J. J., Singh, P. P., et al., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes: CaCl_2 , $\text{Cd}(\text{NO}_3)_2$, CoCl_2 , $\text{Cu}(\text{ClO}_4)_2$, $\text{Mg}(\text{ClO}_4)_2$ and NiCl_2 , *J. Solution Chem.*, 1978, **7**, No. 2, pp. 81–86.
468. Drakin, S. I., Heat Capacity of Aqueous Solutions of Aluminum Sulfate and Sodium Fluoride, *Tr. Mosk. Khim.-Tekhnol. Inst.*, 1956, No. 22, pp. 79–83.
469. Zaitsev, I. D., Mozharova, T. V., Aseyev, G. G., et al., *Physicochemical Properties of Binary Aqueous Electrolyte Solutions in Wide Temperature and Concentration Ranges: Handbook*, KhNPO Karbonat, Khar'kov, 1988.
470. Criss, C. M. and Cobble, J. W., The Thermodynamic Properties of High Temperature Aqueous Solution. I. ..., *J. Amer. Chem. Soc.*, 1961, **83**, pp. 3223–3228.
471. Urban, F., The Influence of Electrolytes on the Specific Heat of Water, *J. Phys. Chem.*, 1932, **36**, pp. 1108–1122.
472. Desnoyers, J. E., Devisser, C., Perron, G., and Picker, P., Reexamination of the Heat Capacities Obtained by Flow Microcalorimetry..., *J. Solution Chem.*, 1976, **5**, No. 9, pp. 605–616.
473. Ginzburg, D. M. and Kochkalda, V. E., Enthalpy and Heat Capacity in the Barium Chloride – Water System, *Zh. Fiz. Khim.*, 1976, **50**, No. 11, pp. 2991–2992.
474. Tanger, J. C. and Helgeson, H. C., Calculation of the Thermodynamic and Transport Properties of Aqueous Species at High Pressures and Temperatures, *Amer. J. Sci.*, 1988, **288**, pp. 19–98.
475. Syrnikov, Yu. R., Heat Capacity of Aqueous Electrolyte Solutions, *Zh. Strukt. Khim.*, 1971, **12**, No. 6, pp. 1082–1084.
476. Vasilev, V. A., Fedyainov, N. V., and Kurenkov, V. V., Heat Capacity and Volumes of Isopiestic Solutions of Beryllium Subgroup Metal Chlorides, *Zh. Strukt. Khim.*, 1971, **12**, No. 6, pp. 1082–1084.
477. Perron, G., Desnoyers, J. E., and Millero, F. J., Apparent Molar Volumes and Heat Capacities of Alkaline Earth in Water at 25°C, *Can. J. Chem.*, 1974, **52**, No. 22, pp. 3738–3741.

478. Voskresenskaya, N. K. and Rutskov, A. P., Heat Capacity of Potassium Monophosphates, *Izv. Akad. Nauk SSSR, Otd. Khim. Nauk*, 1940, **5**, pp. 795–810.
479. Latysheva, V. A. and Andreeva, I. N., Study of Heat Capacity of Aqueous Solutions of Perchlorates of Elements of the 11 Group of the Periodic Table, *Available from VINITI*, 1973, No. 7677–73.
480. Mal'kov, I. V., Vorob'ev, A. F., and Vasilev, V. A., Heat Capacity and Density of Binary and Ternary Iodide Aqueous Solutions of some S Elements at 298.15 K, In: *Termodinamika i Stroenie Rastvorov*, Ivanovo, 1982, pp. 19–23.
481. Horsak, J. and Slama, I., Densities of Aqueous Electrolyte Solutions. A Model for a Data Bank, *J. Chem. Eng. Data*, 1986, **31**, No. 4, pp. 434–437.
482. Ginzburg, D. M., Kochkalda, V. E., and Ved', V. N., Enthalpy and Heat Capacity in the $\text{Ba}(\text{OH})_2\text{-H}_2\text{O}$ System, *Available from VINITI*, 1975, No. 3199–75.
483. Bratash, E. G., Vernigora, G. A., et al., Experimental Determination of the Density, Heat Capacity, and Thermal Conductivity of Barium Sulfide Solutions, *NIOKhIM Proceedings*, 1976, **42**, pp. 9–13.
484. Drakin, S. I. and Prikota, O. K., Apparent Heat Capacity of Potassium, Beryllium, and Strontium Nitrates in Aqueous Solution at 25–90°C, In: *All-Union Conf. on Calorimetry and Chemical Thermodynamics*, Tbilisi, 1982, pp. 126–128.
485. Rutskov, A. P., Specific Heat Capacity of MgCl_2 , CaCl_2 , NaCl , KNO_3 and NH_4NO_3 Aqueous Solutions at 25, 50, and 75°C, *Zh. Prikl. Khim.*, 1948, **21**, No. 8, pp. 820–823.
486. White, D. F., Doberstein, A. L., Gates, J. A., Tillett, D. M., and Wood, R. H., Heat Capacities of Aqueous CaCl_2 from 306 to 603 K at 17.5 MPa, *J. Chem. Thermodyn.*, 1987, **19**, pp. 251–259.
487. Soboleva, N. G., Puchkov, L. V., and Zarembo, V. I., Heat Capacity of Aqueous Solutions of Calcium Chlorides at 423–623 K, *Zh. Obshch. Khim.*, 1985, **55**, No. 3, pp. 509–512.
488. Mishchenko, K. P. and Podgornaya, E. A., *Zh. Obshch. Khim.*, 1961, **31**, pp. 1743–1754.
489. Phutela, R. C., Pitzer, K. S., and Saluja, P. P. S., *J. Chem. Eng. Data*, 1987, **32**, No. 1, pp. 76–80.
490. Maksimova, I. N., Pak Chzhon Su, Pravdin, N. N., et al., *Svoistva Elektrolitov: Spravochnik* (Electrolyte Properties: Handbook), Metallurgiya, Moscow, 1987.
491. Leyendekkers, J. V., The Tamman-Tait Model. Application to the Heat Capacities of Aqueous Electrolyte Solutions, *J. Chem. Soc. Faraday Trans. I*, 1980, **76**, pp. 1206–1218.
492. Perron, G., Roux, A., and Desnoyers, J. E., Heat Capacities and Volumes of NaCl , MgCl_2 , CaCl_2 , NiCl_2 up to 6 Molal in Water, *Can. J. Chem.*, 1981, **59**, No. 21, pp. 3049–3054.
493. Gurovich, B. M., et al., *Tables of the Thermophysical Properties of Aqueous Solutions of Some Inorganic Substances*, TPI, Tashkent, 1975.
494. Lavrov, V. A., Experimental Study of the Heat Capacity of CaCl_2 Aqueous Solutions, In: *Thermophysical Properties of Substances and Solutions*, Novosibirsk, 1988, pp. 81–90.
495. Pavlyuchenko, E. N. and Chernen'kaya, E. I., *Study of Heat Capacity of Nitrate Aqueous Solutions at Various Temperatures*, Khar'kov, 1988.
496. Spitzer, J. J., Olofsson, I. V., Singh, P. P., and Hepler, L. G., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes at 298.15 K: $\text{Ca}(\text{NO}_3)_2$, $\text{Co}(\text{NO}_3)_2$, $\text{Cu}(\text{NO}_3)_2$, $\text{Mg}(\text{NO}_3)_2$, $\text{Mn}(\text{NO}_3)_2$, $\text{Ni}(\text{NO}_3)_2$ and $\text{Zn}(\text{NO}_3)_2$, *J. Chem. Thermodyn.*, 1979, **11**, No. 3, pp. 233–238.
497. Chernen'kaya, E. I. and Pavlyuchenko, E. N., *Heat Capacity Properties of Cadmium Halide Solutions at Various Temperatures*, NIOKhIM, Khar'kov, 1984.
498. Chernen'kaya, E. I., Pavlyuchenko, E. N., and Aseyev, G. G., *Study of the Heat Capacity of Aqueous Solutions of Potassium, Ammonium, Magnesium, and Cadmium Bromides as a Function of Temperature and Concentration*, NIOKhIM, Khar'kov, 1985.
499. Vasilev, V. A., Heat Capacity of Aqueous Solutions of Cadmium Chloride at 25°C, *Izv. Vyssh. Uchebn. Zaved., Ser.: Khim. Tekhnol.*, 1977, **20**, No. 2, pp. 216–219.
500. Vorob'ev, A. F., Mal'kov, I. V., and Vasilev, V. A., *On the Effect of Acid-Complex Formation on the Heat Capacity and Density of Aqueous Solutions*, MKhTI, Moscow, 1982.
501. Papadopoulos, M. N. and Giouque, W. F., Cadmium Sulfate and Its Hydrates. Heat Capacities and Heats of Hydration Application on the Third Law of Thermodynamics, *J. Amer. Chem. Soc.*, 1955, **77**, No. 10, pp. 2740–2744.
502. Dunkelberger, T. H., and Robinson, A. L., Heats of Dilution and Heat Contents of Aqueous CdSO_4 Solutions, *J. Amer. Chem. Soc.*, 1938, **60**, pp. 1301–1305.

503. Vorob'ev, A. F., Vasilev, V. A., and Mikhailin, B. V., Heat Capacity and Density of Solutions in the $\text{MgBr}_2\text{-MeBr-H}_2\text{O}$ System at 298.15 K, In Thermodynamic Properties of Solutions, In: *Thermodynamic Properties of Solutions*, Moscow, 1980, **1**, pp. 121–127.
504. Galipker, I. S. and Belova, N. A., Thermophysical Properties of Aqueous Solutions of Cobalt Chlorides at Temperatures below 300°C, *Zh. Obshch. Khim.*, 1963, **33**, No. 10, pp. 3119–3121.
505. Chernen'kaya, E. I., Pavlyuchenko, E. N., and Aseyev, G. G., *Heat Capacity of Solutions of Some IV Group Metal Chlorides at 298–348.15 K*, NIOKhIM, Khar'kov, 1985.
506. Vasilev, V. A., Sanaev, E. S., and Karapet'yants, M. Kh., Study of the Heat Capacity of Aqueous Solutions of Chlorides of III-Period d Elements at 25°C, *Proceedings of MKhTI*, 1973, No. 75, pp. 13–16.
507. Shpakova, S. G., Apparent Heat Capacity of Some Salts in Aqueous Solution at Concentration Smaller than 0.1 Molality, *Cand. Sci. Diss. (Khim.)*, Moscow, 1975.
508. Drakin, S. I. and Madanat, A. T., Apparent Heat Capacity of Some Transition-Metal Sulfates in Aqueous Solution at 50, 70, and 90°C, *Proceedings of the 11 All-Union Conf. on Calorimetry and Chemical Thermodynamics*, 1986, Novosibirsk, pp. 166–167.
509. Spitzer, J. J., Olofsson, I. V., Singh, P. P., and Hepler, L. G., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes at 25°C: $\text{Cr}(\text{NO}_3)_3$, LaCl_3 , $\text{K}_3\text{Fe}(\text{CN})_6$, and $\text{K}_4\text{Fe}(\text{CN})_6$, *Can. J. Chem.*, 1979, **57**, No. 21, pp. 2798–2803.
510. Fortier, J. L., Leduc, P. A., and Desnoyers, J. E., Thermodynamic Properties of Alkali Halides. II. Enthalpies of Dilution and Heat Capacities in Water at 25°C, *J. Solution Chem.*, 1974, **3**, No. 4, pp. 323–349.
511. Mikhailin, B. V., Vorob'ev, A. F., and Vasilev, V. A., Heat Capacity and Density of Aqueous Solutions of Cesium and Copper Bromides at 298.15 K, *Zh. Fiz. Khim.*, 1982, **56**, No. 8, pp. 1937–1940.
512. Mikhailin, B. V., Vorob'ev, A. F., and Vasilev, V. A., Heat Capacity and Density of Aqueous Solutions of Cesium and Copper Bromides at 298.15 K, *Zh. Fiz. Khim.*, 1982, **56**, No. 8, pp. 1937–1940.
513. Carter, R. W. and Wood R. H., Apparent Molar Heat Capacities at Constant Pressure of Aqueous 1:1 Electrolytes from 600 to 720 K and 28 to 38 MPa, *46th Annual Calorimetry Conference*, Reports, DeKalb, Illinois, July 28 – August 1, 1991.
514. Drakin, S. I., Mikhailov, V. A., and Popova, O. V., Calculation of the Standard Partial Molal Heat Capacity and the Dissociation Constant of Strong 1:1 Electrolytes from the Specific Heat Capacity of Solutions, *Zh. Fiz. Khim.*, 1992, **66**, No. 7, pp. 1981–1983.
515. Myasnikova, V. F., Drakin, S. I., and Karapet'yants, M. Kh., Heat Capacity of RbCl , CsCl , $\text{Sn}(\text{NO}_3)_2$, $\text{Ga}(\text{NO}_3)_2$, $\text{In}(\text{NO}_3)_3$, $\text{Y}(\text{NO}_3)_3$ Aqueous Solutions, *Zh. Fiz. Khim.*, 1969, **43**, No. 8, p. 2141.
516. Myasnikova, V. F., Drakin, S. I., and Karapet'yants, M. Kh., Heat Capacity of RbCl , CsCl , $\text{Sr}(\text{NO}_3)_2$, $\text{Ga}(\text{NO}_3)_2$, $\text{In}(\text{NO}_3)_3$, $\text{Y}(\text{NO}_3)_3$ Aqueous Solutions, Available from VINITI, 1969, No. 852.
517. Saluja, P. P. S., *Pn. J. Chem.*, 1986, **64**, No. 7, pp. 1328–1335.
518. Saluja, P. P. S., LeBlanc, J. C., and Hume, H. B., Apparent Molar Heat Capacities and Volumes of Aqueous Solutions of Several 1:1 Electrolytes, *Can. J. Chem.*, 1986, **64**, No. 5, pp. 926–931.
519. Saluja, P. P. S., LeBlanc, J. C., and Hume, H. B., Apparent Molar Heat Capacities and Volumes of Aqueous Solutions of Several 1:1 Electrolytes at Elevated Temperatures, *Can. J. Chem.*, 1986, **64**, pp. 926–931.
520. Shul'gin, A. V. and Puchkov, L. V., Heat Capacity of Aqueous Solutions of Li, K, Na, and Cs Iodides at 293–363 K, *Zh. Obshch. Khim.*, 1984, **54**, No. 1, pp. 23–27.
521. Vasilev, V. A., Kruchina, T. I., et al., Study of the Heat Capacity of Aqueous Solutions of Metal Chromates in Connection with the Periodic Law, Available from VINITI, 1984, No. 7579–84.
522. Vasilev, V. A., Kruchina, T. I., and Novikov, A. N., Comparable Study of the Heat Capacity of Aqueous Solutions of Chromates of Alkaline Metals at 298.15 K, *Proceedings of the X Conf. on the Problems of Calorimetry and Chemical Thermodynamics*, 1984, Vol. III, Part II, pp. 288–290.
523. Vasilev, V. A., Kruchina, T. I., and Novikov, A. N., Heat Capacity and Density of the $\text{M}_2\text{CrO}_4\text{-H}_2\text{O}$ ($\text{M} = \text{Na}, \text{Cs}$) Systems at 298.15 K. Determination of the Standard Heat Capacity and Volume of (VI) Ion in Aqueous Solution, *Izv. Vyssh. Uchebn. Zaved., Ser.: Khim. i Khim. Tekhnol.*, 1987, **30**, No. 4, pp. 53–56.
524. Vasilev, V. A., Karapet'yants, M. Kh., Sanaev, E. S., and Novikov, S. N., Heat Capacity of CuCl_2 Aqueous Solutions at 25°C, *Zh. Fiz. Khim.*, 1974, **48**, No. 9, pp. 2360–2361.

525. Latysheva, V. A. and Kozhevnikov, V. A., Heat Capacity of Aqueous Solutions of Perchlorates of Bivalent Mn, Co, Ni, Cu, and Zn, In: *Thermodynamic and Thermochemical Constants*, Nauka, Moscow, 1970, pp. 146–152.
526. Baruel, P., Improved Theoretical and Experimental Investigation of the Transient Hot-Wire Method for Measuring the Thermal Conductivity of Liquids, Especially of its Applicability to Electrolyte Solutions, *Danish A-Plant, Rep.* 284, 1973.
527. Karapet'yants, M. Kh., Vasilev, V. A., and Sanaev, E. S., Study of Heat Capacity and Individual Properties of $\text{MeCl}_2\text{--H}_2\text{O}$ ($\text{Me} = \text{Fe, Ni}$) Solutions at 25°C, *Zh. Fiz. Khim.*, 1977, **51**, No. 9, pp. 2180–2183.
528. Wood, R. H., White, D. E., and Davis, W. E., Heat Capacity of Aqueous FeCl_2 from 349 to 597 K, *J. Chem. Eng. Data*, 1988, **33**, pp. 301–306.
529. Chernen'kaya, E. I., Makarovskaya, I. I., Pavluchenko, E. N., Heat Capacity Properties of Ferric Chloride at High Temperatures, *Zh. Prikl. Khim.*, 1981, **54**, No. 10, pp. 2314–2316.
530. Bhattacharyya, S. and Bhattacharyya, S. N., Heat Capacity and Enthalpy of the Ternary System Ferrous Sulfate Heptahydrate, Sulfuric Acid, and Water, *J. Chem. Eng. Data*, 1979, **24**, No. 2, pp. 93–96.
531. Singh, P. P., Woolley, E. M., Melurdy, K. G., and Hepler, L. G., Heat Capacities of Aqueous Electrolytes: Eight 1:1 Electrolytes..., *Can. J. Chem.*, 1976, **54**, No. 21, pp. 3315–3318.
532. Tremaine, P. R., Sway, K., and Barbero, J. A., The Apparent Molar Heat Capacity of Aqueous Hydrochloric Acid from 10 to 140°C, *J. Solut. Chem.*, 1986, **15**, No. 1, pp. 1–22.
533. Allred, G. C. and Wooley, E. M., Heat Capacities of Aqueous HCl, NaOH and NaCl at 283.15, 298.15 and 313.15 K: C_p for Ionization of Water, *J. Chem. Thermodyn.*, 1981, **13**, pp. 147–154.
534. Pogue, R. and Atkinson, G., Apparent Molar Volumes and Heat Capacities of Aqueous HCl and HClO_4 at 15–55°C, *J. Chem. Eng. Data*, 1988, **33**, No. 4, pp. 495–499.
535. Singh, P. P., Melurdy, K. G., Woolley, E. M., and Hepler, L. G., Heat Capacities of Aqueous Perchloric Acid and Sodium Perchlorate at 298 K ..., *J. Solution Chem.*, 1977, **6**, No. 5, pp. 327–330.
536. Grigor'eva, E. G., Latysheva, V. A., and Shchukarev, S. A., Study of the Heat Capacity of Perchloric Acid Aqueous Solutions at 25°C, *Zh. Strukt. Khim.*, 1977, **18**, No. 2, pp. 291–296.
537. Movey, J. K., Hepler, L. G., and Tremaine, R., Apparent Molar Heat Capacities and Volumes of Aqueous HClO_4 , HNO_3 , $(\text{CH}_3)_4\text{NOH}$ and K_2SO_4 at 298.15 K, *Thermochim. Acta*, 1988, **126**, pp. 245–253.
538. Hovey, J. K. and Hepler, L. G., Apparent and Partial Molar Heat Capacities and Volumes of Aqueous HClO_4 and HNO_3 from 10 to 55°C, *Can. J. Chem.*, 1989, **67**, No. 9, pp. 1489–1495.
539. Babakulov, N. and Latysheva, V. A., Heat Capacity of Aqueous Solutions of III-Group Metals, *Zh. Fiz. Khim.*, 1974, **48**, No. 4, pp. 1012–1014.
540. Wooley, E. M. and Hepler, L. G., Heat Capacities of Weak Electrolytes and Ion Association Reactions: Method and Application to Aqueous MgSO_4 and HIO_3 at 298 K, *Can. J. Chem.*, 1972, **55**, pp. 158–163.
541. Randoll, M. and Taylor, M. D., Heat Capacity and Density of Aqueous Solutions of Potassium Iodate, Potassium Acid Sulfate, Iodic Acid, and Sulfuric Acid at 25°C, *J. Phys. Chem.*, 1941, **45**, pp. 959.
542. Gladushko, V. I., Bochenko, G. A., et al., Heat Capacity of the $\text{NH}_4\text{NO}_3\text{--NH}_3\text{--H}_2\text{O}$ Ternary System, 1985, *Inzh. Fiz. Zh.*, **48**, No. 1, pp. 731–734.
543. Enea, O., Singh, P. P., Woolley, E. M., McCurdy, K. G., and Hepler, L. G., Heat Capacities of Aqueous Nitric Acid, Sodium Nitrate and Potassium Nitrate at 298.15 K: C_p of Ionization of Water, *J. Chem. Thermodyn.*, 1977, **9**, No. 8, pp. 731–734.
544. Clegg, S. L. and Brimblecombe, P., Equilibrium Partial Pressures and Mean Activity and Osmotic Coefficients of 0–100% Nitric Acid as a Function of Temperature, *J. Phys. Chem.*, 1990, **94**, No. 13, pp. 5369–5380.
545. Larson, J. W., Zeeb, K. G., and Hepler, L. G., Heat Capacities and Volumes of Dissociation of Phosphoric Acid (1st, 2nd, and 3rd), Bicarbonate Ion, and Bisulfate Ion in Aqueous Solution, *Can. J. Chem.*, 1982, **60**, pp. 2141–2150.
546. Bolsaitis, P. and Elliott, J. F., Thermodynamic Activities and Equilibrium Partial Pressures for Aqueous Sulfuric Acid Solutions, *J. Chem. Eng. Data*, 1990, **35**, No. 1, pp. 69–85.
547. Zeleznik, F. J., Thermodynamic Properties of the Aqueous Sulfuric Acid System to 350 K, *J. Phys. Chem. Ref. Data*, 1991, **20**, No. 6, pp. 1157–1200.

548. Hovey, J. K., Hepler, L. G., and Tremaine, P. R., Apparent Molar Heat Capacities and Apparent Molar Volumes of $\text{Hg}(\text{ClO}_4)_2$ (aq) and $\text{Pb}(\text{ClO}_4)_2$ (aq) at 298.15 K, *J. Chem. Thermodyn.*, 1988, **20**, pp. 595–602.
549. Vorob'ev, A. F., Vasilev, V. A., Mikhailin, B. V., and Mal'kov, I. V., Heat Capacities and Volumetric Properties of $\text{NiBr}_2\text{-H}_2\text{O}$, $\text{KBr}\text{-H}_2\text{O}$ and $\text{NiBr}_2\text{-KBr}\text{-H}_2\text{O}$ Solutions, *Zh. Fiz. Khim.*, 1979, **53**, No. 10, pp. 2493–2496.
550. Roux, A., Musbally, G. M., Perron, G., et al., Apparent Molal Heat Capacities and Volumes at 25°C: NaClO_3 , NaClO_4 , NaNO_3 , NaBrO_3 , NaIO_3 , KClO_3 , KBrO_3 , KIO_3 , NH_4NO_3 , NH_4Cl and NH_4ClO_4 , *Can. J. Chem.*, 1978, **56**, No. 1, pp. 24–28.
551. Chakhal'yan, O. Kh., Dankova, I. N., and Puchkov, L. V., Thermochemical Study of the $\text{Na}_2\text{SO}_4\text{-H}_2\text{O}$, $\text{Li}_2\text{SO}_4\text{-H}_2\text{O}$, $\text{K}_2\text{CO}_3\text{-H}_2\text{O}$ System, *Zh. Obshch. Khim.*, 1980, **50**, No. 11, pp. 2393–2396.
552. Borodenko, V. I. and Glinker, I. S., Heat Capacity and Heat of Dissolution of NaCl and KCl in Water at 200, 250, and 300°C, *Izv. Vyssh. Uchebn. Zaved., Ser.: Khim. i Khim. Tekhnol.*, 1976, **12**, pp. 1908–1910.
553. Olofsson, I. V., Apparent Molar Heat Capacities and Volumes of Aqueous NaC, KCl, and KNO_3 at 298.15 K. Comparison of Picker Flow Calorimeter with Other Calorimeters, *J. Chem. Thermodyn.*, 1979, **11**, No. 10, pp. 1005–1014.
554. White, D. E., Ryan, M. A., et al., Heat Capacities of Aqueous KCl from 325 to 600 K at 17.9 MPa, *J. Chem. Thermodyn.*, 1987, **19**, No. 10, pp. 1023–1030.
555. Pabalan, R. T. and Pitzer, K. S., Apparent Molal Heat Capacity and Other Thermodynamic Properties of Aqueous KCl Solutions to High Temperatures and Pressures, *J. Chem. Eng. Data*, 1988, **33**, No. 3, pp. 354–362.
556. Olofsson, I. V., Spitzer, J. J., and Hepler, L. G., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes at 25°C: Na_2SO_4 , K_2SO_4 , $\text{Na}_2\text{S}_2\text{O}_3$, $\text{Na}_2\text{S}_2\text{O}_8$, $\text{K}_2\text{S}_2\text{O}_8$, K_2CrO_4 , Na_2MoO_4 , and Na_2WO_4 , *Can. J. Chem.*, 1978, **56**, No. 14, pp. 1871–1873.
557. Vasilev, V. A., Lar'kov, A. P., and Kruchina, T. I., Heat Capacity and Density of K_2CrO_4 Aqueous Solutions at 298.15 K and Their Connection with the Hydration of CrO_4^{2-} Ion, *Zh. Prikl. Khim.*, 1984, **58**, No. 11, pp. 2761–2765.
558. Hovey, J. K. and Hepler, L. G., Apparent and Partial Molar Heat Capacities and Volumes of $\text{CrO}_4^-(\text{aq})$, $\text{HCrO}_4^-(\text{aq})$ and $\text{Cr}_2\text{O}_7^{2-}(\text{aq})$ at 25°C: Chemical Relaxation and Calculation of Equilibrium Constants for High Temperatures, *J. Phys. Chem.*, 1990, **94**, No. 20, pp. 7821–7830.
559. Barbero, J. A., Hepler, L. G., McCurdy, K. G., and Tremaine, P. R., Thermodynamics of Aqueous Carbon Dioxide and Sulfur Dioxide: Heat Capacities, Volumes, and the Temperature Dependence of Ionization, *Can. J. Chem.*, 1983, **61**, No. 11, pp. 2509–2519.
560. Reznik, F. Ya. and Viteeva, L. N., Thermodynamic Properties of KH_2PO_4 , K_2HPO_4 and K_3PO_4 Aqueous Solutions, *NIOKhIM Proceedings*, 1974, **34**, pp. 79–81.
561. Luff, B. B. and Reed, R. B., Enthalpies of Formation, Densities and Heat Capacities at 25°C, *J. Chem. Eng. Data*, 1983, **28**, pp. 39–45.
562. Vorob'ev, A. F., Mal'kov, I. V., Vasilev, V. A., and Lar'kov, A. P., Heat Capacity and Density of Nickel and Cadmium Aqueous Solutions at 298.15 K, *Zh. Fiz. Khim.*, 1982, **56**, No. 4, pp. 1021–1022.
563. Spitzer, J. J., Olofsson, I. V., Singh, P. P., and Hepler, L. G., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes at 25°C: NaIO_3 , KMnO_4 , and MnCl_2 , *Thermochim. Acta*, 1979, **28**, No. 1, pp. 155–160.
564. Drakin, S. I., Prikota, O. K., et al., Apparent Heat Capacities of KNO_3 and $\text{Sr}(\text{NO}_3)_2$ at 50–90°C, *Zh. Fiz. Khim.*, 1982, **56**, No. 11, pp. 2773–2776.
565. Petrov, G. I. and Puchkov, L. V., Adiabatic Calorimeter for Measurement of Heat Capacity of Liquid Substances at 0–100°C, *Zh. Prikl. Khim.*, 1973, **46**, No. 10, pp. 2233–2236.
566. Roux, A. H., Perron, G., and Desnoyers, J. E., Capacites calorifiques, volumes, expansibilites et compressibilites des solutions aqueuses concentrees de LiOH , NaOH et KOH , *Can. J. Chem.*, 1984, **62**, pp. 878–885.
567. Lebedeva, N. D., Stepanov, V. B., et al., Specific Heat Capacity and Viscosity of a 38% K_3PO_4 Solution at 254–298 K, *Thermodynamics and Kinetics of Chemical Processes*, Leningrad, 1978, pp. 109–110.

568. Ishii, T. and Fujita, S., Properties of Potassium Sulfate Aqueous Solution and Crystals, *J. Chem. Eng. Data*, 1978, **23**, No. 1, pp. 19–23.
569. Holmes, H. F. and Mesmer, R. E., Thermodynamics of Aqueous Solutions of Alkali Metals Sulfates, *J. Solution Chem.*, 1986, **15**, No. 6, pp. 495–508.
570. Perron, G., Desnoyers, J. E., and Mollero, F. J., Apparent Molar Volumes and Heat Capacities of Some Sulfates and Carbonates in Water at 25°C, *Can. J. Chem.*, 1975, **53**, No. 8, pp. 1134–1138.
571. Ogawa, K., Thermodynamic Properties of Aqueous Solution LiBr ..., *Ratio*, 1980, **55**, No. 630, pp. 347–351.
572. Verba, O. I., Grusdev, V. A., et al., Thermodynamics Properties of LiBr Aqueous Solutions, In: *Thermophysical Properties of Solutions*, Kutateladze, S. S., Ed., Novosibirsk, 1983, pp. 19–34.
573. Lavrov, V. A. and Gruzdev, V. A., Measurement Technique and Experimental Study of the Heat Capacity of LiBr Aqueous Solutions, In: *Study of the Thermophysical Properties of Solutions and Melts*, Kutateladze, S. S., Ed., Novosibirsk, 1974, pp. 53–66.
574. Iyoki, S., Ohmori, S., Uemura, T., Heat Capacities of the Water – Lithium Bromide – Lithium Iodide System, *J. Chem. Eng. Data*, 1990, **35**, pp. 317–320.
575. Lavrov, V. A., Experimental Study of the Heat Capacity of LiCl Aqueous Solutions, In: *Thermophysical Properties of Individual Substances and Solutions*, Novosibirsk, 1986, pp. 65–73.
576. White, D. E., Gates, J. A., and Wood, R. H., Heat Capacities of Aqueous LiCl from 306 to 603 K at 17.5 MPa, *J. Chem. Thermodyn.*, 1987, **19**, No. 10, pp. 1037–1045.
577. Vorob'ev, A. F., Mal'kov, L. V., and Vasilev, V. A., On the Effect of Acid-Complex Formation on the Heat Capacity and Density of Aqueous Solutions, Available from VINITI, 1982, No. 5536.
578. Drakin, S. I., et al., Apparent Heat Capacity of Salts in Aqueous Solutions, In: *Thermodynamics and Structure of Solutions*, Ivanovo, 1973, No. 1, pp. 45–51.
579. Puchkov, L. V. and Matveeva, R. P., Heat Capacities and Thermodynamics Dissolution Functions in the LiOH–H₂O System, In: *Physics and Chemistry of Solutions*, Nauka, Moscow, 1972, pp. 95–98.
580. White, D. E., Gates, J. A., et al., Heat Capacities of Aqueous MgCl₂ from 349 to 598 K, *J. Chem. Eng. Data*, 1988, **33**, No. 4, pp. 485–490.
581. Saluja, P. P. S. and LeBlanc, J. C., Apparent Molar Heat Capacities and Volumes of Aqueous Solutions of MgCl₂, CaCl₂, and SrCl₂ at Elevated Temperatures, *J. Chem. Eng. Data*, 1987, **32**, No. 1, pp. 72–76.
582. Nazarov, S. A., Novikov, S. N., and Latysheva, V. A., Heat Capacity of Solutions in the NaCl–MgCl₂–H₂O System at 298 K, *Zh. Prikl. Khim.*, 1992, **65**, No. 3, pp. 502–506.
583. Phutela, R. and Pitzer, K. S., Heat Capacity and Other Thermodynamic Properties of Aqueous Magnesium Sulfate to 473 K, *J. Phys. Chem.*, 1986, **90**, pp. 895–901.
584. Loseva, G. K., Specific Heat Capacities of Aqueous Solutions of Sodium Chlorates and Perchlorates, *Proceedings of the Novocherkassk. Polytechn. Inst.*, 1972, **266**, pp. 82–85.
585. Sorina, G. A., Kozlovskaya, G. M., Tsekhanskaya, Yu. V., Bezlyudova, L. I., and Shmakov, N. G., Heat Capacity of Aqueous Solutions of Ammonium Nitrate and Partial Specific Heat Capacities of Their Components, *Zh. Fiz. Khim.*, 1977, **51**, pp. 2099–2100.
586. Chernen'kaya, E. I., Vernigora, G. A., et al., *Thermal Properties of Solutions of Ammonium and Sodium Nitrates and Their Mixtures*, NIOKhIM, Khar'kov, 1982.
587. Chernen'kaya, E. I., Pavluchenko, E. N., and Makarovskaya, I. I., *Heat Capacity Properties of (NH₄)₂SO₄ Aqueous Solutions*, NIOKhIM, Khar'kov, 1982.
588. Schneider, W., Muller, H., and Morke, K., Spezifische warme und warmeitfähigkeit des systems (NH₄)₂SO₄–H₂O, *Chem. Techn.*, 1982, **34**, No. 1, pp. 31–32.
589. Tanner, J. E. and Lamb, F. W., Specific Heats of Aqueous Solutions of Sodium Chloride, NaBr, KCl, *J. Solution Chem.*, 1978, **7**, No. 4, pp. 303–316.
590. Karapet'yants, M. Kh., Vasilev, V. A., Mikhailin, B. V., and Strakhov, V. M., Heat Capacity and Density of Aqueous Solutions of Sodium and Rubidium Bromides at 25°C, *Zh. Fiz. Khim.*, 1979, **53**, No. 1, pp. 207–209.
591. Peiper, J. C. and Pitzer, K. S., Thermodynamics of Aqueous Carbonate Solutions Including Mixtures of Sodium Carbonate, *J. Chem. Thermodynamics*, 1982, **14**, pp. 613–638.
592. Pitzer, K. S., Fluids, Both Ionic and Non-Ionic, over Wide Ranges of Temperatures and Composition, *J. Chem. Thermo.*, 1989, **21**, No. 1, pp. 1–17.

593. Tanger, J. C. and Pitzer, K. S., Calculation of the Thermodynamic Properties of Aqueous Electrolytes to 1000°C and 5000 bar from Semicontinuum Model for Ion Hydration, *J. Phys. Chem.*, 1989, **93**, No. 12, pp. 4941–4951.
594. Mursalov, B. A. and Bochkov, M. M., Study of the Isochoric Heat Capacity of the NaCl–H₂O System at High State Parameters, In: *Thermophysical Properties of Substances in Condensed State*, Makhachkala, 1982, pp. 53–59.
595. Bochkov, M. M., Mursalov, B. A., and Abdulagatov, I. M., Determination of Heat Capacity of NaCl Aqueous Solutions from the Critical Isochores, In: *Physical Constants and Properties of Materials. Thermophysical Properties of Substances and Materials*, Izd. Standartov, Moscow, 1989, pp. 95–101.
596. Clarke, E. C. W., Colin, W., and Glew, D. N., Evaluation of the Thermodynamic Functions for Aqueous NaCl from Equilibrium and Calorimetric Measurements below 154°C, *J. Phys. Chem. Data*, 1985, **14**, No. 2, pp. 489–610.
597. Mursalov, B. A. and Bochkov, M. M., Tables of Recommended Tabulated Data: NaCl Aqueous Solutions Isochoric Heat Capacity, All-Union Research Substance and Material Center, Gosstandart SSSR, Moscow, 1988.
598. Rogers, P. S. Z. and Duffy, C. S., Comparison of Calibration Methods for Flow Heat-Capacity Calorimeters and Heat Capacities of Concentrated Sodium Chloride (aq) to 598 K, *J. Chem. Thermodyn.*, 1989, **21**, No. 6, pp. 595–614.
599. Clarke, E., Colin, W., and Glew, D. N., Evaluation of the Thermodynamic Functions for Aqueous NaCl from Equilibrium and Calorimetric Measurements below 154°C (Erratum to document cited in CA 103 (8): 60304g), *J. Phys. Chem. Ref. Data*, 1989, **18**, No. 1, pp. 545–550.
600. Gates, J. A., Tillett, D. M., et al., Apparent Molar Heat Capacities of Aqueous NaCl Solutions from 0.05 to 3.0 mol·kg⁻¹, 350 to 600 K and 2 to 18 MPa, *J. Chem. Thermodyn.*, 1987, **19**, No. 2, pp. 131–146.
601. Plyasunov, A. V., Description of the Standard Thermodynamic Properties of Dissolved Electrolytes on the Basis of the Complete Equilibrium Constant Concept, *Geokhimiya*, 1993, No. 1, pp. 54–66.
602. Rogers, P. S. Z. and Pitzer, K. S., Volumetric Properties of Aqueous Sodium Chloride Solutions, *J. Phys. Chem. Ref. Data*, 1982, **11**, No. 1, pp. 15–81.
603. Pitzer, K. S., Peiper, J. C., and Busey, R. H., Thermodynamic Properties of Aqueous Sodium Chloride Solutions, *J. Phys. Chem. Ref. Data*, 1984, **13**, No. 1, pp. 1–102.
604. Allred, G. C. and Woolley, E. M., Heat Capacities and Densities of Solutions of NaCl, DCl, and NaOD in D₂O at 283.15, 298.15 and 313.15 K: C_p and V⁰ for Ionization of D₂O, *J. Chem. Thermodyn.*, 1981, **13**, No. 6, pp. 585–590.
605. Perron, G., Fortier, J.-L., and Desnoyers, J. E., The Apparent Molar Heat Capacities and Volumes of Aqueous NaCl from 0.01 to 3 mol·kg⁻¹ in the Temperature Range 274.65 to 318.15 K, *J. Chem. Thermodyn.*, 1975, **7**, No. 12, pp. 1177–1184.
606. Khaibulin, I. Kh., *Aqueous and Vapor-Phase Solutions. The Water Sodium Chloride System. Tables of the Thermophysical Properties of Gases and Liquids*, Izd. Standartov, Moscow, 1980, No. 6.
607. Loseva, G. K. and Semchenko, D. P., Heat Capacity and Density of Aqueous Solutions of Sodium chloride and Perchlorate at 25, 40, and 60°C, Available from VINITI, 1973, No. 5537–73.
608. Mastrianni, M., Kriss, C. M., Standard Partial Molal Heat Capacities of Sodium Perchlorate in Water from 0–90°C and ..., *J. Chem. Eng. Data*, 1972, **17**, No. 2, pp. 222–226.
609. Iskanderov, Kh. I. and Drakin, S. I., Apparent Heat Capacity of Sodium Nitrite and Nitrate at 50, 70, and 90°C, Available from VINITI 1983, No. 4311–83.
610. Puchkov, L. V., Baranova, T. A., and Matveeva, R. P., Heat Capacity of Aqueous Solutions at Temperatures below 400°C, In: *Physical Chemistry of Solutions*, Nauka, Moscow, 1972, pp. 86–90.
611. Amirkhanov, Kh. I., Dvoryanchikov, V. I., and Stepanov, G. V., Isochoric Heat Capacity of NaOH Aqueous Solutions along the Boundary Curves, In: *Thermophysical Properties of Substances in Condensed State*, Makhachkala, 1982, pp. 36–38.
612. Conti, G., Gianni, P., et al., Apparent Molar Heat Capacity and Relative Enthalpy of Aqueous Sodium Hydroxide between 323 and 523 K, *J. Solution Chem.*, 1988, **17**, No. 5, pp. 481–497.
613. Simonson, J. M., Megmen, R. E., and Rogers, P. S. Z., The Enthalpy of Dilution and Apparent Molar Heat Capacity of NaOH to 523 K and 40 MPa, *J. Chem. Thermodyn.*, 1989, **21**, No. 6, pp. 561–584.
614. Abdulagatov, I. M., Dvoryanochikov, V. I., and Abdurakhmanov, I. M., Thermodynamic Properties of Aqueous Sodium Hydroxide Solutions Near the Liquid – Gas – Critical Points, In: *Properties of*

- Water and Steam, *Proc. 11th Internat. Conf.*, eds. M. Pichal and O. Sifner, 1990, New York, pp. 203–209.
615. Martynova, O. I., et al., Thermodynamic Properties of the Sodium Hydroxide – Water System, In: *Reviews on the Thermophysical Properties of Substances*, IVTAN, Moscow, 1982, No. 4(36), pp. 4–108.
616. Pabalan, R. and Pitzer, K. S., Heat Capacity and Other Thermodynamic Properties of Na_2SO_4 (aq) in Hydrothermal Solutions and the Solubilities of Na_2SO_4 -Minerals in the System Na–Cl– SO_4^{2-} –OH– H_2O to 300°C, *Geochim. Cosmochim. Acta.*, 1988, **92**, No. 10, pp. 2393–2404.
617. Conti, G., Gianni, P., and Tine, M. R., Mixed Interaction Terms in the Use of Pitzer Equations: Application to the Heat Capacities of the Reciprocal System $\text{Na}^+/\text{K}^+/\text{Cl}^-/\text{SO}_4^{2-}/\text{H}_2\text{O}$ at High Temperatures, *Thermochimica Acta.*, 1989, **145**, pp. 61–75.
618. Rogers, P. S. Z. and Pitzer, K. S., High-Temperature Thermodynamic Properties of Aqueous Na_2SO_4 Solutions, *J. Phys. Chem.*, 1981, **85**, No. 20, pp. 2886–2895.
619. Smith-Magowan, Wood, R. H., and Tillet, D. M., Heat Capacities of Aqueous Solutions of NiCl_2 and $\text{NiCl}_2 \cdot 2\text{NaCl}$ from 0.12 to 3.0 mol·kg and 321 to 572 K at a Pressure 17.7 MPa, *J. Chem. Eng. Data*, 1982, **27**, pp. 335–342.
620. Spitzer, J. J., Singh, P. P., Olofsson, I. V., and Hepler, L. G., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes at 25°C: $\text{Cd}(\text{ClO}_3)_2$, $\text{Ca}(\text{ClO}_3)_2$, $\text{Co}(\text{ClO}_3)_2$, $\text{Mn}(\text{ClO}_3)_2$, $\text{Ni}(\text{ClO}_3)_2$, $\text{Zn}(\text{ClO}_3)_2$, *J. Solut. Chem.*, 1978, **7**, No. 8, pp. 623–629.
621. Sergeeva, R. I., Drakin, S. I., and Karapet'yants, M. Kh., On the Concentration Dependence of the Apparent Heat Capacity of Electrolytes in Aqueous Solutions, *Zh. Fiz. Khim.*, 1970, **44**, No. 11, pp. 2922–2923.
622. Drakin, S. I. and Madanat, A. T., Apparent Heat Capacity of Sulfates of Some Transition Metals in Aqueous Solutions at 50, 70, and 90°C, *11th All-Union Conf. on Calorimetry and Chemical Thermodynamics*, Novosibirsk, 1986, pp. 166–167.
623. Nazarov, S. A., Novikov, D. N., and Latysheva, V. A., Heat Capacity of Solutions in the $\text{NaCl}-\text{MgCl}_2-\text{H}_2\text{O}$ System at 298 K, *Zh. Prikl. Khim.*, 1992, **65**, No. 3, pp. 502–506.
624. Verba, O. I., Gruzdev, V. A., Genrikh, V. N., et al., Thermophysical Properties of Mixed Aqueous Solutions of Calcium and Sodium Chlorides, In: *Study of the Thermophysical Properties of Liquids*, Novosibirsk, 1977, pp. 40–59.
625. Rivkin, S. L. and Aleksandrov, A. A., *Thermophysical Properties of Water and Steam*, Energiya, Moscow, 1980.
626. Misnar, A., *Thermal Conductivity of Solids, Liquids, Gases, and Their Mixtures*, Mir, Moscow, 1968.
627. Janielson, D. T., Irving, J. B., and Tudhope, J. S., *Liquid Thermal Conductivity: Data Survey to 1973*, Edinburg, 1975.
628. International Critical Tables of Numerical Data, *Physics, Chemistry and Technology*, 1929, Vol. 5.
629. Wakeham, W. A., The Application of the Transient Hot-Wire Method to the Measurement of the Thermal Conductivity of Aqueous Salt Solutions, *Proc. 10-th int. conf. IAPS*, Moscow, Vol. 2, 1984, p. 219.
630. Assael, M. J., Chariditou, E., Stassis, J. C., and Wakeham, W. A., Absolute Measurements of Thermal Conductivity of Some Aqueous Chloride Salt Solutions, *Ber. Bunsen. Phys. Chem.*, 1989, **93**, No. 8, p. 887.
631. Beresz, E. and Bader, I., Connection between Electric Conductivity and Viscosity Aqueous and Hydrochloric Metal Chloride Solutions, *Acta Chim. Ac. Sci. Hungar.*, 1979, **100**(1–4), p. 243–256.
632. Magomedov, U. B., Thermal Conductivity of Aqueous Solutions of Calcium and Magnesium Chlorides at High Parameters, In: *Phase Transitions and the Thermophysical Properties of Multicomponent Systems*, Inst. Phys. Dagestan Branch of AN SSSR, 1990, pp. 65–75.
633. Sugawara, M., Inaba, H., Seki, N., and Saito, H., Thermal Conductivity of Aqua-Solvent with Low Solidification Point, *Proc. 1-st Asian Conference on Thermophysical Properties*, 1986, pp. 409–414.
634. Abdulaev, K. M., El'darov, V. S., and Manafov, Sh. M., On the Effect of Pressure on the Thermal Conductivity of Electrolyte Aqueous Solutions, *Izv. Vyssh. Uchebn. Zaved., Ser.: Energetika*, 1981, No. 5, p. 67.
635. White, W. R., et al., Computer-Controlled Measurement of Thermal Conductivities of Aqueous Salt Solutions, *J. Solut. Chem.*, 1975, **4**, No. 7, pp. 557–570.

636. Losenicky, Z., The Thermal Conductivity of Aqueous Solutions of Alkali Hydroxides, *J. Phys. Chem.*, 1969, **73**, No. 2, pp. 451–452.
637. Baruel, P., *On Transient Hot-Wire Measurements of the Thermal Conductivity of Electrolyte Solutions*, 1972.
638. Medzhidov, R. A., Thermal Conductivity of Hydrochloric Acid, In: *Thermophysical Properties of Pure Substances and Electrolyte Aqueous Solutions*, 1987, pp. 56–60.
639. Magomedov, U. B., Thermal Conductivity of Electrolyte Aqueous Solutions at High Pressures, *Geotermiya*, 1989, pp. 103–109.
640. Kalaev, S. N., Thermal Conductivity of Nitric Acid Aqueous Solutions, *Zh. Fiz. Khim.*, 1987, No. 12, pp. 3332–3333.
641. Kalaev, S. N., *Thermal Conductivity of Solutions in the HNO₃–H₂O System, Thermophysical Properties of Pure Substances and Electrolyte Aqueous Solutions*, Makhachkala, 1987, p. 37.
642. Guseinov, G. G., Experimental Study of the Thermal Conductivity of Aqueous Solutions of Phosphoric and Boric Acids at 293–368 K and 0.1 MPa, In: *Thermophysical Properties of Pure Substances and Electrolyte Aqueous Solutions*, Makhachkala, 1987, pp. 51–55.
643. Blankshtein, V. A., et al., Study of the Thermal Conductivity of Phosphoric Acid, *Vestnik MGU*, 1973, **14**, No. 3, p. 365.
644. Rusalov, S. M. and Abulkadirova, Kh. S., Thermal Conductivity of Sulfuric Acid Aqueous Solutions, *Geotermiya*, 1989, pp. 97–102.
645. Smirnova, E. G., Thermophysical Properties of K₂CO₃ and Its Aqueous Solutions, *Available from VINITI*, 1978, No. 3240–78.
646. Davis, P. S., et al., Non-Steady-State, Hot Wire, Thermal Conductivity Apparatus, *J. Chem. Phys.*, 1971, **55**, No. 10, pp. 4776–4783.
647. Nagasaka, Y., Suzuki, J., and Nagashima, A., The Thermal Conductivity of Aqueous KCl Solutions at Pressures up to 40 MPa, *Proc. 10-th int. Conf. IAPS*, Moscow, 1984, Vol. 2, p. 203.
648. Pepinov, R. I. and Guseinov, G. M., Thermal Conductivity of Potassium Chloride Aqueous Solutions at 20–340°C, *Inzh. Fiz. Zh.*, 1991, **60**, No. 5, p. 742.
649. Pepinov, R. I. and Guseinov, G. M., Experimental Study of the Thermal Conductivity of Potassium Chloride Aqueous Solutions at High Temperatures, *Teplofiz. Vys. Temp.*, 1991, **29**, No. 3, pp. 605–607.
650. Alloush, A., Gosney, W. B., and Wakeham, W. A., A Transient Hot-Wire Instrument for Thermal Conductivity Measurements in Electrically Conducting Liquids at Elevated Temperatures, *Int. J. Thermophys.*, 1982, **3**, No. 3, pp. 225–235.
651. Kawamata, K., Nagasaka, Y., and Nagashima, A., Measurements of the Thermal Conductivity of Aqueous LiBr Solutions at Pressures up to 40 MPa, *Int. J. Thermophys.*, 1988, **9**, No. 3, pp. 317–329.
652. Dembecki, F. and Gazinski, B., Formuly aproksymacyjne opisujace fizyczne wlasnosci wodnego roztworu bromsku litu, *Archiwum termodynamiki*, 1980, **1**, Nos. 3–4, pp. 211–224.
653. Rastorguye, V. Yu., et al., Thermal Conductivity of Aqueous Solutions of Alcali Metals Halides, *Proc. 10-th Int. Conf. IAPS*, Moscow, 1984, Vol. 2, p. 210.
654. Magomedov, U. B., Thermal Conductivity of Aqueous Solutions of Magnesium and Zinc Sulfates at High Parameters, In: *Thermodynamics of Phase Equilibria and Critical Phenomena*, Makhachkala, 1991, pp. 37–43.
655. Schneider, W., Muller, H., and Morke, K., Spezifische warme und warmeitfähigkeit des systems (NH₄)₂SO₄–H₂O, *Chem. Techn.*, 1982, **34**, No. 1, pp. 31–32.
656. El'darov, V. S., Thermal Conductivity of Aqueous Solutions of Sodium Salts, *Zh. Fiz. Khim.*, 1986, No. 3, pp. 603–605.
657. Nagasaka, Y. and Nagashima, A., Absolute Measurement of the Thermal Conductivity of Electrically Conducting Liquids by the Transient Hot-Wire Method (Thermal Conductivity of an Aqueous NaCl Solution at High Pressure, *Thermal Conductivity*, Plenum Press, 1983, **17**, No. 4, pp. 307–314).
658. Nagasaka, Y., et al., Measurements of the Thermal Conductivity of Aqueous NaCl Solutions at Pressures up to 40 MPa, *Ber. Bunsenges. Phys. Chem.*, 1983, No. 87, pp. 859–866.
659. Ozbek, H. and Phillips, S. L., Thermal Conductivity of Aqueous Sodium Chloride Solutions from 20 to 330°C, *J. Chem. Eng. Data*, 1980, **25**, No. 3, p. 263.
660. Yusufova, V. D., Pepinov, R. I., et al., Thermal Conductivity of NaCl Aqueous Solutions, *Inzh. Fiz. Zh.*, 1975, **24**, No. 4, pp. 600–605.

661. Ganie, V. Y. A., et al., The Thermal Conductivity of Water and Aqueous Solutions of NaCl in the Range of Temperatures 20–400°C and Pressures up to 100 MPa, *12 Conf. of IAPS*, Prague, 1988, pp. 132–138.
662. Yusufova, V. D., et al., Thermal Conductivity of Sodium Sulfate Aqueous Solutions, *Zh. Fiz. Khim.*, 1975, **49**, No. 10, p. 2677.
663. Ghosh, L., Das, K. P., and Chattoraj, D. K., Thermodynamics of Adsorption of Inorganic Electrolytes at Air/Water and Oil/Water Interfaces, *J. Coll. Inter. Sci.*, 1988, **121**, No. 1, pp. 278–288.
664. Weast, R. C., ed., *Handbook of Chemistry and Physics*, 70th edition, CRC Press, Inc., 1990, p. F-33.
665. Shevchuk, V. G. and Lebedinskii, B. I., Li₂SO₄–Al₂(SO₄)₃–H₂O System, *Zh. Neorg. Khim.*, 1967, **12**, No. 4, pp. 1103–1105.
666. *International Critical Tables*, Ed. by Washburn, E. W., N.Y., 1928, pp. 463–474.
667. *Spravochnik Khimika* (Chemist Handbook), Nikol'skii, B. N., et al., Eds., Khimiya, Moscow–Leningrad, 1964, **3**, pp. 726–727.
668. Zdeněk Palatý, *Collect. Chem. Commun.*, 1992, **57**, pp. 1879–1887.
669. Sarkasov, R. A., Mironova, O. P., and Gebekova, Z. G., Study of the Physicochemical Properties of the AlCl₃–LiCl–H₂O System, *Zh. Prikl. Khim.*, 1989, No. 8, p. 1866.
670. Janielson, D. T., Irving, J. B., and Tudhope, J. S., *Liquid Thermal Conductivity: Data Survey to 1973*, Edinburg, 1975.
671. Medkov, B. K., Petrov, M. R., and Roslyakova, O. N., Al(NO₃)₃–UO₂(NO₃)₂–H₂O System at 25°C, *Zh. Neorg. Khim.*, 1987, **32**, No. 7, pp. 1783–1784.
672. Vasil'eva, L. F., et al., Density and Viscosity of Aluminum Sulfate Aqueous Solutions, *Zh. Prikl. Khim.*, 1976, No. 9, pp. 1943–1945.
673. International Critical Tables of Numerical Data, *Physics, Chemistry and Technology*, 1929, Vol. 5.
674. Breslau, B. R. and Miller, I. F., On the Viscosity of Concentrated Aqueous Electrolyte Solutions, *J. Phys. Chem.*, 1970, **74**, No. 5, pp. 1056–1060.
675. Ivanov, A. A., et al., Properties of Concentrated as of Aluminum Sulfate, *Zh. Neorg. Khim.*, *Zh. Neorg. Khim.*, 1987, **32**, No. 4, p. 1052.
676. Puchkov, L. V., Matashkin V. G., and Matveeva, R. P., Density of Aqueous Lithium Nitride at High Temperatures (to 350°C) and Concentrations, *Zh. Prikl. Khim.*, 1979, **52**, No. 5, pp. 1167–1169.
677. Shevchuk, V. G. and Lebedinskii, B. I., Li₂SO₄–Al₂(SO₄)₃–H₂O System, *Zh. Neorg. Khim.*, 1967, **12**, No. 4, pp. 1101–1105.
678. Belyaev, I. N. and Lobas, L. M., ZrOCl₂–Mg(Sr,Ba)Cl₂–H₂O System at 25°C, *Zh. Neorg. Khim.*, 1968, **13**, No. 8, p. 2295.
679. Afzal, M., Sallem, M., and Mahmood, M. T., Temperature and Concentration Dependence of Viscosity of Aqueous Electrolytes from 20 to 50°C. Chlorides of Na⁺, K⁺, Mg²⁺, Ca²⁺, Ba²⁺, Sr²⁺, Co²⁺, Ni²⁺, Cu²⁺, and Cr³⁺, *J. Chem. Eng. Data*, 1989, **34**, pp. 339–346.
680. Weast, R. C., ed., *CRC Handbook of Chemistry and Physics*, 69th ed., CRC Press, Boca Raton, Florida, 1989.
681. Isono, T., Density, Viscosity, and Electrolytic Conductivity of Concentrated Aqueous Electrolyte Solutions at Several Temperatures. Alkaline-Earth Chlorides, LaCl₃, Na₂SO₄, NaNO₃, NaBr, KNO₃, KBr, and Cd(NO₃)₂, *J. Chem. Eng. Data*, 1984, **29**, No. 1, pp. 45–52.
682. Leyendekkers, J. V., The Viscosity of Aqueous Electrolyte Solutions and the TTG Model, *J. Solut. Chem.*, 1979, **8**, No. 12, pp. 853–869.
683. Isono, T., Densities, Viscosities, and Electrolytic Conductivities of Concentrated Aqueous of 31 Solutes in the Temperature Range 15–55°C and Empirical Equations for the Relative Viscosity, *Rept. Inst. Phys. Chem. Res.*, 1985, **61**, No. 2, pp. 53–79.
684. Kume, T. and Tanaka, M., Study of Concentrated Solutions of Strong Electrolytes – Viscosity, *Nippon Kagaku Dzassi*, 1990, **81**, No. 4, pp. 534–539.
685. Basargin, B. N., Sal'nikov, V. S., Leon'tev, V. K., Density, Viscosity, and Interphase Tension of Saturated Aqueous Solutions of Potassium and Barium Nitrates, *Zh. Prikl. Khim.*, 1976, **49**, No. 2, pp. 477–479.
686. Akhundov, T. S., Iskanderov, A. I., and Zeinalova, T. S., Dynamic Viscosity of Aqueous Solutions of Barium Nitrate, *Izv. Vyssh. Uchebn. Zaved., Ser.: Neft' i Gas*, 1991, No. 5, pp. 64–66.

687. Pepinov, R. I., Lobkova, N. I., and Panakhov, I. A., Viscosity of Calcium Chloride Aqueous Solutions in a Wide range of State Parameters, In: *Thermophysical Properties of Substances and Solutions*, Novosibirsk, 1988, pp. 103–110.
688. Lyons, P. A. and Riley, J. F., Diffusion Coefficients for Aqueous Solutions of Calcium Chloride and Cesium Chloride at 25°C, *J. Am. Chem. Soc.*, 1954, **76**, No. 10, p. 5216.
689. Gurovich, B. M., et al., *Tables of Thermophysical Properties of Aqueous Solutions of Some Inorganic Substances*, TPI, Tashkent, 1975.
690. Gruzdev, V. A., Genrikh, I. N., and Shestova, F. I., Experimental Study of the Viscosity and Thermophysical Properties of Aqueous Solutions of Some Electrolytes, In: *Study of the Thermophysical Properties of Liquid Solutions and Melts*, Novosibirsk, 1977, pp. 20–39.
691. Verba, O. I. and Zakharenko, L. G., Steam Pressure of Aqueous Calcium Chloride Solutions. Experimental Study, In: *Teplofizicheskie Svoistva Veshchestv i Materialov* (Thermophysical Properties of Substances and Materials), Novosibirsk, 1979, pp. 66–80.
692. Nowicka, B., et al., Viscosity of Solutions of NaI and CaCl₂ in Water-Tetrahydrofuran Mixtures, *J. Chem. Soc. Faraday Trans.*, 1988, **84**, No. 11, p. 3877–3884.
693. Bogatykh, S. A., Calculation Dependences for the Determination of Physical Parameters of Aqueous Solutions of LiCl, LiBr and CaCl₂ – Moisture Absorbents, *Zh. Prikl. Khim.*, 1974, **47**, No. 11, pp. 2553–2554.
694. Popova, T. B. and Berdyukova, V. A., Physicochemical Properties of Saturated Solutions in the Ca(NO₂)₂–Ca(OH)₂–H₂O System at 25°C, *Zh. Prikl. Khim.*, 1986, **59**, No. 1B, pp. 8–12.
695. Maksimova, I. N. and Balakin, P. F., Method of Comparative Calculation and Properties of Electrolyte Solutions, *Zh. Fiz. Khim.*, 1987, No. 8, pp. 2018–2022.
696. Kuznetsov, V. V., et al., Density, Viscosity, and Ultrasonic Speed of Aqueous Solutions of Mg, Ca, and Cr Nitrates, *Izv. Vyssh. Uchebn. Zaved., Ser.: Khimiya i Khim. Tekhnol.*, 1983, **26**, p. 1505.
697. Mahiuddin, S. and Ismail, K., Concentration Dependence of the Viscosity of Aqueous Electrolytes. A Probe into Higher Concentration, *J. Phys. Chem.*, 1983, **87**, pp. 5241–5244.
698. Angell, C. A. and Bressel, R. D., Fluidity and Conductance in Aqueous Electrolyte Solutions. An Approach from the Glassy State and High-Concentration Limit Ca(NO₃)₂ Solutions, *J. Phys. Chem.*, 1972, **76**, No. 22, pp. 3244–3253.
699. Kasterina, V. I., Ponizovskii, A. A., et al., KNO₃–Ca(NO₃)₂–H₂O System at 55°C, *Zh. Neorg. Khim.*, 1985, **30**, No. 1, pp. 231–234.
700. Belyaev, I. N., et al., Physicochemical Study of the ZrOCl₂–CdCl₂–H₂O System at 25°C, *Zh. Neorg. Khim.*, 1972, **17**, No. 11, p. 3075.
701. Ivanova, E. M., CdCl₂–Cd(NO₂)₂–H₂O System at 25°C, *Zh. Neorg. Khim.*, 1983, **28**, No. 12, pp. 3197–3198.
702. Easteal, A. J., et al., Diffusion Measurements and Their Relation to Structure for Cadmium and Sulphate Ions in Concentrated Aqueous Solutions, *Chem. Phys. Letters*, 1986, **125**, pp. 279–282.
703. Einfeldt, J., Ahnfeldt, B., and Zorn, B., Viscositatsmessungen an wasrigen Me²⁺-sulfatlosungen., *Wiss. Z. Wilhelm-Pieck-Univ. Rostok*, 1985, **34**, No. 1, pp. 31–38.
704. Kaminsky, M., 2. Mittellung: NaCl[–], Li₂SO₄[–], FeCl₂[–] und CeCl₃[–] Lösungen, *Z. Phys. Chem.*, N. F., 1956, **8**, pp. 173–191.
705. Maksimova, I. N. and Nikol'skii, V. A., Density and Viscosity of Acid Solutions, Available from VINITI, 1987, No. 7680-B87.
706. Stokes, R. H. and Mills, R., *Viscosity of Electrolytes and Related Properties*, Pergamon Press, 1965.
707. Maksimova, I. N., et al., *Svoistva Elektrolitov: Spravochnik* (Electrolyte Properties: Handbook), Metallurgiya, Moscow, 1987.
708. Maksimova, I. N., Pak Chzhon Su, Pravdin, N. N., et al., Physicochemical Properties of Electrolyte Solutions in Wide Temperature and Concentration ranges, Available from VINITI, 1984, No. 4113–84.
709. Easteal, A. J., Mills, R., and Woolf, L. A., Tracer Diffusion, Conductance, and Shear Viscosity of Chromium (III) Perchlorate and Chromium (III) Chloride Solutions at 298.15, K., *J. Phys. Chem.*, 1989, **93**, No. 12, p. 4968.
710. Halder, P. and Majumdar, D. K., Testing the Validity of an Equation of Viscosity in Aqueous Solutions of Electrolytes in the High Concentration Range, *Z. Phys. Chem.*, N. F., 1990, **168**, pp. 217–223.

711. Desnoyers, J. E., et al., Viscosity of Alkali and Tetraalkylammonium Halides, *J. Solut. Chem.*, 1972, **1**, No. 3, pp. 199–212.
712. Ostoff, A. G., Showden, B. S., and Woessner, D. E., Viscosity of Protonated and Deuterated Water Solutions of Alkali Metal Chlorides, *J. Phys. Chem.*, 1969, **73**, No. 8, pp. 2784–2785.
713. Crudden, J., et al., The Viscosity and Structure of Solutions. Part 2, *J. Chem. Soc. Faraday Trans. I*, 1986, **82**, No. 7, pp. 2195–2006.
714. Crudden, J., et al., The Viscosity and Structure of Solutions, *J. Chem. Soc. Faraday Trans. I*, 1986, **82**, p. 2195–2206.
715. Sotoh, T. and Hayashi, K., The Viscosity of Concentrated Aqueous Solutions of Strong Electrolytes, *Bull. Chem. Soc. Japan*, 1961, **34**, No. 9, pp. 1260–1264.
716. Kumar, G., Dey, N. C., Saikia, B. K., and Haque, I., Viscosity B-Coefficients of 1:1 Electrolytes in Acetonitrile-Water Mixtures at 25 and 35°C, *Bull. Chem. Soc. Japan*, 1986, **59**, No. 5, pp. 1555–1560.
717. Jones, G. and Fornwalt, H. J., The Viscosity of Aqueous Solutions of Electrolytes as a Function of the Concentration. III. Cesium Iodide and Potassium Permanganate, *J. Am. Chem. Soc.*, 1936, **58**, No. 4, p. 619.
718. Khutsistova, F. M., Berdyukova, V. A., Popova, T. B., et al., CsNO₃–AgNO₃–H₂O System at 25°C, *Zh. Neorg. Khim.*, 1988, **33**, No. 4, pp. 1024–1027.
719. Ugai, D. P., Tukhtaev, S., Saitova, M. T., and Ugai, M. R., Ammonium Nitrate – Copper Nitrate – Water System, *Zh. Neorg. Khim.*, 1986, **31**, No. 8, pp. 2129–2132.
720. Karchevskii, A. V., et al., Physicochemical Properties of Solutions of the CuSO₄–ZnSO₄–H₂O System Saturated at 25°C, *Zh. Prikl. Khim.*, 1989, No. 8, p. 1862.
721. Shchedrina, A. P., Mel'nicenko, L. M., and Ozerova, M. P., FeCl₂–MgCl₂–H₂O System at 70°C, *Zh. Neorg. Khim.*, 1970, **25**, No. 9, pp. 2504–2506.
722. Chernen'kaya, E. I., Vernigora, G. A., Pavlyuchenko, E. N., and Makarovskaya, I. N., Physicochemical Properties of Aqueous Solutions of iron Chloride, *Zh. Prikl. Khim.*, 1982, **55**, No. 8, pp. 1845–1847.
723. Sedneva, T. A., Sidorova, T. A., Sednev, Yu. M., and Mashkova, N. V., Density and Viscosity of Solutions, *Zh. Prikl. Khim.*, 1990, No. 6, pp. 1501–1504.
724. Huckel, E. and Schaaf, H., Experimentelle Untersuchungen über die Konzentrations- und Temperaturabhängigkeit der Zahligkeit wässriger Lösungen starker Elektrolyte. 4. Mitteilung: HCl-, NaOH-, N(CH₃)₄I-, und N(C₂H₅)₄I-Lösungen, *Z. Phys. Chem.*, N. F., 1959, **21**, pp. 326–348.
725. Klochko, M. A. and Kurbanov, M. Sh., Study of Aqueous Solutions of Hydrogen Chloride and Perchloric Acid by the Methods of Physicochemical Analysis, *Izv. Akad. Nauk SSSR, Sekt. Fiz.-Khim. Anal.*, 1954, **24**, p. 237.
726. Nishikata, E., Ishii, T., and Ohta, T., Viscosities of Aqueous Hydrochloric Acid Solutions, and Densities and Viscosities of Aqueous Hydroiodic Solutions, *J. Chem. Eng. Data*, 1981, **26**, pp. 254–256.
727. Razuvayev, V. E. and Maksimova, I. N., Viscosity, Density, and Electrical Conductivity of Nitric Acid Solutions at 15–90°C, *Zh. Prikl. Khim.*, 1977, No. 2, pp. 420–422.
728. Ignatov, V. A., Viscosity of Solutions as a Function of Temperature and Composition, *Radiokhimiya*, 1990, No. 1, pp. 31–34.
729. Granzhan, V. A. and Laktonova, S. K., Density, Viscosity, and Surface Tension of Nitric Acid Aqueous Solutions, *Zh. Fiz. Khim.*, 1975, **49**, No. 9, p. 2461.
730. Chin, D.-T. and Chang, H. H., On the Conductivity of Phosphoric Acid Electrolyte, *J. Appl. Electroch.*, 1989, **19**, No. 1, pp. 95–99.
731. Mashovets, V. P. and Vladimirova, V. N., Viscosity of Solutions in the H₂SO₄–H₃PO₄–H₂O Ternary System, *Zh. Prikl. Khim.*, 1966, No. 11, pp. 2585–2589.
732. Klochko, M. A. and Kurbanov, M. Sh., Study of the Phosphoric Acid – Water System by the Methods of Physicochemical Analysis, *Izv. Akad. Nauk SSSR, Sekt. Fiz.-Khim. Anal.*, 1954, **24**, p. 252.
733. Semenyuk, E. N., Zaremba, V. I., and Fedorov, M. K., Unit for Measurement of the Viscosity of Electrolyte Solutions at 273–673 K and Pressures up to 200 MPa, *Zh. Prikl. Khim.*, 1977, No. 2, pp. 315–319.
734. Klochko, M. A. and Kurbanov, M. Sh., Study of the System Sulfuric Anhydride – Water System by the Methods of Physicochemical Analysis, *Izv. Akad. Nauk SSSR, Sekt. Fiz.-Khim. Anal.*, 1954, **24**, p. 264.

735. Maksimova, I. N., Ovanes'yan, K. K., and Bullan, V. A., Study of Physicochemical Properties of Aqueous Solutions of Sulfuric Acid and Potassium Hydroxide at Low Temperatures, *Zh. Prikl. Khim.*, 1972, No. 10, pp. 2173–2176.
736. Out, D. J. P. and Los, J. M., Viscosity of Aqueous Solutions of Univalent Electrolytes from 5 to 95°C, *J. Solut. Chem.*, 1980, **9**, No. 1, pp. 19–35.
737. Goldsack, D. E., and Franchetto, R. C., The Viscosity of Concentrated Electrolyte Solutions, *Canad. J. Chem.*, 1978, **56**, No. 10, pp. 1442–1450.
738. Desnoyers, J. E., Arel, M., and Leduc, P. A., Conductance and Viscosity of N-Alkamine Hydrobromides in Water at 25°C: Influence of Hydrophobic Hydratation, *Canad. J. Chem.*, 1969, **47**, No. 4, pp. 547–553.
739. Karov, Z. G., Mirzoev, R. S., Kyarov, A. A., et al., K_2MoO_4 –KBr–H₂O System at 25°C, *Zh. Neorg. Khim.*, 1989, **34**, No. 10, pp. 2668–2673.
740. Smirnova, E. G., Thermophysical Properties of K₂CO₃ and Its Aqueous Solutions, *Available from VINITI*, 1978, No. 3240–78.
741. Chernen'kaya, E. I. and Revenko, S. S., Study of the Viscosity and Density of K₂CO₃ and Solutions, *Zh. Prikl. Khim.*, 1975, No. 1, pp. 126–130.
742. Corrella, R. J., Kestin, J., and Khalifa, H. E., Viscosity and Density of Aqueous Na₂CO₃ and K₂CO₃ Solutions in the Temperature Range 20–90°C and the Pressure Range 0–30 MPa, *J. Chem. Eng. Data*, 1980, **25**, No. 3, p. 201.
743. Karov, Z. G., Ashkhoto, V. G., and Semenova, S. B., K_2CO_3 –K₂MoO₄–H₂O System at 25°C, *Zh. Neorg. Khim.*, 1970, **25**, No. 9, pp. 2580–2585.
744. Kestin, J., et al., Tables of the Dynamic and Kinematic Viscosity of Aqueous KCl Solutions., *J. Phys. Chem. Ref. Data*, 1981, **10**, No. 1, pp. 57–70.
745. Kaminsky, M., Experimentalle untersuchungen über die konzentrations-und temperaturabhangigkeit der zähigkeit wasriger losungen starker elektrolyte. III, *Z. Phys. Chem.*, N. F., 1957, **12**, pp. 206–231.
746. Pepino, V. R. I., et al., Viscosity of Aqueous Potassium Chloride Solutions over a Wide Range of State Parameters, *Proc. 10-th Int. Conf. IAPS*, Moscow, 1984, Vol. 2, p. 196.
747. Korosi, A., and Fabuss, B. M., Viscosities of Binary Aqueous Solutions of NaCl, KCl, Na₂SO₄, and MgSO₄ at Concentrations and Temperatures of Interest in Desalination Processes, *J. Chem. Eng. Data*, 1968, **13**, No. 4, p. 548.
748. Tschache, C., et al., Zur Konzentrationsabhängigkeit des Viskositatskoeffizienten einiger feststoff-haltiger Losungen bei 35°C, *Z. Phys. Chem.*, Leipzig, 1987, **268**, No. 1, pp. 124–128.
749. Haldor, P. and Majumdar, D. K., Viscosity of Solutions of Simple 1:1 Electrolytes in Amide-Water Solvent Mixtures, *Z. Phys. Chem.*, N. F., 1990, Bd.166, S.183–193.
750. Kacperska, A., Taniewska-Osinska, S., Bald, A., and Szejgis, A., Influence of Ionic Association on the B Coefficient of the Jones-Dole Equation for KI and KCl in Water-T-Butyl Alcohol Mixtures at 26°C, *J. Chem. Soc. Faraday Tr. I*, 1990, **86**, No. 2, pp. 2225–2229.
751. Penkina, N. V. and Ovchinnikova, R. A., Viscosity Study of the Water – Carbamide – Potassium Iodide System, In: *Thermodynamics and Structure of Solutions*, Ivanovo, 1982.
752. Kaminsky, M. I., Mitteilung: KI-, NH₄Cl- und Na₂SO₄-Losungen, *Z. Phys. Chem.*, N. F., 1955, **5**, pp. 154–191.
753. Al-Azzawi, S. F. and Salman, M. A., Viscosity Behavior of Potassium Iodide in N-Formylmorpholine Solutions at Several Temperatures, *J. Chem. Eng. Data*, 1990, **35**, No. 2, pp. 127–1307.
754. Protsenko, P. I., et al., Solubility and Properties of Solutions in the KNO₂–K₃PO₄–H₂O and NaNO₂–Na₃PO₄–H₂O Systems, *Zh. Prikl. Khim.*, 1975, No. 5, pp. 1055–1059.
755. Protsenko, P. I., et al., On Some Properties of Potassium Nitrite, *Zh. Prikl. Khim.*, 1976, No. 10, pp. 2335–2337.
756. Shurdumov, G. K., Khokonova, T. N., and Mukhamedzhanova, M. G., K_2MoO_4 –KNO₂–H₂O System at 25°C, *Zh. Neorg. Khim.*, 1982, **27**, No. 7, pp. 1846–1848.
757. Tsikhirova, N. Kh. and Protsenko, P. I., Properties of Saturated Solutions in the KNO₃–Zn(NO₃)₂–H₂O system at 25°C, *Zh. Prikl. Khim.*, 1975, No. 7, pp. 1454–1456.
758. Sahu, B. and Behera, B., Viscosity of Concentrated Aqueous Solutions of 1:1 Electrolytes, *Indian J. Chem.*, 1980, **19A**, pp. 1153–1157.

759. Karov, Z. G., Khochyuev, I. Yu., Lepeshkov, I. N., and Karaeva, L. N., Solubility and Some Properties of Saturated Solutions in the K_2WO_4 -KOH-H₂O System, *Zh. Neorg. Khim.*, 1975, **34**, No. 1, pp. 2942–2947.
760. Lebedeva, N. D., Stepanov, V. B., et al., Specific Heat Capacity and Viscosity of 38% K_3PO_4 Solution at 254–298 K, In: *Thermodynamics and Kinetics of Chemical Properties*, 1978, pp. 109–110.
761. Baldynova, F. P. and Maksimova, I. N., Viscosity, Density, and Electrical Conductivity of $K_4P_2O_7$ Solutions, *Zh. Prikl. Khim.*, 1987, **LX**, No. 6, pp. 1401–1404.
762. Genrikh, V. N., Gruzdev, I. F., and Zakharenko, L. G., Experimental Study of the Viscosity of Aqueous Solutions of Lithium bromide, In: *Study of the Thermophysical Properties of Liquid Solutions and Melts*, Novosibirsk, 1974, pp. 21–36.
763. Mashovets, V. P., Baron, N. M., and Shcherba, M. U., Viscosity and Density of LiCl, LiBr, and LiI Aqueous Solutions at Low and Medium Temperatures, *Zh. Prikl. Khim.*, 1971, **44**, No. 9, pp. 1981–1985.
764. Dembecki, F. and Gazinski, B., Formuly aproksymacyjne opisujace fizyczne wlasnosci wodnego roztworu bromku litu, *Archiwum termodynamiki*, 1980, **1**, Nos. 3–4pp. 211–224.
765. Panakhov, I. A., Experimental Study of Aqueous Solutions of Lithium Chloride at High Temperatures and Pressures, *Izv. Sib. Otd. Akad. Nauk SSSR, Ser. Tekh. Nauk*, 1989, No. 4, pp. 39–41.
766. Medvedeva, T. E., Zhukova, L. I., and Stepanova, T. D., Physicochemical Properties of the $LiNO_2$ -LiCl-H₂O System at 25°C, *Zh. Neorg. Khim.*, 1986, **31**, No. 6, pp. 1539–1542.
767. Pepinov, R. I., Lobkova, N. V., and Panakhov, I. A., Density and Viscosity of Lithium Chloride Aqueous Solutions in a Wide Range of State Parameters, *Teplofiz. Vysok. Temp.*, 1989, **27**, No. 6, pp. 1086–1089.
768. Tanaka, K. and Tamamushi, R., A Physico-Chemical Study of Concentrated Aqueous Solution of Lithium Chloride, *Z. Naturforssch. A*, 1991, **46a**, No. 1, pp. 141–147.
769. Phang, S. and Stokes, R. H., Density, Viscosity, Conductance, and Transference Number of Concentrated Aqueous Magnesium Chloride at 25°C, *J. Solut. Chem.*, 1980, **9**, No. 7, p. 497.
770. Berdysheva, N. A., Kireeva, M. V., Seliverstov, N. F., and Ryabin, V. A., Viscosity and Thermodynamic Properties of the Viscous Flow of Aqueous Solutions of Magnesium and Calcium Chromates and Bichromates, Available from ONIITEKhIM, Cherkassy, 1981, No. 568-D81.
771. Mahiuddin, S. and Ismail, K., Temperature and Concentration Dependence of Viscosity of $Mg(NO_3)_2$ -H₂O Systems, *Canad. J. Chem.*, 1982, **60**, No. 23, pp. 2883–2888.
772. Shneerson, A. L., Filipova, Zh. M., and Minilovich, M. A., Density and Viscosity of Concentrated Solutions of Magnesium Nitrate at 100–150°C, *Zh. Prikl. Khim.*, 1965, **38**, No. 9, pp. 2110–2112.
773. Abakumov, V. I., Temperature Effect on the Viscosity of the Ternary H_3BO_3 -MgSO₄-H₂O System, *Zh. Prikl. Khim.*, 1987, No. 3, pp. 605–607.
774. Quintana, C., Leorente, M. L., Sanchez, M., and Vivo, A., Viscosity of Na₂SO₄ and MgSO₄ Solutions in Ethanol-Water Mixtures at 15, 25 and 35°C, *J. Chem. Soc. Faraday Trans. I*, 1986, **82**, No. P11, pp. 3307–3314.
775. Konig, A., and Emons, H. H., Crystallization Kinetic of MgSO₄·7H₂O in Presence of Tenside, *Cryst. Res. Technol.*, 1988, **23**, No. 3, pp. 319–326.
776. Zdanovskii, A. B. and Zhelnina, G. E., Density and Viscosity of Magnesium Nitrate Solutions at 25, 50, and 80°C, *Zh. Prikl. Khim.*, 1975, No. 2, pp. 427–428.
777. Deckwer, W. D., Density, Viscosity, Vapor Pressure, and Hydrogen Solubility of Aqueous MnSO₄ Solutions, *J. Chem. Eng. Data*, 1980, **25**, No. 1, pp. 75–76.
778. Rashkovskaya, E. A. and Bratash, E. G., Viscosity of Solutions of Salts NH₄HCO₃, NaHCO₃, NH₄Cl and Ammonia at 20–100°C, *Zh. Prikl. Khim.*, 1973, Vol. XLVI, No. 2, pp. 273–277.
779. Easteal, A. J. and Woolf, L. A., Viscosity of Aqueous NH₄Cl and Tracer Diffusion Coefficients of Ions, Water and Non-Electrolytes in Aqueous NH₄Cl, and MgCl₂ at 25°C, *J. Sol. Chem.*, 1988, **17**, No. 5, p. 447.
780. Campbell, A. N., Evidence for the Existence of Complex Ions in Mixed Solutions of Indium Trichloride and Ammonium Chloride, *Can. J. Chem.*, 1979, **57**, No. 6, pp. 702–704.
781. Sacco, A., Giglio, A., Dell'atti, A., and Petrella, M., Ionic B Coefficients in Water at 30, 40 and 50°C, *J. Chem. Soc. Faraday Trans. I*, 1981, **77**, pp. 2693–2699.

782. Karov, Z. G., Khochuev, I. Yu., Kyarov, A. A., and Mirzoev, R. S., Solubility and Physicochemical Properties of Saturated Solutions in the $\text{Na}_2\text{MoO}_4\text{-NaBr-H}_2\text{O}$ System at 25°C, *Zh. Neorg. Khim.*, 1988, **33**, No. 3, pp. 780–785.
783. Karov, Z. G., Urusova R. Kh., Kyarova, A. A., and Afaunova, R. Z., Solubility Isotherm (30°C) and Some Properties of Saturated Solutions in the $\text{Na}_2\text{MoO}_4\text{-Na}_2\text{CO}_3\text{-H}_2\text{O}$ System, *Zh. Neorg. Khim.*, 1988, **33**, No. 11, pp. 2923–2929.
784. Karov, Z. G., Kyarov, A. A., Lepeshkov, I. N., and El'mesova, R. M., Heterogeneous Equilibrium and Properties of Saturated Solutions in the $\text{O}_3\text{-H}_2\text{O}$ System at 100°C, *Zh. Neorg. Khim.*, 1987, **32**, No. 2, pp. 467–472.
785. Viswat, E., et al., Experiments on the Influence of Magnetic Fields on the Viscosity of Water and Water-NaCl Solution, *Phys. Fluids*, 1982, **25**, No. 10, pp. 1794–1796.
786. Kestin, J., et al., Tables of the Dynamic and Kinematic Viscosity of Aqueous NaCl Solutions, *J. Phys. Chem. Ref. Data*, 1981, **10**, No. 1, pp. 71–87.
787. Janr, G. J., et al., Electrical Conductance, Diffusion, Viscosity, and Density of Sodium Nitrate, Sodium Perchlorate, and Sodium Triocyanate in Concentrated Aqueous Solutions, *J. Phys. Chem.*, 1970, **74**, p. 1285.
788. Pepinov, R. I., et al., Experimental Study of the Viscosity of NaCl Aqueous Solutions at High Temperatures and Pressures, *Teploenergetika*, 1977, No. 9, p. 59.
789. Suryanarayana, C. V. and Venkatesan, V. K., The Viscosity of Concentrated Aqueous Solutions of Sodium Chloride, *Trans. Faraday Soc.*, 1958, **54**, pp. 1709–1711.
790. Akhundov, T. S., Guseinov, A. G., Ishkhanov, Yu. B., et al., Viscosity of Sodium Chloride Aqueous Solutions, *Izv. Vyssh. Uchebn. Zaved., Ser.: Neft' i Gaz.*, 1990, No. 7, pp. 65–68.
791. Kol'ba, V. I., Zhikharev, M. I., and Sukhanov, L. P., $\text{NaH}_2\text{PO}_4\text{-NaNO}_3\text{-H}_2\text{O}$ System at 50°C, *Zh. Neorg. Khim.*, 1981, **26**, No. 3, pp. 828–830.
792. Kacperska, A., Influence of Ionic Association on the B Coefficient of the Jones-Dole Equation for NaI in Water-t-Butyl Alcohol Mixtures at 26°C, *J. Chem. Soc. Faraday Trans. I*, 1989, **85**, No. 12, pp. 4147–41557
793. Medvedeva, T. E., Zhukova, L. I., and Baichuk, L. A., $\text{NaNO}_2\text{-NaCl-H}_2\text{O}$ System at 25°C, *Zh. Neorg. Khim.*, 1986, **31**, No. 12, pp. 3191–3193.
794. Shurdumov, G. K., Khokonova, T. N., and Romanova, L. M., $\text{Na}_2\text{WO}_4\text{-NaNO}_2\text{-H}_2\text{O}$ System at 25°C, *Zh. Neorg. Khim.*, 1983, **28**, No. 10, pp. 2670–2674.
795. Janz, G. J., Oliver, B. G., et al., Electrical Conductance, Diffusion, Viscosity, and Density of Sodium Nitrate, Sodium Perchlorate, and Sodium Thiocyanate in Concentrated Aqueous Solutions, *J. Phys. Chem.*, 1970, **74**, No. 6, pp. 1285–1289.
796. Protsenko, P. I., Tsikhirova, N. Kh., Gorbatkova, B. Kh., and Rusina, O. N., Properties of Saturated at 25°C Solutions in the $\text{NaNO}_3\text{-Zn}(\text{NO}_3)_2\text{-H}_2\text{O}$ System, *Zh. Prikl. Khim.*, 1980, **53**, No. 7, pp. 1513–1516.
797. Zhikharev, M. I., Roslyakova, O. N., et al., $\text{NaNO}_3\text{-Na}_3\text{PO}_4\text{-H}_2\text{O}$ System at 25°C and the Boiling Point, *Zh. Neorg. Khim.*, 1982, **27**, No. 6, pp. 1568–1570.
798. Novoselov, A. G., et al., Study of the Physical Properties of Aqueous Sodium Sulfite, *Zh. Prikl. Khim.*, 1989, No. 5, p. 1144.
799. Phang, S., Viscosity and Transference Number Measurements of Concentrated Nickel Chloride Solutions at 298.15 K, *Aust. J. Chem.*, 1979, **32**, No. 5, p. 1149–1153.
800. Maisano, G., et al., Viscosity Measurements and Structural Properties in Aqueous Solutions, *J. Chem. Phys.*, 1978, **68**, No. 12, p. 5594–5600.
801. Mel'nikov, Yu. A., et al., Study of the Density and Viscosity of Nickel [II] Nitrate Solutions, *Khimich. Prom.*, 1990, No. 2, pp. 97–98.
802. Fedotov, N. V. and Maksimova, I. N., Viscosity, Density, and Electrical Conductivity of Solutions of Nickel Sulfate at High Temperatures, *Zh. Prikl. Khim.*, 1971, **44**, No. 9, pp. 1986–1989.
803. Krutilova, L. E., Legkii, I. N., Maksimova, I. N., and Nikol'skii, V. A., Viscosity and Density of Aqueous Solutions with Potassium and Rubidium Hydroxides, *Zh. Prikl. Khim.*, 1981, **54**, No. 3, pp. 535–537.
804. Belyaev, I. N., et al., Physicochemical Study of the $\text{ZrOCl}_2\text{-ZnCl}_2\text{-H}_2\text{O}$ system at 5°C, *Zh. Prikl. Khim.*, 1977, No. 6, pp. 1233–1237.

805. Price, W. E., Woolf, L. A., and Harris, K. R., Intradiffusion Coefficients for Zinc and Water Shear Viscosities in Aqueous Zinc(II) Perchlorate Solutions at 25°C, *J. Phys. Chem.*, 1990, **94**, pp. 5109–5114.
806. Landolt-Bornstein, 6th Ed., *1950–1980 and New Series 1961–1985*, Springer, Berlin, Vol. II/Sa, II/7.
807. van der Maarel, J. R. C., de Bleijser, J., Water and Aluminum Self-Diffusion in Aqueous AlCl_3 Solutions, *Chem. Phys. Lett.*, 1987, **141**, No. 3, pp. 251–254.
808. van der Maarel, J. R. C. and de Bleijser, J., Water and Aluminum Self-Diffusion in Aqueous AlCl_3 Solutions, *Chem. Phys. Lett.*, 1987, **141**(3), pp. 251–254.
809. *Spravochnik po Khimii* (Chemistry Handbook), Sukhotin, A. M., Ed., Khimiya, Leningrad, 1961.
810. *Kratkii Spravochnik Fiziko-Khimicheskikh Velichin* (Abridged Handbook on Physicochemical Variables), Ravdel', A. A. and Ponomareva, A. M., Eds., Khimiya, Leningrad, 1983.
811. Robinson, R. A. and Stokes, R. H., *Electrolyte Solutions*, 2nd ed., Butterworths, London, 1959.
812. Hertz, H. G. and Mills, R., Velocity Correlations in Aqueous Electrolyte Solutions from Diffusion, Conductance and Transference Number. Applications to Concentrated Solutions of 1:2 Electrolytes, *J. Phys. Chem.*, 1978, **82**, p. 952.
813. Horvath, A. L., *Handbook of Aqueous Electrolyte Solutions. Physical Properties, Estimation and Correlation Methods*, New York–Chichester–Brisbane–Toronto, 1989.
814. Smolyakov, B. S. and Veselova, G. A., *Elektrokhimiya*, 1974, **10**, No. 6, pp. 896–900.
815. Quist, A. S. and Marshall, W. L., *J. Phys. Chem.*, 1965, **69**, No. 9, pp. 305–319.
816. Oelkers, E. H. and Helgeson, H. C., Calculation of the Transport Properties of Aqueous Species at Pressures to 5KB and Temperatures to 1000°C, *J. Solut. Chem.*, 1989, **18**, No. 7, pp. 601–640.
817. Zaitseva, L. A., Ivanov, A. A., and Lepeshkov, I. N., Electrical Conductivity of the $\text{MgSO}_4\text{--Na}_2\text{SO}_4\text{--H}_2\text{O}$ System, *Zh. Neorg. Khim.*, 1989, **34**, No. 5, pp. 1330–1334.
818. *Spravochnik po Elektrokhimii* (Electrochemistry Handbook), Sukhotin, A. M., Ed., Khimiya, Leningrad, 1961.
819. Landolt-Bornstein, 6th Ed., *1950–1980 and New Series 1961–1985*, Springer, Berlin, Vol. II/Sa, II/7.
820. *Kratkii Spravochnik Fiziko-Khimicheskikh Velichin* (Abridged Handbook on Physicochemical Variables), Ravdel', A. A. and Ponomareva, A. M., Eds., Khimiya, Leningrad, 1983.
821. Timmermans, J., *The Physico-Chemical Constants of Binary Systems in Concentrated Solutions. Vol. 3. Systems with Metallic Compounds*, Interscience-Wiley, New York, 1960, pp. 302–1030.
822. Postler, M., Conductance of Concentrated Aqueous Solutions of Electrolytes. 2. Strong Polyvalent Electrolytes, *Collect. Czech. Chem. Commun.*, 1970, **35**, No. 8, p. 2244.
823. *Tekhnicheskaya entsiklopediya: Spravochnik fizicheskikh, khimicheskikh i tekhnologicheskikh velichin* (Technical Encyclopedia: Handbook of Physical, Chemical and Technological Variables), Sovetskaya Entziklopediya, Moscow, 1930, Vol. 7, pp. 250–255.
824. Ivanov, A. A., Zaitseva, L. A., Selin, A. N., Kim, V. P., and Lepeshkov, I. N., Electrical Conductivity of Solutions in the $\text{H}_2\text{SO}_4\text{--Al}_2(\text{SO}_4)_2\text{--H}_2\text{O}$ System, *Zh. Neorg. Khim.*, 1989, **34**, No. 4, pp. 1040–1044.
825. Powell, D. H. and Neilson, G. W., The Concentration Dependence of the Ni^{2+} Hydration Geometry in Aqueous Solution, *J. Phys. Condens. Matter*, 1990, 2, pp. 3871–3878.
826. Ivanov, A. A., Kirilenko, I. A., Selin, A. N., and Zaitseva, L. A., Properties of Concentrated Aqueous Solutions of Aluminum Sulfate, *Zh. Neorg. Khim.*, 1987, **32**, No. 4, pp. 1052–1056.
827. Tyrell, H. J. V. and Harris, K. R., *Diffusion in Liquids: a Theoretical and Experimental Study*, Butterworth, London, 1984.
828. Dobosh, D., *Electrochemical Constants. Handbook for Electrochemistry*, Mir, Moscow, 1980.
829. *Spravochnik Khimika* (Chemists Handbook), Nikol'skii, B. N., et al., Eds., Khimiya, Moscow, 1965, Vol. 3.
830. Robinson, R. A. and Stokes, R. H., *Electrolyte Solutions*, 2nd Ed., Butterworths, London, 1959.
831. Isono, T., Density Viscosity and Electrolytic Conductivity of Concentrated Aqueous Electrolyte Solutions at Several Temperatures. Alkaline-Earth Chlorides, LaCl_3 , NaSO_4 , NaNO_3 , NaBr , KNO_3 , KBr and $\text{Cd}(\text{NO}_3)_2$, *J. Chem. Eng. Data*, 1984, **29**, pp. 45–52.
832. Bianchi, H., Cirti, H. R., and Fernandez-Primi, R., The Conductivity of Dilute Solutions of Mixed Electrolytes. 1. The System $\text{NaCl}\text{--BaCl}_2$ at 298.2 K, *J. Chem. Soc. Faraday Trans. I*, 1987, **83**, No. 9, pp. 3027–2037.

833. Kondrat'ev, V. P. and Nikich, V. I., Specific Electrical Conductivity of Aqueous Solutions of Alkaline Metal Chlorides at High Temperatures, *Zh. Fiz. Khim.*, 1963, **37**, No. 1, pp. 100–105.
834. Frantz, J. and Marshall, W., Electrical Conductances of Aqueous Calcium Chloride and Magnesium Chloride Solutions from 25 to 600°C at Pressures up to 4000 bars, In: *Proc. of the 9th Int. Conf. on the Properties of Steam Held at Munchen*, 10–14 Sept., 1979, Oxford etc., Pergamon Press, 1980.
835. Claes, P., Loix, G. Y., and Glibert, J., Maximum de Conductivite des Solutions Aqueses d'Electrolytes, *Electrochim. Acta*, 1983, **28**, No. 4, pp. 421–427.
836. Salem, Z., Vorob'ev, A. F., and Shcherbakov, V. V., Electrical Conductivity of Chloride Solutions of Lithium, Sodium, Potassium, Calcium, and Sodium Iodide in Water – Ammonia Mixtures, Available from VINITI, 1990, No. 1757-B90.
837. Ambrus, J. H., Moynihan, C. T., and Macedo, P. B., Conductivity Relaxation in a Concentrated Aqueous Electrolyte Solution, *J. Phys. Chem.*, 1972, **76**, No. 22, pp. 3287–3295.
838. Vorob'ev, A. F., Shcherbakov, V. V., and Ksenofontova, N. A., Nature of Electrical Conductivity and Ion Association in Electrolyte Solutions, In: *Thermodynamic Properties of Solutions*, MKhTI im Mendeleeva, 1980, No. 111, pp. 21–34.
839. Abraham, M. and Abraham, M.-C., Electrolytic Conductance and Viscosity of Some Mixed Nitrate-Water Systems from Fused Salts to Dilute Solutions, *Electrochimica Acta*, 1986, **31**, No. 7, pp. 821–829.
840. Eastel, A. J., Price, W. E., and Woolf, L. A., Diaphragm Cell for High-temperature Diffusion Measurements, *J. Chem. Soc. Faraday Trans. I*, 1989, **85**, No. 5, pp. 1091–1097.
841. Scmelzer, N., Grigo, M., Zorn, B., and Einfeldt, J., Leitfähigkeit-suntersuchungen an waBrigen Me₂+Sulfatlosungen bei 25°C, *Wiss. Z. Wilhelms-Pieck-Univ. Rostock*, **34**, No. 1, 1985, pp. 25–30.
842. Molenat, J., Etude systematique de la conductivite a 25°C dans les solutions concentrees des halogenures alcalins, *J. Chim. Phys.*, 1969, **66**, p. 825.
843. Lileev, A. S., Tepavicharova, S., Lyashchenko, A. K., and Balarev, Kh., Dielectric Properties of Saturated Solutions and the Solubility State Diagram of the CsCl–NiCl₂–H₂O System, *Zh. Neorg. Khim.*, **34**, No. 2, pp. 503–507.
844. Nakahara, M., Temperature Dependence of Relaxation and Electrophoretic Terms in Onsager's Limiting Equation of Conductance for LiCl, KCl, and CsCl in Water from –40 to 100°C, *J. Phys. Chem.*, 1984, **88**, pp. 2138–2140.
845. Papadopoulos, N. and Ritzoulis, G., Conductance of CsCl in Acetonitrile-Water Mixtures at 10, 20 and 30°C, *Annali di Chimica*, 1989, **79**, Nos. 7–8, pp. 389–395.
846. Miller, D. G., Rard, J. A., Eppstein, L. B., and Robinson, R. A., Mutual Diffusion Coefficients, Electrical Conductances, Osmotic Coefficients, and Ionic Transport Coefficients I_{ij} for Aqueous CuSO₄ at 25°C, *J. Solut. Chem.*, 1980, **9**, No. 7, pp. 467–496.
847. Qingquan, Su, Yoshiaki Umetsu, and Kazuteru Tozawa, Estimation of the Concentration of Hydrating Water and Its Application to Discussion for Electric Conductivity and Viscosity of Acidic Sulfate Solutions, *Bull. Res. Inst. Mineral Dressing and Metallurgy Tohoku Univ.*, Vol. 44, No. 1, June 1988, pp. 112–122 (in Japanese).
848. Shut'ko, A. P., Butchenko, L. I., Rozhkova, Z. Z., and Kvasko, V. N., Some Physicochemical Properties of Solutions of iron Chloride Mixtures with Aluminum Chlorides and Hydrochlorides, *Zh. Neorg. Khim.*, 1990, **64**, No. 9, pp. 2372–2376.
849. Venkateswara Sastry, V. and Kalidas, C., Conductance of HCl and HBr in Water-Propylene Glycol Mixtures, *Indian J. Chem.*, 1985, **24A**, No. 8, pp. 658–660.
850. Ivanov, A. A., Electrical Conductivity of Aqueous Solutions of Acids and Hydroxides, *Izv. Vyssh. Uchebn. Zaved., Ser.: Khimiya i Khim. Tekhnol.*, 1989, **32**, No. 10, pp. 3–16.
851. Weingartner, H. and Chatzidimitriou-Dreismann, C. A., Anomalous H⁺ and D⁺. Conductance in H₂O–D₂O Mixtures, *Nature*, 9 Aug., 1990, **346**, No. 6284, pp. 548–550.
852. Ueno, M., Nakahara, M., and Osugi, J., Effect of Pressure on the Conductivities of HCl and KCl in Water at 0°C, *J. Solut. Chem.*, 1979, **8**, No. 12, pp. 881–886.
853. Shcherbakov, V. V., Ermakov, V. I., Ershova, L. Ya., Troitskii, T. A., Salem, Z., and Chistov, A. M., Electrical Conductivity and Dielectric Constant of concentrated Hydrochloric and Sulfuric Acids and Their Mixtures, In: *Thermophysical Properties of Solutions*, MKhTI im Mendeleeva, 1989, No. 158, pp. 117–119.

854. Eastel, A. J., Giaquinta, P. V., March, N. H., and Tosi, M. P., Chemical Effects in Diffusion and Structure of Zinc Chloride in Aqueous Solution, *Chem. Phys.*, 1983, **76**, pp. 125–128.
855. Ivanov, A. A. and Zaitseva, L. A., Electrical Conductivity of Solutions in Three- and Four-Component Water – Three Electrolytes System, *Zh. Neorg. Khim.*, 1989, **34**, No. 8, pp. 2160–2165.
856. Campbell, A. N., et al., The Conductance of Aqueous Solutions of Sulphuric Acid at 50°C and 75°C, *Canad. J. Chem.*, 1953, **31**, No. 4, pp. 303–305.
857. Zaitseva, L. A., Ivanov, A. A., and Lepeshkov, I. N., Electrical Conductivity of Solutions in the $\text{ZnSO}_4\text{--H}_2\text{SO}_4\text{--H}_2\text{O}$ and $\text{MgSO}_4\text{--H}_2\text{SO}_4\text{--H}_2\text{O}$ Systems, *Zh. Neorg. Khim.*, 1988, **33**, No. 8, pp. 2117–2133.
858. Postler, M., Conductance of Concentrated Aqueous Solutions of Electrolytes. 1. Strong Univalent Electrolytes, *Collect. Czech. Chem. Commun.*, 1970, **35**, No. 2, p. 535.
859. Kondrat'ev, V. P. and Gorbachev, S. V., Electrical Conductivity of Potassium Salt Aqueous Solutions at High Temperatures, *Zh. Fiz. Khim.*, 1965, **39**, No. 12, pp. 2993–2996.
860. Goldsack, E., Franchetto, R., and Franchetto, A., Solvation Effects on the Conductivity of Concentrated Electrolyte Solutions, *Can. J. Chem.*, 1976, **54**, pp. 2953–2966.
861. Karapetyan, B. A., Eichis, V. N., and Kundirenko, D. V., Use of the Robinson-Stokes equation for the Calculation of the Association Constants and Electrical Conductivity of Electrolyte Solutions, *Ukr. Khim. Zh.*, 1988, **54**, No. 12, pp. 1278–1281.
862. Ueno, M., Yoneda, A., Tsuchihashi, N., and Shimizu, K., Solvent Isotope Effect on Mobilities of Potassium and Chloride Ions in Water at High Pressure. II. A Low Temperature Study, *J. Chem. Phys.*, 1987, **86**, No. 8, 15 April, pp. 4678–4683.
863. Wu, Y.C., Koch, K. W., and Koch, W. F., Determination of the Absolute Specific Conductance of Primary Standard KCl Solutions, *J. Solut. Chem.*, 1989, **18**, No. 6, pp. 515–528.
864. Saulnier, P. and Barthel, J., Determination of Electrolytic Conductivity of a 0.01 D Aqueous Potassium Chloride Solution at Various Temperatures by an Absolute Method, *J. Solut. Chem.*, 1979, **8**, No. 12, pp. 847–852.
865. Markova, V. G., Goncharov, V. V., and Yashkichev, V. I., Self-Diffusion of $^{36}\text{Cl}^-$ and $^{131}\text{I}^-$ in Aqueous Solutions of Potassium, Sodium, and Lithium Chlorides, *Zh. Fiz. Khim.*, 1974, **48**, No. 8, pp. 2133–2134.
866. Albright, J. G., Mathew, R., and Miller, D. G., Measurements of Binary and Ternary Mutual Diffusion Coefficients of Aqueous Sodium and Potassium Bicarbonate Solutions at 25°C, *J. Phys. Chem.*, 1987, No. 91, pp. 210–215.
867. Raineri, R. O. and Timmermann, E. O., Influence of Ionic Traces Upon the Electric Conductivity of an Electrolyte Solution. On the Possibility of Obtaining the Trace Mobility of an Ion Exclusively by Conductance Measurements, *Phys. Chem., Ber. Bunsenges.*, 1986, No. 90, pp. 802–809.
868. Sangwal, K. and Olczyk, E., Effect of pH on the Electrical Conductance of Saturated Aqueous Solutions of KH_2PO_4 and its Solubility, *Cryst. Res. Technol.*, 1990, **25**, No. 1, pp. 65–70.
869. Abraham, M. and Abraham, M. C., Transport Properties and Hole Theory in the Concentration Range from Fused Salts to Dilute Aqueous Solutions, *Electrochim. Acta*, 1987, **32**, No. 10, p. 1487.
870. Nakahara, M. and Zenke, M., Conductance of Potassium Iodide in Supercooled Water, *Bull. Chem. Soc. Jap.*, 1987, **60**, pp. 493–496.
871. Behret, H. and Schmithals, F., Leitfaehigmessungen an Konzentrierten Alkalichlorid- und -nitratlosungen, *Z. Naturforsch.*, 1975, **30a**, pp. 1497–1498.
872. Guanti, R. J. and Moran, P. J., Measurement of Electrolytic Conductivity in Highly Conducting Solutions, *J. Applied Electrochem.*, 1986, **16**, No. 5, pp. 672–682.
873. Correla, R. J. and Kestin, J., Viscosity and Density of Aqueous Na_2SO_4 and K_2SO_4 Solutions in the Temperature Range 20–90°C and the Pressure Range 0–30 MPa, *J. Chem. Eng. Data*, 1981, **26**, No. 1, pp. 43–47.
874. Valyashko, V. M. and Ivanov, A. A., Electrical Conductivity of Concentrated Solutions of Alkaline Metal Sulfates at Temperatures below 75°C, *Zh. Neorg. Khim.*, 1974, **19B**, p. 1628.
875. Fried, I. and Segal, M., Electrical Conductivity of Concentrated Lithium Bromide Aqueous Solutions, *J. Chem. Eng. Data*, 1983, **28**, pp. 127–130.
876. Baron, N. M. and Shcherba, M. U., Electrical Conductivity of LiCl, LiBr and LiI Aqueous Solutions at Low and Medium Temperatures, *Zh. Prikl. Khim.*, 1971, No. 9, pp. 2118–2120.

877. Tanaka, K. and Tamamushi, R., A Physico-Chemical Study of Concentrated Aqueous Solutions of Lithium Chloride, *Z. Naturforsch.*, 1991, No. 46a, pp. 141–147.
878. Novak, J., Electrical Conductance of the LiNO₃–H₂O–DMSO System, *Chem. Papers – Chemicke Zvesti*, 1986, **40**, No. 1, pp. 31–36.
879. Corti, H., Crovetto, R., and Fernandez-Prini, R., Aqueous Solutions of Lithium Hydroxide at Various Temperatures: Conductivity and Activity Coefficients, *J. Solut. Chem.*, 1979, **8**, No. 12, pp. 897–908.
880. Phang, S. and Stokes, R. H., Density, Viscosity, Conductance and Transference Number of Concentrated Aqueous Magnesium Chloride at 25°C, *J. Solut. Chem.*, 1980, **9**, No. 7, pp. 497–505.
881. Spallek, M. W. and Weingartner, H., Electrical Conductance of Aqueous Magnesium Chloride at 25°C, *J. Solut. Chem.*, 1990, **19**, No. 5, pp. 483–490.
882. Bianchi, H., Corti, H. R., and Fernandez-Prini, R., The Conductivity of Dilute Aqueous Solutions of Magnesium Chloride at 25°C, *J. Solut. Chem.*, 1988, **17**, No. 11, pp. 1059–1065.
883. Baldanov, M. M., Ionic Plasma Approximation to a Theory of Electrolyte Solutions, *Izv. Vyssh. Uchebn. Zaved., Ser.: Khim. i Khim. Tekhnol.*, 1986, **29**, No. 8, pp. 38–44.
884. Larionov, E. G. and Kryukov, P. A., Electrical Conductivity of MgSO₄ Aqueous Solutions at 298–423 K and 0.1–784.6 MPa, *Izv. Akad. Nauk SSSR. Sib. Otd. AN SSSR, Ser.: Khim. Nauk*, 1984, **15**, No. 5, pp. 20–23.
885. Zaitseva, L. A., Ivanov, A. A., and Lepeshkov, I. N., Electrical Conductivity of the Na₂SO₄–MgSO₄–H₂O System, *Zh. Neorg. Khim.*, 1989, **34**, No. 5, pp. 1330–1334.
886. Fisher, F. H. and Fox, A. P., Electrical Conductance of Aqueous Solutions of KCl Solutions at Pressures up to 2000 atm, *J. Solut. Chem.*, 1979, **8**, No. 9, pp. 627–634.
887. Zaitseva, L. A. and Ivanov, A. A., Properties of and Structure of Concentrated Aqueous Solutions of magnesium and Zinc Sulfates, *Zh. Neorg. Khim.*, 1988, **33**, No. 7, pp. 1840–1844.
888. Desnoyers, J. E., Arel, M., and Leduc, P. A., Conductance and Viscosity of n-Alkamine Hydrobromides in Water at 25°C: Influence of Hydrophobic Hydratation, *Canad. J. Chem.*, 1969, **47**, No. 4, pp. 547–553.
889. Taniewska-Osinska, S., Kozlowski, Z., Nowicka, B., Bald, A., and Szeigis, A., Heat of Solution and Electric Conductivity in Water-Tetrahydrofuran Mixtures, *J. Chem. Soc. Faraday Trans. I*, 1989, **85**, No. 3, pp. 479–483.
890. Sidkey, M. A. and Farag, B. S., Effect of Ultrasonic Waves on Electrolytic Conductivity of Nickel Sulphate, *Indian J. Pure Appl. Phys.*, 1986, **24**(May), pp. 226–229.