

REFERENCES

- AdenH52 Adenstedt, H. K., Pequignot, J. R., and Rayner, I. M. The titanium-vanadium system, *Trans. Met. Soc. AIME*, 1952, Vol. 44, pp. 990–1003.
- AffoC68 Afforit, C. and Lallement, R. Appareil de mesure de la chaleur spécifique des metaux jusqu'à leur température de fusion, *Rev. Int. Hautes Temp.*, 1968, Vol. 5, pp. 19–26.
- AgarK74 Agarval, K. L. and Betterfon, J. O. Low-temperature specific heat of Ti–Hf alloys, *J. Low-Temp. Phys.*, 1974, Vol. 17, No. 5/6, pp. 515–519.
- AgeeN61 Ageev, N. V. and Petrova, L. A. General regularities of stabilization of beta-solid solution in titanium alloys, *Dokl. Akad. Nauk SSSR*, 1961, Vol. 132, No. 2, pp. 359–360.
- AlbeH87 Alberts, H. L. On magnetic transition in alpha-Ti and Ti–Al alloys, *J. Magnetism Magnetic Mater.*, 1987, Vol. 68, pp. 61–62.
- AleeR85 Aleev, R. A., Balkovoi, S. V., and Manokhin, A. A. Pressure of saturated vapor of some high-melting metals, *Izv. Vyssh. Uchebn. Zaved., Chern. Metall.*, 1985, No. 5, pp. 157–159.
- AlekV79 Aleksandrov, V. V., Borzyak, A. N., and Novikov, I. I. Specific heat capacity of titanium in the temperature range from 2.2 to 330 K. In: *Dielektriki i konstruktsionnye materialy dlya kriogennykh LEP* (Di-

- electronics and Structural Materials for Cryogenic Power Transmission Lines), ENIN Press, Moscow, 1979, pp. 113–119.
- AltsL67 Al'tshuler, L. V., Bakanova, A. A., and Dudoladov, I. P. Influence of an electronic structure on compressibility of metals at high temperatures, *Zh. Eksp. Teor. Fiz.*, 1967, Vol. 53, No. 12, pp. 1967–1977.
- AltsL81 Al'tshuler, L. V., Bakanova, A. A., and Dudoladov, I. P. Shock adiabats of metals, new data, statistical analysis and general regularities, *Zh. Prikl. Mekh. Tekh. Fiz.*, 1981, No. 2, pp. 3–34.
- AmesS56 Ames, S. L. and McQuillan, A. D. The effect of addition elements on the electrical resistivity of alpha-titanium, *High-Temp. Sci.*, 1956, Vol. 4, pp. 619–626.
- AndeD68 Andersson, D. L. Ion bombardment and its effects on the optical properties of metals. In: *Proc. 10th Nat. Vacuum Symp. of the American Vacuum Society*, 16–18 October 1968, New York–London, pp. 37–41.
- AndrJ67 Androulakis, J. G. Thermal radiation properties of binary mixtures. In: *Thermophysics and Temperature Control of Spacecraft and Planetary Bodies*, Academic Press, New York, 1967, Vol. 20, pp. 151–155.
- ArutA71 Arutyunov, A. V., Banchila, S. A., and Filippov, L. P. Properties of titanium at temperatures exceeding 1000 K, *Teplofiz. Vys. Temp.*, 1971, Vol. 9, No. 3, pp. 535–538.
- AuziL77 Auzinya, L. K. and Mel'nikov, V. K. Radiating capacity of titanium in oxidation in air, *Izv. Akad. Nauk Latv. SSR*, 1977, No. 1, pp. 88–96.
- AvenM56 Aven, M. H., Crage, R. S., Waite, T. R., and Wallace, W. E. Heat capacity of titanium between 4 K and 15 K, *Phys. Rev.*, 1956, Vol. 102, No. 5, pp. 1263–1264.
- AverE91 Averkov, E. I. Properties of thermal radiation of titanium and commercial alloys of it, *Sib. Fiz.-Tekh. Zh.*, 1991, Issue 1, pp. 3–16.
- BackL58 Backhurst, L. The adiabatic vacuum calorimeter from 600 to 1600°C. Specific heat of titanium, 44% Cr–Fe alloy, and low alloy steel, *J. Iron Steel Inst.*, 1958, Vol. 189, No. 1/2, pp. 124–134.
- BaiA70 Bai, A. S., Lainer, D. I., and Slesareva, E. N. *Okislenie titana i ego splavov* (Oxidation of Titanium and Its Alloys), Metallurgiya Press, Moscow, 1970.
- BandF66 Bandi, F. *Novye materialy i metody issledovaniya metallov i splavov* (New Materials and Methods of Study of Metals and Alloys), Metallurgiya Press, Moscow, 1966, pp. 230–235.
- BariD74 Baria, D. N. and Bautista, R. G. Effect of surface conditions on the normal spectral emittance of titanium and zirconium between 1000 and 1800 K, *Metall. Trans.*, 1974, Vol. 5, No. 3, pp. 555–560.

- BasaD99 Basak, D., Boettinger, W. J., Josell, D., et al. Effect on heating rate and grain size on the melting behaviour of the alloy Nb–47% Ti in pulse experiments, *Acta Mater.*, 1999, Vol. 47, No. 11, pp. 3147–3158.
- BattR64 Batt, R. H. Apparatus for heat capacity measurements in the range 0.24–20 K and applications to some transition metal superconductors and ferromagnetic superconductors, *Diss. Abstr.*, 1965, Vol. 26, No. 5, p. 2491.
- BeanB62 Beandry, B. J. and Daane, A. H. Sc–Ti system and the allotropy of Sc, *Trans. Met. Soc. AIME*, 1962, Vol. 224, No. 4, p. 775.
- BedfR84 Bedford, R. E., Bonnier, G., Maas, H., and Pavese, F. Recommended values of temperature for a selected set of secondary reference points, *Metrologia*, 1984, Vol. 20, p. 145.
- BedfR96 Bedford, R. E., Bonnier, G., and Maas, H. Recommended values of temperature on the International Temperature Scale of 1990 for a selected set of secondary reference points, *Metrologia*, 1996, Vol. 33, pp. 133–154.
- BeleV79 Beletskii, V. M., Glei, V. A., and Maksimyuk, M. A. Elasticity moduli, coefficients of thermal expansion and Debye temperatures of titanium alloys, *Metalloved. Term. Obrab. Met.*, 1979, No. 12, pp. 36–38.
- BeloO74 Belousov, O. K. Electronic concentration and some physical properties of titanium alloys, *Izv. Akad. Nauk SSSR, Metalloved.*, 1974, No. 2, pp. 202–208.
- BeloS92 Belov, S. P., Brun, M. Ya., and Glazunov, S. G. Titanium alloys. In: B. A. Kolachev and S. G. Glazunov (Eds.), *Titanovye splavy. Metallovedenie titana i ego splavov. Spravochnik* (Titanium Alloys. Metal Science of Titanium and Its Alloys. Handbook), Metallurgiya Press, Moscow, 1992.
- BelsE82 Bel'skaya, E. A., Kudryavtsev, A. S., Patrusheva, L. G., Peletskii, V. E., and Shur, B. A. Electrical resistivity and emissivity of titanium alloys. In: *Standartnye obraztsy i spravochnye dannye o teplofizicheskikh svoistvakh veshchestv* (Standard Specimens and Reference Data on Thermophysical Properties of Substances), *Nauch. Trudy IVTAN*, 1982, pp. 90–104.
- BelsE86 Bel'skaya, E. A. and Isaeva, N. Ya. Measurement of spectral emissivity of titanium in the region of polymorphic transition, *Teplofiz. Vys. Temp.*, 1986, Vol. 24, No. 4, pp. 884–887.
- BelsE92 Bel'skaya, E. A. Radiative properties and electric resistance of titanium in the region of polymorphic transition, *Teplofiz. Vys. Temp.*, 1992, Vol. 30, No. 2, pp. 272–280.

- BelyP75 Belyakova, P. E. Determination of true heat capacity of commercial titanium and titanium iodide, *Izv. Akad. Nauk SSSR, Metally*, 1975, No. 4, pp. 78–81.
- BelyP77 Belyakova, P. E. True heat capacity of titanium alloys TS-5, VT3-1, *Izv. Akad. Nauk SSSR, Metally*, 1977, No. 3, pp. 66–70.
- BendW82 Bendick, W. and Peperhoff, W. The heat capacity of Ti, V, and Cr , *J. Phys. F: Met. Phys.*, 1982, Vol. 12, pp. 1085–1090.
- BereB71 Berezin, B. Y., Chekhovskoi, V. Y., and Sheindlin, A. E. Heat of fusion of vanadium, *Dokl. Akad. Nauk SSSR*, 1971, Vol. 201, pp. 583–585.
- BereB72 Berezin, B. Y., Kenisarin, M. M., and Chekhovskoi, V. Y. Melting point of niobium, *Teplofiz. Vys. Temp.*, 1972, Vol. 10, pp. 1092–1094.
- BereB73 Berezin, B. Ya., Chekhovskoi, V. Ya., Kats, S. A., and Kenisarin, M. M. Some thermophysical properties of titanium in the neighbourhood of the melting point. In: *Proc. 6th Symp. on Thermophysical Properties*, ASME, New York, 1973, pp. 263–272.
- BereB74 Berezin, B. Ya., Kats, S. A., Kenisarin, M. M., and Chekhovskoi, V. Ya. Heat and melting temperature of titanium, *Teplofiz. Vys. Temp.*, 1974, Vol. 12, No. 3, pp. 524–529.
- BereN76 Bereznikova, N. V., Borzyak, A. N., Lepeshkin, Yu. D., Novikov, I. I., Piskunov, A. N., and Tsepaea, N. V. Thermal conductivity of pure titanium at low temperatures. In: *Fiziko-mekhanicheskie i teplofizicheskie svoistva metallov* (Physico-Mechanical and Thermo-physical Properties of Metals), Collection of Papers, Nauka Press, Moscow, 1976, pp. 13–22.
- BergL93 Berger, L. I. and Roberts, B. W. Properties of superconductors. In: *CRC Handbook of Chemistry and Physics*, 74 edn., CRC Press, Boca Raton, 1993.
- BerrR53 Berry, R. L. P. and Raynor, J. V. Note on the lattice spacings of titanium at elevated temperatures, *J. Res. Nat. Bur. Stand.*, 1953, Vol. 6, No. 4, Suppl. 1, pp. 12S–23S.
- BettJ68 Betterton, J. O. and Scarbrough, J. O. Low-temperature specific heat of Zr–Ti, Zr–Hf, and Zr–Sc alloys, *Phys. Rev.*, 1968, Vol. 168, pp. 715–725.
- BevaJ58 Bevans, J. W., Gier, J. T., and Dunkle, R. V. Comparison of total emittans with values computed from spectral measurements, *Trans. ASME*, 1958, Vol. 80, pp. 1405–1416.
- BhatS02 Bhattacharya, S. and Terry, M. Grain structure effects on the lattice thermal conductivity of Ti-based half-Heusler alloys, *Appl. Phys. Lett.*, 2002, Vol. 81, No. 1, pp. 43–45.

- BickR59 Bickerdike, R. L. and Hughes, G. An examination of part of the titanium–carbon system, *J. Less-com. Met.*, 1959, Vol. 1, pp. 42–49.
- BillM63 Billy, M. J. and Parr, J. G. The beta–alpha transformation in Ti, *J. Inst. Metals*, 1963/1964, Vol. 92, pp. 341–342.
- BinkL94 Binkele, L. and Brunen, M. Thermal conductivity, electrical resistivity and Lorenz function data for metallic elements in the range 273 to 1500 K, *Berichte des Forschungszentrum Julich*, Institute für Werkstoffe der Energietechnik, 1994, 3006, ISSN 0944-2952.
- BlacJ85 Blacktop, J., Crangle, J., and Argent, B. B. The alpha–beta transformation in the Ti–Zr system and influence of additions of up 50 at.% Hf, *J. Less-com. Met.*, 1985, Vol. 109, pp. 375–380.
- BlicR77 Blickensderfer, R., Deardoff, D. K., and Lincoln, R. L. Normal total emittance at 400–850 K and normal spectral reflectance at room temperature of Be, Hf, Nb, Ta, Ti, V and Zr, *J. Less-com. Met.*, 1977, Vol. 51, pp. 12–23.
- BlocJ49 Blocher, J. M. and Campbell, I. E. Vapor pressure of titanium, *J. Amer. Chem. Soc.*, 1949, Vol. 71, pp. 4040–4042.
- BlokA62 Blokh, A. G. *Osnovy teploobmena izlucheniem* (Principles of Radiative Heat Transfer), Gosenergoizdat Press, Moscow, 1962.
- BlokA67 Blokh, A. G. *Teplovoe izluchenie v kotel'nykh ustankovakh* (Thermal Radiation in Boiler Units), Energiya Press, Moscow, 1967.
- BobeM85 Bober, M. and Singer, J. High-temperature vapor pressures of metals from laser evaporation, *High-Temp. Sci.*, 1985, Vol. 9, No. 3, pp. 329–345.
- BoboK02 Boboridis, K. Thermophysical property measurements on niobium and titanium by a microsecond-resolution pulse-heating technique using high-speed laser polarimetry and radiation thermometry, *Int. J. Thermophys.*, 2002, Vol. 23, No. 1, pp. 277–291.
- BohmK81 Bohmhammel, K., Wolf, G., and Gross, G. Investigations at low temperatures in the TiH(x) system, *J. Low-Temp. Phys.*, 1981, Vol. 43, No. 5/6, pp. 521–532.
- BoloG62 Bolotin, G. A., Voloshinskii, A. N., and Kirillova, M. M. Optical properties of titanium and vanadium in the IR range of spectrum, *Fiz. Met. Metalloved.*, 1962, Vol. 13, No. 6, pp. 823–831.
- BonnD72a Bonnell, D. W., Valegra, A. J., and Margrave, J. L. *Radiation and Conduction Loss Corrections to Free Drop Calorimetry Data*, Preprint of Rice University, Houston, 1972.
- BonnD72b Bonnell, D. W. Property Measurements at High Temperatures — Levitation Calorimetry Studies of Liquid Metals, Ph.D Thesis, Rice Univ., Texas, *Diss. Abstr. B*, 1972, Vol. 33, No. 4, pp. 1476–1478.

- BonnD88 Bonnell, D. W., Montgomery, R. L., and Stephenson, B. Levitation calorimetry. In: *Specific Heat of Solids*. Ch. 7, New York, Hemisphere Publ. Corp., 1988.
- BoriE65 Borisova, E. A. and Klimova, G. S. Thermal expansion of titanium, *Metalloved. Term. Obrab. Met.*, 1965, No. 5, pp. 29–32.
- BorzM76 Borzyak, A. N., Goncharenko, B. A., and Koshelev, P. F., Mechanical properties of alloys of the titanium–molybdenum–zirconium system. In: *Fiziko-mekhanicheskie i teplofizicheskie svoistva metallov* (Physico-Mechanical and Thermophysical Properties of Metals), Collection of Papers, Nauka Press, Moscow, 1976, pp. 31–37.
- BoyaS78 Boyarskii, S. V. and Novikov, I. I. The character of the temperature dependence of heat capacity near polymorphic transition, *Teplofiz. Vys. Temp.*, 1978, Vol. 16, No. 3, pp. 534–536.
- BoyaS82 Boyarskii, S. V. and Glazman, E. D. Low-frequency modulation calorimeter for study of heat capacity of metals. In: *Teplofizicheskie svoistva veshchestv i materialov* (Thermophysical Properties of Substances and Materials), Collection of Papers, Izd. Standartov Press, Moscow, Issue 1, 1982, pp. 116–125.
- BoyeR94 Boyer, R., Welsch, G., and Collings, E. W. *Materials Properties Handbook: Titanium Alloys*, The Materials Information Society, ASMI, 1994.
- BradF50 Bradshaw, F. J. The optical emissivity of titanium and zirconium, *Proc. Phys. Soc. (London)*, 1950, Vol. B63, No. 368, p. 8.
- BranN65 Brandt, N. B. and Ginsburg, N. I. Effect of high pressure on the superconductivity of metals, *Sov. Phys. Usp.*, 1965, Vol. 8, pp. 202–223.
- BranN66 Brandt, N. B. and Ginsburg, N. I. Investigation of the effects of hydrostatic pressure and plastic deformation on the superconductivity properties of titanium, *Sov. Phys. JETP*, 1966, Vol. 22, pp. 1167–1171.
- BrasJ77 Brasel, J. and Gorsuch, P. Emittance studies of Ti–6Al–4V alloy. In: *Proc. 7th Symp. on Thermophysical Properties*, ASME, New York, 1977, pp. 231–235.
- BrauM67 Braun, M. and Kohlhaas, R. Die spezifische Wärme von Titan zwischen 900 und 1300°C, *Z. Naturforsch.*, 1967, Vol. 22a, No. 4, pp. 834–839.
- BrauM68 Braun, M., Kohlhaas, R., and Vollmer, O. Zur Hochtemperatur-Kalorimetrie von Metallen, *Z. Angew. Phys.*, 1968, Vol. 25, No. 6, pp. 365–372.

- BrooC81 Brooks, C. R. Contribution to the heat capacity of alpha (hcp) titanium from 200–1000 K, *Int. J. Thermophys.*, 1981, Vol. 2, No. 4, pp. 371–380.
- BrooR03 Brooks, R. E., Robinson, J. A., and Chapman, L. A. The enthalpy of solid and liquid titanium–aluminium–vanadium alloy, *High Temp. — High Pres.*, 2003/2004, Vol. 35/36, pp. 193–198.
- BurkD58 Burk, D. L., Estermann, I., and Friedberg, S. A. The low-temperature specific heats of titanium, zirconium, and hafnium, *Z. Phys. Chem.*, NF, 1958, Vol. 16, pp. 183–193.
- BushA92 Bushman, A. V., Lomonosov, I. V., and Fortov, V. E. *Uravnenie sostoyaniya metallov pri vysokikh plotnostyakh energii* (The Equation of State of Metals at High Energy Density), RAN Press, Chernogolovka, 1992.
- CairJ60 Cairns, J. H. Apparatus for investigation of total hemispherical emissivity, *J. Sci. Instrum.*, 1960, Vol. 37, No. 3, pp. 37–39.
- CapeJ63 Cape, J. A. Superconductivity and localized magnetic state in Ti–Mn alloys, *Phys. Rev.*, 1963, Vol. 132, No. 4, pp. 1486–1492.
- CarpL49 Carpenter, L. G. and Reavell, F. R. The rate of evaporation of titanium, *Nature*, 1949, Vol. 163, No. 2, p. 527.
- CarpL51 Carpenter, L. G. and Mair, W. N. The evaporation of titanium, *Proc. Phys. Soc.*, Ser. B, 1951, Vol. 64, Pt. 1, No. 373B, pp. 57–67.
- CashW81 Cash, W. M., Stunsbury, E. E., and Moore, C. F. Application of a digital computer to data acquisition and shield temperature control of a high-temperature adiabatic calorimeter, *Rev. Sci. Instrum.*, 1981, Vol. 52, No. 6, pp. 895–901.
- CashW82 Cash, W. M. and Brooks, C. R. The heat capacity of alpha-titanium from 320 to 1020 K, *J. Chem. Thermodyn.*, 1982, Vol. 14, pp. 351–355.
- CezaA77a Cezairliyan, A. and Miiller, A. P. Heat capacity and electric resistivity of titanium in the range 1500 to 1900 K by a pulse heating method, *High Temp. — High Pres.*, 1977, Vol. 9, No. 3, pp. 319–324.
- CezaA77b Cezairliyan, A., McCluere, J. L., and Taylor, R. Thermophysical measurements on 90Ti–6Al–4V alloy above 1450 K using a transient (subsecond) technique, *J. Res. Nat. Bur. Stand. A, Phys. Chem.*, 1977, Vol. 81A, Nos. 2–3, pp. 251–256.
- CezaA77c Cezairliyan, A. and Miiller, A. P. Melting point, normal spectral emittance (at melting point) and electrical resistivity (above 1990 K)

- of titanium by pulse heating method, *J. Res. Nat. Bur. Stand.*, 1977, Vol. 82, No. 2, pp. 119–122.
- CezaA78 Cezairliyan, A. and Miller, A. P. Thermodynamic study of the alpha–beta phase transformation in titanium by pulse heating method, *J. Res. Nat. Bur. Stand.*, 1978, Vol. 83, No. 2, pp. 127–132.
- CezaA84 Cezairliyan, A. Pulse calorimetry. In: K. D. Maglic, A. Cezairliyan, and V. E. Peletsky (Eds.), *Compendium of Thermophysical Property Measurement Methods*, Vol. 1, Plenum Press, New York, 1984, pp. 643–668.
- CezaA88 Cezairliyan, A. Specific heat of solids. In: *CINDAS Data Series on Materials Properties*, Vols. 1–2, Hemisphere Publ. Co., New York, 1988.
- CezaA92 Cezairliyan, A. A millisecond-resolution pulse heating system for specific heat measurement. In: K. D. Maglic, A. Cezairliyan, and V. E. Peletsky (Eds.), *Compendium of Thermophysical Properties Measurement Methods*, Vol. 2, Plenum Press, New York, 1992, pp. 483–518.
- CharM90 Chari, M. S. and Chari, M. V. N. The electronic Lorenz number in some transition metals at high temperatures, *J. Phys.: Condensed Matter*, 1990, Vol. 2, pp. 631–639.
- CharV73 Charnetskii, V. G., L'vov, S. N., and Kashchuk, V. A. Thermal conductivity and electric properties of vanadium-doped titanium, *Izv. Akad. Nauk SSSR, Metally*, 1973, No. 3, pp. 80–84.
- ChasM98 Chase, M. W., Jr. *NIST–JANAF Thermochemical Tables*, 4th edn., Monograph 9, Amer. Chem. Soc., American Institute of Physics, Washington, DC, 1998.
- ChekV70 Chekhovskoi, V. Ya. and Petrov, V. A. Calculation of the energy of formation and concentrations of vacancies in molybdenum by the data of enthalpy measurements, *Fiz. Tverd. Tela*, 1970, Vol. 12, pp. 3056–3058.
- ChekV81 Chekhovskoi, V. Ya. and Kats, S. A. Investigation of the thermo-physical properties of refractory metals near the melting point, *High Temp. — High Pres.*, 1981, Vol. 13, pp. 611–616.
- ChekV84a Chekhovskoi, V. Ya., Gerasina, G. Z., and Tarasov, V. D. Thermodynamic properties of titanium alloys OT-4 and VT-3 within the temperature range 300–950 K. In: *Splavy tugoplavkikh i redkikh metallov dlya raboty pri vysokikh temperaturakh* (Alloys of High-Melting and Rare-Earth Metals for Operation at High Temperatures), Collection of Papers, Nauka Press, Moscow, 1984, pp. 165–169.

- ChekV84b Chekhovskoi, V. Y. Levitation calorimetry. In: K. D. Maglic, A. Cezairliyan, and V. E. Peletsky (Eds.), *Compendium of Thermophysical Property Measurement Methods*, Vol. 1, Plenum Press, New York–London, 1984, pp. 555–589.
- ChenC62 Cheng, C. H., Gupta, K. P., and Van Renten, E. C. Low-temperature specific heat of body-centered cubic Ti–V alloys, *Phys. Rev.*, 1962, Vol. 126, No. 6, pp. 2030–2032.
- CizeG60 Cizeron, G. and Lacombe, P. Etude dilatometrique comparee du titane et du zirconium, *Mem. Sci. Rev. Metall.*, 1960, Vol. 57, No. 3, pp. 179–193.
- ClusK58 Clusius, K. and Franzosini, P. Ergebnisse der Tieftemperaturforschung. XIX. Die Atom-und Electronenwärme des Titans zwischen 13 und 273 K, *Z. Phys. Chem.*, NF, 1958, Vol. 16, pp. 194–202.
- ColaK00 Colakoglu, K. and Ciftei, Y. The lattice dynamics of bcc titanium, *Turk. J. Phys.*, 2000, Vol. 24, No. 2, pp. 123–127.
- CollE70a Collings, E. W. and Ho, J. C. Magnetic susceptibility and low-temperature specific heat of high-purity titanium, *Phys. Rev. B*, 1970, Vol. 2, No. 2, pp. 235–243.
- CollE70b Collings, E. W. and Ho, J. C. Physical properties of titanium alloys. In: *The Science and Technical Application of Titanium*, 1970, pp. 331–347.
- CollE71a Collings, E. W. and Ho, J. C. Magnetic susceptibility and low temperature specific heat of Ti, Zr, and Hf, *Phys. Rev.*, 1971, Vol. B4, pp. 349–356.
- CollE71b Collings, E. W. and Gehlen, P. C. Some observation of the temperature dependences of titanium and titanium–aluminium alloys, *J. Phys. F, Met. Phys.*, 1971, Vol. 1, pp. 908–918.
- CollE72 Collings, E. W., Ho, J. C., and Jaffee, R. I. Superconductivity transitions temperature, lattice instability and electron-to-atom ratio in transition-metal binary solid solution, *Phys. Rev. B*, 1972, Vol. B5, pp. 4455–4449.
- CollE73 Collings, E. W., Ho, J. C., and Jaffee, R. I. Physics of titanium alloys. — II Fermi density-of-state properties and phase stability of Ti–Al and Ti–Mo, *Titanium Sci. Technol.*, 1973, pp. 831–842.
- CollE75 Collings, E. W., Ho, J. C., and Upton, P. E. Low-temperature calorimetric studies of superconductivity and microstructure in titanium and vanadium alloys, *J. Less-com. Met.*, 1975, Vol. 42, pp. 285–301.
- CollE83a Collings, E. W. *A Sourcebook of Titanium Alloy Superconductivity*, Plenum Press, New York, 1983.

- CollE83b Collings, E. W. *Applied Superconductivity, Metallurgy and Physics of Titanium Alloys*, Plenum Press, New York, 1983.
- CollE86 Collings, E. W. *Applied Superconductivity, Metallurgy and Physics of Titanium Alloys*, Vol. 1, *Fundamentals*, Plenum Press, New York, 1986.
- ConrH73 Conrad, H. On the strengthening of titanium by aluminium, *Scripta Met.*, 1973, Vol. 7, No. 5, pp. 509–512.
- CorlC79 Corliss, C. and Sugar, J. Energy levels of titanium, *J. Phys. Chem. Ref. Data*, 1979, Vol. 8, No. 1, pp. 1–62.
- CormM74 Cormier, M. and Claisse, F. Beta-alpha phase transformation in Ti and Ti-O alloys, *J. Less-com. Met.*, 1974, Vol. 34, No. 2, pp. 184–189.
- CowaJ68 Cowan, J. A., Powlowich, A. T., and White, G. K. Thermal expansion of polycrystalline titanium and zirconium, *Cryogenics*, 1968, Vol. 8, No. 3, pp. 155–157.
- DannS69 Danner, S. and Dummer, G. Kalorimetrische Bestimmung der Übergangstemperatur zur superleitung von verdunnten Titan–Rhodium–Legierungen, *Z. Phys.*, 1969, Vol. 222, pp. 243–252.
- DaunJ49 Daunt, J. G. and Heer, C. V. Some properties of superconductors below 1 K. 1. Titanium, *Phys. Rev.*, 1949, Vol. 76, No. 6, pp. 715–717.
- DearD56 Deardorf, D. K. and Hayes, E. T. Melting point determination of hafnium, zirconium and titanium, *Trans. AIME*, 1956, Vol. 206, pp. 509–511.
- deBoJ36 de Boer, J. H., Burgers, W. G., and Fast, J. D. The transition of hexagonal alfa-titanium into regular beta-titanium at high temperature, *Proc. Acad. Sci.*, Amsterdam, 1936, Vol. 39, No. 4, pp. 515–519.
- DeemH58 Deem, H. W., Wood, W. D., and Lucks, C. F. The relationship between electrical and thermal conductivities of titanium alloys, *Trans. Met. Soc. AIME*, 1958, Vol. 212, pp. 520–523.
- DegtV74 Degtyareva, V. F., Karimov, Yu. S., and Rabinkin, A. S. Superconductivity and magnetic susceptibility of the alpha and omega modifications of titanium and zirconium, *Sov. Phys. Sol. State*, 1974, Vol. 15, pp. 2293–2294.
- DesaP87 Desai, P. D. Thermodynamic properties of titanium, *Int. J. Thermo-phys.*, 1987, Vol. 8, No. 6, pp. 781–794.
- DeSoW63 DeSorbo, W. Size factor and superconductivity properties of some transition metal solutions, *Phys. Rev.*, 1963, Vol. 130, pp. 2177–2187.

- DeviD80 Devid, D. Etude morphologique et structurale de films minces dioxyde forms sur le titane au cours de traitements thermiques, *J. Less-com. Met.*, 1980, Vol. 69, No. 1, pp. 81–92.
- DiarD56 Diardorff, D. K. and Hayes, E. T. Melting point determination of hafnium, zirconium and titanium, *Trans. AIME*, 1956, Vol. 206, p. 509.
- DinsA91 Dinsdale, A. T. SGTE data for pure elements, *CALPHAD*, 1991, Vol. 15, No. 4, pp. 317–425.
- DobrA89 Dobrosavljevic, A. S. and Maglic, K. Evolution of a direct pulse heating method for measurement of a specific heat and electric resistivity in the range 300–900 K, *High Temp. — High Pres.*, 1989, Vol. 21, No. 4, pp. 411–421.
- DummG68 Dummer, G. and Oftedal, E. Superconductivity and specific heat of titanium–rhodium alloys, *Z. Phys.*, 1968, Vol. 208, No. 3, pp. 238–248.
- DeweP51 Duwez, P. Effect of rate of cooling on the alpha/beta-transformation in Ti and Ti-alloys, *Trans. AIME*, 1951, Vol. 191, pp. 765–771.
- DymeF80 Dymant, F. Self- and solute diffusion in titanium alloys. In: *Proc. 4th Int. Conf. "Titanium: Science and Technology,"* Kyoto, Japan, 1980, pp. 519–527.
- EdwaJ53 Edwards, J. W., Johnston, H. L., and Ditmars, W. E. Vapor pressures of inorganic Substances. XI. Titanium between 1587 and 1764 K, *J. Amer. Chem. Soc.*, 1953, Vol. 75, pp. 2467–2470.
- ElroS82 Elrod, S. A., Miller, J. R., and Dresner, L. The specific heat of NbTi from 0 to 7T between 4.2 to 20 K, *Adv. Cryog. Eng.*, 1982, Vol. 28, pp. 601–610.
- ElyuV67 Elyutin, V. P., Murak, M. A., and Mishuk, V. Ya. Determination of the heat of titanium melting, *Izv. Vyssh. Uchebn. Zaved., Tsvetn. Metall.*, 1967, No. 1, pp. 60–62.
- ElyuV79 Elyutin, V. P., Kostikov, V. I., and Nen'kov, I. A. Influence of carbon in surface tension and density of liquid vanadium, niobium, and molybdenum, *Poroshk. Metall.*, 1979, No. 9, pp. 46–51.
- ErmoB74 Ermolaev, B. E. Thermal conductivity and electric resistance of materials based on titanium and its alloys at temperatures from 20–80 to 1000 K, *Metalloved. Term. Obrab. Met.*, 1974, No. 12, pp. 46–47.
- EsteI52 Estermann, I., Fridberg, S. A., and Goldman, J. E. The specific heat of several metals between 1.8 and 4.2 K, *Phys. Rev.*, 1952, Vol. 87, No. 4, pp. 582–588.

- EtchE80 Etchsahar, E., Aufrederic, J. P., and Debuigne, J. Phase transformation of titanium and some titanium alloys. In: *Proc. 4th Int. Conf. "Titanium: Science and Technology,"* Kyoto, Japan, 1980, Vol. 2, pp. 1543–1554.
- FalgR63 Falge, R. J., Jr. Superconductivity of titanium, *Phys. Rev. Lett.*, 1963, Vol. 11, No. 6, pp. 248–250.
- FarrP55 Farrar, P. and Margolin, H. *Titanium–lead system, Trans. Met. Soc. AIME*, 1955, Vol. 206, p. 101.
- FastJ39a Fast, J. D. Über die Darstellung der reinen Metalle der Titangruppe durch termische Zersetzung, *Z. Anorg. Alg. Chem.*, 1939, Vol. 241, pp. 42–56.
- FastJ39b Fast, J. D. Das Diagramm der Übergangspunkte im System Zr–Ti, *Recueil Trav. Chim.*, 1939, Vol. 58, pp. 973–983.
- FiliL71 Filippov, L. P. and Yurchak, R. O. High-temperature investigations of the thermal properties of solids, *Inzh.-Fiz. Zh.*, 1971, Vol. 21, No. 3, pp. 561–577.
- FiliL73 Filippov, L. P. Untersuchung der termischen Eigenschaften im Stoff an der Moskauer Universität, *Int. J. Heat Mass Transfer*, 1973, Vol. 16, No. 5, pp. 865–885.
- FishE64 Fisher, E. S. and Renken, C. J. Single crystall elastic modul and the h.c.p.–b.c.c. transformation in Ti, Zr, and Hf, *Phys. Rev.*, 1964, Vol. 135, pp. 482–494.
- FlotT87 Flottman, T., Petry, W., and Serve, R. *A Combined Furnace for Crystal Growth and Neutron Scattering*, Vol. 1, *Fundamentals*, Plenum Press, New York, 1987, Vol. A260, pp. 165–170.
- FokiL66 Fokin, L. P. Thermodynamic properties of the two-phase region of constant-composition binary solutions, *Teplofiz. Vys. Temp.*, 1966, Vol. 4, No. 3, pp. 343–350.
- FokiL91 Fokin, L. P. Problems of estimating the authenticity of reference data on physico-chemical properties of substances. In: *Neformal'nye matematicheskie modeli v khimicheskoi termodinamike* (Nonformal Mathematical Models in Chemical Thermodynamics), Nauka Press, Siberian Branch, Novosibirsk, 1991, pp. 100–116.
- FomeV81 Fomenko, V. S. *Emissionnye svoistva materialov. Spravochnik* (Emission Properties of Materials. Handbook), Naukova Dumka Press, Kiev, 1981.
- FortV00 Fortov, V. E., Al'tshuler, L. V., and Trunin, R. F. *Udarnye volny i ekstremal'nye sostoyaniya veshchestva* (Shock Waves and Extremum States of Substance), Nauka Press, Moscow, 2000.

- GandC03 Gandini, C., Lacquanti, V., and Monticone, E. Correlation of critical temperatures and electrical properties in titanium films, *Int. J. Modern Phys.*, 2003, Vol. 17 (4, 5/6), pp. 948–952.
- GarlJ72 Garland, J. W. and Bennemann, K. H. Theory for pressure dependence of T for narrow-band superconductors. In: *Proc. 4th AIP Conf.*, New York, 1972, pp. 255–292.
- GathG86 Gathers, G. R. Dynamic methods for investigating thermophysical properties of matter at very high temperatures and pressures, *Rep. Progr. Phys.*, 1986, Vol. 49, No. 4, pp. 341–396.
- GeldP70 Gel'd, P. V. and Putintsev, Yu. V. Titanium enthalpy at high temperatures. In: *Fizicheskie svoistva metallov i splavov* (Physical Properties of Metals and Alloys) [Tr. Ural'sk. Politekh. Inst., No. 186, Sverdlovsk], 1970, No. 18, pp. 199–200.
- GeldP82 Gel'd, P. V., Ilbinykh, S. A., and Taluts, S. G. Thermal diffusivity and thermal conductivity of solid and liquid titanium, *Dokl. Akad. Nauk SSSR*, 1982, Vol. 267, No. 3, pp. 602–604.
- GeraY78 Gerasimov, Ya. I., Glazov, V. M., Lazarev, V. B., and Zharov, V. V. Equations for evaporation and sublimation of simple substances, *Dokl. Akad. Nauk SSSR*, 1978, Vol. 242, No. 4, pp. 868–871.
- GlazS62 Glazunov, S. G. Obtaining and Study of Some Titanium Alloys, Author's Abstract of Doctoral Thesis, 1962.
- GlazS74 Glazunov, S. G. and Moiseev, V. N. *Konstruktsionnye titanovye splavy* (Structural Titanium Alloys), Metallurgiya Press, Moscow, 1974.
- GlazS92 Glazunov, S. G. and Kolachev, B. A. *Metallovedenie titana i ego splavov* (Metal Science of Titanium and Its Alloys), Metallurgiya Press, Moscow, 1992.
- GoelT70 Goel, T. G. and Unvala, B. A. Effect of phase transformation on the measurements of thermal conductivity and other physical properties of titanium, *Phys. Lett.*, 1970, Vol. A32, No. 7, pp. 521–522.
- GoldR92 Goldberg, R. N. and Weir, R. D. Conversion of temperatures and thermodynamic properties to the basic of the International Temperature Scale of 1990, *Pure Appl. Chem.*, 1992, Vol. 64, No. 10, pp. 1545–1562.
- GoliO69 Golikova, O. A., Ivanov, G. P., and Novikov, V. I. *Teplofizicheskie svoistva tverdykh tel pri vysokikh temperaturakh* (Thermophysical Properties of Solids at High Temperatures), Izd. Standartov Press, Moscow, 1969, Vol. 1, pp. 48–51.
- GoluY59 Golutvin, Yu. M. Enthalpies and heat capacities in the titanium–silicon system, *Zh. Fiz. Khim.*, 1959, Vol. 33, pp. 1798–1805.

- GoncB76 Goncharenko, B. A., Denisov, A. G., Mikheev, V. S., Novikov, I. I., and Proskurin, V. B. Elasticity moduli of the Ti–Zr–Mo system at low temperatures. In: *Fiziko-mekhanicheskie i teplofizicheskie svoistva metallov* (Physico-Mechanical and Thermophysical Properties of Metals), Collection of Papers, Nauka Press, Moscow, 1976, pp. 42–46.
- GoncV80 Goncharov, V. G., Novikov, I. I., and Roshchupkin, V. V. Vacancy effects in multicomponent alloys, *Inzh.-Fiz. Zh.*, 1980, Vol. 38, No. 4, pp. 599–602.
- GordA82 Gordienko, A. I. Influence of the rate of heating on the mechanism of alpha–beta conversion in titanium alloys, *Izv. Akad. Nauk BSSR, Ser. Fiz.-Tekh. Nauk*, 1982, No. 41, pp. 63–70.
- GordA83 Gordienko, A. I. Polymorphic alpha–beta conversion in commercial titanium in high-speed heating, *Dokl. Akad. Nauk BSSR*, 1983, Vol. 27, pp. 46–48.
- GreiF49 Greiner, F. S. and Ellis, W. C. Thermal and electrical properties of ductile titanium, *Trans. AIME*, 1949, Vol. 180, pp. 657–665.
- GrosF66 Grosley, F. A. Ti-rich end of the Ti–Al equilibrium diagram, *Trans. AIME*, 1966, No. 236, pp. 1174–1183.
- GurvL82 Gurvich, L. V., Bergman, G. A., Veitz, I. V., et al. *Termodinamicheskie svoistva individualnykh veshchestv*, (Thermodynamic Properties of Individual Substances), Vol. 4, Nauka Press, Moscow, 1982.
- GustW73 Gust, W. H. and Rouce, E. B. New electronic interactions in rare-earth metals at high pressure, *Phys. Rev. B*, 1973, Vol. 8, No. 8, pp. 3595–3608.
- HakeR61 Hake, R. R. Specific heat of some cubic superconducting titanium–molibdenum alloys between 1.1 and 4.3 K, *Phys. Rev.*, 1961, Vol. 123, No. 6, pp. 1986–1994.
- HakeR62 Hake, R. R., Leslic, D. H., and Berlincourt, T. G. Low-temperature resistivity minima and negative magnetoresistances in some dilute superconducting Ti alloys, *Phys. Rev.*, 1962, Vol. 127, No. 1, pp. 170–179.
- HakeR64 Hake, R. R. and Cape, J. A. Calorimetric investigation of localized magnetic moments and superconductivity in some alloys of titanium with manganese and cobalt, *Phys. Rev.*, 1964, Vol. A135, No. 5A, pp. 1151–1160.
- HansM51 Hansen, M., Kamen, E. L., Kessler, D. J., and Presson, D. J. Systems Ti–Mo and Ti–Nb, *Trans. AIME*, 1951, Vol. 191, pp. 881–890.
- HassG57 Hass, G. and Bredford, A. P. Optical properties and oxidation of evaporated titanium films, *J. Opt. Soc. Amer.*, 1957, Vol. 47, No. 2, pp. 125–129.

- HawkD63 Hawkins, D. T., Onillon, M., and Orr, R. I. High-temperature heat content of hafnium, *J. Chem. Eng. Data*, 1963, Vol. 8, No. 4, pp. 628–629.
- HeinF64 Heiniger, F. and Muller, J. Bulk superconductivity in dilute hexagonal titanium alloys, *Phys. Rev.*, 1964, Vol. A134, No. 6, pp. 1407–1409.
- HidnP43 Hidnert, P. Thermal expansion of titanium, *J. Res. Nat. Bur. Stand.*, 1943, Vol. 30, pp. 101–105.
- HochM95 Hoch, M. The heat capacity $c(p)$ of undercooled liquid metals and alloys, *Z. Metallkunde*, 1995, Vol. 86, No. 8, pp. 557–560.
- HofmW86 Hofmeister, W. H., Robinson, M. V., and Bayuzick, R. J. Undercooling of pure metals in a containerless, microgravity environment, *Appl. Phys. Lett.*, 1986, Vol. 49, No. 20, pp. 1342–1344.
- HoJ72 Ho, J. C. and Collings, E. W. Anomalous electrical resistivity in Ti–Mo alloys, *Phys. Rev. B*, 1972, Vol. 6, No. 10, pp. 3727–3738.
- HoJ74 Ho, J. C. and Collings, E. W. Calorimetric studies of superconductive proximity effects in two-phase Ti–Fe (7.5 at.%) alloy, *Proc. Low Temp.*, 1974, Vol. 3, pp. 403–407.
- HollL63 Holland, L. R. Physical properties of titanium. III. The specific heat, *J. Appl. Phys.*, 1963, Vol. 34, No. 8, pp. 2350–2357.
- HultR73 Hultgren, R., Desai, R. D., and Hawkins, D. T. *Selected Values of the Thermodynamic Properties of the Elements*, ASM Publ., Ohio, 1973.
- IlieL78 Iliev, L. B., Ovcharenko, V. I., and Pervakov, V. A. Heat capacity of commercial titanium VT-1 and alloys on its basis VT5 and VT5-1 at low temperatures, *Fiz. Met. Metalloved.*, 1978, Vol. 46, No. 4, pp. 719–725.
- IlieL79a Iliev, L. B., Popov, V. P., and Pervakov, V. A. Thermal expansion of polycrystalline titanium at low temperatures, *Fiz. Met. Metalloved.*, 1979, Vol. 47, No. 3, pp. 667–670.
- IlieL79b Iliev, L. B., Ovcharenko, V. I., and Popov, V. P. Heat capacity and thermal expansion of titanium and solid solutions of aluminium and tin on its basis within the temperature range 4–290 K, *Ukr. Fiz. Zh.*, 1979, Vol. 24, No. 3, pp. 418–419.
- IsbeW68 Isbell, W. H., Shipman, F. H., and Jones, A. H. Hugoniot equation of state measurements for eleven materials to five megabars, General Motors Corp., Mat. Sci. Lab. Report MSL-68-13, 1968.
- IshiT03 Ishikawa, T. and Paradis, P. F. Thermophysical properties of liquid refractory metals: comparison between hard sphere model calculation and electrostatic levitation measurements, *J. Phys. F: Met. Phys.*, 2003, Vol. 118, No. 17, pp. 7912–7920.

- IvanL68 Ivanov, L. I. and Kudryavtsev, N. S. Influence of residual gases on evaporation of titanium in vacuum, *Fiz. Khim. Obrab. Mater.*, 1968, No. 4, pp. 166–168.
- IvasY73 Ivashchenko, Yu. N. and Martsinyuk, P. S. Measurement of density of high-melting metal solutions, *Zavod. Lab.*, 1973, No. 1, pp. 42–45.
- JaegF36a Jaeger, F. M., Rosenbohm, E., and Fonteyne, R. The exact measurement of the specific heat of metals at high temperatures. XXIII. The calorimetical, electrical and thermoelectrical behavior of ductile titanium, *Recueil Trav. Chim.*, 1936, Vol. 55, No. 7/8, pp. 665–664.
- JaegF36b Jaeger, F., Rosenbohm, E., and Fonteyne, R. The exact measurement of the specific heats of solid substances at high temperatures. XI. Specific heat, electrical resistance and thermoelectrical behavior, *Recueil Trav. Chim.*, 1936, Vol. 55, No. 7/8, pp. 615–654.
- JANAF71 JANAF *Thermochemical Tables*, 2nd edn., NSRDS-NDS 32, US Gov. Print. Office, Washington, 1971.
- JayaA63 Jayaraman, A., Klement, W., and Kennedy, G. Solid state transition in titanium and zirconium at high pressures, *Phys. Rev.*, 1963, Vol. 131, No. 2, pp. 644–652.
- JeffR71 Jeffry, R. N. Effect of high pressure on self-diffusion in beta-titanium, *Phys. Rev. B*, 1971, Vol. B3, pp. 4044–4055.
- JepsO75 Jepsen, O. Electronic structure and magnetic breakdown in titanium, *Phys. Rev. B*, 1975, Vol. 12, No. 8, pp. 2988–2997.
- JianW96 Jian, W. B., Wu, C. Y., and Chuang, Y. L. Electron–electron interactions and normal-state transport in superconducting Ti–(Sn, Ge) alloys, *Phys. Rev. B*, 1996, Vol. 54, No. 6, pp. 4289–4292.
- JohnP74 Johnson, P. B. and Christy, R. W. Optical constants of transition metals: Ti, V, Cr, Mn, Fe, Co, Ni, and Pd, *Phys. Rev. B*, 1974, Vol. 9, No. 12, pp. 5056–5070.
- JounB80 Jounel, B. and Debnigne, J. On retrograde solubility of iron in alfa-titanium, *Scripta Met.*, 1980, Vol. 14, No. 3, pp. 317–320.
- JunoA76 Junod, A., Flukiger, R., and Muller, J. Supraconductivite et chaleur specifique dans bes alliages A15 a base titane, *J. Phys. Chem. Solids*, 1976, Vol. 37, pp. 27–31.
- KagaY63 Kagan, Yu. and Iosilevskii, Ya. A. An abnormal behavior of heat capacity of crystals with heavy impurity atoms, *Sov. Phys. JETP*, 1963, Vol. 45, pp. 819–821.
- KascE01 Kaschnitz, E. and Reiter, P. Heat capacity of titanium in the temperature range 1500 to 1900 K measured by millisecond pulse-heating

- techniques, *J. Thermal Analysis Calorimetry*, 2001, Vol. 64, pp. 351–356.
- KascE02a Kaschnitz, E. and Reiter, P. Enthalpy and temperature of the titanium alpha–beta phase transformation, *Int. J. Thermophys.*, 2002, Vol. 23, No. 5, pp.1339–1345.
- KascE02b Kaschnitz, E., Reiter, P., and McClure, J. L. Thermophysical properties of solid and liquid 90Ti–6Al–4V in the temperature range from 1400 to 2300 K, *Int. J. Thermophys.*, 2002, Vol. 23, No. 1, pp. 267–273.
- KatsS78 Kats, S. A. Thermophysical Properties of a Number of High-Melting Metals in Liquid and Solid States near the Melting Point, Author's Abstract of Candidate Thesis, Institute of High Temperatures, Moscow, 1978.
- KellK44 Kelley, K. K. Specific heat at low temperatures of titanium and titanium carbide, *Ind. Eng. Chem.*, 1944, Vol. 36, No. 9, pp. 865–866.
- KeniM72 Kenisarin, M. M., Berezin, B. Y., and Chekhovskoi, V. Y. The melting point of molybdenum as a secondary fixed point on the International Practical Temperature Scale, *High Temp. — High Pres.*, 1972, Vol. 4, pp. 707–713.
- KeniM74 Kenisarin, M. M., Berezin, B. Y., Gorina, N. B., and Kats, S. A. The melting point of ruthenium, *High. Temp.*, 1974, Vol. 12, pp. 1309–1310.
- KhaiY81 Khait, Yu. G., Yurkov, G. N., and Khachkurov, G. A. Approximation of experimental values of heat capacities of crystalline substances. In: *Termodinamika i kinetika khimicheskikh protsessov* (Thermodynamics and Kinetics of Chemical Processes), Inst. Prikl. Khim. Press, Leningrad, 1981, pp. 3–11.
- KiriM65 Kirillova, M. M. and Charikov, B. A. Quantum absorption of light by some transition metals, *Fiz. Met. Metalloved.*, 1965, Vol. 19, No. 4, pp. 495–500.
- KneiG63 Kneip, G. D. and Betterton, J. O. Low-temperature specific heats of titanium, zirconium, and hafnium, *Phys. Rev.*, 1963, Vol. 130, No. 5, pp. 1687–1692.
- KofsP69 Kofstad, P. *Vysokotemperaturnoe okislenie metallov* (High-Temperature Oxidation of Metals), Mir Press, Moscow, 1969.
- KohlR65 Kohlhaas, R., Braun, M., and Volmer, D. Die Atomwärme von Titan, Vanadin und Chrom im Bereich hoher Temperaturen, *Z. Naturforsch.*, 1965, Vol. 20a, No. 8, pp. 1077–1079.
- KohlU87 Kohler, U. and Herzig, Ch. On the anomalous self-diffusion in b.c.c. titanium, *Phys. Stat. Sol.*, 1987, Vol. 144(b), pp. 243–251.

- KolaB76 Kolachev, B. A. *Fizicheskoe metallovedenie titana* (Physical Metal Science of Titanium), Metallurgiya Press, Moscow, 1976.
- KoleK99 Kolesnikov, K. S. and Leont'ev, A. I. (Rds.) In: Mashinostroenie (Engineering) in 40 Vols. Vols. 1 and 2, *Teoreticheskaya mehanika. Termodinamika. Teploobmen* (Theoretical Mechanics. Thermodynamics. Heat Transfer), Mashinostroenie Press, Moscow, 1999.
- KornI65 Kornilov, I. I. and Glazova, V. V. Study of phase equilibrium in the Ti-Al₂O₃ system, *Izv. Akad. Nauk SSSR, Metally*, 1965, No. 1, pp. 189–194.
- KornI67 Kornilov, I. I. and Glazova, V. V. *Vzaimodeistvie tugoplavkikh metallov perekhodnykh grupp s kislorodom* (Interaction of High-Melting Metals of Transition Groups with Oxygen), Nauka Press, Moscow, 1967.
- KornI75 Kornilov, I. I. *Titan* (Titanium), Nauka Press, Moscow, 1975.
- KostG71 Kostorz, G., Isaacs, L. L., and Panosh, R. L. Anisotropy of the upper critical field of superconducting titanium, *Phys. Rev. Lett.*, 1971, Vol. 27, No. 6, pp. 304–307.
- KostV68 Kostikov, V. I., Maurakh, M. A., and Mitin, B. S. *Vysokotemperaturnye materialy* (High-Temperature Materials), Metallurgiya Press, Moscow, 1968, pp. 108–113.
- KothC53 Kothen, C. W. and Johnston, H. L. Low-temperature heat capacity of inorganic solids. XVII. Heat capacity of titanium from 15 to 305 K, *J. Amer. Chem. Soc.*, 1953, Vol. 75, No. 13, pp. 3101–3102.
- KothC57 Kothen, C. W. The high-temperature heat contents of molybdenum and titanium and the low-temperature heat capacities of titanium, *Diss. Abstr.*, 1957, Vol. 12, No. 12, pp. 2842–2844.
- KourN03 Kourov, N. I., Korolev, A. V., Pushin, V. G., et al. Magnetic and electric properties of the system of intermetallic compounds TiNi–TiFe, *Fiz. Met. Metalloved.*, 2003, Vol. 95, No. 5, pp. 60–65.
- KovaV83 Kovalev, V. N. Integral hemispherical emissivity of the surface of the metal–thin oxide films system, *Izv. Akad. Nauk Latv. SSR*, 1983, No. 5, pp. 79–86.
- KovtS64 Kovtun, S. F. and Ul'yanov, R. A. *Metallovedenie titana* (Metal Science of Titanium), Nauka Press, Moscow, 1964.
- KrupK63 Krupnikov, K. K., Bakanova, A. A., and Brazhnik, M. M. Study of shock compressibility of titanium, molybdenum, tantalum, and iron, *Dokl. Akad. Nauk SSSR*, 1963, Vol. 148, pp. 1302–1305.
- KrzhR61 Krzhizhanovskii, R. E. Study of thermal and electric conductivity of some titanium-based alloys, *Teploenergetika*, 1961, Vol. 8, No. 6, pp. 56–61.

- KrzhR64 Krzhizhanovskii, R. E. Thermophysical properties of titanium and thermal conductivity of its alloys with tin and aluminium, *Teplofiz. Vys. Temp.*, 1964, Vol. 2, No. 3, pp. 392–396.
- KureV71 Kurepin, V. V., Buravoi, S. E., and Platunov, E. S. Apparatus for studying thermal diffusivity and true heat capacity of metals, *Teplofiz. Vys. Temp.*, 1971, Vol. 9, No. 3, pp. 611–616.
- KutsA73 Kutsar, A. R., German, V. N., and Nosova, T. I. Alpha–omega conversion in titanium and zirconium in shock waves, *Dokl. Akad. Nauk SSSR*, 1973, Vol. 213, No. 1, pp. 81–84.
- KutsA75 Kutsar, A. R. *T–P* diagram of hafnium and phase conversions in shock waves, *Fiz. Met. Metalloved.*, 1975, Vol. 40, No. 4, pp. 787–793.
- KuzmA62 Kuz'min, A. A. and Palatnik, L. S. Elasticity of titanium vapor above the Ti–Mo alloys, *Fiz. Met. Metalloved.*, 1962, Vol. 14, No. 5, pp. 795–797.
- KuzmA64 Kuz'min, A. A. and Moiseeva, T. G. Elasticity of titanium vapor above the Ti–Ni alloy, *Fiz. Met. Metalloved.*, 1964, Vol. 18, No. 6, pp. 925–926.
- LainD73 Lainer, D. S and Bai, D. I. Study of the process of dissolution of oxide films in titanium, *Izv. Akad. Nauk SSSR, Metally*, 1973, No. 4, pp. 99–106.
- LandW64 Landensperger, W. and Stark, D. Das optische Gesamtsemissionvermögen des Rheniums, Palladiums und des Titans, *Z. Phys.*, 1964, Vol. B180, No. 2, pp. 178–183.
- LandW99 Landolt-Bornstain. New series, Gr IV, Vol. 19. *Thermodynamic Properties of Inorganic Materials Compiled by SGTE*, Vol. 19a, Pt. 1, Springer Verlag, Berlin, 1999.
- LatyL74 Latyev, L. N., Petrov, V. A., Chekhovskoi, V. Ya., and Shestakov, E. N. *Izluchatel'nye svoistva tverdykh materialov* (Radiative Properties of Solids), Handbook, Energiya Press, Moscow, 1974.
- LazaB68 Lazarev, B. G., Ovcharenko, O. N., and Matzakova, A. A. Superconducting properties of niobium-base alloys, *Sov. Phys. JETP*, 1968, Vol. 27, pp. 549–552.
- LazaE85 Lazarev, E. M., Koreneva, Z. I., and Fedorchuk, N. M. *Okislenie titanovykh splavov* (Oxidation of Titanium Alloys), Nauka Press, Moscow, 1985.
- LebeS84 Lebedev, S. V. and Savvatimskii, A. I. Metals in the process of high-speed heating by electric current of high density, *Usp. Fiz. Nauk*, 1984, Vol. 144, No. 2, pp. 215–250.

- LedbH04 Ledbetter, H., Ogi, H., and Kai, S. Elastic constants of body-centered-cubic titanium monocrystals, *J. Appl. Phys.*, 2004, Vol. 95, No. 9, pp. 4642–4644.
- LeibG61 Leibfried, G. and Ludwig, W. *Theory of Anharmonic Effects in Crystals*, Academic Press, New York–London, 1961.
- LesnM75 Lesnaya, M. I., Kashchuk, V. A., and Mal'ko, P. I. Thermal conductivity, electric conductivity, and thermal emf of chromium-doped titanium, *Izv. Akad. Nauk SSSR, Metally*, 1975, No. 1, pp. 59–61.
- LesnM76 Lesnaya, M. I., Volokitin, G. G., and Kashchuk, V. A. Influence of additives of transition metals on the temperature factor of linear expansion of titanium and vanadium, *Teplofiz. Vys. Temp.*, 1976, Vol. 14, No. 6, pp. 1197–1200.
- LiepV80 Liepenya, V. E. and Mel'nikov, V. K. Emissivity of titanium in non-stationary high-temperature heating by argon current, *Izv. Akad. Nauk Latv. SSR*, 1980, No. 1, pp. 48–55.
- LinJ93 Lin, J. J. and Wu, C. Y. Electron–electron interaction and weak-localized effects in Ti–Al alloys, *Phys. Rev. B*, 1993, Vol. 48, No. 8, pp. 5021–5044.
- LoewE56 Loewen, E. G. Thermal properties of Ti-alloys and selected materials, *Trans. ASME*, 1956, Vol. 78, No. 3, pp. 667–670.
- LoksE79 Lokshin, E. L., Bochvar, G. A., and Borzetskovskaya, K. M. Study of the structure of the surface and inner structure of granules of titanium alloys, *Poroshk. Metall.*, 1979, No. 12, pp. 1–9.
- LoshB80 Loshchinin, B. E., Vetrogradskii, I. A., Kovalev, A. I., and Frolikina, I. V. Specific heats of commercial titanium alloys at 50–1100°C, *Inzh.-Fiz. Zh.*, 1980, Vol. 38, No. 4, pp. 593–598.
- LyusV59 Lyusternik, V. E. Automatic calorimeter for complex thermal analysis of high-temperature steels, *Prib. Tekh. Eksp.*, 1959, No. 4, pp. 127–129.
- MadaS90 Madabhushi, S. R., Chari, M. S., and Sharma, R. G. The electronic Lorenz number at high temperatures in transition metals with a nearly empty *d* sub-band, *High Temp. — High Pres.*, 1990, Vol. 22, pp. 391–398.
- MaglK01 Maglic, K. D. and Pavicic, D. Z. Thermal and electrical properties of titanium between 300 and 1900 K, *Int. J. Thermophys.*, 2001, Vol. 22, No. 6, pp. 1833–1841.
- Mah_A57 Mah Alla, Kelley, K. K., Gellert, N. L., et al. Thermodynamic properties of titanium–oxygen solutions and components, US Bureau of Mines, RI No. 5316, 1957.

- MalkP70 Mal'ko, P. I., Arensburger, D. S., Pugin, V. S., and Nemchenko, V. F. Thermal and electrical properties of porous titanium, *Poroshk. Metall.*, 1970, No. 8, pp. 35–38.
- MargH68 Margolin, H. and Portisch, H. Hydrogen-induced expansion in titanium–aluminium alloys, *Trans. Met. Soc. AIME*, 1968, Vol. 242, pp. 1901–1913.
- MarsS80 Marsh, S. P. *LASL Shock Hugoniot Date*, Univ. California Press, Berkeley, 1980.
- MartM73 Martynyuk, M. M. and Gerrero, G. E. Behavior of some metals of IB–IVB groups under the conditions of pulse heating, *Izv. Akad. Nauk SSSR, Metally*, 1973, No. 3, pp. 73–79.
- MartM74 Martynyuk, M. M. and Tsapkov, V. I. Electrical resistivity, enthalpy, and phase transitions of titanium, zirconium, and hafnium in pulse heating, *Izv. Akad. Nauk SSSR, Metally*, 1974, No. 2, pp. 180–181.
- MartM99 Martynyuk, M. M. *Fazovye perekhody pri impul'snom nagreve* (Phase Transitions in Pulse Heating), Ross. Univ. Druzhby Narodov Press, Moscow, 1999.
- MasaI88 Masahiko, I., Komatsu, S., Sugimoto, T., and Kamei, K. Anormal temperature dependence of resistivity in Ti–Mo binary alloys, *J. Japan Inst. Metals*, 1988, Vol. 52, No. 2, pp. 144–149.
- MatsH92 Matsumoto, H. Electrical resistivity of NiTi with a high transformation temperature, *J. Mater. Sci. Lett.*, 1992, No. 11, pp. 367–368.
- MaurM79 Maurakh, M. A. In [SeydU79] Seydel, U. and Kitzel, W. Thermal volume expansion of liquid Ti, V, Mo, Pd, and W., *J. Phys. F, Met. Phys.*, 1979, Vol. 9, No. 9, pp. 153–160.
- MaykD53 Maykuth, D. J., Ogden, H. R., and Jeffee, H. R. Titanium–manganese system, *J. Metals*, 1953, Vol. 5, pp. 225–237.
- McCli92 McClure, I. N. and Cezairliyan, A. Measurement of the heat of fusion of titanium and titanium alloy (90Ti–6Al–4V) by a microsecond transition technique, *Int. J. Thermophys.*, 1992, Vol. 13, No. 1, pp. 75–81.
- McQuA50a McQuillan, A. D. Some observations on the alpha–beta transformation in titanium, *J. Inst. Metals*, 1950, Vol. 78, pp. 249–257.
- McQuA50b McQuillan, A. D. An experimental and thermodynamic investigation of the titanium–hydrogen system, *Proc. Roy. Soc. (London)*, 1950, Vol. A204, pp. 309–323.
- McQuA58 McQuillan, A. D. and McQuillan, M. K. *Titan* (Titanium), Metallurgiya Press, Moscow, 1958.

- McQuR60 McQueen, R. G. and Marsh, S. P. Equation of state for nineteen metallic elements, *J. Appl. Phys.*, 1960, Vol. 31, No. 3 pp. 1253–1269.
- McQuR70 McQueen, R. G., Marsh, S. P., and Taylor, J. W. The equation of state of solids from shock wave studies. In: *High-Velocity Impact Phenomena*, Academic Press, New York, 1970, pp. 283–417.
- MeadG65 Meaden, G. T. *Electrical Resistance of Metals*, Plenum Press, New York, 1965.
- MeisL99 Meisner, L. L. and Sivokha, V. P. Martensite conversions in TiNi–Ti–Zr alloys, *Fiz. Met. Metalloved.*, 1999, Vol. 88, No. 6, pp. 59–62.
- MelnV77 Mel'nikov, V. K. and Kovalev, V. N. Integral radiation of titanium in nonstationary high-temperature oxidation, *Izv. Akad. Nauk Latv. SSR*, 1977, No. 4, pp. 86–92.
- MelnV80 Mel'nikov, V. K., Zaks, M. V., and Kovalev, V. N. *Perenos tepla i zaryada na poverkhnosti metalla v khimicheski aktivnykh potokakh* (Transfer of Heat and Charge on the Metal Surface in Chemically Active Flows), Zinatne Press, Riga, 1980.
- MichW49a Michels, W. C. and Wilford, S. E. The physical properties of titanium. I. Emissivity and resistivity of commercial metals, *J. Appl. Phys.*, 1949, Vol. 20, No. 12, pp. 1223–1226.
- MichW49b Michels, W. C. and Wilford, S. E. Spectral emissivity and conductivity of titanium, *Phys. Rev.*, 1949, Vol. 6, No. 174(A), pp. 893–895.
- MikrV57 Mikryukov, V. E. Study of thermal conductivity and electrical resistance of titanium, zirconium, and alloys on their basis, *Vestn. MGU, Ser. Mat., Astr., Fiz., Khim.*, 1957, Vol. 12 (5), pp. 73–80.
- MirzD04 Mirzaev, D. A., Schastlivtsev, V. M., and Ul'yanov, V. G. Effect of accelerated cooling on polymorphic conversion in zirconium, *Fiz. Met. Metalloved.*, 2004, Vol. 98, No. 1, pp. 69–75.
- MirzD82 Mirzaev, D. A. and Ul'yanov, V. G. Influence of high-speed cooling on polymorphic conversions in pure metals, *Izv. Akad. Nauk SSSR, Metally*, 1982, No. 3, pp. 103–109.
- MoisV60 Moiseev, V. N. Thermal treatment and mechanical properties of titanium alloys with 5–13% Al, *Metalloved. Term. Obrab. Met.*, 1960, No. 6, pp. 30–39.
- MoisV01 Moiseev, V. N. *Titan i ego splavy. Entsiklopediya v 40 tomakh. Tom II-3* (Titanium and Its Alloys. Encyclopedia in 40 vols. vol. II-3), Mashinostroenie Press, Moscow, 2001, pp. 272–418.
- MolcE64 Molchanova, E. K. *Atlas diagramm sostoyaniya titanovykh splavov* (Atlas of Diagrams of States of Titanium Alloys), Mashinostroenie Press, Moscow, 1964.

- MoloV77 Molokanov, V. D., Chernov, D. B., and Budberg, P. B. Solubility of vanadium in titanium, *Metalloved. Term. Obrab. Met.*, 1977, No. 8, pp. 60–61.
- Mooij73 Mooij, J. H. Electrical conduction in disordered metal alloys, *Phys. Stat. Sol.*, 1973, Vol. 17(a), p. 521.
- MorrJ59 Morrisson, J. The behavior of titanium in a high vacuum, *Vacuum Technol.* (London), No. 6, 1959, pp. 291–296.
- MunsA56 Munster, A., Saguel, K., and Zwicker, U. Electrische Leitfähigkeit und Suszeptibilität des Systems Titan–Aluminium, *Acta Met.*, 1956, Vol. 4, pp. 559–560.
- MusaZ02 Musaeva, Z. A. and Peletskii, V. E. Experimental investigation of the thermal conductivity of VT alloy, *Teplofiz. Vys. Temp.*, 2002, Vol. 40, No. 2, pp. 904–908.
- NaseA69 Nasenovskii, A. P. Temperature dependence of the coefficient of the thermal expansion of some polycrystals, *Izv. Vyssh. Uchebn. Zaved., Fizika*, 1969, No. 1, pp. 65–68.
- NeimB69 Neimark, B. E., Korytina, S. F., and Monina, E. F. Complex study of titanium alloys VT-8, *Teploenergetika*, 1969, No. 6, pp. 52–56.
- NemcV75 Nemchenko, V. F., Savin, V. I., and Charnetskii, V. G. Temperature dependence of the coefficient of thermal emf of titanium hydrides at 100–350 K, *Neorg. Mater.*, 1975, Vol. 11, No. 4, pp. 649–652.
- NesmA61 Nesmeyanov, A. N. *Davlenie para khimicheskikh elementov* (Vapor Pressure of Chemical Elements), Izd. Akad. Nauk SSSR Press, Moscow, 1961.
- NetzR61 Netzel, R. G. et al. Superconducting transition temperatures of Ti. Titanium and titanium isotops. In: *Proc. VII Int. Conf. on Low-Temperature Properties*, 1961, pp. 389–391.
- NilsL87 Nilson, L. F. and Pettersson, O. Über einige physikalische Konstanten des Germaniums und Titans, *Z. Phys. Chem.*, 1987, Vol. 1, pp. 27–38.
- NoviI76a Novikov, I. I. The effect of the degree of deformation of the thermo-physical properties of metals at high temperatures, *High Temp. — High Pres.*, 1976, Vol. 8, pp. 483–492.
- NoviI76b Novikov, I. I., Proskurin, V. B., and Chebanov, A. F. Study of the velocity of sound in titanium and some its alloys near the alpha–beta transition. In: *Fiziko-mekhanicheskie i teplofizicheskie svoistva metallov* (Physico-Mechanical and Thermophysical Properties of Metals), Collection of Papers, Nauka Press, Moscow, 1976, pp. 115–118.
- NoviI78a Novikov, I. I., Aleksandrov, V. V., and Borzyak, A. N. *Eksperimental'noe opredelenie teploemkosti konstrukcionnykh materialov* (Ex-

- perimental Determination of Heat Capacity of Structural Materials), Nauka Press, Moscow, 1978, pp. 166–178.
- NovI78b Novikov, I. I., Boyarski, S. V., and Goncharov, V. G. *Problemy metallurgii neferromagnitnykh metallov* (Problems of Metallurgy of Non-Ferrous Metals), Nauka Press, Moscow, 1978, pp. 77–81.
- NovI79 Novikov, I. I., Lepeshkin, Y. D., and Bojarski, S. V. On the role of vacancies in structural transformation in metals, *Rev. Int. Hautes Temp.*, 1979, Vol. 16, No. 4, pp. 413–423.
- NovI80 Novikov, I. I. Phase transformations in crystalline bodies (current state of the problem), *Inzh.-Fiz. Zh.*, 1980, Vol. 39, No. 6, pp. 1118–1132.
- OleiS71 Oleinikova, S. V., Nartova, T. T., and Kornilov, I. I. Study of the structure and properties of titanium-rich alloys of the Ti–W system, *Izv. Akad. Nauk SSSR, Metallofiz.*, 1971, No. 3, pp. 192–196.
- OriaR54 Oriani, R. A. and Jones, T. S. An apparatus for the determinations of the solidus temperatures of high-melting alloys, *Rev. Sci. Instrum.*, 1954, Vol. 25, No. 2, p. 248.
- OvchV90 Ovcharenko, V. I. Heat capacity of structural titanium alloys at low temperatures. In: *Ext. Abstr. of Papers presented at All-Union Symp. "Steels and Alloys of Cryogenic Technique,"* Kiev, 1990, pp. 78–79.
- OvchV99 Ovcharenko, V. I., Pervakov, V. A., and Tyutryumova, N. Yu. Influence of zirconium impurities on heat capacity of titanium and titanium–aluminium alloy at low temperatures, *Metallofiz. Noveish. Tekhnol.*, 1999, Vol. 21, No. 7, pp. 52–54.
- PanfK90 Panfilovich, K. B. and Sagadeev, V. V. Integral degree of emissivity of solid and liquid elements, *Prom. Teplotekh.*, 1990, Vol. 12, No. 5, pp. 66–71.
- PanfK95 Panfilovich, K. B., Budarin, P. I., Sagadeev, V. V., and Glinkin, V. A. Change in the radiative characteristics of substances at phase transitions, *Inzh.-Fiz. Zh.*, 1995, Vol. 68, No. 2, pp. 271–275.
- ParaP00 Paradis, P. F. and Rhym, W. K. Non-contact measurements of thermophysical properties of titanium at high temperature, *J. Chem. Thermodyn.*, 2000, Vol. 32, No. 1, pp. 123–133.
- ParaP02 Paradis, P., Ishikawa, T., and Yoda, S. Non-contact measurements of surface tension and viscosity of Nb, Zr and Ti using an electrostatic levitation furnace, *Int. J. Thermophys.*, 2002, Vol. 23, No. 2, pp. 825–842.

- ParkR65 Parker, R. Rapid phase transformation in titanium induced by pulse heating, *Trans. Met. Soc. AIME*, 1965, Vol. 233, No. 8, pp. 1545–1549.
- PaviD02 Pavicic, D. Z. and Maglic, K. D. Specific heat and electrical resistivity of 53% niobium–47% titanium alloy measured by subsecond calorimetric technique, *Int. J. Thermophys.*, 2002, Vol. 23, No. 5, pp. 1319–1325.
- PawaR68 Pawar, R. R. and Deshpande, V. T. Thermal expansion of titanium, *Acta Crystallogr.*, 1968, Vol. A24, No. 2, pp. 316–317.
- PeleV69 Peletskii, V. E. and Druzhinin, V. P. Experimental study of integral hemispherical emissivity in the high-temperature region, *Teplofiz. Vys. Temp.*, 1969, Vol. 7, No. 1, pp. 65–70.
- PeleV73 Peletskii, V. E. and Druzhinin, V. P. Integral hemispherical emissivity in the high-temperature region, *Teplofiz. Vys. Temp.*, 1973, Vol. 11, No. 1, pp. 212–213.
- PeleV77 Peletskii, V. E., Bel'skaya, E. A., Shur, B. A., and Listratov, I. V. The investigation of electrical resistivity and total hemispherical emissivity of titanium. In: *Proc. 7th Symp. on Thermophysical Properties*, ASME, New York, 1977, pp. 231–235.
- PeleV78 Peletskii, V. E., Amasovich, E. S., Bel'skaya, E. A., et al. Complex study of thermophysical properties of commercial titanium. In: *Teplofizicheskie svoistva veshchestv pri vysokikh temperaturakh* (Thermophysical Properties of Substances at High Temperatures), IVTAN Press, Moscow, 1978, pp. 143–158.
- PeleV80a Peletskii, V. E. and Zaretskii, E. B. Heats of phase conversions in alloys of the titanium–aluminium system. In: *Issledovaniya po gidrodinamike i teploobmenu* (Studies on Hydrodynamics and Heat Transfer), Izd. Sib. Otd. Akad. Nauk SSSR Press, Novosibirsk, 1980, pp. 117–121.
- PeleV80b Peletskii, V. E., Amasovich, E. S., and Zaretskii, E. B. High-temperature thermal conductivity of titanium iodide, *Teplofiz. Vys. Temp.*, 1980, Vol. 18, No. 2, pp. 300–304.
- PeleV81 Peletskii, V. E. and Bel'skaya, E. A. *Elektricheskoe soprotivlenie metallov i splavov* (Electric Resistance of Metals and Alloys), Energiya Press, Moscow, 1981.
- PeleV82 Peletskii, V. E. and Zaretskii, E. B. Thermophysical properties of group IV transition metals near polymorphous transformations. In: *Proc. 8th Symp. on Thermophysical Properties*, ASME, New York, 1982, Vol. 2, pp. 83–86.

- PeleV85 Peletskii, V. E., Chekhovskoi, V. Ya., Bel'skaya, E. A., Zaretskii, E. B., Petukhov, V. A., Fokin, L. R., and Shur, B. A. *Teplofizicheskie svoistva titana in ego splavov* (Thermophysical Properties of Titanium and Its Alloys), Metallurgiya Press, Moscow, 1985.
- PepiR78 Pepinov, R. J. and Muradov, T. J. The experimental study of thermal conductivity and electrical resistivity of various Ti and Ni alloys. In: *Proc. 6th Int. Symp. on Fresh Water from See*, 1978, Vol. 2, p. 327.
- PeruA00 Peruzzi, A., Gottardi, E., and Pavese, F. Investigation of the titanium superconductivity transition as a temperature reference point below 0.65 K, *Metrologia*, 2000, Vol. 37, pp. 229–233.
- PeruA99 Peruzzi, A., Gottardi, E., and Peroni, I. The influence of impurity concentration and magnetic fields on the superconductivity transition of high-purity titanium, *Nucl. Phys. B — Proc. Suppl.*, 1999, Vol. 78, pp. 576–580.
- PetrW88 Petry, W., Flottman, T., and Heiming, A. Atomistic study of anomalous self-diffusion in bcc beta-titanium, *Phys. Rev. Lett.*, 1988, Vol. 61, No. 6, pp. 722–725.
- PetrW91 Petry, W., Heiming, A., and Trampenau, J. Phonon dispersion of the bcc phase of group-IV metals. I. bcc titanium, *Phys. Rev. B*, 1991, Vol. 43, No. 13, pp. 10933–10947.
- PetuV03 Petukhov, V. A. Thermal expansion of zirconium in solid phase, *High Temp. — High Pres.*, 2003–2004, Vols. 35–36, pp. 15–23.
- PoleV85 Polev, V. F., Zinov'ev, V. E., and Korshunov, P. G. Thermal diffusivity of titanium alloys in solid and liquid states, *Teplofiz. Vys. Temp.*, 1985, Vol. 23, No. 5, pp. 890–893.
- PopI85 Pop, I., Petrisor, T., and Giurgiu, A. Itinerant antiferromagnetism of alpha-titanium, *J. Phys. Chem. Solids*, 1985, Vol. 46, No. 9, pp. 1077–1081.
- PottH41 Potter, H. H. Electrical resistance and thermoelectric power of the transition metals, *Proc. Phys. Soc. (London)*, 1941, Vol. 53, No. 6, pp. 675–706.
- PoweR61 Powell, R. W. and Tye, R. P. The thermal and electrical conductivity of titanium and its alloys, *J. Less-com. Met.*, 1961, Vol. 3, No. 3, pp. 226–233.
- PridK65 Pridantseva, K. S. and Solov'eva, N. A. *Vysokotemperaturnye neorganicheskie soedineniya* (High-Temperature Inorganic Compounds), Naukova Dumka Press, Kiev, 1965, pp. 41–47.

- PultN62 Pul'tsin, N. M. *Titanovye splavy i ikh primenenie v mashinostroenii* (Titanium Alloys and Their Use in Engineering), Mashgiz Press, Moscow, 1962.
- PushV02 Pushin, V. G., Yurchenko, K. A., and Yurchenko, L. I. Triple alloys Ti–Ni–Mn with thermoelastic martensite conversions. Roentgenography and electric resistance, *Fiz. Metal. Metalloved.*, 2002, Vol. 93, No. 3, pp. 75–82.
- QinJ97 Qin, J., Rosner-Kuhn, M., and Drewes, K. Spectral emissivities at wavelengths in the range 500–653 nm, enthalpies, and heat capacities of the liquid phases of cobalt, titanium, and zirconium, *High-Temp. Mater. Sci.*, 1997, Vol. 37, No. 3, pp. 129–141.
- RadtA80 Radtsig, A. A. and Smirnov, B. M. *Spravochnik po atomnoi i molekulayrnoi fizike* (Handbook on Atomic and Molecular Physics), Atomizdat Press, Moscow, 1980.
- RaoR79 Rao, R. and Rajput, A. Lattice specific heat and thermal expansion of titanium, *Phys. Rev.*, 1979, Vol. 19, No. 6, pp. 3323–3328.
- RaubC64 Raub, Ch. J. and Hull, G. W. Superconductivity of solid solutions of Ti and Zr with Co, Ru and Ir, *Phys. Rev.*, 1964, Vol. 133, No. 4A, pp. A932–A934.
- ReaI56 Rea, I. A. The Construction of a Furnace Calorimeter and the Evolution of a Method of Thermal Analysis for Obtaining Specific Heat of Solid at High Temperatures, Oklahoma A/M College, Thesis, 1956, pp. 1–52.
- ReitP01 Reiter, P. and Kaschnitz, E. A new millisecond high-temperature calorimeter, *High Temp. — High Pres.*, 2001, Vol. 33, No. 5, pp. 505–510.
- RiceM58 Rice, M. Y., McQuen, R. G., and Walsh, J. M. Compression of solids by strong shock waves, *Solid State Phys.*, 1958, Vol. 6, pp. 1–63.
- RoitA75 Roitburg, A. L. Special features of development of phase conversions in crystals. In: *Problemy sovremennoi kristallografi* (Problems of Modern Crystallography), Collection of Papers, Nauka Press, Moscow, 1975.
- RoitA76 Roitburg, A. L. Structural-kinetic types of polymorphic conversions. In: *Problemy metallovedeniya i fiziki metallov* (Problems of Metal Science and Physics of Metals), Collection of Papers, Metallurgiya Press, Moscow, 1976, No. 3, p. 316.
- RoseH55 Rosenberg, H. M. The thermal conductivity of metals at low temperatures, *Phil. Trans. Roy. Soc. (London)*, 1955, Vol. A247, pp. 441–497.

- RosnM01 Rosner-Kuhn, M., Drewes, K., and Franz, H. Entalpy measurements of the solid high-temperature beta-phase of titanium and zirconium by levitation drop calorimetry, *J. Alloys Compounds*, 2001, Vol. 316, pp. 175–178.
- RudaG75 Ruda, G. I., Kornilov, G. I., and Vavilova, V. V. Effect of hafnium on the temperature polymorphic conversion of titanium, *Izv. Vyssh. Uchebn. Zaved., Metally*, 1975, No. 5, pp. 203–206.
- RudkR62 Rudkin, R. L., Jenkins, R. J., and Parker, W. J. Thermal diffusivity measurements on metals at high temperatures, *Rev. Sci. Instrum.*, 1962, Vol. 33, No. 1, pp. 21–24.
- RudyE67 Rudy, E. and Progulski, J. A Pirani furnace for the precision determination of the melting temperatures of refractory metallic substances, *Plans. Pulvermetallurgie*, 1967, Vol. 15, No. 1, pp. 13–45.
- RuliA94 Rulison, A. J. and Rhim, W. K. A noncontact measurement technique for the specific-heat and total hemispherical emissivity of undercooled refractory materials, *Rev. Sci. Instrum.*, 1994, Vol. 65, No. 3, pp. 695–700.
- SadoV60 Sadovskii, V. D., Smirnov, L. V., and Sorokin, I. P. Study of phase recrystallization in titanium, *Fiz. Met. Metalloved.*, 1960, Vol. 10, No. 6, pp. 397–403.
- SageK56 Sagel, K., Schulz, E., and Zwicker, U. Untersuchung am System Titan–Aluminium, *Z. Metallkunde*, 1956, Vol. 47, pp. 529–534.
- SaitT69 Saito, T., Shiraishi, Y., and Sanuma, Y. Density measurement of molten metals by levitation technique at temperature between 1800 and 2200 °C, *Trans. Iron Steel Inst. Jpn.*, 1969, Vol. 9, pp. 118–126.
- SaleF70 Sale, F. R. An automatic spherical high-temperature adiabatic calorimeter, *J. Phys. E*, 1970, Vol. 3, pp. 646–650.
- SamsG69 Samsonov, G. V. *Nitridy* (Nitrides), Naukova Dumka Press, Kiev, 1969.
- SanbB89 Sanborn, B. A. and Allen, P. B. Empirical electron–phonon coupling constants and anisotropic electrical resistivity in hcp metals, *Phys. Rev. B*, 1989, Vol. 40, No. 9, pp. 6037–6044.
- SasaT87 Sasaki, T., Hanada, S., and Muto, Y. Anomalous electrical resistivity and structural instability in Ti–V alloys, *Physica B*, 1987, Vol. 148, pp. 513–516.
- SaviE73 Savitskii, E. M., Baron, V. V., and Efimov, Yu. V. *Superconducting Materials*, Plenum Press, New York, 1973.
- SaviV79 Savin, V. I., Lesnaya, M. I., and Ovdei, V. N. Electophysical properties of Zr–Ti and Zr–Hf alloys, *Izv. Akad. Nauk SSSR, Metally*, 1979, No. 6, pp. 195–199.

- SchaF66 Schatz, F. A. *Thermal Radiation Properties of binary Mixtures*, Vol. 18, *Thermophysics and Temperature Control of Spacecraft and Entry Vehicles*, Academic Press, New York, 1966, pp. 75–100.
- SchaK95 Schaefers, K., Bosner-Kuhn, M., and Frohberg, M. G. Enthalpy measurements of undercooled melts by levitation calorimetry: the pure metals nickel, iron, vanadium and niobium, *High Temp. Mater. Sci.*, 1995, Vol. A197, pp. 83–90.
- SchmN68 Schmitz-Pranghe, N. and Dunner, P. Gitterstruktur und thermische Ausdehnung der Übergangsmetalle Scandium, Titan, Vanadin und Mangan, *Z. Metallkunde*, 1968, Vol. 59, No. 5, pp. 377–382.
- SchoT53 Schofield, T. H. and Bacon, A. E. The melting point of titanium, *J. Inst. Metals*, 1953, Vol. 82, p. 167.
- SchoT54 Schofield, T. H. An apparatus for heat treatment and quenching small specimens in a vacuum from high temperatures, *Proc. Phys. Soc. (London)*, 1954, Vol. B67, p. 845.
- SchoT56 Schofield, T. H. Some experiments of the determination of the latent heats of transitions of titanium and iron, *J. Inst. Metals*, 1956, Vol. 85, pp. 68–72.
- ScotJ57 Scott, J. L. Calorimetric investigation of zirconium, titanium, and zirconium alloys from 60 to 960°C, US AEC, Rt. ORNL-2328, (CA 1958, 52: 219 h) 1957.
- SeemH67 Seemuller, H. and Stark, D. Das optische Emissionsvermögen des Titans, *Z. Phys.*, 1967, Vol. 198, No. 2, p. 201.
- SemaN88 Semashko, N. A., Taraev, S. P., Gainulin, I. F., Kabaldin, Yu. G., and Roshchupkin, V. V. Acoustic properties of titanium in the region of polymorphic phase transition, *Izv. Akad. Nauk SSSR, Metally*, 1988, No. 6, pp. 120–123.
- SereN61 Serebrennikov, N. N. and Gel'd, P. V. Heat content and heat capacity of titanium at high temperatures, *Izv. Vyssh. Uchebn. Zaved., Tsvetn. Metall.*, 1961, No. 4, pp. 80–86.
- SeydU79 Seydel, U. and Kitzel, W. Thermal volume expansion of liquid Ti, V, Mo, Pd and W, *J. Phys. F, Met. Phys.*, 1979, Vol. 9, No. 9, pp. L153–L160.
- SeydU80 Seydel, U. and Fucke, W. Electrical resistivity of liquid Ti, V, Mo and W, *J. Phys. F, Met. Phys.*, 1980, Vol. 10, pp. L203–L206.
- ShabS82 Shabalovskaja, S. A., Lotkov, A. I., and Baturin A. A. Electron properties anomalies on the stage preceding rhombohedral phase in TiNi, *Solid State Commun.*, 1982, Vol. 41, No. 1, pp. 15–17.

- ShchI73 Shchetkin, I. S. and Kharchenko, T. M. Superconductivity and electron structure of solid solutions of titanium in niobium, *Sov. Phys. JETP*, 1973, Vol. 37, pp. 491–492.
- ShesV65 Shestopal, V. O. Heat capacity and formation of vacancies in titanium at high temperatures, *Fiz. Tverd. Tela*, 1965, Vol. 7, No. 11, pp. 3461–3463.
- ShinA00 Shinyaev, A. Ya. and Illarionov, E. I. Influence of high-temperature treatment on physical and mechanical properties of titanium alloys, *Metalloved. Term. Obrab. Met.*, 2000, No. 1, pp. 33–37.
- ShumL00 Shumei, L., Dianlin, Z., and Xiunian, J. Upper critical field of Ti and alpha-TiAl alloys: Evidence of a intrinsic type-II superconductivity in pure Ti, *Phys. Rev. B*, 2000, Vol. 63, No. 13, pp. 8695–8698.
- ShurB04 Shur, B. A. and Peletskii, V. E. Effect of alloying additions on emissivity of titanium in the vicinity of polymorphic conversion, *Teplofiz. Vys. Temp.*, 2004, Vol. 42, No. 3, pp. 414–420.
- ShurB81 Shur, B. A. Emissivity of the iodide and commercial titanium at the temperature range of 1100–1900 K, *Teplofiz. Vys. Temp.*, 1981, Vol. 18, No. 6, pp. 1172–1177.
- ShuvV84 Shuvalov, V. A. Determination of integral emissivity of electroconducting materials by thermoanemometric probes, *Teplofiz. Vys. Temp.*, 1984, Vol. 22, No. 3, pp. 492–495.
- SinhA68 Sinha, A. K. Low-temperature specific heat of b.c.c. titanium–molybdenum alloys, *J. Phys. Chem. Solids*, 1968, Vol. 29, No. 5, pp. 749–754.
- SiroN02 Sirota, N. N. Characteristic temperature and polymorphism of the elements Ca, Ti, Fe, Co, Zr, Sn, La in the Debye approximation, *Dokl. Akad. Nauk SSSR*, 2002, Vol. 382, No. 1, pp. 45–49.
- SiroN83 Sirota, N. N., Zhabo, T. E., and Orlova, N. S. X-ray study of thermal properties of titanium in the region of the alpha–beta phase transition, *Dokl. Akad. Nauk BSSR*, 1983, Vol. 27, No. 1, pp. 17–19.
- SmirE87 Smirnov, E. A., Osetskii, Yu. N., and Mikhin, A. G. Point defects in fcc phases of titanium and zirconium, In: *Konstruktionskiye materialy v atomnoi tekhnike* (Structural Material in Nuclear Engineering), Collection of Papers of Moscow Institute of Engineering Physics, Energoatomizdat Press, Moscow, 1987, pp. 25–34.
- SmitT52 Smith, T. S. and Daunt, J. G. Some properties of superconductors below 1 K. 111. Zr, Hf, Cd and Ti, *Phys. Rev.*, 1952, Vol. 88, No. 5, pp. 1172–1176.

- SmitT53 Smith, T. S., Gager, W. H., and Daunt, J. G. Some properties of superconductors below 1 K, *Phys. Rev.*, 1953, Vol. 89, No. 3, p. 654.
- SmitT72 Smith, T. Optical constants of clean titanium and tungsten surfaces as functions of temperature, *J. Opt. Soc. Amer.*, 1972, Vol. 62, pp. 774–779.
- SokoA61 Sokolov, A. V. *Opticheskie svoistva metallov* (Optical Properties of Metals), Fizmatgiz Press, Moscow, 1961.
- SoloO76 Solonina, O. P. and Glazov, S. G. *Zharoprochnye titanovye splavy* (Heat-Resistant Titanium Alloys), Metallurgiya Press, Moscow, 1976.
- SoulR03 Soulé, R. J. and Cooley, L. D. Influence of scrining on the superconductive transition temperature, *Phys. Rev. B*, 2003, Vol. 68, p. 94505.
- SparE71 Sparrow, E. M. and Cess, R. D. *Teploobmen izlucheniem* (Radiative Heat Transfer), Energiya Press, Leningrad, 1971.
- SpreJ59 Spreadborough, J. and Christian, J. W. The measurements of the lattice expansion and Debye temperature of titanium and silver by x-ray methods, *Proc. Phys. Soc.*, 1959, Vol. 74, Pt. 5, No. 479, pp. 609–615.
- StalB61 Stalinski, B. and Bieganski, Z. Polmikrokalorymetr adiabatyczny dla zaurezu temperatur 23–370 K. Ciepla abomowe titanu w zakresie 27–360 K, *Roczniki Chemii*, 1961, Vol. 25, pp. 273–282.
- SteeM53 Steele, M. C. and Hein, R. A. Superconductivity of titanium, *Phys. Rev.*, 1953, Vol. 92, No. 2, pp. 243–247.
- StraH67 Strassmair, H. and Stark, D. Verdampfungsgeschwindigkeit, Dampfdruck und Verdampfungswärme von Re, Rh, Pd und Ti, *Z. Angew. Phys.*, 1967, Vol. 23, No. 1, pp. 40–44.
- StraS64 Strauss, S. W. The temperature dependence of the density of liquid metals, *Nucl. Sci. Eng.*, 1964, Vol. 18, No. 2, pp. 280–285.
- SukhB71 Sukharevskii, B. Ya., Shchetkin, I. S., and Falko, I. I. Investigation of the superconducting state of solid solutions of Nb–Ti system, *Sov. Phys. JETP*, 1971, Vol. 60, pp. 277–282.
- SukhV67 Sukhanov, V. D. and Tsiovkin, Yu. N. Temperature dependence of heat capacity of some titanium alloys, *Metalloved. Term. Obrab. Met.*, 1967, No. 6, pp. 50–51.
- SumiV74 Sumin, V. V., Svyazhin, A. G., and Peizulaev, Sh. I. Measurement of pressure of liquid titanium vapor in melting in the suspended state, *Izv. Akad. Nauk SSSR, Metallofiz.*, 1974, No. 2, pp. 77–81.
- SuriV84 Surin, V. G., Romanov, V. N., and Volynkina, T. M. Study of thermal conductivity of VT6 alloy. In: *Metody i sredstva kalorimetrii i teplovye izmereniya* (Methods and Means of Calorimetry and Thermal Measurements), NPO VNIM Press, Leningrad, 1984, pp. 55–59.

- TaraO87 Tarasova, O. B., Chemleva, T. A., and Nartova, T. T. Specific electric resistance of alloys of the Ti–Al–Cr–Sn systems, *Izv. Akad. Nauk SSSR, Metally*, 1987, No. 4, pp. 217–219.
- TimrD63 Timrot, D. L. and Peletskii, V. E. Application of electronic heating to investigation of the heat-conduction coefficient of high-melting alloys and compounds, *Teplofiz. Vys. Temp.*, 1963, Vol. 1, No. 2, pp. 168–172.
- Titan92 *Titan i splavy titanovye deformiruemye. Marki* (Titanium and Deformable Titanium Alloys. Grades), GOST 19807-92, 1992.
- TomiZ80 Tomilo, Zh. M. Thermophysical properties of scandium–titanium alloys, *Inzh.-Fiz. Zh.*, 1980, Vol. 30, No. 2, pp. 587–592.
- ToulY70a Touloukian, Y. S. *Thermophysical Properties of High-Temperature Solid Materials*, Vol. 7, IFI, New York, 1970.
- ToulY70b Touloukian, Y. S. and Buyco, E. U. Specific heat of metallic elements and alloys. In: *Thermophysical Properties of Matter, The TPRC Data Series*, Vol. 4, IFI/Plenum, New York–Washington, 1970.
- ToulY75 Touloukian, Y. S. (Ed.) *Thermophysical Properties of Matter*. Vol. 12. *Thermal Expansion*, IFI/Plenum, New York–Washington, 1975.
- TrevJ71 Treverson, J. A. and Margrave, J. L. Thermodynamic properties by levitation calorimetry. III. The enthalpies of fusion and heat capacity for the liquid phases of iron, titanium and vanadium, *J. Chem. Thermodyn.*, 1971, Vol. 3, pp. 473–481.
- UdovA91 Udovskii, A. L. Temperature dependences of thermodynamic properties of multicomponent alloys, *Izv. Akad. Nauk SSSR, Metally*, 1991, No. 4, pp. 34–58.
- UnvaB70 Unvala, B. A. and Goel, T. G. Thermal conductivity, electrical resistivity and total emittance of titanium at high temperatures, *Rev. Int. Hautes Temp.*, 1970, Vol. 7, pp. 341–345.
- VaksV89 Vaks, V. G. and Kapinos, V. G. Use of interion potentials from model pseudopotentials for modeling point defects and radiation effects in Cu, Fe, Ni, Ti, and Zr, *Fiz. Tverd. Tela*, 1989, Vol. 31, No. 3, pp. 139–148.
- VedeM69 Vedernikov, M. V., Dvunitkin, V. C., and Zhumagulov, A. The thermoelectric power of transition metals at high temperatures, *Adv. Phys.*, 1969, Vol. 18, No. 74, pp. 337–370.
- VedeM78 Vedernikov, M. V., Dvunitkin, V. C., and Zhumagulov, A. The thermoelectric power of the metallic continuous solid solutions. In: *Thermoelectricity of Metallic Conductors*, New York–London, 1978, pp. 117–124.

- VeerD98 Veeraraghavan, D., Pilchovski, U., Natarajan, B., and Vasudevan, V. K. Phase equilibria and transformation in Ti-(25–32) at.% Al alloys studied by electrical resistivity measurements, *Acta Mater.*, 1998, Vol. 46, No. 2, pp. 405–421.
- WahrR01 Wahrenberg, R., Garnier, M. G., Stupp, H., and Oelhafen, P. PES of liquid early transition metals with high vapour pressures, *J. Electron Spectrosc. Rel. Phenom.*, 2001, Vol. 114–116, pp. 1083–1087.
- WallW80 Wall, W. E., Ribarski, M. W., and Stevenson, J. R. Optical properties of titanium and titanium oxide surfaces, *J. Appl. Phys.*, 1980, Vol. 51, No. 1, pp. 661–667.
- WalsJ57 Walsh, J. M., Rice, M. H., and McQueen, R. G. Shock-wave compressions of twenty-seven metals equation of state of metals, *Phys. Rev.*, 1957, Vol. 108, pp. 196–216.
- WardR72 Ward, R. L., Hoch, M., and Bidwell, L. R. Specific Heat of Titanium and Titanium Base Alloys. US Air Force Rep. AFML-TR-72-186, 1972.
- Wasilevski, R. J. Thermal expansion of titanium and Ti–O alloys, *Trans. Met. Soc. AIME*, 1961, Vol. 221, pp. 1231–1235.
- WhitG59 White, G. K. and Woods, S. B. Electrical and thermal resistivity of the transition elements at low temperatures, *Phil. Trans. Roy. Soc. (London)*, 1959, Vol. A251, pp. 273–302.
- WillD61 Williams, D. N. Thermal expansion of beta-titanium, *Trans. Met. Soc. AIME*, 1961, Vol. 221, No. 2, pp. 411–412.
- WillR62 Willens, R. N. Vacuum x-ray diffractometer for high-temperature studies and investigation of the allotropic transformation of titanium, *Rev. Sci. Instrum.*, 1962, Vol. 33, p. 1069.
- WolcN57 Wolcoff, N. M. The atomic heats of titanium, zirconium and hafnium, *Phil. Mag.*, 1957, Vol. 2, No. 21, pp. 1246–1254.
- WornH51 Worner, H. W. Thermoelectric properties of titanium with special reference to the allotropic transformation, *Austr. J. Sci. Res., Ser. A, Phys. Sci.*, 1951, Vol. 4, pp. 62–83.
- WuH71 Wu, H. Y. and Wahlbeck, P. G. Vapor pressures and standard enthalpy change for sublimation of Ti, *High-Temp. Sci.*, 1971, Vol. 3, No. 6, pp. 469–467.
- YageF69 Yagee, F. L., Gilbert, E. R., and Styles, J. W. Thermal expansivities, thermal conductivities and densities of vanadium, titanium, chromium and some vanadium base alloys, *J. Less-com. Met.*, 1969, Vol. 19, No. 1, pp. 39–51.

- YokoI91 Yokoyama, I. and Naito, S. Specific heat of liquid transition metals caculated from the temperature derivative of the one-component plasma structure factor, *Physica B*, 1991, Vol. 168, pp. 229–235.
- ZaitG65 Zaitseva, G. G. and Kraftmaker, Ya. A. Heat capacity of titanium near the point of phase conversion, *Prikl. Mekh. Tekh. Fiz.*, 1965, No. 3, p. 117.
- ZaitG67 Zaitsev, G. A., Ovcharenko, V. I., and Khotkevich, R. I. Use of carbon adsorption pump in an adiabatic vacuum calorimeter for temperatures from 4.2 to 300 K, *Prib. Tekh. Eksp.*, 1967, No. 1, p. 212.
- ZamoO85 Zamolodchikov, O. G., Borzyak, A. N., and Lepeshkin, Yu. D. Specific electric resistance of alloys of the Ti–V–Mo, Ti–V–Nb, and Ti–Nb–Mo systems within the range from 2 to 273 K. In: *Teplofizika kondensirovannykh sred* (Thermophysics of Condensed Media), Nauka Press, Moscow, 1985, pp. 98–107.
- ZareE79a Zaretskii, E. B. and Peletskii, V. E. Apparatus for complex study of thermophysical properties of metals, *Teplofiz. Vys. Temp.*, 1979, Vol. 17, No. 1, pp. 124–132.
- ZareE79b Zaretskii, E. B. and Peletskii, V. E. Study of thermal diffusivity of titanium iodide in the wide vicinity of fcc–bcc conversion, *Teplofiz. Vys. Temp.*, 1979, Vol. 17, No. 2, pp. 310–313.
- ZareE80a Zaretskii, E. B. and Peletskii, V. E. Complex of thermophysical properties of solid solutions of the Ti–Al system in the temperature range 750–1700 K, *Teplofiz. Vys. Temp.*, 1980, Vol. 18, No. 1, pp. 84–91.
- ZareE80b Zaretskii, E. B. and Peletskii, V. E. Thermophysical properties of solid solutions of the ternary Ti–Al–V system, *Teplofiz. Vys. Temp.*, 1980, Vol. 18, No. 5, pp. 990–994.
- ZareE80c Zaretskii, E. B. Thermophysical Properties of Titanium-Based Alloys, Author's Abstract of Candidate Thesis, IVTAN Press, Moscow, 1980.
- ZareE82a Zaretskii, E. B. "Frozen" heat capacity and heat of phase transition. Titanium, *Teplofiz. Vys. Temp.*, 1982, Vol. 20, No. 3, pp. 471–475.
- ZareE82b Zaretskii, E. B., Peletskii, V. E., and Kudryavtsev, A. S. Complex study of thermophysical properties of titanium alloys in the temperature range 750–1700 K. In: *Splavy titana s osobymi svoistvami* (Titanium Alloys with Special Properties), Nauka Press, Moscow, 1982, pp. 20–23.
- ZariY77 Zarichnyak, Yu. P. and Lisnenko, T. A. Thermal conductivity of binary and ternary disordered solid solutions of a titanium–zirconium–hafnium system, *Inzh.-Fiz. Zh.*, 1977, Vol. 33, No. 4, pp. 642–647.

- ZenkV72 Zenkevich, V. B. and Sychev, V. V. *Magnitnye sistemy na sverkhprovodnikakh* (Superconducting Magnetic Systems), Nauka Press, Moscow, 1972.
- ZhalA95 Zhalko-Titarenko, A. V., Evlashina, M. L., Perlov, A. Ya., and Yavorskii, B. Yu. Electronic structure of titanium near the point of structural phase conversion, *Fiz. Nizk. Temp.*, 1995, Vol. 21, No. 5, pp. 553–558.
- ZhorG67 Zhorov, G. A. Integral emissivity of metals in heating in air, *Teplofiz. Vys. Temp.*, 1967, Vol. 5, No. 3, pp. 450–457.
- ZhorG70 Zhorov, G. A. Emissivity of metals of subgroup IV at high temperatures, *Teplofiz. Vys. Temp.*, 1970, Vol. 8, No. 3, pp. 535–538.
- ZhorG75 Zhorov, G. A. and Nissenbaum, L. M. Surface factor in emissivity of the titanium alloy OT4-1 and steel Kh18N10T, *Teplofiz. Vys. Temp.*, 1975, Vol. 13, No. 4, pp. 741–746.
- ZiegW61 Ziegler, W. T. and Mullins, J. C. Specific Heat of Titanium Alloys, Georgia Inst. Techn., Final Reports, 1961, Project No. 504.
- ZiegW63 Ziegler, W. T., Mullins, J. C., and Hwa, S. C. P. Specific heat and thermal conductivity of four commercial titanium alloys from 20 to 300 K, *Adv. Cryog. Eng.*, 1963, Vol. 8, pp. 268–277.
- ZilbV73 Zil'bershtein, V. A., Nosova, G. I., and Estrin, Z. I. Alpha–omega conversion in titanium and zirconium, *Fiz. Met. Metalloved.*, 1973, Vol. 75, No. 3, pp. 584–589.
- ZilbV75 Zil'bershtein, V. A., Chistotin, V. L., and Zharov, A. A. Alpha–omega conversion in titanium and zirconium in shear deformation under pressure, *Fiz. Met. Metalloved.*, 1975, Vol. 39, No. 2, pp. 445–447.
- ZinoV78 Zinov'ev, V. E. High-temperature anisotropy of electric resistance of titanium and other fcc transition metals, *Fiz. Tverd. Tela*, 1978, Vol. 20, No. 8, pp. 2249–2253.
- ZlobG79 Zlobin, G. M., Iliev, L. B., and Kozinets, V. V. Thermal conductivity of solid solutions of aluminium and tin in titanium at low temperatures, *Fiz. Met. Metalloved.*, 1979, Vol. 47, No. 6, pp. 1310–1313.
- ZwicU79 Zwicker, U. *Titan i ego splavy* (Titanium and Its Alloys), Metallurgiya Press, Moscow, 1979.