

**THERMAL RADIATION IN DISPERSE SYSTEMS:
AN ENGINEERING APPROACH**

**LEONID A. DOMBROVSKY
DOMINIQUE BAILLIS**

THERMAL RADIATION IN DISPERSE SYSTEMS: AN ENGINEERING APPROACH

LEONID A. DOMBROVSKY

DOMINIQUE BAILLIS

COVER PHOTO: Leonid A. Dombrovsky, holder of the copyright for the cover photo has granted permission to Begell House to reproduce the photo.

Copyright (c) 2010 by Begell House, Inc. All rights reserved. This book, or any parts thereof, may not be reproduced in any form or by any means, or stored in a data base retrieval system, without written consent from the publisher.

This book represents information obtained from authentic and highly regarded sources. Reprinted material is quoted with permission, and sources are indicated. A wide variety of references are listed. Every reasonable effort has been made to give reliable data and information, but the author and the publisher cannot assume responsibility for the validity of all materials for the consequences of their use.

ISBN: 978-1-56700-268-3

Printed in the United States of America 1 2 3 4 5 6 7 8 9 0

Library of Congress Cataloging-in-Publication Data

Dombrovsky, L. A.

Thermal radiation in disperse systems: an engineering approach / Leonid A. Dombrovsky, Dominique Baillis.
p. cm.

ISBN 978-1-56700-268-3 (hard cover)

1. Heat--Radiation and adsorption. 2. Heat--Transmission. 3. Heat engineering. I. Baillis, Dominique. II. Title.

QC331.D663 2011

621.402'2--dc22

2010028983

Direct inquires to Begell House, Inc., 50 Cross Highway, Redding, Connecticut

**To partners in our life
Galina Dombrovskaya
and Christophe Baillis,
and to our five children:
Konstantin, Kirill,
Maxime, Pierre, and Thomas**

The monograph provides a systematic consideration of diverse problems of thermal radiation in disperse systems. A set of problems discussed in some details includes the thermal radiation of two-phase combustion products in rocket engines, the spectral radiative properties of advanced thermal insulations, the microwave thermal radiation of disperse systems on the sea surface, and the thermal radiation in a multiphase medium, formed in the case of hypothetical severe accident of a nuclear reactor. The theoretical models developed by the authors are mainly based on the Mie theory for the radiative properties of single particles and approximate methods for the radiation transfer in anisotropically scattering media. The experimental characterization of dispersed materials like foams, porous ceramics, fibrous and nanoporous insulations is based on directional-hemispherical measurements in a wide infrared spectral range and the mathematical identification procedure for the material radiative properties.

A wide use of simplified theoretical models and relatively simple computational and experimental procedures form the so-called engineering approach which appears to be very useful in solving many practical problems. The examples for the solutions of several particular problems are also presented in the book. Therefore, this book can be considered as a manual on applied radiative and combined heat transfer problems. It is destined for students, engineers, and researchers in the field of heat transfer. Numerous references presented in the book enable an interested reader to undertake a further study of specific thermal radiation problems in disperse systems.

Dombrovsky L.A.

Baillis D.

There are only two ways to live your life.

One is as though nothing is a miracle.

The other is as though everything is a miracle.

Albert Einstein

Photo by Sasha Shevelko




Photo by Leonid Dombrovsky



Leonid A. Dombrovsky is a Chief Researcher of the Joint Institute for High Temperatures of the Russian Academy of Sciences. He received the Candidate (PhD) degree in 1974 from the Moscow Institute of Physics and Technology and the Doctor of Sciences degree in 1990 from the Research Institute of Thermal Processes, Moscow, Russia. His research interests have been focused on theoretical modelling of radiative and combined heat transfer in disperse systems including wide-range spectral properties of particles and fibers, modified differential approximations for radiative transfer, and the problem-oriented computer codes for solving combined heat transfer problems. He has published more than 150 research papers, mainly in refereed journals, and the monograph *Radiation Heat Transfer in Disperse Systems* (Begell House, New York, 1996). The Fifth Radiation Symposium on Radiative Transfer (Bodrum, Turkey, 2007) was dedicated to Leonid Dombrovsky in recognition of his valuable contributions to the radiation research field.

Dominique Baillis is a Professor of the INSA Lyon Thermal Science Center (CETHIL). She received the PhD degree in 1995 from INSA (National Institute of Applied Sciences) Lyon, France and the Professor degree in 2007 from the same institution. Her research interests have been focused on experimental identification and theoretical modeling of thermal radiative and conductive properties of diverse disperse systems such as advanced thermal insulations, fibrous materials, porous ceramics, foams, and nanoporous materials. She has published more than 50 research papers. Most of Professor Baillis's research has been carried out jointly with students. She has guided the work of more than 13 doctoral and 10 master students coming from many countries of the world, during last 14 years. She has also directed research of 8 postdoctoral researchers.

Preface

A number of technological processes and natural phenomena are accompanied by heat transfer concerned with media thermal radiation. Generally, thermal radiation is thought to be relevant only at high temperatures. This widespread error is easily overcome if we recall, for example, that the weather and climate on our planet are mainly determined by thermal radiation of cloudy atmosphere and the Earth surface. Few people are aware that the quality of an ordinary sleeping-bag is connected with changing of radiation transfer conditions in a fibrous material.

In the examples mentioned, as well as in many other cases, thermal radiation emission, absorption, and scattering take place in a medium containing numerous particles of size comparable with the radiation wavelength. Such media are customary called the disperse systems. One has to solve radiation heat transfer problems for disperse systems in highly different applications such as heat transfer in solid propellant rocket engines and solar chemical reactors, characterization of advanced composite coatings and highly porous thermal insulations, microwave remote sensing of the ocean surface with breaking waves, and spacecraft thermal control by use of a liquid droplet radiator. The geometrical scales of particles, bubbles, and pores in the above mentioned thermal radiation problems and in many other problems may vary in a very wide range — from nanometers in some advanced materials to several millimeters or even greater in the microwave applications. As a result, both the experimental technique and theoretical modeling should be based on a general physical analysis of electromagnetic waves interaction with single particles and adequate description of the radiation propagation in complex disperse systems. It goes without saying that direct simulation of the radiation emission, absorption, and scattering based on the first principles is impractical at the moment and one should find alternative engineering approaches by using the known solutions to some simplified problems. Of course, a correct choice or elaboration of an approximate model which is appropriate to the problem to be solved depends on personal skill and experience of a researcher in this field. In our book, we were trying to do our best to help our young colleagues in improving their knowledge and qualification in thermal radiation problems specific for various disperse systems.

One should remember the usual error of some people who are starting to work in heat transfer modeling. They think that all the problems can be solved by more and more computational skill in combination with great possibilities of the present-day supercomputers. We have several arguments which show that this ambitious point of view is not correct:

- In many problems, radiative heat transfer is not a sole transfer mode and it should be considered simultaneously with the conduction and convective heat transfer. The complex hydrodynamic processes and phase change in the medium components makes a rigorous mathematical statement of such transient combined problems too complicated for the direct numerical simulation.

- The spectral radiative properties of substances are not well-known especially at very low or high temperatures as well as in the regions of extreme values of other physical parameters. The uncertainties in these properties limit the resulting accuracy of the radiation field calculations and make the use of detailed numerical simulation to be not so important.

To our mind, the understanding of physics and the use of relatively simple theoretical models are very important components of the engineering approach to experimental and computational study of thermal radiation in disperse systems.

The known textbooks on thermal radiation are not focused on detailed analysis of radiative properties of various disperse systems and do not give practical examples of solving the radiative and combined heat transfer problems. In this book, we were trying to bridge a gap between the ordinary university education and the research and engineering work. The contents of the book is determined by research and teaching experience by the authors in this field. To make reading easier, we avoid detailed derivations and give the minimal mathematical transformations. All these details can be found in the referenced archive papers.

Of course, the analysis of some problems considered in the book is not so detailed. A reader could find these sections as a kind of starting points which still await his or her further research contributions. But we hope that our efforts were sufficient to pave the way for engineers and researchers in the field of thermal radiation and combined heat transfer in disperse systems. By including a large number of references for further reading, the book may also be used as a reference book by the practicing engineer.

The authors are grateful to the colleagues Wojciech Lipiński, Jaona Randrianalisoa, Remi Coquard, Herve Kamdem Tagne, Sylvain Lallich, Mathilde Loretz, Aurélie Kaemmerlen, Ségolène Gauthier, Luis Moura, and Mikhail Davydov for their contribution to the studies presented in Sections 1.5.3.1, 1.7.2, 3.3–3.9, and 4.11 of the book. The interest to our joint project and support by professors Jean-Francois Sacadura, Dany Escudie, Truc-Nam Dinh, Leonid Zaichik, Yuri Zeigarnik, and Alexander Leontiev is much acknowledged.

Introduction

The physical basis of the majority of solutions considered in this book is the notion of radiation transfer in an absorbing and scattering medium as some macroscopic process, which can be described by a phenomenological transfer theory and radiative transfer equation for spectral radiation intensity. It is of great importance that the problems, to which the radiation transfer theory can be applied, are quite numerous and contain thermal radiation of various disperse systems. In the book, we use the following main assumptions concerning disperse system properties and radiative transfer:

- Radiation propagation is more rapid than any change of physical parameters, therefore the radiation intensity field is quasi-steady;
- Radiative properties of the medium do not depend directly on the radiation intensity, but they vary only with temperature;
- Wave polarization can be ignored in radiative transfer calculations;
- Radiation scattering is not accompanied by any frequency variation.

In many (but not all) cases, we assume also that characteristics of absorption and scattering of radiation by a small (elementary) volume of the disperse system can be determined from the properties of single particles regardless of any collective effects. The last assumption simplifies the problem, and gives also a chance for direct investigation of the medium composition influence on thermal radiation transfer. The restrictions occurring from this assumption are usually not as significant, as might seem, since the assumption about small collective (dependent scattering) effects remains valid up to a high enough particle concentration.

The radiation transfer theory has been developed by a number of famous scientists working in the physical optics, astrophysics, nuclear reactor theory, and heat transfer theory. The mathematical theory was created containing up-to-date analytical and numerical methods. Numerous particular publications dealt with computational methods applied to radiative transfer problems. Together with the development of the radiation transfer theory, significant achievements took place in theoretical investigations of particle radiative properties for various disperse systems. Properties of particles comparable with the wavelength turned out to be diverse and complex. Many applied investigations and well-known monographs were published on this subject. In order to solve the practical problems of thermal radiation in disperse systems, one needs to combine achievements of both the scattering theory and radiation transfer theory. A reasonable choice of the method for solving the radiative transfer equation depends upon the medium properties. On the other hand, the requirements for completeness and accuracy of single particle properties are determined by essential precision of radiation flux calculations. This was also reflected in the book.

While solving many practical heat transfer problems, one should take into account not only the thermal radiation but also heat transfer by conduction and convection in the medium. Most general problems of combined radiative-convective heat transfer are

very complicated and their solution is possible only by employing approximate computational models for radiative transfer. Therefore, more attention was given to errors resulting from these approximate models.

As the measurements of radiative characteristics of diverse dispersed materials are very important to develop and validate appropriate theoretical models, a special emphasis is put on recent overviews of experimental characterization of spectral radiative properties of disperse systems and comparison between experimental and theoretical results. The examples of the simultaneous use of both theoretical analysis and experimental identification to understand unusual radiative properties of quite different porous materials of complex morphology are expected to be interesting for potential readers to know the complete set of tools employed in this field.

It is natural that the choice of material for this book corresponds to the field of practical work by the authors. The book is divided into four chapters. Chapter 1 deals with computational models for radiative transfer in disperse systems. The main attention is given to simple approximate models, both traditional and modified, which have a clear physical sense and enable one to derive some useful analytical solutions to classic problems. Computer codes based on these approximate models for radiative transfer are widely used in engineering practice especially in combined heat transfer calculations. The error of various approximations is analyzed in some details by comparison with exact analytical and numerical solutions. Approximate models presented in Chapter 1 form a basis of solutions obtained for applied problems considered in the book. A detailed numerical simulation of radiative transfer using the discrete ordinate method and the Monte Carlo procedure as applied to disperse systems is also discussed in this chapter.

Spectral radiative properties of single particles and fibers are considered in some detail in Chapter 2. The theoretical part of this chapter includes the Mie solution for homogeneous spherical particles and more general solutions for hollow and core-mantled spheres. We give also the known solution for arbitrary illumination of long cylinders. This solution is widely employed in modeling the radiative properties of single fibers and highly porous fibrous materials. A complete set of equations is presented for homogeneous, hollow, and two-layered cylinders. The main limiting cases of the general theory (the Rayleigh and Rayleigh–Gans scattering, the geometrical optics, and the anomalous diffraction approximation) are considered in Section 2.2. Absorption and scattering of the visible, infrared, and microwave radiation by single particles and fibers of various substances are analyzed in Section 2.3. Thermal radiation from non-isothermal particles and the radiation from a particle to ambient medium through narrow concentric gap are considered in Sections 2.4 and 2.5. The radiative properties of polydisperse systems and applicability of monodisperse approximation are discussed in the last section of Chapter 2.

Chapter 3 presents an engineering approach for both theoretical prediction and experimental determination of spectral radiative properties of quite different dispersed

materials containing the morphology elements of arbitrary shape. A general theoretical basis of radiative properties determination and present-day principles of experimental characterization with identification procedure are recalled. Physical limitations of independent scattering theory are also discussed in this chapter. Experimental and computational results, approximate theoretical models and engineering estimates important for potential applications are presented for porous materials such as cellular foams, fibrous materials, ceramics, polymer coatings containing microspheres, and nanoporous aerogel superinsulations. The materials under investigation can be applied in advanced energy and combustion systems, such as low- NO_x combustion burners, solar thermal energy systems or specific applications requiring lightness and high insulating efficiencies. Thus the characterization of radiative properties of such dispersed materials plays an important role in many engineering systems.

Some radiative and combined heat transfer problems in various disperse systems are considered in Chapter 4. These problems include the main results for radiation heat transfer in solid-propellant rocket engines (Section 4.1), the problems of radiative cooling of particle flow in vacuum (Section 4.2), the combined heat transfer in boundary-layer flows (Section 4.3), the thermal microwave radiation of foam and water sprays produced by breaking ocean waves (Section 4.4), the radiative-conductive heat transfer in composite coatings, fibrous materials, and foam insulations (Sections 4.5, 4.6), the radiative effects in a semi-transparent liquid containing gas bubbles (Section 4.7), the effects of nonuniform absorption and heating of semi-transparent particles by an external radiation (Section 4.8, 4.9), and the thermal radiation modeling in multiphase flows with high-temperature nonisothermal particles (Sections 4.10 and 4.11).

Chapters 1, 2, and 4 are only partially based on the revised material of the previous book by Leonid Dombrovsky "Radiation Heat Transfer in Disperse Systems" (Begell House, New York, 1996). These chapters include some new results obtained in the period from 1994 to 2010. Sections 1.7 and 4.6.2, which are written by Dominique Baillis, are also presented in Chapters 1 and 4. As to Chapter 3, it involves mainly a systematic presentation of the research by a group of Dominique Baillis. Sections 3.6–3.9 of this chapter are written by Leonid Dombrovsky on the basis of the research work, which has been done in cooperation with Dominique Baillis and her students.

For a topic which is broad as the one considered in this book, it is very difficult to be comprehensive. However, we hope that enough key references are cited in the book to enable an interested reader to undertake a more detailed study of specific thermal radiation problems in disperse systems.



Leonid Dombrovsky



Dominique Baillis Doermann

Table of Contents

Preface	ix
Introduction	xi
1. Computational Models for Radiative Transfer in Disperse Systems	1
1.1 The Radiative Transfer Equation	2
1.2 Transport Approximation	6
1.3 Differential Approximations	8
1.3.1 Two-Flux Approximation	10
1.3.2 P_1 Approximation of the Spherical Harmonics Method	12
1.3.3 The Simplest Approximations of Double Spherical Harmonics	15
1.4 Solutions for One-Dimensional Problems	18
1.4.1 Radiation of an Isothermal Plane-Parallel Layer	18
1.4.2 Radiative Equilibrium in a Plane-Parallel Layer	32
1.4.3 Hemispherical Transmittance and Reflectance at Normal Incidence	35
1.4.4 An Estimate of P_1 Approximation Error for Optically Inhomogeneous Media	45
1.4.5 Radiation of a Nonisothermal Layer of a Scattering Medium	51
1.5 Diffusion Approximation in Multi-Dimensional Problems	54
1.5.1 Radiation of Isothermal Volumes of a Scattering Medium	55
1.5.2 The Finite-Element Method for Nonisothermal and Nonhomogeneous Media	60
1.5.3 A More Accurate Solution Based on the Combined Computational Model	64
1.5.3.1 Model problems for thermal radiation	65
1.5.3.2 Propagation of collimated external radiation	72
1.6 Large-Cell Model for Radiation Heat Transfer in Multiphase Systems	74
1.6.1 The Two-Band Model with Conventional Semi-Transparency and Opacity Regions	75
1.6.2 P_1 Approximation and the Large-Cell Radiation Model for a Semi-Transparency Range	76
1.6.3 Comparison of Diffusion and Large-Cell Models for Typical Problem Parameters	80
1.6.3.1 Monodisperse particles	81
1.6.3.2 Polydisperse particles	83

1.7	Some Methods for Detailed Numerical Simulation of Radiative Transfer	84
1.7.1	The Discrete Ordinates Method for One-Dimensional Problems	85
1.7.1.1	Gaussian and fiveland quadratures for radiative transfer equation and boundary conditions	85
1.7.1.2	The control volume method for discrete ordinates numerical solution	88
Appendix A.	Adaptive Composite Quadrature	93
1.7.2	Monte Carlo Simulation of Radiative Transfer	94
1.7.2.1	General algorithm and useful statistical relations	95
1.7.2.2	Monte Carlo in participating media	103
1.7.2.3	Monte Carlo simulation in disperse systems containing large particles	107
	References	111
2.	Radiative Properties of Particles and Fibers	135
2.1	Equations of the Scattering Theory	139
2.1.1	Spherical Particles	139
2.1.2	Cylindrical Particles	144
2.2	Limiting Cases of the General Theory	149
2.2.1	Rayleigh Scattering	150
2.2.2	Rayleigh-Gans Scattering	154
2.2.3	Geometrical Optics	156
2.2.4	Anomalous Diffraction	159
2.3	Some Results for Particles of Various Types	161
2.3.1	Semi-Transparent Spherical Particles	161
2.3.1.1	Homogeneous particles	162
2.3.1.2	Hollow particles	169
2.3.1.3	Two-layer particles	175
2.3.2	Water Droplets in a Near-Infrared Spectral Range	178
2.3.3	Spectral Properties of Diesel Fuel Droplets	180
2.3.4	Gas Bubbles in Semi-Transparent Medium	184
2.3.5	Radiative Properties of Soot Particles	190
2.3.6	Near-Infrared Properties of Droplets of Aluminum Oxide Melt	198
2.3.7	Metal Particles in Infrared and Microwave Spectral Ranges	203
2.3.8	Water Droplets and Bubbles in a Microwave Spectral Range	215
2.3.9	Semi-Transparent Fibers at Arbitrary Illumination	220

2.3.9.1	Homogeneous fibers	221
2.3.9.2	Hollow Fibers	225
2.3.10	Near-Infrared Properties of Quartz Fibers	227
2.3.11	Metal-Coated Polymer Fibers in Infrared and Microwave	235
2.3.12	Infrared Properties of Carbon Fibers	244
2.4	Thermal Radiation from Nonisothermal Spherical Particles	247
2.4.1	Mie Solution for Radiation Field in Isothermal Particle	248
2.4.2	Geometrical Optics Approximation	250
2.4.3	Modified Differential Approximation	258
2.5	Thermal Radiation from a Spherical Particle to an Absorbing Medium through a Narrow Concentric Gap	262
2.5.1	General Wave Solution for Radiation Flux	263
2.5.2	Particular Cases of Zero or Large Thickness of the Gap	264
2.6	Polydisperse Systems of Independent Particles	268
2.6.1	General Relations	268
2.6.2	Monodisperse Approximation	271
References		273
3.	Radiative Properties of Dispersed Materials: Experimental Characterization and Theoretical Modeling	317
3.1	Basic Principles of Experimental Characterization and Identification Procedure	317
3.2	Theoretical Basis of Radiative Properties Determination	322
3.3	Radiative Properties of Highly Porous Cellular Foams	324
3.3.1	Microstructure of Cellular Foams	325
3.3.1.1	Description of morphology	325
3.3.1.2	Modeling of foam structure	328
3.3.2	Open-Cell Foams	329
3.3.2.1	Carbon foam	330
3.3.2.2	Metallic Foam	334
3.3.3	Closed-Cell Foams	338
3.3.3.1	Expanded polystyrene foam	338
3.3.3.2	Extruded polystyrene and polyurethane foams	343
3.4	Highly Porous Fibrous Media	350
3.4.1	Modeling of Radiative Properties	350

3.4.2	Identification of Radiative Properties	351
3.5	Packed Beds of Large Spherical Particles	352
3.5.1	Scaling Factors	353
3.5.2	Ray-Tracing Techniques	354
3.5.3	Computational Results for Opaque and Semi-Transparent Particles	356
Appendix B.	Ray-Tracing Model	361
3.6	Near-Infrared Properties of Porous Zirconia Ceramics	363
3.6.1	Microstructure of Samples	364
3.6.2	Near-Infrared Optical Constants	366
3.6.3	Transmittance and Reflectance Measurements	367
3.6.4	Theoretical Modeling of Directional-Hemispherical Characteristics	369
3.6.5	Identification of Absorption and Scattering Properties	369
3.6.6	Theoretical Modeling of Radiative Properties	372
3.7	Infrared Properties of Fused Quartz Containing Bubbles	378
3.7.1	Theoretical Results for a Weakly Absorbing Medium Containing Bubbles	378
3.7.2	Experimental Data for Volume Fraction and Size Distribution of Bubbles	380
3.7.3	Transmittance and Reflectance Measurements	382
3.7.4	Inverse Problem Solution	384
3.8	Properties of Polymer Coatings Containing Hollow Microspheres	388
3.8.1	Samples of Composite Material and Experimental Procedure	389
3.8.2	Optical Properties of Substances	393
3.8.3	Experimental Results for Transmittance and Reflectance	395
3.8.4	Theoretical Modeling of Directional-Hemispherical Characteristics	397
3.8.5	Comparison of Theoretical Predictions with Experimental Data	398
3.9	Abnormally High Scattering by Nanoporous Silica in Visible and Near-Infrared	403
3.9.1	Experimental Data for Nanoporous Silica	405
3.9.2	Analysis of Absorption	408
3.9.3	Analysis of Scattering	409
	References	417
4.	Some Radiative and Combined Heat Transfer Problems	433

4.1	Radiation Heat Transfer in a Solid-Propellant Rocket Engine	434
4.1.1	Spectral and Integral Emissivity of Combustion Products	435
4.1.2	Radiation Heat Transfer in a Supersonic Nozzle	442
4.1.3	Thermal Radiation of a Two-Phase Exhaust Jet	453
4.2	Radiative Cooling of Particle Flow in Vacuum	461
4.2.1	Radiative Boundary Layer	461
4.2.2	Liquid Droplet Radiator for Space Applications	468
4.3	Combined Radiative-Convective Heat Transfer in Two-Phase Flows	476
4.3.1	Laminar Boundary Layer on a Flat Plate: Solution in Self-Similar Variables	477
4.3.2	Turbulent Boundary Layer: Solution in Physical Variables	491
4.3.3	Some Other Problems of Coupled Radiation and Convection	500
4.4	Thermal Microwave Radiation of Disperse Systems on the Sea Surface	502
4.5	Infrared Radiation of Weakly Absorbing Coatings Containing Hollow Microspheres	511
4.6	Radiative-Conductive Heat Transfer in Disperse Materials	523
4.6.1	Highly-Porous Fibrous Materials	524
4.6.1.1	Radiative heating of synthetic fibers in thermal treatment	524
4.6.1.2	Heat-shielding properties of quartz fibrous material	536
4.6.2	Foam Insulations	545
4.6.2.1	Governing coupled conduction-radiation equations	546
4.6.2.2	Effective thermal conductivity	548
4.6.2.3	Some results for combined conductive and radiative heat transfer	552
4.7	Radiative Effects in a Semi-Transparent Liquid Containing Gas Bubbles	558
4.7.1	Radiative Transfer Model	559
4.7.2	Some Results for Water with Steam Bubbles	562
4.8	Nonuniform Absorption of Thermal Radiation in Large Semi-Transparent Particles at Arbitrary Illumination of the Polydisperse System	566
4.8.1	Approximate Description of Asymmetric Illumination of a Single Particles	567
4.8.2	Solution Based on the Mie Theory	568
4.8.3	Approximate Solution for Symmetric Illumination	569

4.8.4	Approximation of Mie Calculations for Illumination from a Hemisphere	572
4.8.5	Some Results for Water and Diesel Fuel Droplets	576
4.9	Thermal Stress in Semi-Transparent Particles under High-Flux Irradiation	580
4.9.1	Transient Radiative-Conductive Heat Transfer	580
4.9.2	Thermoelastic Stress-Strain State	582
4.9.3	Generalized Analysis of the Problem	583
4.9.4	Application to Particles of Selected Materials	587
4.10	Thermal Radiation from Nonisothermal Particles in Combined Heat Transfer Problems	589
4.10.1	Semi-Transparent Oxide Particles in Thermal Spraying	591
4.10.2	Cooling and Solidification of Core Melt Droplets	593
4.11	Thermal Radiation Modeling in Melt-Coolant Interaction	607
4.11.1	Model Problems of Melt-Coolant Interaction	608
4.11.2	Thermal Radiation Transfer and Radiative Properties of Composite Medium	610
4.11.3	Numerical Results Based on Simplified Radiation Models	614
4.11.4	Verification of the Large-Cell Radiation Model	619
4.11.5	Thermal Radiation from the Zone of Melt–Water Interaction	622
	Concluding Remarks	630
	References	630
	Subject Index	677

1. Computational Models for Radiative Transfer in Disperse Systems

In this Chapter, we will not consider the nature and basic laws of thermal radiation because this general knowledge is given in the well-known textbooks by Sparrow and Cess [1], Siegel and Howell [2], and Modest [3]. Nevertheless, before proceeding to mathematical formulation of radiation transfer problems for scattering media, it is reasonable to recall some definitions of the main physical quantities.

The radiation energy in the wavelength interval $(\lambda, \lambda + d\lambda)$, passing per time dt in the solid angle $d\vec{\Omega}$ near the direction $\vec{\Omega}$ through the area $d\sigma$ located at the point \vec{r} and oriented perpendicular to $\vec{\Omega}$, is equal to $I_\lambda(\vec{r}, \vec{\Omega})d\lambda dt d\sigma d\vec{\Omega}$, where the function $I_\lambda(\vec{r}, \vec{\Omega})$ is the spectral intensity of radiation. This function is the most general characteristic of the radiation field in the case of unpolarized (randomly polarized) radiation. The polarization of electromagnetic waves is usually not important in the problems concerning thermal radiation and it is sufficient to use the scalar function $I_\lambda(\vec{r}, \vec{\Omega})$ instead of the Stokes parameters [4]. The details concerning description of polarized radiation can be found in the classic book by Chandrasekhar [5] and in the monographs by van de Hulst [6] and Bohren and Huffman [7] which are very close to the problems under consideration and should be included by a reader in a shortlist of the most important handbooks. The spectral intensity of equilibrium (the so-called "black-body") thermal radiation of an isothermal medium is given by the Planck function: $I_\lambda = B_\lambda(T)$. The black-body radiation is homogeneous and isotropic, i.e., independent of both the coordinate \vec{r} and direction $\vec{\Omega}$. For radiating medium, a deviation of the function $I_\lambda(\vec{r}, \vec{\Omega})$ from the intensity of equilibrium radiation at a local temperature $T(\vec{r})$ is described by radiative transfer equation.

Absorption and scattering of the radiation in a medium are described by the spectral coefficients α_λ and σ_λ , respectively, by the extinction coefficient $\beta_\lambda = \alpha_\lambda + \sigma_\lambda$, and by the scattering function $\Phi_\lambda(\vec{\Omega}'\vec{\Omega})$ called also the scattering phase function or indicatrix of scattering. The latter function presents the angular intensity distribution for the radiation scattered by a small (elementary) volume of the medium by one act of scattering. The scattering function satisfies the normalizing condition:

$$\frac{1}{4\pi} \int_{(4\pi)} \Phi_\lambda(\vec{\Omega}'\vec{\Omega}) d\vec{\Omega}' = 1 \quad (1.1)$$

Note that the coefficients α_λ , σ_λ , and β_λ are also referred to the medium elementary volume. It is assumed that absorption and scattering characteristics of a small element of the medium can be determined on the basis of the so-called far-field single-scatter-

ing approximation. This assumption, which is also known as the independent scattering approximation, is correct in many applied problems concerning rarefied disperse systems when positions of single particles are random and uncorrelated and the average distances between the neighboring particles are greater than the particle size and radiation wavelength. Note that single particles we are talking about may look as aggregates or clusters of some primary particles. The physical sense of the above formulated assumption has been considered in some details in the recent paper by Mishchenko et al. [8].

The above definitions of the absorption and scattering characteristics of a medium correspond to the continuous model of the radiation propagation in the medium. It is a widely used approach, which appears to be fairly good in many practical problems concerning thermal radiation in disperse systems. But there are some specific cases such as particulate debris beds or large-scale cellular structures when the classical continuum theory may not be appropriate and the discrete transfer models are physically more adequate to the real processes [9, 10].

1.1 The Radiative Transfer Equation

In the continuum theory, the radiative transfer equation (RTE) for an absorbing, scattering and radiating medium can be written as follows [2, 3]:

$$\vec{\Omega} \nabla I_\lambda(\vec{r}, \vec{\Omega}) + \beta_\lambda I_\lambda(\vec{r}, \vec{\Omega}) = \frac{\sigma_\lambda}{4\pi} \int_{(4\pi)} I_\lambda(\vec{r}, \vec{\Omega}') \Phi_\lambda(\vec{\Omega}' \vec{\Omega}) d\vec{\Omega}' + \alpha_\lambda B_\lambda(T) \quad (1.2)$$

The physical meaning of Eq. (1.2) is evident: variation of the spectral radiation intensity in direction $\vec{\Omega}$ takes place due to extinction by absorption and by scattering in other directions, as well as due to scattering from other directions (integral term) and thermal radiation of the medium. The coefficients α_λ , σ_λ , β_λ , function $\Phi_\lambda(\vec{\Omega}' \vec{\Omega})$, and temperature T depend on the coordinate \vec{r} . For simplicity, Eq. (1.2) is not written for the general case of an arbitrary medium. The following assumptions are used:

- The medium is isotropic, i.e., coefficients of RTE do not depend on direction;
- Every small (elementary) volume of the medium is characterized by only one temperature for all the medium components;
- There is no refraction in the host medium (the index of refraction is equal to unity);
- The medium properties do not depend directly on radiation intensity.

Only the last of these assumptions will not be revised in this book because we are not going to consider the nonlinear radiation effects. Of course, variation of the RTE coefficients with temperature or local composition of the medium will be considered and it may be the result of the radiation heat transfer. But these effects are quite different from the direct effect of radiation field on the medium radiative properties. The other

assumptions from the above list will be revised in subsequent sections of the book by studying the specific problems of radiative transfer in disperse systems.

For understanding a mathematical formulation, it is usually convenient to imagine an adequate physical picture of the problem. To our mind, the RTE seems to be clear if we imagine numerous randomly located particles suspended in a gas. For example, one can assume that there is no any external radiation but only the own thermal radiation of the particle cloud. The hot particles not only emit thermal radiation, but absorb and scatter the radiation emitted by other particles. The radiation can also be emitted and absorbed by a host gaseous medium. There is a local thermal equilibrium between the particles and ambient gas. It means that the temperatures of gas and all the particles in a small volume are the same. A small single-scattering volume of the particle cloud contains many particles but an average distance between them is much greater than the particle size and radiation wavelength, so that there are no any wave (interference) effects and the absorption and scattering characteristics of single particles are additive. Obviously, one can easily define the local absorption and scattering coefficients as well as the scattering function of this medium. Gases have no contribution to scattering which is determined by the presence of particles. The above physical picture is realistic but it is only the simplest variant of diverse disperse systems. In more complex problems, it is not obvious if the ordinary RTE is applicable.

The most general analysis should be based on the electromagnetic theory. It is especially important for relatively dense disperse systems. The relation between the rigorous electromagnetic theory and the phenomenological radiation transfer theory is a subject of theoretical studies during several decades. We do not consider this problem in the book assuming that RTE is applicable to the majority of the engineering problems to be considered. Nevertheless, we can recommend important references [11–16] concerning this matter.

It may be of interest to remember the history of developing the radiation transfer theory including the analytical and computational methods. The astrophysics, particularly the study of star photospheres, was the first branch of science which initiates the theoretical foundations and analytical methods of the radiation transfer theory in the beginning of the 20th century [5, 17]. A new very important period was related to the nuclear physics because transport of neutrons is described by a similar equation. Some well-known analytical and numerical methods of the general neutron/photon transport theory have been developed at that time [18–23]. Computational modeling of neutron transport in nuclear reactors was one of the first engineering applications of the theory. In parallel with the nuclear studies, the radiation transfer theory was used and further developed by researchers working in the field of atmospheric optics and thermal radiation transfer in the atmosphere [24–28]. Starting from the 60th of the last century, the high-temperature processes in thermal engineering provide a great field for modifications and practical applications of the radiation transfer theory. One can remember such problems as radiation heat transfer in furnaces and combustion chambers of

rocket engines, the radiative heating of space vehicles in the atmosphere, the radiative-conductive heat transfer in material processing and in highly porous thermal insulations [29–43]. The specific of these problems is combined heat transfer by radiation, conduction, and convection. The interaction of different heat transfer modes makes the mathematical formulation too complicated for analytical study or direct numerical simulation. It was a motivation of the interest to the use and modification of simplified approaches developed by physicists and mathematicians in astrophysics and nuclear engineering. It is interesting that the present-day period in the history of radiation transfer theory and its applications are characterized by increasing efforts in solving the specific problems of medical imaging and diagnosis. This problem appears to be very complicated. The new developments concerning the optical tomography and the propagation of infrared radiation in a biological tissue can be found in the literature [44–55].

Note that radiative properties of dense disperse systems characterized by very small scattering can be studied on the basis of quite different approach. It is an electrodynamic model of effective absorbing and refracting medium. The classical model of this type for optical properties of colloidal solutions and particularly semi-transparent metal films has been developed by Maxwell-Garnett [56]. The main idea of this model was that small metal particles in a dielectric host medium can be considered as single dipoles and the composite disperse medium is treated as a homogeneous medium with some optical constants. These optical constants are determined by use of the Lorentz–Lorenz relation for dielectrics with known dipole moments of molecules [4]. We will also employ this approach for some specific problems of those considered in the book. One can find the details of the effective medium theories in the literature [57–60].

Let us return to radiative transfer equation (1.2). Obviously, one needs a boundary condition to complete the problem formulation. Basically, the boundary condition on a body surface should take into account angular characteristics of surface reflection and emission [2, 3]. The Fresnel reflection [4] can be considered to formulate the boundary condition at ideally smooth interface between the substances having the known optical constants. We will use the Fresnel relations in analysis of some model problems. As far as the above discussed problem of the thermal radiation of a particle cloud is concerned, one can use the simplest boundary condition of zero external radiation at the cloud surface:

$$I_\lambda(\vec{r}, \vec{\Omega}) = 0 \quad \vec{\Omega} \cdot \vec{n} < 0 \quad (1.3)$$

where \vec{n} is the external normal to the boundary surface. In further analysis, we will need not only the radiation intensity but also some other characteristics of the spectral radiation field. First of all, we introduce the spectral energy density of radiation:

$$E_\lambda(\vec{r}) = \frac{1}{c} \int_{(4\pi)} I_\lambda(\vec{r}, \vec{\Omega}) d\vec{\Omega} \quad (1.4)$$

where c is the velocity of light. For brevity, the name "spectral radiation energy density" is also used for the quantity

$$I_{\lambda}^0(\vec{r}) = cE_{\lambda}(\vec{r}) = \int_{(4\pi)} I_{\lambda}(\vec{r}, \vec{\Omega}) d\vec{\Omega} \quad (1.5)$$

which is also called spectral irradiance. Note that $I_{\lambda}^0 = 4\pi B_{\lambda}(T)$ for the black-body radiation at temperature T . We will also use the spectral radiation flux given by

$$\vec{q}_{\lambda}(\vec{r}) = \int_{(4\pi)} I_{\lambda}(\vec{r}, \vec{\Omega}) \vec{\Omega} d\vec{\Omega} \quad (1.6)$$

The spectral radiation flux from the black-body surface radiating in vacuum is equal to $\vec{q}_{\lambda} = \pi B_{\lambda}(T) \vec{n}$, where \vec{n} is the external normal to this surface. Aside from spectral characteristics of the radiation field, one can also employ the corresponding integral quantities:

$$I(\vec{r}, \vec{\Omega}) = \int I_{\lambda}(\vec{r}, \vec{\Omega}) d\lambda \quad I_0(\vec{r}) = \int I_{\lambda}^0(\vec{r}) d\lambda \quad \vec{q}(\vec{r}) = \int \vec{q}_{\lambda}(\vec{r}) d\lambda \quad (1.7)$$

where the integration is performed over the whole spectrum (formally, from 0 to ∞). In the case of the equilibrium radiation in a medium, $I = \sigma T^4 / \pi$ and $I_0 = 4\sigma T^4$, where $\sigma = 5.67 \cdot 10^{-8} \text{ W}/(\text{m}^2 \cdot \text{K}^4)$ is the Stefan–Boltzmann constant. The integral thermal radiation flux from the black-body surface is equal to $\vec{q} = \sigma T^4 \vec{n}$.

Returning to the radiative transfer equation (1.2), we will integrate it over all values of the solid angle. Taking into account Eqs. (1.1), (1.5), and (1.6), we find the following important expression for divergence of the spectral radiation flux

$$\nabla \vec{q}_{\lambda} = \alpha_{\lambda} [4\pi B_{\lambda}(T) - I_{\lambda}^0(\vec{r})] \quad (1.8)$$

which can be treated as a local balance of the spectral radiation energy. A similar equation for integral characteristics of the radiation field

$$\nabla \vec{q} = \int \alpha_{\lambda} [4\pi B_{\lambda}(T) - I_{\lambda}^0(\vec{r})] d\lambda \quad (1.9)$$

is also called the radiative energy conservation equation [1–3]. We should recall the so-called gray model when radiative properties of a medium and boundary surfaces are assumed to be independent of the wavelength. The gray model is currently employed in engineering practice for some preliminary estimates. In the gray approximation, Eq. (1.9) is written as follows:

$$\nabla \vec{q} = \alpha [4\sigma T^4 - I_0(\vec{r})] \quad (1.10)$$

One can see from the above definitions that radiation intensity is not only a function of the position \vec{r} but depends also on the direction $\vec{\Omega}$. The exact numerical solu-

tion to multi-dimensional RTE is an extremely complicated problem even in the case of simple boundary conditions. The problem would be most easily solved if scattering is not taken into consideration and hence the integral term is equal to zero. Unfortunately, this assumption is unacceptable for us since scattering by particles is one of the main features of radiative transfer in disperse systems. For scattering media, the RTE is integrodifferential, but employing various approximations for the scattering function simplifies the integral term [1–3, 32, 33, 37, 38].

1.2 Transport Approximation

One of the following methods is commonly used in approximation of the scattering function: expansion in a series of the Legendre functions or description of the main maxima of the scattering function by several delta-functions with some weight coefficients. Some combinations of these two approaches are also employed [3, 38]. The simplest approximations of each method are well known. If one is restricted to two terms in expansion in terms of the Legendre functions, the result is the linear-anisotropic approximation:

$$\Phi_\lambda(\mu_0) = 1 + 3\bar{\mu}_\lambda\mu_0 \quad \mu_0 = \vec{\Omega}' \cdot \vec{\Omega} \quad (1.11)$$

where $\bar{\mu}_\lambda$ is the asymmetry factor of scattering:

$$\bar{\mu}_\lambda = \frac{1}{4\pi} \int_{(4\pi)} (\vec{\Omega}' \cdot \vec{\Omega}) \Phi_\lambda(\vec{\Omega}' \cdot \vec{\Omega}) d\vec{\Omega}' \quad (1.12)$$

The linear-anisotropic approximation loses any physical sense with $\bar{\mu}_\lambda > 1/3$, i.e., at large scattering anisotropy, since $\Phi_\lambda(\mu_0)$ becomes negative when $\mu_0 < -1/(3\bar{\mu}_\lambda)$. The other drawback of the linear approximation (1.11) should also be noted: the linear dependence on the cosine of the scattering angle is too far from the typical scattering functions of disperse systems [38]. Note that the linear-anisotropic approximation has been widely used in early papers to estimate the role of anisotropic scattering in model radiative transfer problems [3, 32, 38].

If one takes into account only the forward and backward scattering, presenting the scattering function as a linear combination of the Dirac delta-functions $\delta(1 + \mu_0)$ and $\delta(1 - \mu_0)$, the simplest "back-scattering" model is derived. This approximation, in which the integral term in the RTE disappears, gives good results in some one-dimensional problems [61] but cannot be applied to description of scattering in multi-dimensional problems for inhomogeneous and nonisothermal disperse systems.

The well-known transport approximation appears to be highly successful method [18, 38, 62]. According to this approximation, the scattering function is replaced by a sum of the isotropic component and the term describing the peak of forward scattering:

$$\Phi_\lambda(\mu_0) = (1 - \bar{\mu}_\lambda) + 2\bar{\mu}_\lambda\delta(1 - \mu_0) \quad (1.13)$$

References

1. E.M. Sparrow and R.D. Cess, *Radiation Heat Transfer*, McGraw-Hill, New York, 1978.
2. R. Siegel and J.R. Howell, *Thermal Radiation Heat Transfer*, Fourth ed., Taylor & Francis, New York, 2002.
3. M.F. Modest, *Radiative Heat Transfer*, Second ed., Acad. Press, New York, 2003.
4. M. Born and E. Wolf, *Principles of Optics*, Seventh (exp.) ed., Cambridge Univ. Press, New York, 1999.
5. S. Chandrasekhar, *Radiative Transfer*, Oxford Univ. Press, Oxford, 1950 (also Dover Publ., New York, 1960).
6. H.C. van de Hulst, *Light Scattering by Small Particles*, Wiley, New York, 1957 (also Dover Publ., New York, 1981).
7. C.F. Bohren and D.R. Huffman, *Absorption and Scattering of Light by Small Particles*, Wiley, New York, 1983.
8. M.I. Mishchenko, J.W. Hovenier, and D.W. Mackowski, Single scattering by a small volume element, *J. Opt. Soc. Am. A* 21 (1) (2004) 71–87.
9. D. Vortmeyer, Radiation in packed solids, *Proc. 6th Int. Heat Transfer Conf.*, 1978, Toronto, v. 6, pp. 525–539.
10. R. Viskanta and M.P. Mengüç, Radiative transfer in dispersed media, *Appl. Mech. Rev.* 42 (9) (1989) 241–259.
11. Yu.N. Barabanenkov, Multiple scattering of waves by ensembles of particles and the theory of radiation transport, *Sov. Phys.-Usp.* 18 (9) (1975) 673–689.
12. G.V. Rozenberg, The light ray (contribution to the theory of the light field), *Sov. Phys.-Usp.* 20 (1) (1977) 55–79.
13. A. Ishimaru, *Wave Propagation and Scattering in Random Media*, v. 2, Acad. Press, New York, 1978 (also IEEE Press, New York, 1997).
14. L.A. Apresyan and Yu.A. Kravtsov, *Radiation Transfer. Statistical and Wave Aspects*, Gordon and Breach, Basel, 1996.
15. M.I. Mishchenko, L.D. Travis, and A.A. Lacis, *Multiple Scattering of Light by Particles: Radiative Transfer and Coherent Backscattering*, Cambridge Univ. Press, New York, 2006.
16. M.I. Mishchenko, Maxwell's equations, radiative transfer, and coherent backscattering: A general perspective, *J. Quant. Spectr. Radiat. Transfer* 101 (3) (2006) 540–555.
17. V.V. Sobolev, *Course of Theoretical Astrophysics*, NASA Tech. Transl. F-531, Springfield, 1969 (original Russian edition: Nauka, Moscow, 1967).
18. B. Davison, *Neutron Transport Theory*, Oxford Univ. Press, London, 1957.
19. R.L. Murray, *Nuclear Reactor Physics*, Prentice Hall, Engelwood Cliffs, NJ, 1957.
20. K.M. Case and P.F. Zweifel, *Linear Transport Theory*, Addison-Wesley, Reading, MA, 1967.
21. M.M.R. Williams, *Mathematical Methods in Particle Transport Theory*, Wiley, New York, 1971.
22. G.I. Marchuk and V.I. Lebedev, *Numerical Methods in the Theory of Neutron Transport*, Harwood, New York, 1986.
23. G.C. Pomraning, *Linear Kinetic Theory and Particle Transport in Stochastic Mixtures*, World Scientific, Singapore, 1991.

24. V.V. Sobolev, *Light Scattering in Planetary Atmospheres*, Pergamon Press, Oxford, 1975 (original Russian edition: Nauka, Moscow, 1972).
25. R.M. Goody and Y.L. Yung, *Atmospheric Radiation: Theoretical Basis*, Second ed., Oxford Univ. Press, New York, 1989.
26. G.E. Thomas and K. Samnes, *Radiative Transfer in the Atmosphere and Ocean*, Cambridge Univ. Press, Cambridge, UK, 1999.
27. K.N. Liou, *An Introduction to Atmospheric Radiation*, Second ed., Int. Geophys. Ser., v. 84, Acad. Press, San Diego, 2002.
28. A.A. Kokhanovsky, *Cloud Optics*, Ser. "Atmospheric and Oceanographic Science Library", v. 34, Springer, Berlin, 2006.
29. Sh.-I. Pai, *Radiation Gas Dynamics*, Springer, New York, 1966.
30. V.N. Adrianov, *Fundamentals of Radiative and Combined Heat Transfer*, Energiya, Moscow, 1972 (in Russian).
31. G.C. Pomraning, *The Equations of Radiation Hydrodynamics*, Pergamon Press, New York, 1973 (also Dover Publ., New York, 2005).
32. M.N. Özişik, *Radiative Transfer and Interaction with Conduction and Convection*, Wiley, New York, 1973.
33. R. Viskanta, Radiation heat transfer: Interaction with conduction and convection and approximate methods in radiation, Proc. 7th Heat Transfer Conf., München, 1982, v. 1, 103–121.
34. N.A. Rubtsov, *Radiation Heat Transfer in Continuous Media*, Nauka, Novosibirsk, 1984 (in Russian).
35. R. Viskanta and M.P. Mengüç, Radiation heat transfer in combustion systems, Prog. Energy Combust. Sci. 13 (2) (1987) 97–160.
36. H. Reiss, Radiative transfer in nontransparent dispersed media, High Temp.–High Press. 22 (5) (1990) 481–522.
37. K.S. Adzerikho, E.F. Nogotov, and V.P. Trofimov, *Radiative Heat Transfer in Two-Phase Media*, CRC Press, New York, 1992.
38. L.A. Dombrovsky, *Radiation Heat Transfer in Disperse Systems*, Begell House, New York, 1996.
39. S.-C. Lee and G.R. Cunnington, Theoretical models for radiative transfer in fibrous media, in "Annual Review in Heat Transfer", C.L. Tien (Ed.), v. 9, Begell House, New York, 1998, 159–218.
40. D. Baillis and J.-F. Sacadura, Thermal radiation properties of dispersed media: theoretical prediction and experimental characterization, J. Quant. Spectr. Radiat. Transfer 67 (5) (2000) 327–363.
41. T.K. Bose, *High Temperature Gas Dynamics*, Springer, New York, 2004.
42. R. Viskanta, *Radiative Transfer in Combustion Systems: Fundamentals and Applications*, Begell House, New York, 2005.
43. A. Habibi, B. Merci, and G.J. Heynderickx, Impact of radiation models in CFD simulations of steam cracking furnaces, Comp. Chem. Eng. 31 (11) (2007) 1389–1406.
44. D. Dickey, O. Barajas, K. Brown, J. Tulip, and R.B. Moore, Radiance modeling using the P₃ approximation, Phys. Med. Biol. 43 (12) (1998) 3559–3570.
45. S.R. Arridge, Optical tomography in medical imaging, Inverse Problems 15 (2) (1999) R41–R93.

46. E.D. Aydin, C.R. de Oliveira, and A.J. Goddard, A comparison between transport and diffusion calculations using a finite element — spherical harmonics radiation transport method, *Med. Phys.* 29 (9) (2002) 2013–2023.
47. A.C. Selden, Photon transport parameters of diffuse media with highly anisotropic scattering, *Phys. Med. Biol.* 49 (13) (2004) 3017–3027.
48. A.P. Gibson, J.C. Hebden, and S.R. Arridge, Recent advances in diffuse optical imaging, *Phys. Med. Biol.* 50 (4) (2005) R1–R43.
49. T. Tarvainen, M. Vauhkonen, V. Kolehmainen, and J.P. Kaipio, Hybrid radiative-transfer-diffusion model for optical tomography, *Appl. Optics* 44 (6) (2005) 876–886.
50. R. Zhang, W. Verkrusye, G. Aguilar, and J.S. Nelson, Comparison of diffusion approximation and Monte Carlo based finite element models for simulating thermal responses to laser irradiation in discrete vessels, *Phys. Med. Biol.* 50 (17) (2005) 4075–4086.
51. T. Tarvainen, M. Vauhkonen, V. Kolehmainen, S.R. Arridge, and J.P. Kaipio, Coupled radiative transfer equation and diffusion approximation model for photon migration in turbid medium with low-scattering and non-scattering regions, *Phys. Med. Biol.* 50 (20) (2005) 4913–4930.
52. A.D. Klose and E.W. Larsen, Light transport in biological tissue based on the simplified spherical harmonics equations, *J. Comput. Phys.* 220 (1) (2006) 441–470.
53. T. Khan and A. Thomas, Inverse problem in refractive index based optical tomography, *Inverse Problems* 22 (4) (2006) 1121–1137.
54. S. Wright, M. Schweiger, and S.R. Arridge, Reconstruction in optical tomography using the PN approximations, *Meas. Sci. Tech.* 18 (1) (2007) 79–86.
55. L.W. Wang and H.-I. Wu, *Biomedical Optics*, Wiley, Hoboken, NJ, 2007.
56. J.C. Maxwell-Garnett, Colours in metal glasses and in metallic films, *Phil. Trans. Roy. Soc. London A* 203 (1904) 385–420.
57. G.V. Rozenberg, *Optics of Thin Coatings*, Fizmatgiz, Moscow, 1958 (in Russian).
58. A. Sihvola, *Electromagnetic Mixing Formulas and Applications*, The Inst. Electr. Engineers, New York, 1999.
59. T.C. Choy, *Effective Medium Theory: Principles and Applications*, Oxford Univ. Press, New York, 1999.
60. G. Gouesbet and G. Gréhan, Generalized Lorenz–Mie theories, from past to future, *Atomiz. Sprays* 10 (3–5) (2000) 277–333.
61. G.Ya. Belov, Effectiveness of backward scattering model in the radiation transfer theory in media with axisymmetrical scattering functions, *High Temp.* 20 (6) (1982) 1102–1109 (in Russian).
62. L.A. Dombrovsky, Approximate methods for calculating radiation heat transfer in dispersed systems, *Therm. Eng.* 43 (3) (1996) 235–243.
63. G.C. Pomraning, A flexible numerical approach to linear transport problems, *Trans. Amer. Nucl. Soc.* 8 (1965) 488–489.
64. G.I. Bell, G.E. Hansen, and H.A. Sandmeier, Multitable treatment of anisotropic scattering in SN multigroup transport calculations, *Nucl. Sci. Eng.* 28 (1967) 376–383.
65. J.F. Potter, The delta function approximation in radiative transfer theory, *J. Atmos. Sci.* 27 (6) (1970) 943–949.
66. A.L. Crosbie and G.W. Davidson, Dirac-delta function approximation to the scattering phase function, *J. Quant. Spectr. Radiat. Transfer* 33 (4) (1985) 391–409.

67. N.G. Sjöstrand, On an alternative way to treat highly anisotropic scattering, *Annals Nucl. Energy* 28 (4) (2001) 351–355.
68. M.M.R. Williams, *The Slowing Down and Thermalization of Neutrons*, North-Holland Publ. Co., Amsterdam, 1966.
69. J.H. Joseph, W.J. Wiscombe, and J.A. Weinman, The delta-Eddington approximation for radiative flux transfer, *J. Atmos. Sci.* 33 (12) (1976) 2452–2459.
70. W.J. Wiscombe, The delta-M method: Rapid yet accurate radiative flux calculations for strongly asymmetric phase functions, *J. Atmos. Sci.* 34 (9) (1977) 1408–1422.
71. M.F. Modest and F.H. Azad, The influence and treatment of Mie-anisotropic scattering in radiative heat transfer, *ASME J. Heat Transfer* 102 (1) (1980) 92–98.
72. R. Davies, Fast azimuthally dependent model of the reflection of solar radiation by plane-parallel clouds, *Appl. Optics* 19 (2) (1980) 250–255.
73. F.H. Azad and M.F. Modest, Evaluation of the radiative heat flux in absorbing, emitting and linear-anisotropically scattering cylindrical media, *ASME J. Heat Transfer* 103 (2) (1981) 350–356.
74. B.H.J. McKellar and M.A. Box, The scaling group of the radiative transfer equation, *J. Atmos. Sci.* 38 (5) (1981) 1063–1068.
75. M.P. Mengüç and R. Viskanta, Comparison of radiative transfer approximations for a highly forward scattering planar medium, *J. Quant. Spectr. Radiat. Transfer* 29 (5) (1983) 381–394.
76. J.S. Truelove, The two-flux model for radiative transfer with strongly anisotropic scattering, *Int. J. Heat Mass Transfer* 27 (3) (1984) 464–466.
77. V.V. Berdnik and V.A. Loiko, Modelling of radiative transfer in disperse layers of a medium with a highly stretched phase function, *J. Quant. Spectr. Radiat. Transfer* 61 (1) (1999) 49–57.
78. L.G. Henyey and J.L. Greenstein, Diffuse radiation in the galaxy, *Astrophys. J.* 93 (1) (1941) 70–83.
79. G.C. Pomraning, On the Henyey–Greenstein approximation to scattering phase function, *J. Quant. Spectr. Radiat. Transfer* 39 (2) (1988) 109–113.
80. H.C. van de Hulst, Asymptotic fitting, a method for solving anisotropic transfer problems in thick layers, *J. Comput. Phys.* 3 (2) (1968) 291–306.
81. J.E. Hansen, Exact and approximate solutions for multiple scattering by cloudy and hazy planetary atmospheres, *J. Atmos. Sci.* 26 (3) (1969) 478–487.
82. G.D. Pedersen, N.J. McCormick, and L.O. Reynolds, Transport calculations for light scattering in blood, *Biophys. J.* 16 (1976) 199–207.
83. P. Liu, A new phase function approximating to Mie scattering for radiative transport equations, *Phys. Med. Biol.* 39 (6) (1994) 1025–1036.
84. M. Caldas and V. Semião, A new approximate phase function for isolated particles and polydispersions, *J. Quant. Spectr. Radiat. Transfer* 68 (5) (2001) 521–542.
85. S.T. Surzhikov, Statistical modeling of radiation heat transfer in multiphase media by use of the transport approximation method, *Proc. Conf.-Seminar Mech. React. Media*, Krasnoyarsk, 1988, 101–105 (in Russian).
86. L.A. Dombrovsky, A.V. Kolpakov, and S.T. Surzhikov, Transport approximation in calculating the directed-radiation transfer in an anisotropically scattering erosional flare, *High Temp.* 29 (6) (1991) 954–960.

87. R.N. Edwards and R.P. Bobcôo, Radiant heat transfer from isothermal dispersion with isotropic scattering, *ASME J. Heat Transfer* 89 (4) (1967) 300–308.
88. R.P. Bobcôo, Directional emissivities from a two-dimensional, absorbing-scattering medium: The semi-infinite slab, *ASME J. Heat Transfer* 89 (4) (1967) 313–320.
89. K.S. Adzerikho and V.P. Nekrasov, Luminescence characteristics of cylindrical and spherical light-scattering media, *Int. J. Heat Mass Transfer* 18 (10) (1975) 1131–1138.
90. K.S. Adzerikho, V.I. Antsulevich, Ya.K. Lapko, and V.P. Nekrasov, Luminescence of two-phase inhomogeneous media of cylindrical geometry, *Int. J. Heat Mass Transfer* 22 (1) (1979) 131–136.
91. L.A. Dombrovsky and L.G. Barkova, Solving the two-dimensional problem of thermal-radiation transfer in an anisotropically scattering medium using the finite element method, *High Temp.* 24 (4) (1986) 585–592.
92. V.I. Vladimirov, Yu.A. Gorshkov, and A.V. Krymasov, Effects of anisotropic scattering on dusty-plasma temperature measurements, *High Temp.* 26 (2) (1988) 266–272.
93. A.V. Kolpakov, L.A. Dombrovsky, and S.T. Surzhikov, Transfer of directed radiation in an absorbing and anisotropically scattering medium, *High Temp.* 28 (5) (1990) 753–757.
94. L. Dombrovsky, J. Randrianalisoa, D. Baillis, and L. Pilon, Use of Mie theory to analyze experimental data to identify infrared properties of fused quartz containing bubbles, *Appl. Optics* 44 (33) (2005) 7021–7031.
95. L. Dombrovsky, J. Randrianalisoa, and D. Baillis, Modified two-flux approximation for identification of radiative properties of absorbing and scattering media from directional-hemispherical measurements, *J. Opt. Soc. Am. A* 23 (1) (2006) 91–98.
96. L.A. Dombrovsky, H.K. Tagne, D. Baillis, and L. Gremillard, Near-infrared radiative properties of porous zirconia ceramics, *Infrared Phys. Tech.* 51 (1) (2007) 44–53.
97. Ya.B. Zeldovich and Yu.P. Raizer, *Physics of Shock Waves and High-Temperature Hydrodynamic Phenomena*, Acad. Press, New York, 1967 (also Dover Publ., New York, 2002; original Russian edition: Nauka, Moscow, 1966).
98. A.S. Eddington, *The Internal Constitution of the Stars*, Dover Publ., New York, 1959.
99. S. Rosseland, *Theoretical Astrophysics: Atomic Theory and the Analysis of Stellar Atmospheres and Envelopes*, Clarendon Press, Oxford, 1936.
100. A. Schuster, Radiation through a foggy atmosphere, *Astrophys. J.* 21 (1) (1905) 1–22.
101. K. Schwarzschild, Über das Gleichgewicht der Sonnenatmosphären (Equilibrium of the Sun's atmosphere), *Akad. Wiss. Göttingen, Math.-Phys. Kl. Nachr.* 195 (1906) 41–53.
102. A.D. Rekin, Radiation transfer equation of the Schuster–Schwarzschild approximation for problems with spherical and cylindrical symmetry, *High Temp.* 16 (4) (1978) 693–699.
103. M.Q. Brewster and C.L. Tien, Examination of the two-flux model for radiative transfer in particular systems, *Int. J. Heat Mass Transfer* 25 (12) (1982) 1905–1907.
104. P. Kubelka and F. Munk, Ein Beitrag zur Optik der Farbanstriche, *Z. Tech. Phys.* 12 (1931) 593–601.
105. P. Kubelka, New contributions to the optics of intensely light-scattering materials, part I, *J. Opt. Soc. Am.* 38 (5) (1948) 448–457.
106. S.N. Thennadil, Relationship between the Kubelka–Munk scattering and radiative transfer coefficients, *J. Opt. Soc. Am. A* 25 (7) (2008) 1480–1485.
107. J.L. Saunderson, Calculation of the color of pigmented plastics, *J. Opt. Soc. Am.* 32 (12) (1942) 727–736.

108. L. Fukshansky and N. Kazarinova, Extension of the Kubelka–Munk theory of light propagation in intensely scattering materials to fluorescent media, *J. Opt. Soc. Am.* 70 (9) (1980) 1101–1109.
109. H.G. Hecht, A comparison of the Kubelka–Munk, Rozenberg, and Pitts-Giovanelli methods of analysis of diffuse reflectance for several model systems, *Appl. Spectr.* 37 (4) (1983) 348–354.
110. T. Makino, T. Kunitomo, I. Sakai, and H. Kinoshita, Thermal radiation properties of ceramic materials, *Heat Transfer Jpn. Res.* 13 (4) (1984) 33–50.
111. B. Maheu, J.N. Le Toulouzan, and G. Gouesbet, Four-flux models to solve the scattering transfer equation in terms of Lorenz–Mie parameters, *Appl. Optics* 23 (19) (1984) 3353–3362.
112. J.H. Nobbs, Kubelka–Munk theory and the prediction of reflectance, *Rev. Prog. Coloration* 15 (1985) 66–75.
113. B. Maheu and G. Gouesbet, Four-flux models to solve the scattering transfer equation. Special cases, *Appl. Optics* 25 (7) (1986) 1122–1128.
114. P. Latimer and S.J. Noh, Light propagation in moderately dense particle systems: a re-examination of the Kubelka–Munk theory, *Appl. Optics* 26 (3) (1987) 514–523.
115. A. Mandelis and J.P. Grossman, Perturbation theoretical approach to the generalized Kubelka–Munk problem in nonhomogeneous optical media, *Appl. Spectr.* 46 (5) (1992) 737–745.
116. A.A. Christy, O.M. Kvalheim, and R.A. Velapoldi, Quantitative analysis in diffuse reflectance spectroscopy: A modified Kubelka–Munk equation, *Vibrat. Spectr.* 9 (1) (1995) 19–27.
117. A.P. Prishivalko, Optimization of the covering power and coloristic properties of pigmented coatings on the basis of a four-flux approximation of radiation transport theory, *J. Appl. Spectr.* 63 (5) (1996) 675–683.
118. Z.C. Orel, M.K. Gunde, and B. Orel, Application of the Kubelka–Munk theory for the determination of the optical properties of solar absorbing paints, *Prog. Organic Coatings* 30 (1–2) (1997) 59–66.
119. W.E. Vargas and G.A. Niklasson, Generalized method for evaluating scattering parameters used in radiative transfer models, *J. Opt. Soc. Am. A* 14 (9) (1997) 2243–2252.
120. W.E. Vargas and G.A. Niklasson, Applicability conditions of the Kubelka–Munk theory, *Appl. Optics* 36 (22) (1997) 5580–5586.
121. W.E. Vargas, E.M. Lushiku, G.A. Niklasson, and T.M.J. Nilsson, Light scattering coatings: Theory and solar applications, *Solar Energy Mater. Solar Cells* 54 (1–4) (1998) 343–350.
122. W.E. Vargas, Generalized four-flux radiative transfer model, *Appl. Optics* 37 (13) (1998) 2615–2623.
123. B.M. Weckhuysen and R.A. Schoonheydt, Recent progress in diffuse reflectance spectroscopy of supported metal oxide catalysts, *Catalysis Today* 49 (4) (1999) 441–451.
124. W.E. Vargas, Two-flux radiative transfer model under nonisotropic propagating diffuse radiation, *Appl. Optics* 38 (7) (1999) 1077–1085.
125. M.K. Gunde and Z.C. Orel, Absorption and scattering of light by pigment particles in solar-absorbing paints, *Appl. Optics* 39 (4) (2000) 622–628.
126. W.E. Vargas, P. Greenwood, J.E. Otterstedt, and G.A. Niklasson, Light scattering in pigmented coatings: experiments and theory, *Solar Energy* 68 (6) (2000) 553–561.

127. Z.C. Orel and M.K. Gunde, Spectrally selective paint coatings: Preparation and characterization, *Solar Energy Mater. Solar Cells* 68 (3–4) (2001) 337–353.
128. C. Rozé, T. Girasole, G. Gréhan, G. Gouesbet, and B. Maheu, Average crossing parameter and forward scattering ratio values in four-flux model for multiple scattering media, *Optics Comm.* 194 (4–6) (2001) 251–263.
129. C. Rozé, T. Girasole, and A.-G. Tafforin, Multilayer four-flux model of scattering, emitting and absorbing media, *Atmos. Environ.* 35 (30) (2001) 5125–5130.
130. Y. Yang, E.J. Celmer, J.A. Koutcher, and R.R. Alfano, DNA and protein changes caused by disease in human breast tissues probed by the Kubelka–Munk spectral functional, *Photochem. Photobiol.* 75 (6) 92002) 627–632.
131. D.J. Sardar and F.S. Salinas, Optical properties of a laser dye in a solid-state polymeric host, *J. Appl. Phys.* 91 (12) (2002) 9598–9602.
132. L. Yang, Characterization of inks and ink application for ink-jet printing: model and simulation, *J. Opt. Soc. Am. A* 20 (7) (2003) 1149–1154.
133. A. Limare, T. Duvaut, J-F. Henry, and C. Bissieux, Non-contact photopyroelectric method applied to thermal and optical characterization of textiles. Four-flux modelling of a scattering sample, *Int. J. Thermal. Sci.* 42 (10) (2003) 951–961.
134. E.F. Greene, S. Tauch, E. Webb, and D. Amaradasiriwardena, Application of diffuse reflectance infrared Fourier transform spectroscopy (DRIFTS) for the identification of potential diagenesis and crystallinity changes in teeth, *Microchem. J.* 76 (1–2) (2004) 141–149.
135. M. Elias and L. Simonot, Bi-directional reflectance of a varnished painting. Part 1: Influence of the refractive indices without using the approximations of Saunderson correction — exact computation, *Optics Comm.* 231 (1–6) (2004) 17–24.
136. H.M. Heise, R. Kuckuk, A. Bereck, and D. Riegel, Mid-infrared diffuse reflectance spectroscopy of textiles containing finishing auxiliaries, *Vibrat. Spectr.* 35 (1) (2004) 213–218.
137. L. Yang and B. Kruse, Revised Kubelka–Munk theory. I. Theory and application, *J. Opt. Soc. Am. A* 21 (10) (2004) 1933–1941.
138. L. Sokoletsky, Comparative analysis of selected radiative transfer approaches for aquatic environments, *Appl. Optics* 44 (1) (2005) 136–148.
139. L. Yang and S.J. Miklavcic, Revised Kubelka–Munk theory. III. A general theory of light propagation in scattering and absorptive media, *J. Opt. Soc. Am. A* 22 (9) (2005) 1866–1873.
140. R. Levinson, P. Berdahl, and H. Akbari, Solar spectral optical properties of pigments - Part I: Model for deriving scattering and absorption coefficients from transmittance and reflectance measurements, *Solar Energy Mater. Solar Cells* 89 (4) (2005) 319–349.
141. L. Liu, R. Gong, D. Huang, Y. Nie, and C. Liu, Calculation of emittance of a coating layer with the Kubelka–Munk theory and the Mie-scattering model, *J. Opt. Soc. Am. A* 22 (11) (2005) 2424–2429.
142. L. Liu, R. Gong, Y. Cheng, F. Zhang, H. He, and D. Huang, Emittance of a radar absorber coated with an infrared layer in the 3–5 μm window, *Opt. Express* 13 (25) (2005) 10382–10391.
143. C. Donner and H.W. Jensen, Rapid simulation of steady-state spatially resolved reflectance and transmittance profiles of multilayered turbid materials, *J. Opt. Soc. Am. A* 23 (6) (2006) 1382–1390.

144. P. Edström, Examination of the revised Kubelka–Munk theory: considerations of modeling strategies, *J. Opt. Soc. Am. A* 24 (2) (2007) 548–556.
145. S.H. Kong and J.D. Shore, Evaluation of the telegrapher's equation and multiple-flux theories for calculating the transmittance and reflectance of a diffuse absorbing slab, *J. Opt. Soc. Am. A* 24 (3) (2007) 702–710.
146. M. Hébert, R.D. Hersch, and J.-M. Becker, Compositional reflectance and transmittance model for multilayer specimens, *J. Opt. Soc. Am. A* 24 (9) (2007) 2628–2644.
147. A.B. Murphy, Optical properties of an optically rough coating from inversion of diffuse reflectance measurements, *Appl. Optics* 46 (16) (2007) 3133–3143.
148. E. Van Nimmen, K. De Clerck, J. Verschuren, K. Gellynck, T. Gheysens, J. Mertens, and L. Van Langenhove, FT-IR spectroscopy of spider and silkworm silks, *Vibrat. Spectr.* 46 (1) (2008) 63–68.
149. J.I. Eldridge and C.M. Spuckler, Determination of scattering and absorption coefficients for plasma-sprayed yttria-stabilized zirconia thermal barrier coatings, *J. Am. Ceram. Soc.* 91(5) (2008) 1603–1611.
150. J. Couble, P. Gravejat, F. Gaillard, and D. Bianchi, Quantitative analysis of infrared spectra of adsorbed species using transmission and diffuse reflectance modes, *Appl. Catalysis A* 371 (1) (2009) 99–107.
151. Y. Abouliatim, T. Chartier, P. Abelard, C. Chaput, and C. Delage, Optical characterization of stereolithography alumina suspensions using the Kubelka–Munk model, *J. Eur. Ceram. Soc.* 29 (5) (2009) 919–924.
152. G. Latour, M. Elias, and J.-M. Frigerio, Determination of the absorption and scattering coefficients of pigments: application to the identification of the components of pigment mixtures, *Appl. Spectr.* 63 (6) (2009) 604–610.
153. L.M. Schabbach, F. Bondioli, A.M. Ferrari, C.O. Petter, and M.C. Fredel, Colour in ceramic glazes: Efficiency of the Kubelka–Munk model in glazes with a black pigment and opacifier, *J. Eur. Ceram. Soc.* 29 (13) (2009) 2685–2690.
154. G.M. da Costa, V. Barron, F.C. Mendonca, and J. Torrent, The use of diffuse reflectance spectroscopy for the characterization of iron ores, *Minerals Eng.* 22 (14) (2009) 1245–1250.
155. J.I. Eldridge, C.M. Spuckler, and J.R. Markham, Determination of scattering and absorption coefficients for plasma-sprayed yttria-stabilized zirconia thermal barrier coatings at elevated temperatures, *J. Am. Ceram. Soc.* 92(10) (2009) 2276–2285.
156. A.A. Kokhanovsky, Physical interpretation and accuracy of the Kubelka–Munk theory, *J. Phys. D: Appl. Phys.* 40 (7) (2007) 2210–2216.
157. R. Caps, A. Trunzer, D. Büttner, and J. Fricke, Spectral transmission and reflection properties of high temperature insulation materials, *Int. J. Heat Mass Transfer* 27 (10) (1984) 1865–1872.
158. K. Kamiuto, The two-flux approximations for radiative transfer in scattering media, *J. Quant. Spectr. Radiat. Transfer* 38 (4) (1987) 261–265.
159. R. Siegel and C.M. Spuckler, Approximate solution methods for spectral radiative transfer in high refractive index layers, *Int. J. Heat Mass Transfer* 37 (Suppl. 1) (1994) 403–413.
160. C.M. Spuckler and R. Siegel, Two-flux and diffusion methods for radiative transfer in composite layers, *ASME J. Heat Transfer* 118 (2) (1996) 218–222.

161. R. Siegel, Two-flux Green's function analysis for transient spectral radiation in a composite, *AIAA J. Thermophys. Heat Transfer* 10 (4) (1996) 681–688.
162. S. Dembele, J.X. Wen, and J.-F. Sacadura, Analysis of the two-flux model for predicting water spray transmittance in fire protection application, *ASME J. Heat Transfer* 122 (1) (2000) 183–186.
163. B. Dubroca and A. Klar, Half-moment closure for radiative transfer equations, *J. Comput. Phys.* 180 (2) (2002) 584–596.
164. S. Murthy and A.G. Fedorov, Radiation heat transfer analysis of the monolith type solid oxide fuel cell, *J. Power Sources* 124 (2) (2003) 453–458.
165. A.V. Gusarov and J.-P. Kruth, Modelling of radiation transfer in metallic powders at laser treatment, *Int. J. Heat Mass Transfer* 48 (16) (2005) 3423–3434.
166. J.-F. Ripoll and A.A. Wray, A half-moment model for radiative transfer in a 3D gray medium and its reduction to a moment model for hot, opaque sources, *J. Quant. Spectr. Radiat. Transfer* 93 (4) (2005) 473–519.
167. K.A. Jensen, J.-F. Ripoll, A.A. Wray, D. Joseph, and M. El Hafi, On various modeling approaches to radiative heat transfer in pool fires, *Combust. Flame* 148 (4) (2007) 263–279.
168. J.H. Jeans, The equations of radiative transfer of energy, *Month. Notic. Roy. Astron. Soc.* 78 (1) (1917) 28–36.
169. V. Kourganoff, *Basic Methods in Transfer Problems*, Clarendon Press, Oxford, 1952 (also Dover Publ., New York, 1963).
170. R.E. Marshak, Note on the spherical harmonics method as applied to the Milne problem for a sphere, *Phys. Rev.* 71 (7) (1947) 443–446.
171. G.C. Pomraning, Variational boundary conditions for the spherical harmonics approximation to the neutron transport equation, *Annals Phys.* 27 (2) (1964) 193–215.
172. I.R. Shokair and G.C. Pomraning, Boundary conditions for differential approximations, *J. Quant. Spectr. Radiat. Transfer* 25 (4) (1981) 325–337.
173. F.A. Milne, Thermodynamics of the stars, in "Handbuch der Astrophysik", Springer-Verlag, OHG, Berlin, 1930, 65–255.
174. W. Kofink, Complete spherical harmonics solution of the Boltzmann equation for neutron transport in homogeneous media with cylindrical geometry, *Nucl. Sci. Eng.* 6 (1959) 473–486.
175. Y. Bayazitoglu and J. Higenyi, Higher-order differential equations of radiative transfer: P_3 approximation, *AIAA J.* 17 (4) (1979) 424–431.
176. Y. Bayazitoglu, A review of higher order differential approximation of radiative energy transfer, *AIAA Paper No.* 0216, 1981.
177. A. Yücel and Y. Bayazitoglu, P-N approximation for radiative heat transfer in a nongray medium, *AIAA J.* 21 (8) (1983) 1196–1203.
178. A.H. Karp, J. Greenstadt, and J.A. Fillmore, Radiative transfer through an arbitrarily thick, scattering atmosphere, *J. Quant. Spectr. Radiat. Transfer* 24 (5) (1980) 391–406.
179. S.-Ch.S. Ou and K.-N. Liou, Generalization of the spherical harmonics method to radiative transfer in multi-dimensional space, *J. Quant. Spectr. Radiat. Transfer* 28 (4) (1982) 271–288.
180. R.D.M. Garcia and C.E. Siewert, A generalized spherical harmonics solution for radiative transfer models that include polarization effects, *J. Quant. Spectr. Radiat. Transfer* 36 (5) (1986) 401–423.

181. L.B. Barichello, R.D.M. Garcia, and C.E. Siewert, A spherical-harmonics solution for radiative-transfer problems with reflecting boundaries and internal sources, *J. Quant. Spectr. Radiat. Transfer* 60 (2) (1998) 247–260.
182. A.H. Karp, Recent advances in the spherical harmonics method, *Int. J. Eng. Sci.* 36 (12) (1998) 1551–1568.
183. T.Z. Muldashev, A.I. Lyapustin, and U.M. Sultangazin, Spherical harmonics method of radiative transfer in the atmosphere-surface system, *J. Quant. Spectr. Radiat. Transfer* 61 (3) (1999) 393–404.
184. A.I. Lyapustin and T.Z. Muldashev, Method of spherical harmonics in the radiative transfer problem with non-Lambertian surface, *J. Quant. Spectr. Radiat. Transfer* 61 (4) (1999) 545–555.
185. A.I. Lyapustin and T.Z. Muldashev, Solution for atmospheric optical transfer function using spherical harmonics method, *J. Quant. Spectr. Radiat. Transfer* 68 (1) (2001) 43–56.
186. E.W. Larsen, G. Thommes, A. Klar, M. Sead, and T. Gotz, Simplified P_N approximations for the equations of radiative transfer and applications, *J. Comput. Phys.* 183 (2) (2002) 652–675.
187. T. Khan and A. Thomas, Comparison of P_N or spherical harmonics approximation for scattering media with spatially varying and spatially constant refractive indices, *Optics Comm.* 255 (1–3) (2005) 130–166.
188. M.A. Atalay, P_N solutions of radiative heat transfer in a slab with reflective boundaries, *J. Quant. Spectr. Radiat. Transfer* 101 (1) (2006) 100–108.
189. A. Yilmazer, Spectral approximation(s) to the transport problems in spherical media, *J. Quant. Spectr. Radiat. Transfer* 108 (3) (2007) 403–422.
190. R.G. McClarren, J.P. Holloway, and T.A. Brunner, On solutions to the P_N equations for thermal radiative transfer, *J. Comput. Phys.* 227 (5) (2008) 2864–2885.
191. R.G. McClarren, T.M. Evans, R.B. Lowrie, and J.D. Desmore, Semi-implicit time integration for P_N thermal radiative transfer, *J. Comput. Phys.* 227 (6) (2008) 7561–7586.
192. K.V. Deshmukh, M.F. Modest, and D.C. Haworth, High-order spherical harmonics to model radiation in direct numerical simulation of turbulent reacting flows, *Comput. Therm. Sci.* 1 (2) (2009) 207–230.
193. K.G. Phillips and S.L. Jacques, Solution of transport equations in layered media with refractive index mismatch using the P_N -method, *J. Opt. Soc. Am. A* 26 (10) (2009) 2147–2162.
194. A.H. Karp and S. Petrack, On the spherical harmonics and discrete ordinates methods for azimuth-dependent intensity calculations, *J. Quant. Spectr. Radiat. Transfer* 30 (4) (1983) 351–356.
195. L.B. Barichello and C.E. Siewert, On the equivalence between the discrete ordinates and the spherical harmonics methods in radiative transfer, *Nucl. Sci. Eng.* 130 (1) (1998) 79–84.
196. D.B. Olfe, A modification of the differential approximation for radiative transfer, *AIAA J.* 5 (4) (1967) 638–643.
197. D.B. Olfe, Application of a modified differential approximation to radiative transfer in a gray medium between concentric spheres and cylinders, *J. Quant. Spectr. Radiat. Transfer* 8 (3) (1968) 899–907.

198. D.B. Olfe, Radiative equilibrium of a gray medium bounded by nonisothermal walls, in "Progress in Astronautics and Aeronautics," v. 23 (1970) 295–317.
199. L. Glatt and D.B. Olfe, Radiative equilibrium of a gray medium in a rectangular enclosure, *J. Quant. Spectr. Radiat. Transfer* 13 (9) (1973) 881–895.
200. C.Y. Wu, W.H. Sutton, and T.J. Love, Successive improvement of the modified differential approximation in radiative transfer, *AIAA J. Thermophys. Heat Transfer* 1 (4) (1987) 296–300.
201. M.F. Modest, Two-dimensional radiative equilibrium of a gray medium in a plane layer bounded by gray non-isothermal walls, *ASME J. Heat Transfer* 96 (4) (1974) 483–488.
202. M.F. Modest, Radiative equilibrium in a rectangular enclosure bounded by gray walls, *J. Quant. Spectr. Radiat. Transfer* 15 (1) (1975) 445–461.
203. M.F. Modest and D. Stevens, Two-dimensional radiative equilibrium of a gray medium between concentric cylinders, *J. Quant. Spectr. Radiat. Transfer* 19 (1) (1978) 353–365.
204. M.F. Modest, The improved differential approximation for radiative transfer in multi-dimensional media, *ASME J. Heat Transfer* 112 (3) (1990) 819–821.
205. F. Liu, J. Swithenbank, and E.S. Garbett, The boundary condition of the P_N -approximation used to solve the radiative transfer equation, *Int. J. Heat Mass Transfer* 35 (10) (1992) 2043–2052.
206. B. Su, More on boundary conditions for differential approximations, *J. Quant. Spectr. Radiat. Transfer* 64 (4) (2000) 409–419.
207. C.C. Lii and M.N. Özisik, Hemispherical reflectivity and transmissivity of an absorbing, isotropically scattering slab with a reflecting boundary, *Int. J. Heat Mass Transfer* 16 (3) (1973) 685–690.
208. H.-H. Chien and C.-Y. Wu, Modified differential approximation for radiative transfer in a scattering medium with specularly reflecting boundaries, *J. Quant. Spectr. Radiat. Transfer* 46 (5) (1991) 439–446.
209. M.P. Mengüç and S. Subramaniam, Radiative transfer through an inhomogeneous fly-ash cloud: effect of temperature and wavelength dependent optical properties, *Numer. Heat Transfer A* 21 (3) (1992) 261–273.
210. M.P. Mengüç and R. Viskanta, Effect of fly-ash particles on spectral and total radiation blockage, *Combust. Sci. Tech.* 60 (1–3) (1988) 97–115.
211. T.W. Tong and P.S. Swathi, Radiative heat transfer in emitting-absorbing-scattering spherical media, *AIAA J. Thermophys. Heat Transfer* 1 (2) (1987) 162–170.
212. W. Li and T.W. Tong, Radiative heat transfer in isothermal spherical media, *J. Quant. Spectr. Radiat. Transfer* 43 (3) (1990) 239–251.
213. W.H. Sutton and M.N. Özisik, An iterative solution for anisotropic radiative transfer in a slab, *ASME J. Heat Transfer* 101 (4) (1979) 695–698.
214. M.N. Abramson and F.N. Lisin, Approximate solution of transfer equation in radiating, absorbing, and scattering layer, *Indust. Heat Eng.* 7 (1) (1985) 25–30 (in Russian).
215. M.P. Mengüç and R. Viskanta, Radiative transfer in three-dimensional rectangular enclosures containing inhomogeneous, anisotropically scattering media, *J. Quant. Spectr. Radiat. Transfer* 33 (6) (1985) 533–549.
216. M.P. Mengüç and R. Viskanta, Radiative transfer in axisymmetric finite cylindrical enclosures, *ASME J. Heat Transfer* 108 (2) (1986) 271–276.
217. Yu.A. Popov, Radiation from scattering volumes having simple geometries, *High Temp.* 18 (3) (1980) 450–453.

218. H. Lee and R.O. Buckius, Scaling anisotropic scattering in radiation heat transfer for a planar medium, *ASME J. Heat Transfer* 104 (1) (1982) 68–75.
219. T.-K. Kim and H.S. Lee, Scaled isotropic results for two-dimensional anisotropic scattering media, *ASME J. Heat Transfer* 112 (3) (1990) 721–727.
220. F. Liu, E.S. Garbett, and J. Swithenbank, Effects of anisotropic scattering on radiative heat transfer using the P_1 -approximation, *Int. J. Heat Mass Transfer* 35 (10) (1992) 2491–2499.
221. H.T.K. Tagne and D. Baillis, Isotropic scaling limits for one-dimensional radiative heat transfer with collimated incidence, *J. Quant. Spectr. Radiat. Transfer* 93 (1–3) (2005) 103–113.
222. K.S. Adzerikho, V.I. Antsulevich, V.P. Nekrasov, and V.P. Trofimov, Modeling radiant-heat-transfer problems in media of nonplane geometry, *J. Eng. Phys. Thermophys.* 36 (2) (1979) 148–158.
223. N. Selçuk and R.G. Siddall, Two-flux spherical harmonic modeling of two-dimensional radiative transfer in furnaces, *Int. J. Heat Mass Transfer* 19 (3) (1976) 313–321.
224. M.P. Mengüç and R. Viskanta, A sensitivity analysis for radiation heat transfer in a pulverized coal-fired furnace, *Combust. Sci. Tech.* 51 (1–3) (1987) 51–74.
225. N. Selçuk, Evaluation of spherical harmonics approximation for radiative transfer in cylindrical furnaces, *Int. J. Heat Mass Transfer* 33 (3) (1990) 579–581.
226. K. Onda, Prediction of scattering effect by ash polydispersion on spectral emission from coal-fired MHD combustion gas, *J. Quant. Spectr. Radiat. Transfer* 53 (4) (1995) 381–395.
227. L.A. Dombrovsky, A theoretical investigation of heat transfer by radiation under conditions of two-phase flow in a supersonic nozzle, *High Temp.* 34 (2) (1996) 255–262.
228. S. S. Sazhin, E. M. Sazhina, O. Faltsi-Saravelou, and P. Wild, The P_1 model for thermal radiation transfer: advantages and limitations, *Fuel* 75 (3) (1996) 289–294.
229. G.M. Makhviladze, J.P. Roberts, and S.E. Yakush, Combustion of two-phase hydrocarbon fuel clouds released into the atmosphere, *Combust. Flame* 118 (4) (1999) 583–605.
230. A. Kronenburg, R.W. Bilger, and J.H. Kent, Modeling soot formation in turbulent methane-air jet diffusion flames, *Combust. Flame* 121 (1–2) (2000) 24–40.
231. J.G. Marakis, C. Papapavlou, and E. Kakaras, A parametric study of radiative heat transfer in pulverised coal furnaces, *Int. J. Heat Mass Transfer* 43 (16) (2000) 2961–2971.
232. T. Klason and X.S. Bai, Computational study of the combustion process and NO formation in small-scale wood pellet furnace, *Fuel* 86 (10–11) (2007) 1465–1474.
233. D.A. Kontogeorgos, E.P. Keramida, and M.A. Founti, Assessment of simplified thermal radiation models for engineering calculations in natural gas-fired furnace, *Int. J. Heat Mass Transfer* 50 (25–26) (2007) 5260–5268.
234. T. Klason, X.S. Bai, M. Bahador, T.K. Nilsson, and B. Sundén, Investigation of radiative heat transfer in fixed bed biomass furnaces, *Fuel* 87 (10–11) (2008) 2141–2153.
235. M. Ravishankar, S. Mazumder, and A. Kumar, Finite-volume formulation and solution of the P_3 equations of radiative transfer on unstructured meshes, *ASME J. Heat Transfer* 132 (2) (2010) paper 023402.
236. V.A. Petrov, Complex approach to a radiative-conductive heat transfer problem in scattering semitransparent materials using a diffusive approximation as the base, *J. Eng. Phys. Thermophys.* 64 (6) (1993) 583–589.

237. L.A. Dombrovsky, Quartz-fiber thermal insulation: Infrared radiative properties and calculation of radiative-conductive heat transfer, *ASME J. Heat Transfer* 118 (2) (1996) 408–414.
238. J.J. Derby, S. Brandon, and A.G. Salinger, The diffusion and P_1 approximations for modeling buoyant flow of an optically thick fluid, *Int. J. Heat Mass Transfer* 41 (11) (1998) 1405–1415.
239. S.D. Eby, J.Y. Trépanier, and X.D. Zhang, Modelling radiative transfer in SF₆ circuit-breaker arcs with the P-1 approximation, *J. Phys. D: Appl. Phys.* 31 (13) (1998) 1578–1588.
240. J.D. Yan, W.B. Hall, and M.T.C. Fang, Experimental and theoretical investigation of an enclosed free burning arc in SF₆, *J. Phys. D: Appl. Phys.* 33 (9) (2000) 1070–1080.
241. P. Freton, J.J. Gonzalez, A. Gleizes, F.C. Peyret, G. Caillibotte, and M. Delzenne, Numerical and experimental study of the plasma cutting torch, *J. Phys. D: Appl. Phys.* 35 (2) (2002) 115–131.
242. C.M. Dixon, J.D. Yan, and M.T.C. Fang, A comparison of three radiation models for the calculation of nozzle arcs, *J. Phys. D: Appl. Phys.* 37 (23) (2004) 3309–3318.
243. P. Ségur, A. Bourdon, E. Marode, D. Bessieres, and J.H. Paillol, The use of an improved Eddington approximation to facilitate the calculation of photoionization in steamer discharges, *Plasma Sources Sci. Tech.* 15 (4) (2006) 648–660.
244. L.C. Hartung and H.A. Hassan, Radiation transport around axisymmetric blunt body vehicles using a modified differential approximation, *AIAA J. Thermophys. Heat Transfer* 7 (2) (1993) 220–227.
245. V.M. Borisov and A.A. Ivankov, The P_1 and P_2 approximations of the spherical harmonic method as applied to radiative heat transfer computations with allowance for strong blowing from the surface of a vehicle moving in the Jovian atmosphere, *Comput. Math. Math. Phys.* 46 (9) (2006) 1611–1622.
246. J.Q. Lu, C. Chen, D.W. Pravica, R.S. Brock, and X.-H. Hu, Validity of a closed-form diffusion solution in P_1 approximation for reflectance imaging with an oblique beam of arbitrary profile, *Med. Phys.* 35 (9) (2008) 3979–3987.
247. I.K. Tjahjono and Y. Bayazitoglu, Near-infrared light heating of a slab by embedded nanoparticles, *Int. J. Heat Mass Transfer* 51 (7–8) (2008) 1505–1515.
248. J. Vera and Y. Bayazitoglu, Gold nanoshell density variation with laser power for induced hyperthermia, *Int. J. Heat Mass Transfer* 52 (3–4) (2009) 564–573.
249. J. Vera and Y. Bayazitoglu, A note on laser penetration in nanoshell deposited tissue, *Int. J. Heat Mass Transfer* 52 (13) (2009) 3402–3406.
250. A.M. Elliott, J. Schwartz, J. Wang, A.M. Shetty, C. Bourgoyne, D.P. O’Neal, J.D. Hazle, and R.J. Stafford, Quantitative comparison of delta P_1 versus optical diffusion approximations for modeling near-infrared gold nanoshell heating, *Med. Phys.* 36 (4) (2009) 1351–1358.
251. P.-E. Baudoux, A. Roblin, and P. Chervet, New approach for radiative-transfer computations in axisymmetric scattering hot media, *AIAA J. Thermophys. Heat Transfer* 15 (3) (2001) 317–325.
252. R.T. Ackroyd, C.R.E. de Oliveira, A. Zolfaghari, and A.J.H. Goddard, On a rigorous resolution of the transport equation into a system of diffusion-like equations, *Prog. Nucl. Energy* 35 (1) (1999) 1–64.

- 253. C. Yildiz, The spherical harmonics method for anisotropic scattering in neutron transport theory: the critical sphere problem, *J. Quant. Spectr. Radiat. Transfer* 71 (1) (2001) 25–37.
- 254. S.A. El-Wakil, A.R. Degheidy, and M. Sallah, Time-dependent neutron transport in finite media using Pomraning-Eddington approximation, *Annals Nucl. Energy* 32 (3) (2005) 343–353.
- 255. A.K. Ziver, M.S. Shahdatullan, M.D. Eaton, C.R.E. de Oliveira, A.P. Umpleby, C.C. Pain, and A.J.H. Goddard, Finite element spherical harmonics (PN) solutions of the three-dimensional Takeda benchmark problems, *Annals Nucl. Energy* 32 (9) (2005) 925–948.
- 256. L. Cao and H. Wu, A spherical harmonics-finite element discretization of the self-adjoint angular flux neutron transport equation, *Nucl. Eng. Design* 237 (23) (2007) 2232–2239.
- 257. T. Nakajima and M. Tanaka, Algorithms for radiative intensity calculations in moderately thick atmospheres using a truncated approximation, *J. Quant. Spectr. Radiat. Transfer* 40 (1) (1988) 51–69.
- 258. K.F. Evans, Two-dimensional radiative transfer in cloudy atmospheres: the spherical harmonic spatial grid method, *J. Atmos. Sci.* 50 (18) (1993) 3111–3124.
- 259. K.F. Evans, The spherical harmonics discrete ordinate method for three-dimensional atmospheric radiative transfer, *J. Atmos. Sci.* 55 (3) (1998) 429–446.
- 260. N.S. Trasi, C.R.E. de Oliveira, and J.D. Haigh, A finite element - spherical harmonics model for radiative transfer in inhomogeneous clouds. Part I. The EVENT model, *Atmos. Res.* 72 (1–4) (2004) 197–221.
- 261. P.A. Cook, C.R.E. de Oliveira, J.D. Haigh, and A.J. Goddard, A finite element-spherical harmonics model for radiative transfer in inhomogeneous clouds. Part II. Some applications, *Atmos. Res.* 72 (1–4) (2004) 223–237.
- 262. A. Zardecki, S.A.W. Gerstl, and R.E. DeKinder, Jr., Two- and three-dimensional radiative transfer in the diffusion approximation, *Appl. Optics* 25 (19) (1986) 3508–3514.
- 263. G.L. Olson, L.H. Auer, and M.L. Hall, Diffusion, P_1 , and other approximate forms of radiation transport, *J. Quant. Spectr. Radiat. Transfer* 64 (6) (2000) 619–634.
- 264. E.D. Aydin, S. Katsimichas, and C.R.E. de Oliveira, Time-dependent diffusion and transport calculations using a finite-element-spherical harmonics method, *J. Quant. Spectr. Radiat. Transfer* 95 (3) (2005) 349–363.
- 265. M.R. Jones, V.P. Solovjov, B.W. Webb, and S.M. Salisbury, Identification of appropriate source models for accurate diffusion modeling of radiative transfer in a non-absorbing foam layer, *J. Quant. Spectr. Radiat. Transfer* 93 (1–3) (2005) 125–137.
- 266. J.E. Morel, Diffusion-limit asymptotics of the transport equation, the $P_{1/3}$ equations, and two flux-limited diffusion theories, *J. Quant. Spectr. Radiat. Transfer* 65 (5) (2000) 769–778.
- 267. M. Frank, A. Klar, E.W. Larsen, and S. Yasuda, Time-dependent simplified P_N approximation to the equations of radiative transfer, *J. Comput. Phys.* 226 (2) (2007) 2289–2305.
- 268. M. Bhuvaneswari and C.-Y. Wu, Differential approximations for transient radiative transfer in refractive planar medium with pulse irradiation, *J. Quant. Spectr. Radiat. Transfer* 110 (6–7) (2009) 389–401.

269. J. Yvon, La diffusion macroscopique des neutrons une methode d'approximation, *J. Nucl. Energy* 4 (3) (1957) 305–318.
270. S. Ziering and D. Schiff, Yvon's method for slabs, *Nucl. Sci. Eng.* 3 (1958) 635–647.
271. J.C. Stewart and P.F. Zweifel, Self-shielding and Doppler effect by absorption of neutrons, Second Int. Conf. Peaceful Uses Atom. Energy (Geneva, 1958). Selected Papers of Non-Soviet Scientists (Russian transl., v. 2, Moscow, Atomizdat, 1959), Paper No. 631, 600–624.
272. D.W. Drawbaugh and L.C. Noderer, The double spherical harmonic method for cylinders and spheres, *Nucl. Sci. Eng.* 6 (1) (1959) 79–81.
273. E. Schmidt and E.M. Gelbard, A double P_N method for spheres and cylinders, *Trans. Am. Nucl. Soc.* 9 (1966) 432–433.
274. J.B. Sykes, Approximate integration of the equation of transfer, *Monthly Notices Roy. Astron. Soc.* 111 (4) (1951) 377–386.
275. M.P. Sherman, Moment methods in radiative transfer problems, *J. Quant. Spectr. Radiat. Transfer* 7 (1) (1967) 89–109.
276. M.N. Özisik, J. Menning, and W. Hälg, Half-range moment method for solution of the transport equation in a spherically symmetric geometry, *J. Quant. Spectr. Radiat. Transfer* 15 (12) (1975) 1101–1106.
277. F.S. Wan, S.J. Wilson, and K.K. Sen, Radiative transfer in an isothermal slab with anisotropic scattering, *J. Quant. Spectr. Radiat. Transfer* 17 (5) (1977) 571–575.
278. L.A. Dombrovsky, Calculation of radiation heat transfer in a plane-parallel layer of absorbing and scattering medium, *Fluid Dyn.* 7 (4) (1972) 691–695.
279. L.A. Dombrovsky, Radiative equilibrium in a plane-parallel layer of absorbing and scattering medium, *Fluid Dyn.* 9 (4) (1974) 663–666.
280. L.A. Dombrovsky and N.N. Ivenskikh, Radiation of homogeneous plane-parallel layer of spherical particles, *High Temp.* 11 (4) (1973) 818–822 (in Russian).
281. L.A. Dombrovsky, Radiation of plane-parallel layer of hollow spherical aluminum oxide particles, *High Temp.* 12 (6) (1974) 1316–1318 (in Russian).
282. L.A. Dombrovsky, Radiation of isothermal polydisperse layer, *High Temp.* 14 (4) (1976) 733–737.
283. L.A. Dombrovsky, Calculation of the thermal radiation emission of foam on the sea surface, *Izvestiya, Atmos. Ocean. Phys.* 15 (3) (1979) 193–198.
284. L.A. Dombrovsky and V.Yu. Raizer, Microwave model of a two-phase medium at the ocean surface, *Izvestiya, Atmos. Ocean. Phys.* 28 (8) (1992) 650–656.
285. J.-H. Tsai, Double spherical harmonics approximation applied to combined conduction-radiation in a planar medium, *Int. Comm. Heat Mass Transfer* 18 (5) (1991) 741–756.
286. M. Krook, On the solution of equations of transfer. I, *Astrophys. J.* 122 (3) (1955) 488–497.
287. M.P. Mengüç and R.K. Iyer, Modeling of radiative transfer using multiple spherical harmonics approximations, *J. Quant. Spectr. Radiat. Transfer* 39 (6) (1988) 445–461.
288. R.K. Iyer and M.P. Mengüç, Quadruple spherical harmonics approximation for radiative transfer in two-dimensional rectangular enclosures, *AIAA J. Thermophys. Heat Transfer* 3 (3) (1989) 266–273.
289. P.S. Brantley, Angular adaptive P_1 — double P_0 flux-limited diffusion solutions of non-equilibrium grey radiative transfer problems, *J. Quant. Spectr. Radiat. Transfer* 104 (1) (2007) 116–132.

290. M. Abramowitz and I.A. Stegun (Eds.), *Handbook of Mathematical Functions*, Dover Publ., New York, 1965.
291. T.J. Love and R.J. Grosh, Radiative heat transfer in absorbing, emitting and scattering media, *ASME J. Heat Transfer* 87 (2) (1965) 161–166.
292. G.A. Korn and T.M. Korn, *Mathematical Handbook for Scientists and Engineers*, Second ed., McGraw-Hill, New York, 1968 (also Dover Publ., New York, 2000).
293. M.A. Heaslet and R.F. Warming, Radiative transport and wall temperature slip in an absorbing planar medium, *Int. J. Heat Mass Transfer* 8 (7) (1965) 979–994.
294. M.F. Modest and F.H. Azad, The differential approximation for radiative transfer in an emitting, absorbing and anisotropically scattering medium, *J. Quant. Spectr. Radiat. Transfer* 23 (1) (1980) 117–120.
295. R.G. Deissler, Diffusion approximation for thermal radiation in gases with jump boundary conditions, *ASME J. Heat Transfer* 86 (2) (1964) 240–246.
296. J.-F. Sacadura and D. Baillis, Experimental characterization of thermal radiation properties of disperse media, *Int. J. Thermal. Sci.* 41 (7) (2002) 699–707.
297. B.F. Armaly and T.T. Lam, Influence of refractive index on reflectance from a semi-infinite absorbing-scattering medium with collimated incident radiation, *Int. J. Heat Mass Transfer* 18 (7–8) (1975) 893–900.
298. G. Spiga, F. Santarelli, and C. Stramigioli, Radiative transfer in an absorbing and anisotropically scattering slab with a reflecting boundary, *Int. J. Heat Mass Transfer* 23 (6) (1980) 841–852.
299. F. Santarelli, C. Stramigioli, and G. Spiga, Rigorous and simplified approach to the radiative transfer in an absorbing and anisotropically scattering slab with a reflecting boundary, *Int. J. Heat Mass Transfer* 23 (6) (1980) 853–860.
300. M.F. Modest, Oblique collimated irradiation of an absorbing, scattering, plane-parallel layer, *J. Quant. Spectr. Radiat. Transfer* 45 (5) (1991) 309–312.
301. P.J. Coelho, Bounded skew high order resolution schemes for the discrete ordinates method, *J. Comput. Phys.* 175 (2) (2002) 412–437.
302. B.-T. Liou and C.-Y. Wu, Radiative transfer in a multi-layer medium with Fresnel interfaces, *Heat Mass Transfer* 32 (1–2) (1996) 103–107.
303. C.-Y. Wu and B.-T. Liou, Discrete-ordinate solutions for radiative transfer in a cylindrical enclosure with Fresnel boundaries, *Int. J. Heat Mass Transfer* 40 (10) (1997) 2467–2475.
304. C. Muresan, R. Vaillon, C. Menezo, and R. Morlot, Discrete ordinates solution of coupled conductive radiative heat transfer in a two-layer slab with Fresnel interfaces subject to diffuse and obliquely collimated irradiation, *J. Quant. Spectr. Radiat. Transfer* 84 (4) (2004) 551–562.
305. L. Dombrovsky, S. Lallich, F. Enguehard, and D. Baillis, An effect of "scattering by absorption" observed in near-infrared properties of nanoporous silica, *J. Appl. Phys.* 107 (8) (2010) paper 083106.
306. L.A. Dombrovsky, V.P. Solovjov, and B.W. Webb, Attenuation of solar radiation by water mist and sprays from the ultraviolet to the infrared range, *Proc. 6th Int. Symp. Radiat. Transfer (RAD-10)*, June 13–19, 2010, Antalya, Turkey.
307. L.G. Barkova and L.A. Dombrovsky, On errors of radiation heat transfer calculations due to use of simple differential approximations, *Proc. XI Conf. Young Scient., Mosc. Inst. Phys. Tech.*, 1986, Part 2 (Depos. VINITI, n. 5697-B86, in Russian).

308. L.A. Dombrovsky, Evaluation of the error of the P_1 approximation in calculations of thermal radiation transfer in optically inhomogeneous media, *High Temp.* 35 (4) (1997) 676–679.
309. S.T. Surzhikov, Heat radiation of large-scale oxygen-hydrogen fireballs: Analysis of the problem and main results, *High Temp.* 35 (3) (1997) 410–416.
310. R. Davies, The effect of finite geometry on the three-dimensional transfer of solar irradiance in clouds, *J. Atmos. Sci.* 35 (9) (1978) 1712–1725.
311. K.-N. Liou and S.-Ch.S. Ou, Infrared radiative transfer in finite cloud layers, *J. Atmos. Sci.* 36 (10) (1979) 1985–1996.
312. Harshvardhan, J.A. Weinman, and R. Davies, Transport of infrared radiation in cuboidal clouds, *J. Atmos. Sci.* 38 (11) (1981) 2500–2513.
313. A.B. Shigapov and D.B. Vafin, Solution of two-dimensional radiative transfer equation, in: "Heat and Mass Transfer in Engines of Flyers", 2 (1979) 101–106 (in Russian).
314. D.B. Vafin, A.F. Dregalin, and A.B. Shigapov, Radiation of two-phase flows in Laval nozzles, *J. Eng. Phys. Thermophys.* 41 (1) (1981) 702–706.
315. Y. Gu and K.N. Liou, Radiation parametrization for three-dimensional inhomogeneous cirrus clouds: application to climate models, *J. Climate* 14 (11) (2001) 2443–2457.
316. Y. Chen, K.N. Liou, and Y. Gu, An efficient diffusion approximation for 3D radiative transfer parametrization: application to cloudy atmospheres, *J. Quant. Spectr. Radiat. Transfer* 92 (2) (2005) 189–200.
317. M.F. Modest, Modified differential approximation for radiative transfer in general three-dimensional media, *AIAA J. Thermophys. Heat Transfer* 3 (3) (1989) 283–288.
318. P. Cheng, Exact solutions and differential approximation for multi-dimensional radiative transfer in Cartesian coordinate configurations, in "Progress in Astronautics and Aeronautics, v. 31, Thermal Control and Radiation", 1979.
319. O.C. Zienkiewicz, R.L. Taylor, and J.Z. Zhu, *The Finite Element: Its Basis and Fundamentals*, Sixth ed., Elsevier, Oxford, 2005 (See also the first edition: O.C. Zienkiewicz, *The Finite Element Method in Engineering Science*, McGraw Hill, London, 1967).
320. M. Hänisch, Berechnung des Strahlungsaustausches in umschlossenen Räumen mit Hilfe der Methode der finiten Elemente (MFE), *Wiss. Z. Tech. Univ. Dresden* 31 (4) (1982) 125–131.
321. L.A. Dombrovsky, L.I. Zaichik, Yu.A. Zeigarnik, A.S. Sidorov, and I.V. Derevich, Thermophysical processes involved in the VVER core destruction and corium interaction with reactor vessel, *Inst. High Temp.*, Preprint No. 2–431, 1999.
322. L.A. Dombrovsky, Calculation of radiation heat transfer in a volume above the surface of a corium pool, *Thermal Eng.* 48 (1) (2001) 42–49.
323. L.A. Dombrovsky, W. Lipiński, and A. Steinfeld, A diffusion-based approximate model for radiation heat transfer in a solar thermochemical reactor, *J. Quant. Spectr. Radiat. Transfer* 103 (3) (2007) 601–610.
324. R.L. Fernandes and J.E. Francis, Combined radiative and conductive heat transfer in a planar medium with flux boundary conditions using finite elements, *AIAA Paper No.* 0910, 1982.
325. M.M. Razzaque, D.E. Klein, and J.R. Howell, Finite element solution of radiative heat transfer in a two-dimensional rectangular enclosure with gray participating media, *ASME J. Heat Transfer* 105 (4) (1983) 933–936.

326. T.J. Chung and J.Y. Kim, Two-dimensional, combined-modes heat transfer by conduction, convection, and radiation in emitting, absorbing, and scattering media — solution by finite elements, *ASME J. Heat Transfer* 106 (2) (1984) 448–452.
327. M.M. Razzaque, J.R. Howell, and D.E. Klein, Coupled radiative and conductive heat transfer in a two-dimensional rectangular enclosure with gray participating media using finite elements, *ASME J. Heat Transfer* 106 (3) (1984) 613–619.
328. C.R.E. de Oliveira, An arbitrary geometry finite element method for multi-group neutron transport with anisotropic scattering, *Prog. Nucl. Energy* 18 (1–2) (1986) 227–236.
329. R.T. Ackroyd, *Finite Element Method for Particle Transport: Application to Reactor and Radiation Physics (Research Studies in Particle and Nuclear Technology)*, Research Studies Press, London, 1997.
330. Y. Yamada, Light-tissue interaction and optical imaging in biomedicine, *Ann. Rev. Heat Transfer* 6 (1995) 1–59.
331. S.R. Arridge, M. Schweiger, M. Hiraoka, and D.T. Delpy, A finite element approach for modeling photon transport in tissue, *Med. Phys.* 20 (2) (1993) 299–309.
332. M. Schweiger, S.R. Arridge, M. Hiraoka, and D.T. Delpy, The finite element model for the propagation of light in scattering media: Boundary and source conditions, *Med. Phys.* 22 (11) (1995) 1779–1792.
333. M. Schweiger and S.R. Arridge, The finite-element model for the propagation of light in scattering media: Frequency domain case, *Med. Phys.* 24 (6) (1997) 895–902.
334. S.R. Arridge, H. Dehghani, M. Schweiger, and E. Okada, The finite element model for the propagation of light in scattering media: a direct method for domains with nonscattering regions, *Med. Phys.* 27 (1) (2000) 252–264.
335. B. Chen, K. Stamnes, and J.J. Stamnes, Validity of the diffusion approximation in bio-optical imaging, *Appl. Optics* 40 (34) (2001) 6356–6366.
336. J. Ripoll, M. Nieto-Vesperinas, S.R. Arridge, and H. Dehghani, Boundary conditions for light propagation in diffusive media with nonscattering regions, *J. Opt. Soc. Am. A* 17 (9) (2000) 1671–1681.
337. E.D. Aydin, C.R.E. de Oliveira, and A.H. Goddard, A comparison between transport and diffusion calculations using a finite element–spherical harmonics radiation transport method, *Med. Phys.* 29 (9) (2002) 2013–2023.
338. T. Hayashi, Y. Kashio, and E. Okada, Hybrid Monte Carlo–diffusion method for light propagation in tissue with a low-scattering region, *Appl. Optics* 42 (16) (2003) 2888–2896.
339. E.D. Aydin, C.R.E. de Oliveira, and A.J.H. Goddard, A finite element-spherical harmonics radiation transport model for photon migration in turbid media, *J. Quant. Spectr. Radiat. Transfer* 84 (3) (2004) 247–260.
340. T. Koyama, A. Iwasaki, Y. Ogoshi, and E. Okada, Practical and adequate approach to modeling light propagation in an adult head with low-scattering regions by use of diffusion theory, *Appl. Optics* 44 (11) (2005) 2094–2103.
341. D. Gorpas, D. Yova, and K. Politopoulos, A three-dimensional finite elements approach for the coupled radiative transfer equation and diffusion approximation modeling in fluorescence imaging, *J. Quant. Spectr. Radiat. Transfer* 111 (4) (2010) 553–568.
342. J. Boulanger and A. Charette, Reconstruction optical spectroscopy using transient radiative transfer equation and pulsed laser: a numerical study, *J. Quant. Spectr. Radiat. Transfer* 93 (1) (2005) 325–336.

- 343. S.R. Arridge, J.P. Kaipio, V. Kolehmainen, M. Schweiger, E. Somersalo, T. Tarvainen, and M. Vauhkonen, Approximation errors and model reduction with an application in optical diffusion tomography, *Inverse Problems* 22 (1) (2006) 175–195.
- 344. H. Xu and M.S. Patterson, Application of the modified spherical harmonics method to some problems in biomedical optics, *Phys. Med. Biol.* 51 (12) (2006) 247–251.
- 345. H. Shen, W. Cong, X. Qian, K. Durairaj, and G. Wang, Numerical study on the validity of the diffusion approximation for computational optical biopsy, *J. Opt. Soc. Am. A* 24 (2) (2007) 423–429.
- 346. E.D. Aydin, Three-dimensional photon migration through void-like regions and channels, *Appl. Optics* 46 (34) (2007) 8272–8277.
- 347. A. Joshi, J.C. Rasmussen, E.M. Sevick-Muraca, T.A. Wareing, and J. McGhee, radiative transport-based frequency-domain fluorescence tomography, *Phys. Med. Biol.* 53 (8) (2008) 2069–2088.
- 348. S. Ahn, A.J. Chaudhary, F. Darvas, C.A. Bouman, and R.M. Leahy, Fast iterative image reconstruction methods for fully 3D multispectral bioluminescence tomography, *Phys. Med. Biol.* 53 (14) (2008) 3921–3942.
- 349. Z. Yuan, X.H. Hu, and H. Jiang, A higher order diffusion model for three-dimensional photon migration and image reconstruction in optical tomography, *Phys. Med. Biol.* 54 (1) (2009) 65–88.
- 350. G. Bal, Inverse transport theory and applications, *Inverse Problems* 25 (5) (2009) paper 053001.
- 351. M. Chu, V. Vishwanath, A.D. Klose, and H. Dehghani, Light transport in biological tissue using three-dimensional frequency-domain simplified spherical harmonics equations, *Phys. Med. Biol.* 54 (8) (2009) 2493–2509.
- 352. A. Gibson and H. Dehghani, Diffuse optical imaging, *Phil. Trans. Roy. Soc. A: Math., Phys. Eng. Sci.* 367 (1900) (2009) 3055–3072.
- 353. H. Dehghani, S. Srinivasan, B.W. Poque, and A. Gibson, Numerical modeling and image reconstruction in diffuse optical tomography, *Phil. Trans. Roy. Soc. A: Math. Phys. Eng. Sci.* 367 (1900) (2009) 3073–3093.
- 354. P. Hiltunen, S.J.D. Prince, and S. Arridge, A combined reconstruction-classification method for diffuse optical tomography, *Phys. Med. Biol.* 54 (21) (2009) 6457–6476.
- 355. Y. Lu, A. Douraghy, H.B. Machado, D. Stout, J. Tian, H. Herschman, and A.F. Chatzioannou, Spectrally resolved bioluminescence tomography with the third-order simplified spherical harmonics approximation, *Phys. Med. Biol.* 54 (21) (2009) 6477–6493.
- 356. S.R. Arridge and J.C. Schotland, Optical tomography: forward and inverse problems, *Inverse Problems* 25 (12) (2009) paper 123010.
- 357. T. Tarvainen, V. Kolehmainen, A. Pulkkinen, M. Vauhkonen, M. Schweiger, S.R. Arridge, and J.P. Kaipio, An approximation error approach for compensating for modeling errors between the radiative transfer equation and the diffusion approximation in diffuse optical tomography, *Inverse Problems* 26 (1) (2010) paper 015005.
- 358. O. Balima, T. Pierre, A. Charette, and D. Marceau, A least square finite element formulation of the collimated irradiation in frequency domain for optical tomography applications, *J. Quant. Spectr. Radiat. Transfer* 111 (2) (2010) 280–286.
- 359. J.B. Dominguez and Y. Bérubé-Lauzière, Diffuse light propagation in biological media by a time-domain parabolic simplified spherical harmonics approximation with ray-divergence effects, *Appl. Optics* 49 (8) (2010) 1414–1429.

360. I.G. Zaltsman, A.L. Ishmaev, and V.K. Shikov, Radiative flux distribution over rectangular channels perimeters of power plants, *High Temp.* 23 (4) (1985) 766–770 (in Russian).
361. D. Laredo and D.W. Netzer, The dominant effect of alumina on nearfield plume radiation, *J. Quant. Spectr. Radiat. Transfer* 50 (5) (1993) 511–530.
362. S.T. Surzhikov, Three-dimensional model of the spectral emissivity of light-scattering exhaust plumes, *High Temp.* 42 (5) (2004) 763–775.
363. J.T. Farmer and J.R. Howell, Comparison of Monte Carlo strategies for radiative transfer in participating media, *Adv. Heat Transfer* 31 (1998) 333–429.
364. L. Dombrovsky and W. Lipiński, A combined P_1 and Monte Carlo model for radiative transfer in multi-dimensional anisotropically scattering medium, *Proc. 14th Int. Heat Transfer Conf.*, Washington DC, USA, August 8–13, 2010, paper IHTC14-22194.
365. L. Dombrovsky and W. Lipiński, A combined P_1 and Monte Carlo model for multi-dimensional radiative transfer problems in scattering medium, *Comput. Thermal. Sci.* 2 (6) (2010) in press.
366. H.F. Nelson and B.V. Satish, Transmission of laser beam through anisotropic scattering media, *AIAA J. Thermophys. Heat Transfer* 1 (3) (1987) 233–239.
367. S.T. Surzhikov, On directional thermal radiation calculations for light-scattering volumes by use of the Monte Carlo method, *High Temp.* 25 (4) (1987) 820–822 (in Russian).
368. L.A. Daladova, A.I. Makienko, S.N. Pavlova, S.T. Surzhikov, and B.A. Khmelinin, Computational model of thermal radiation from axisymmetrical volumes of scattering two-phase media, *Math. Model.* 2 (4) (1990) 54–66 (in Russian).
369. L.A. Dombrovsky, Large-cell model of radiation heat transfer in multiphase flows typical for fuel-coolant interaction, *Int. J. Heat Mass Transfer* 50 (17–18) (2007) 3401–3410.
370. T.N. Dinh, V.A. Bui, R.R. Nourgaliev, J.A. Green, and B.R. Sehgal, Experimental and analytical studies of melt jet–coolant interaction: a synthesis, *Nucl. Eng. Design* 189 (1–3) (1999) 299–327.
371. J. Namiech, G. Berthoud, and N. Coutris, Fragmentation of a molten corium jet falling into water, *Nucl. Eng. Design* 229 (2–3) (2004) 265–287.
372. M. Bürger, Particulate debris formation by breakup of melt jets, *Nucl. Eng. Design* 236 (19–21) (2006) 1991–1997.
373. G. Pohlner, Z. Vujic, M. Bürger, and G. Lohnert, Simulation of melt jet breakup and debris bed formation in water pools with IKEJET/IKEMIX, *Nucl. Eng. Design* 236 (19–21) (2006) 2026–2048.
374. M.L. Corradini, B.J. Kim, and M.D. Oh, Vapor explosion in light water reactors: A review of theory and modeling, *Prog. Nucl. Energy* 22 (1) (1988) 1–117.
375. D.F. Fletcher and R.P. Anderson, A review of pressure-induced propagation models of the vapour explosion process, *Prog. Nucl. Energy* 23 (2) (1990) 137–179.
376. T.G. Theofanous, The study of steam explosions in nuclear systems, *Nucl. Eng. Design* 155 (1–2) (1995) 1–26.
377. D.F. Fletcher, Steam explosion triggering: a review of theoretical and experimental investigations, *Nucl. Eng. Design* 155 (1–2) (1995) 27–36.
378. G. Berthoud, Vapor explosions, *Ann. Rev. Fluid Mech.* 32 (2000) 573–611.
379. J. Liu, S. Koshizuka, and Y. Oka, Relationship between the structure of vapor explosion and fragmentation mechanisms, *Nucl. Eng. Design* 216 (1–3) (2002) 121–137.

- 380. R. Büttner, B. Zimanowski, C.-O. Mohrholz, and R. Kümmel, Analysis of thermohydraulic explosion energetic, *J. Appl. Phys.* 98 (4) (2005) paper 043524.
- 381. R.P. Taleyarkhan, Vapor explosion studies for nuclear and non-nuclear industries, *Nucl. Eng. Design* 235 (10–12) (2005) 1061–1077.
- 382. B.T. Min, J.H. Kim, S.W. Hong, S.H. Hong, I.K. Park, J.H. Song, and H.D. Kim, Phase separation of metal-added corium and its effect on a steam explosion, *J. Nucl. Mater.* 377 (3) (2008) 458–466.
- 383. T.N. Dinh, Material property effect in steam explosion energetics: revisited, *Proc. 12th Int. Topical Meeting Nucl. Reactor Therm. Hydraulics (NURETH-12)*, Pittsburg, Pennsylvania, Sept. 30–Oct. 4, 2007, paper 150.
- 384. T.N. Dinh, A.T. Dinh, R.R. Nourgaliev, and B.R. Sehgal, Investigation of film boiling thermal hydraulics under FCI conditions: results of analyses and numerical study, *Nucl. Eng. Design* 189 (1–3) (1999) 251–272.
- 385. D.F. Fletcher, Radiation absorption during premixing, *Nucl. Eng. Design* 189 (1–3) (1999) 435–440.
- 386. L.A. Dombrovsky, Radiation heat transfer from a spherical particle via vapor shell to the surrounding liquid, *High Temp.* 37 (6) (1999) 912–919.
- 387. L.A. Dombrovsky, Radiation heat transfer from a hot particle to ambient water through the vapor layer, *Int. J. Heat Mass Transfer* 43 (13) (2000) 2405–2414.
- 388. L.A. Dombrovsky, Thermal radiation of a spherical particle of semitransparent material, *High Temp.* 37 (2) (1999) 260–269.
- 389. L.A. Dombrovsky, Thermal radiation from nonisothermal spherical particles of a semitransparent material, *Int. J. Heat Mass Transfer* 43 (9) (2000) 1661–1672.
- 390. L.A. Dombrovsky, A modified differential approximation for thermal radiation of semitransparent nonisothermal particles: application to optical diagnostics of plasma spraying, *J. Quant. Spectr. Radiat. Transfer* 73 (2–5) (2002) 433–441.
- 391. L.A. Dombrovsky, Modeling of thermal radiation of semi-transparent particles in combined heat transfer problems, *Proc. 4th Russ. Nat. Heat Transfer Conf.*, Moscow, Oct. 23–27, 2006, v. 1, 48–53 (in Russian).
- 392. L.A. Dombrovsky, Thermal radiation of nonisothermal particles in combined heat transfer problems, *Proc. 5th Int. Symp. Radiat. Transfer*, Bodrum, Turkey, June 17–22, 2007 (dedication lecture).
- 393. L.A. Dombrovsky and T.N. Dinh, The effect of thermal radiation on the solidification dynamics of metal oxide melt droplets, *Nucl. Eng. Design* 238 (6) (2008) 1421–1429.
- 394. W.W. Yuen, Development of a multiple absorption coefficient zonal method for application to radiative heat transfer in multi-dimensional inhomogeneous non-gray media, *Proc. 2004 ASME Heat Transfer/Fluids Eng. Summer Conf.*, July 11–15, 2004, Charlotte, North Carolina, USA, paper HT-FED2004-56285.
- 395. L.A. Dombrovsky, Modeling of radiation heat transfer in multiphase flows typical for fuel-coolant interaction, *Int. Symp. Adv. Comput. Heat Transfer (CHT-08)*, Marrakech, Morocco, May 11–16, 2008, Presentation at the Panel on Computational Radiative Heat Transfer.
- 396. L.A. Dombrovsky, M.V. Davydov, and P. Kudinov, Thermal radiation modeling in numerical simulation of melt-coolant interaction, *Comput. Thermal. Sci.* 1 (1) (2009) 1–35.
- 397. G.M. Hale and M.P. Querry, Optical constants of water in the 200 nm to 200 m wavelength region, *Appl. Optics* 12 (3) (1973) 555–563.

- 398. J.H. Harding, D.G. Martin, and P.E. Potter, Thermophysical and thermochemical properties of fast reactor materials, Commiss. Eur. Comm. Report EUR 12402 EN, 1989.
- 399. L.A. Dombrovsky, Thermal radiation modeling in multiphase flows of melt-coolant interaction, Chapter 4 in the book "Advances in Multiphase Flow and Heat Transfer", v. 1, L. Cheng and D. Mewes (Eds.), Bentham Sci. Publ., 2009, 114–157.
- 400. J.S. Truelove, Three-dimensional radiation in absorbing-emitting-scattering media using the discrete-ordinates approximation, *J. Quant. Spectr. Radiat. Transfer* 39 (1) (1988) 27–31.
- 401. W.A. Fiveland, A discrete ordinates method for predicting radiative heat transfer in axisymmetric enclosures, ASME Paper 82-HT-20, 1982.
- 402. W.A. Fiveland, Three-dimensional radiative heat transfer solutions by the discrete-ordinates method, *AIAA J. Thermophys. Heat Transfer* 2 (4) (1988) 309–316.
- 403. S. Kumar, A. Majumdar, and C.L. Tien, The differential-discrete-ordinate method for solutions of the equation of radiative transfer, *ASME J. Heat Transfer* 112 (2) (1990) 424–429.
- 404. W.A. Fiveland, Discrete ordinate methods for radiative heat transfer in isotropically and anisotropically scattering media, *ASME J. Heat Transfer* 109 (3) (1987) 809–812.
- 405. D. Baillis, L. Pilon, J. Randrianalisoa, R. Gomez, and R. Viskanta, Measurements of radiation characteristics of fused quartz containing bubbles, *J. Opt. Soc. Am. A* 21 (1) (2004) 149–159.
- 406. J.H. Randrianalisoa, D. Baillis, and L. Pilon, Improved inverse method for radiative characteristics of closed-cell absorbing porous media, *AIAA J. Thermophys. Heat Transfer* 20 (4) (2006) 871–883.
- 407. S.V. Patankar, *Numerical Heat Transfer and Fluid Flow*, Hemisphere, New York, 1980.
- 408. B.G. Carlson and K.D. Lathrop, Transport theory — The method of discrete ordinates, Ch. 3, in *Computing Methods in Reactor Physics*, H. Greenspan, C.N. Kelber, and D. Okrent (Eds.), Gordon & Breach, New York, 1968, 171–266.
- 409. J.C. Chai, H.S. Lee, and S.V. Patankar, Improved treatment of scattering using the discrete ordinates method, *ASME J. Heat Transfer* 116 (1) (1994) 260–263.
- 410. Q. Brewster, *Thermal Radiative Transport and Properties*, First ed., vol. 1, Wiley, New York, 1992.
- 411. H.-S. Li, G. Flamant, and J.-D. Lu, A new discrete ordinate algorithm for computing radiative transfer in one-dimensional atmospheres, *J. Quant. Spectr. Radiat. Transfer* 83 (3–4) (2004) 407–421.
- 412. P. Boulet, A. Collin, and J.L. Consalvi, On the finite volume method and the discrete ordinates method regarding radiative heat transfer in acute forward anisotropic scattering media, *J. Quant. Spectr. Radiat. Transfer* 73 (2–5) (2002) 195–204.
- 413. L.H. Liu, L.M. Ruan, and H.P. Tan, On the discrete ordinates method for radiative heat transfer in anisotropically scattering media, *Int. J. Heat Mass Transfer* 45 (15) (2002) 3259–3262.
- 414. K.T.V.S. Abhiram, M. Deiveegan, C. Balaji, and S.P. Venkateshan, Multilayer differential discrete ordinate method for inhomogeneous participating media, *Int. J. Heat Mass Transfer* 51 (9–10) (2008) 2628–2635.
- 415. K. Stamnes, S.-C. Tsay, W. Wiscombe, and K. Jayaweera, Numerically stable algorithm for discrete-ordinate-method radiative transfer in multiple scattering and emitting layered media, *Appl. Optics* 27 (12) (1988) 2502–2509.

416. D. Lemonnier and V. Le Dez, Discrete ordinates solution of radiative transfer across a slab with variable refractive index, *J. Quant. Spectr. Radiat. Transfer* 73 (2–5) (2002) 195–204.
417. N. Selçuk and N. Kayakol, Evaluation of discrete ordinates method for radiative transfer in rectangular furnaces, *Int. J. Heat Mass Transfer* 40 (2) (1997) 213–222.
418. S.C. Mishra, H.K. Roy, and N. Misra, Discrete ordinate method with a new and a simple quadrature scheme, *J. Quant. Spectr. Radiat. Transfer* 101 (2) (2006) 249–262.
419. J. Liu, H.M. Shang, Y.S. Chen, and T.S. Wang, Analysis of discrete ordinates method with even parity formulation, *AIAA J. Thermophys. Heat Transfer* 11 (2) (1997) 253–260.
420. S.T. Thynell, Discrete-ordinates method in radiative heat transfer, *Int. J. Eng. Sci.* 36 (12–14) (1998) 1651–1675.
421. A.S. Jamaluddin and P.J. Smith, Discrete-ordinates solution of radiative transfer equation in non-axisymmetric cylindrical enclosures, *AIAA J. Thermophys. Heat Transfer* 6 (2) (1992) 242–245.
422. E.H. Chui, G.D. Raithby, and P.M.J. Hughes, Prediction of radiative transfer in cylindrical enclosures with the finite volume method, *AIAA J. Thermophys. Heat Transfer* 6 (4) (1992) 605–611.
423. J.R. Tsai, M.N. Özisik, and F. Santarelli, Radiation in spherical symmetry with anisotropic scattering and variable properties, *J. Quant. Spectr. Radiat. Transfer* 42 (3) (1989) 187–199.
424. J.A. Fleck, The calculation of nonlinear radiation transport by a Monte Carlo method: statistical physics, *Meth. Comput. Phys.* 1 (1961) 43–65.
425. J.R. Howell and M. Perlmutter, Monte Carlo solution of thermal transfer through radiant media between gray walls, *ASME J. Heat Transfer* 86 (1) (1964) 116–122.
426. P. Beckmann and A. Spizzichino, *Scattering of Electromagnetic Waves from Rough Surfaces*, Artech House Publ., New York, 1987.
427. D.A. Kaminski, Radiative transfer from a gray, absorbing-emitting, isothermal medium in a conical enclosure, *J. Solar Energy Eng.* 111 (1989) (4) 324–329.
428. J.R. Howell, The Monte Carlo method in radiative heat transfer, *ASME J. Heat Transfer* 120 (3) (1998) 547–560.
429. D.V. Walters and R.O. Buckius, Monte Carlo methods for radiative heat transfer in scattering media, *Ann. Rev. Heat Transfer* 5 (1994) 131–176.
430. A.K.C. Wu and S.H.-K. Lee, Multiple-rays tracing technique for radiative exchange within packed beds, *Numer. Heat Transfer B* 37 (4) (2000) 469–487.
431. C.K. Chan and C.L. Tien, Radiative transfer in packed spheres, *ASME J. Heat Transfer*, 96 (1) (1974) 52–58.
432. Y.S. Yang, J.R. Howell, and D.E. Klein, Radiative heat transfer through a randomly packed bed of spheres by the Monte Carlo method, *ASME J. of Heat Transfer* 105 (2) (1983) 325–332.
433. K. Kudo, W.J. Yang, H. Tanaguchi, and H. Hayasaka, Radiative heat transfer in packed spheres by Monte Carlo method, in "Heat Transfer in High Technology and Power Engineering," Hemisphere, New York, 1987, pp. 529–540.
434. B.P. Singh and M. Kaviani, Independent theory versus direct simulation of radiation heat transfer in packed beds, *Int. J. Heat Mass Transfer* 34 (11) (1991) 2869–2882.

- 435. R. Coquard, D. Baillis, and D. Quenard, Radiative properties of expanded polystyrene foams, *ASME J. Heat Transfer* 131 (1) (2009) 012702.
- 436. R. Coquard and D. Baillis, Radiative characteristics of opaque spherical particles beds: a new method of prediction, *AIAA J. Thermophys. Heat Transfer* 18 (2) (2004) 178–186.
- 437. B. Zeghondy, E. Iacona, and J. Taine, Determination of the anisotropic radiative properties of a porous material by radiative function distribution identification (RFDI), *Int. J. Heat Mass Transfer* 49 (17–18) (2006) 2810–2819.
- 438. J. Petrasch, P. Wyss, and A. Steinfeld, Tomography-based Monte Carlo determination of radiative properties of reticulate porous ceramics, *J. Quant. Spectr. Radiat. Transfer* 105 (2) (2007) 180–197.
- 439. M. Loretz, E. Maire, and D. Baillis, Analytical modelling of the radiative properties of metallic foams: contribution of X-Ray tomography, *Adv. Eng. Mater.* 10 (4) (2008) 352–360.
- 440. J.N. Swamy, C. Crofcheck, and M.P. Mengüç, A Monte Carlo ray tracing study of polarized light propagation in liquid foams, *J. Quant. Spectr. Radiat. Transfer* 104 (2) (2007) 277–287.
- 441. G. Marchuk, G. Mikhailov, M. Nazarliev, R. Darbinjan, B. Kargin, and N. Elepov, *The Monte-Carlo Methods in Atmospheric Optics*, Springer, Heidelberg, 1980.
- 442. S.H. Chan, Numerical methods for multidimensional radiative transfer analysis in participating media, *Ann. Rev. Numer. Fluid Mech. Heat Transfer*, v. 1, 1987, 305–350.
- 443. M. Tancrez and J. Taine, Direct identification of absorption and scattering coefficients and phase function of a porous medium by a Monte Carlo technique, *Int. J. Heat Mass Transfer* 47 (2) (2004) 373–383.
- 444. R. Coquard and D. Baillis, Radiative properties of dense fibrous medium containing fibers in the geometrical limit, *ASME J. Heat Transfer* 128 (10) (2006) 1022–1030.