

Titles included in the Series in Thermal & Fluid Physics & Engineering

Geoffrey F. Hewitt, Series Editor:

Thermophysical Properties of Pure Fluids and Aqueous

Systems at High Temperatures and High Pressures

I. M. Abdulagatov, A.I. Abdulagatov, and A.N. Kalamov

Heat Transfer in Dispersions

Yuri A. Buyevich and Dmitri V. Alexandrov

Heat Transfer and Fluid Flow in Microchannels

Gian Piero Celata

Practical Heat Transfer

Peter D. Hills

Thermal Radiation Fundamentals

K.G. Terry Hollands

Validation of Advanced Computational

Methods for Multiphase Flow

Hervé Lemonnier, Didier Jamet, and Olivier Lebaigue

Practical Thermal Design of Shell-and-Tube

Heat Exchangers

R. Mukherjee

Mathematical Principles of Heat Transfer

K.N. Shukla

Radiative Transfer in Combustion Systems:

Fundamentals and Applications

Raymond Viskanta

ISBN 1-56700-212-0

Thermophysical Properties of Pure Fluids and Aqueous
Systems at High Temperatures and High Pressures

Series in Thermal & Fluid Physics & Engineering

Editor: G.F. Hewitt

Thermophysical Properties of Pure Fluids and Aqueous Systems at High Temperatures and High Pressures

I.M.Abdulagatov, A.I.Abdulagatov, A.N.Kalamov



New York • Wallingford, U.K.

Series in Thermal & Fluid Physics & Engineering
Series Editor: G.F. Hewitt

*Thermophysical
Properties of Pure Fluids
and Aqueous Systems at High
Temperatures and High Pressures*

by

I. M. Abdulagatov

A.I. Abdulagatov

A.N. Kamalov



begell house, inc
New York • Wallingford (U.K.)

Contents

Annotation	ix
Foreword	xi
Introduction	xv
1 Volumetric (<i>PVTx</i>) Properties of Pure Fluids and Aqueous Systems at High Temperatures and High Pressures, Including Near-Critical and Supercritical Conditions	1
1.1 Review of Available <i>PVT</i> Measurements for Light and Heavy Water, Pure Hydrocarbons, and Pure Methanol in the Near-Critical and Supercritical Conditions	1
1.1.1 Experimental <i>PVT</i> Data for Pure H ₂ O and D ₂ O in the Near-Critical and Supercritical Conditions	1
1.1.2 Experimental <i>PVT</i> Data for Pure Hydrocarbons in the Near-Critical and Supercritical Conditions	4
1.1.3 Saturated Liquid and Vapor Densities of Pure Light and Heavy Water. Experimental and Correlations	9
1.1.4 Saturated Liquid and Vapor Densities of Pure Hydrocarbons and Methanol. Experimental and Correlations	16
1.1.5 Vapor-Pressure Data for Pure Light and Heavy Water. Experimental and Correlations	28
1.1.6 Vapor-Pressure Data for Pure Hydrocarbons and Methanol. Experimental and Correlations	36
1.2 Review of Available <i>PVTx</i> Measurements for Near-Critical and Supercritical Aqueous Solutions. Phase Diagrams	49
1.2.1 Experimental Thermodynamic Data for H ₂ O + D ₂ O Mixtures	49
1.2.2 Thermodynamic Properties of Aqueous Hydrocarbon Mixtures in the Near-Critical and Supercritical Conditions	50

1.2.3	<i>PVTx</i> Properties of Aqueous Salt Solutions in Near-Critical and Supercritical Conditions	50
1.2.4	Saturated Liquid and Vapor Densities of 0.5H ₂ O + 0.5D ₂ O Mixtures	53
1.2.5	Saturated Liquid and Vapor Densities of Aqueous Hydrocarbon Mixtures	53
1.2.6	Saturated Liquid and Vapor Densities for Aqueous Salt Solutions	59
1.2.7	Vapor-Pressure Data for Aqueous Hydrocarbon Mixtures. Phase Diagrams	69
1.2.8	Vapor-Pressure Data for Aqueous Salt Solutions. Phase Diagrams	71
1.3	Equations of State for Pure Fluids: Hydrocarbons and Light and Heavy Water	76
1.3.1	Fundamental Equation of State for Toluene	76
1.3.2	Nonanalytic Equation of State for Toluene	77
1.3.3	Tait-Type Equation of State for Toluene	78
1.3.4	Mamedov–Akhundov Equation of State for Toluene	79
1.3.5	Benedict–Webb–Rubin-Type Equation of State for Hydrocarbons	79
1.3.6	Bender Equation of State for Hydrocarbons	80
1.3.7	Multiparameter Equation of State for <i>n</i> -Alkanes	81
1.3.8	Virial Equation of State for <i>n</i> -Alkanes	82
1.3.9	Beattie–Bridgeman Equation of State for <i>n</i> -Heptane	83
1.3.10	Scaling Type Equation of State for Hydrocarbons near the Critical Point	83
1.3.11	Crossover Equations of State for Light and Heavy Water	84
1.3.12	Fundamental Equations of State for Light and Heavy Water (IAPWS-85 and IAPWS-95 Formulations)	90
1.4	Equations of State for Aqueous Solutions in the Critical and Supercritical Regions	92
1.4.1	Equations of State for Water + Hydrocarbon Mixtures	92
1.4.2	Crossover Equations of State for Aqueous Solutions near the Critical Points	98
1.4.3	Classical Pitzer's Equation of State for Aqueous Salt Solutions in the Critical Region	105
1.5	The Critical Properties of Pure Fluids and Binary Aqueous Systems	109
1.5.1	The Critical Properties of Pure Fluids: Light and Heavy Water, Hydrocarbons, and Alcohols	111
1.5.2	The Critical Properties of Binary Aqueous Systems	126
1.6	Method of Constant-Volume Piezometer for Measurements of Aqueous Systems at High Temperatures and High Pressures, Including Near-Critical and Supercritical Conditions	151

1.6.1	Experimental Apparatus and Procedures	151
1.6.2	The Results of <i>PVT</i> Measurements for Pure Fluids: Hydrocarbons, Methanol, Light and Heavy Water in the Supercritical Region	155
1.6.3	The Results of <i>PVTx</i> Measurements for Aqueous Systems in the Supercritical Region	173
1.6.4	Excess, Partial, and Apparent Molar Volumes for Water + Hydrocarbon and H ₂ O + D ₂ O Mixtures in the Near-Critical and Supercritical Conditions	190
1.6.5	Thermodynamic and Structural Properties of Dilute Aqueous Salt and Aqueous Hydrocarbon Mixtures near the Critical Point of Pure Water. The Krichevskii Parameter	215
2	Isochoric Heat Capacity of Aqueous Systems at High Temperatures and High Pressures, Including Near-Critical and Supercritical Conditions	232
2.1	Thermodynamic Background. Definitions, Basic Thermodynamic Relations Connected with Isochoric Heat Capacity	232
2.1.1	Isochoric Heat Capacity Measurements and Structure of the Fundamental (<i>AVT</i>) and Thermal (<i>PVT</i>) Equations of State	237
2.1.2	Second Temperature Derivatives d^2P_S/dT^2 and the Vapor- Pressure Equation from Isochoric Heat Capacity Measurements	238
2.1.3	Two-Phase Isochoric Heat Capacity and Behavior of the Second Temperature Derivatives of Chemical Potential $d^2\mu/dT^2$	245
2.1.4	Isochoric Heat Capacity and Derived Thermodynamic Properties at Saturation	247
2.1.5	Asymptotic and Nonasymptotic Scaling Behavior of the Isochoric Heat Capacity of Pure Fluids near the Critical Point	248
2.1.6	Asymptotic Scaling Behavior of the Isochoric Heat Capacity of Fluid Mixtures near the Critical Points	255
2.1.7	Singular Coexistence-Curve Diameter from Isochoric Heat Capacity Measurements	258
2.1.8	Isochoric Heat Capacity Measurements and Virial Coefficients	262
2.2	Review of Experimental Methods of Isochoric Heat Capacity Measurements	275
2.2.1	High-Temperature and High-Pressure Integrating Nearly Constant-Volume Adiabatic Calorimeter for Isochoric Heat Capacity Measurements	278
2.2.2	Features of Isochoric Heat Capacity Measurements near the Phase Transition Points. Experimental Determination of Phase Transition Curves near the Critical Point. Method of Quasi-Static Thermograms	289
2.2.3	High-Temperature and High-Pressure Adiabatic Calorimeter for Isochoric Heat Capacity Measurements	295

2.2.4	High-Temperature Adiabatic Calorimeter for Constant-Volume Heat Capacity Measurements of Liquids and Compressed Gases	295
2.3	Review of Available Isochoric Heat Capacity Measurements for Pure Fluids: Light and Heavy Water, Hydrocarbons, and Methanol	299
2.3.1	Isochoric Heat Capacity Measurements for Light Water	299
2.3.2	Isochoric Heat Capacity Measurements for Heavy Water	341
2.3.3	Isochoric Heat Capacity Measurements for <i>n</i> -Alkanes, Toluene, and Methanol	353
2.4	Review of Available Isochoric Heat Capacity Measurements for Aqueous Solutions	371
2.4.1	Isochoric Heat Capacity Measurements for H ₂ O + D ₂ O Mixtures	371
2.4.2	Experimental Isochoric Heat Capacity Data for Aqueous Hydrocarbon Mixtures	381
2.4.3	Isochoric Heat Capacity Measurements for H ₂ O + Alcohol Mixtures	386
2.4.4	Experimental Isochoric Heat Capacity Data for Aqueous Salt Solutions	386
2.5	Extrema of Isochoric Heat Capacity of Pure Fluids: Light and Heavy Water and <i>n</i> -Alkanes	429
2.5.1	Isochoric Heat Capacity Extrema and Equation of State	432
2.5.2	Isochoric Heat Capacity Extrema and Virial Equation of State	433
2.5.3	Isochoric Heat Capacity Extrema for Light and Heavy Water	434
2.5.4	Isochoric Heat Capacity Extrema for <i>n</i> -Alkanes	439
2.5.5	Comparison of Experimental and Calculated by Fundamental EOS and CREOS Isothermal and Isochoric Maxima–Minima Loci of <i>C_v</i>	441
2.6	Comparisons of the Experimental Isochoric Heat Capacity Data for Light and Heavy Water and Aqueous Salt Solutions with Fundamental and Crossover Equations of State. Deviation Plots and Deviation Statistics	450
2.6.1	Comparisons of the IAPWS and Crossover EOS for Light and Heavy Water with Experimental Specific Isochoric Heat Capacity Data	450
2.6.2	Comparisons of the EOS for <i>n</i> -Alkanes with Experimental Specific Isochoric Heat Capacity Data	477
2.6.3	Comparisons of the Crossover and Classical Pitzer's EOS with Experimental Specific Isochoric Heat Capacity Data for Aqueous Solutions	484
3	Thermal Conductivity of Light and Heavy Water and Aqueous Salt Solutions at High Temperatures and High Pressures	490
3. 1	Review of Available Thermal Conductivity Measurements for Light and Heavy Water and Aqueous Salt Solutions in the Liquid Phase	491

3.1.1	Thermal Conductivity Measurements for Light Water in the Liquid Phase	493
3.1.2	Thermal Conductivity Measurements for Heavy Water in the Liquid Phase	502
3.1.3	Thermal Conductivity Measurements for Aqueous Salt Solutions in the Liquid Phase at Atmospheric Pressure	512
3.1.4	Thermal Conductivity Measurements for Aqueous Salt Solutions in the Liquid Phase at High Pressures	534
3.2	Parallel-Plate Technique for Thermal Conductivity Measurements of Light and Heavy Water and Aqueous Solutions at High Temperatures and High Pressures	541
3.3	Review of Correlations and Prediction Techniques for the Thermal Conductivity of Light and Heavy Water	549
3.3.1	Correlation of the Thermal Conductivity Data for Light and Heavy Water as a Function of Temperature	549
3.3.2	Correlation of the Thermal Conductivity Data for Light and Heavy Water as a Function of Temperature and Pressure	551
3.3.3	Correlation of the Thermal Conductivity Data for Light and Heavy Water as a Function of Temperature and Density	554
3.4	Review of Correlations and Prediction Techniques for the Thermal Conductivity of Aqueous Salt Solutions	554
3.4.1	Correlation of the Thermal Conductivity Data for Aqueous Salt Solutions as a Function of Temperature and Concentration	554
3.4.2	Correlation of the Thermal Conductivity Data for Aqueous Salt Solutions as a Function of Temperature, Pressure, and Concentration	560
3.4.3	Prediction Techniques for the Thermal Conductivity of Aqueous Salt Solutions at High Temperatures and High Pressures	568
3.5	Comparisons of the Experimental Thermal Conductivity Data with Prediction and Correlation Equations. Deviation Plots and Deviation Statistics	579

APPENDIX A Volumetric (*PVTx*) Properties of Pure Fluids and Aqueous Systems at High Temperatures and High Pressures 619

Table A1	Experimental <i>PVT</i> data for pure H ₂ O in the critical and supercritical regions	621
Table A2	Experimental <i>PVT</i> data for pure hydrocarbons and methanol in the supercritical region	622
Table A3	Experimental <i>PVTx</i> data for H ₂ O + D ₂ O mixtures in the supercritical region	631
Table A4	Experimental <i>PVTx</i> data for aqueous hydrocarbon and methanol mixtures in the supercritical region	633

APPENDIX B Calorimetric (C_VVT_x) Properties of Pure Fluids and Aqueous Systems at High Temperatures and High Pressures	681
Table B1 Experimental isochoric heat capacity data for light and heavy water in the near-critical and supercritical regions	683
Table B2 Experimental isochoric heat capacity data for hydrocarbons, methanol, and ethanol in the critical and supercritical regions	748
Table B3 Experimental isochoric heat capacities ($C'_V_1, C''_V_1, C'_V_2, C''_V_2$), densities (ρ'_S, ρ''_S), and temperatures (T_S) at saturation for light and heavy water	791
Table B4 Experimental isochoric heat capacities ($C'_V_1, C''_V_1, C'_V_2, C''_V_2$), densities (ρ'_S, ρ''_S), and temperatures (T_S) at saturation for pure hydrocarbons, alcohols, and toluene	796
Table B5 Experimental isochoric heat capacities ($C'_V_1, C''_V_1, C'_V_2, C''_V_2$), densities (ρ'_S, ρ''_S), and temperatures (T_S) at saturation for aqueous solutions	807
Table B6 Second temperature derivative of the vapor pressure d^2P_S/dT^2 derived from two-phase isochoric heat capacity measurements for pure fluids	815
Table B7 Experimental isochoric heat capacity data for 0.5H ₂ O + 0.5D ₂ O mixture in the near-critical and supercritical regions	819
Table B8 Experimental isochoric heat capacity data for aqueous salt solutions in the near-critical and supercritical regions	825
Table B9 Experimental isochoric heat capacity data for aqueous hydrocarbon mixtures in the near-critical and supercritical regions	890
Table B10 Experimental isochoric heat capacity data for aqueous alcohol solutions in the near-critical and supercritical regions	897
APPENDIX C Thermal Conductivity of Pure H ₂ O and D ₂ O and Aqueous Systems at High Temperatures and High Pressures	961
Table C1 Experimental thermal conductivity data for light and heavy water at high temperatures and high pressures	963
Table C2 Experimental thermal conductivity data for aqueous salt solutions at high temperatures and high pressures	970
APPENDIX D Thermodynamic Properties of Light and Heavy Water and Their Mixtures in the Critical and Supercritical Regions	1017
Table D1 Isochoric heat capacities, densities, and pressures of light water at saturation at regular temperatures calculated from CREOS in the critical region	1019
Table D2 Isochoric heat capacities, densities, and pressures of light water at saturation at regular pressures calculated from CREOS in the critical region	1020

Table D3 Two- and one-phase isochoric heat capacity of light water along the critical isochore ($\rho = 322.00 \text{ kg}\cdot\text{m}^{-3}$) calculated from CREOS	1021
Table D4 Isochoric heat capacity of light water along the near-critical isochores at regular temperature increments calculated from CREOS	1023
Table D5 Isochoric heat capacities, densities, and pressures of heavy water at saturation at regular temperatures calculated from CREOS in the critical region	1050
Table D6 Isochoric heat capacities, densities, and pressures of heavy water at saturation at regular pressures calculated from CREOS in the critical region	1053
Table D7 Two- and one-phase isochoric heat capacity of heavy water along the critical isochore ($\rho = 356.00 \text{ kg}\cdot\text{m}^{-3}$) calculated from CREOS	1055
Table D8 Temperatures, pressures, densities, isobaric and isochoric heat capacities, and speed of sound of heavy water at saturation calculated from CREOS in the critical region	1062
Table D9 Isochoric heat capacity of heavy water along the near-critical isochores at regular temperature increments calculated from CREOS	1068
Table D10 Temperatures, compositions, pressures, densities, and isochoric heat capacities of $\text{H}_2\text{O} + \text{D}_2\text{O}$ mixture at saturation calculated from CREOS in the critical region	1084
Table D11 Temperatures, pressures, isobaric heat capacities, and speed of sound of $\text{H}_2\text{O} + \text{D}_2\text{O}$ mixture at saturation calculated from CREOS in the critical region	1091
Table D12 Thermodynamic properties of $\text{H}_2\text{O} + \text{D}_2\text{O}$ mixtures along the near-critical isochores at regular temperature increments calculated from CREOS	1097
APPENDIX E	1227
Experimental Values of the Critical Properties of Binary Aqueous Solutions	1229
Critical Properties of Aqueous Gas Mixtures	1229
Critical Properties of Aqueous Salt and Acid Solutions	1235
Critical Properties of Aqueous Alcohol Solutions	1244
Critical Properties of Aqueous Hydrocarbons Mixtures	1247
References	1259
Index	1295

Annotation

The book considers experimental techniques in the study of thermal (density, PVT_x), caloric (heat capacity, C_{VVT_x}), and transport (thermal conductivity, $\lambda P T_x$) properties of aqueous systems (light and heavy water, their mixtures, aqueous salt, aqueous hydrocarbon, and aqueous alcohol solutions) in a broad range of independent thermodynamic variables (PVT), including near-critical and supercritical regions. The experimental thermodynamic (PVT), (C_{VVT}), and transport (λPT) properties results for pure light and heavy water, hydrocarbons, and methanol, and the (PVT_x), (C_{VVT_x}), and ($\lambda P T_x$) results for binary aqueous salt, aqueous hydrocarbon, and aqueous methanol solutions at high temperatures and high pressures obtained in the Thermophysical Division of the Dagestan Scientific Center of the Russian Academy of Sciences are presented and evaluated.

A detailed analysis of the modern theoretical crossover equations of state for the prediction of thermodynamic properties of aqueous systems in, and beyond, the critical region is given. All available sources of data for the PVT_x , C_{VVT_x} , and $\lambda P T_x$ of aqueous systems have been collected, evaluated, corrected, and converted to the ITS-90 temperature scale. Critical analyses are presented as to the uncertainty of each data source, along with comparisons with other sources. The most reliable (PVT_x , C_{VVT_x} , and $\lambda P T_x$) data for light and heavy water, and aqueous systems are selected and recommended for scientific and technological applications.

Useful information is given for PVT_x measurements for pure light and heavy water, pure hydrocarbons, aqueous hydrocarbon and aqueous salt solutions in the near-critical and supercritical regions, and on the coexistence curve. The analyses of the available various types (multiparameter, MBWR, fundamental, IAPWS-95 formulation, virial, scaling, and crossover) equations of state for pure components, aqueous hydrocarbon, and aqueous salt solutions are presented.

A brief review of the calorimetric methods for determining the isochoric heat capacity of light and heavy water, their mixtures, aqueous hydrocarbon, aqueous salt, and aqueous alcohol solutions in near-critical and supercritical conditions is included. Detailed comparisons of various experimental data sets for isochoric heat capacity with crossover equations of state and IAPWS-95 and IAPWS-85 for light and heavy water, their mixtures, and aqueous salt solutions are also presented.

The thermal conductivity data sources for light and heavy water, and aqueous salt solutions at high temperatures and high pressures are reviewed, including brief descriptions of the methodology, known sources of uncertainties, boundaries of study, and uncertainty estimates for different thermodynamic states. The various correlation and prediction techniques for thermal conductivity of the aqueous salt solutions are discussed. All of the available experimental data sets for thermal conductivity of light and heavy water, and 25 aqueous salt solutions were critically analyzed, and their reliability and consistency estimated; selected data sets are recommended on the bases of detailed comparisons with the IAPWS-98 formulation for light and heavy water, and various correlation equations and prediction techniques for salt solutions.

We have presented tables of original extended experimental data (PVT_x , C_VVT_x , and $\lambda P T_x$) for pure light and heavy water, their mixtures, aqueous salt solutions, aqueous hydrocarbon mixtures, and aqueous alcohol solutions at high temperatures and high pressures, including two- and one-phase regions, near-critical and supercritical regions, and properties at saturation.

Foreword

Because of the rapid development of various branches of engineering, there has been a burgeoning interest in obtaining information on the thermodynamic properties of numerous pure fluids and fluid mixtures with which researchers and practical engineers deal when solving various scientific and application problems. Science and engineering projects cannot be implemented without data on the properties of materials involved in their particular processes. Modern physics only rarely makes it possible to accurately calculate fluid properties. Therefore, experiment is the principal source of information for the great majority of properties of most common fluids and fluid mixtures.

For many years, a vast amount of experimental data on the thermodynamic properties of gases, liquids, and their mixtures has been obtained in various research laboratories over the world. Russian researchers have made significant contributions to this sea of data. Unfortunately, they are frequently under-represented in other countries scholarly works, because much of their data is published in sources that are difficult for foreign readers to access. This book corrects the situation to a certain degree. It considers experimental techniques in the study of thermal (PVT_x), caloric (C_VVT_x), and transport (λPT_x) properties of aqueous systems (light and heavy water, their mixtures, hydrocarbons, alcohols, aqueous salt, aqueous hydrocarbon, and aqueous alcohol solutions) within a broad range of independent thermodynamic variables (VT , PT), including near-critical and supercritical regions. The experimental thermodynamic (PVT), (C_VVT), and transport (λPT) properties results for pure light and heavy water, hydrocarbons, and alcohols, and the (PVT_x), (C_VVT_x), and (λPT_x) results for binary aqueous salt, aqueous hydrocarbon, and aqueous alcohol solutions at high temperatures and high pressures obtained in the Thermophysical Division of the Dagestan Scientific Center of the Russian Academy of Sciences are presented and evaluated.

Experimental methods of determining thermodynamic, (PVT) and (C_VVT), and transport, (λPT), properties of aqueous systems at high temperatures and high pressures are considered in Chapters 1 to 3. A brief survey of apparatuses is given here; the main components, their characteristic features, and the experimental procedures are described. The experimental data sets obtained using these apparatuses are given in the Appendices, and the main sources of the uncertainties of the measurements are estimated. Special attention is paid to problems with the experimental studies of near-critical and supercritical states.

It is well known that the development of new methods and improvement of existing techniques of theoretical calculation of determining thermodynamic properties of fluids and fluid mixtures requires reliable experimental data. Because of the existence of such data, practical methods of the use of equations of state have been developed extensively in the last two decades. A detailed analysis of the modern theoretical cross-over models for prediction of thermodynamic properties of aqueous systems in, and beyond, the critical region is given in Chapter 2. Here, the crossover theory has been used in comparison with the derived experimental data sets for pure light and heavy water, and their mixtures, in the near-critical and supercritical regions and to estimate the consistency of various data sets. The crossover equations of state considered in this book are the kinds of instruments for studying thermodynamic behavior of the near-critical and supercritical aqueous systems needed for supercritical technological processes.

Almost all available sources of data for $PVTx$, C_VVTx , and λPTx of aqueous systems have been collected, evaluated, corrected, and converted to the ITS-90 temperature scale. Critical analyses are presented as to the uncertainty of each data source, along with comparisons with other sources. The reliability of these data are estimated on the bases of detailed comparisons with accurate equations of state (IAPWS-95 formulation for light water, IAPWS-98 formulation for heavy water, crossover equations of state, multiparametric equations of state) and literature data. Special attention has been focused on the thermodynamic properties of aqueous systems in the near-critical and supercritical conditions. The most reliable ($PVTx$, C_VVTx , and λPTx) data for light and heavy water, and aqueous systems are selected and recommended for scientific and technological applications.

The book is organized as follows. In Chapter 1, useful information is given for $PVTx$ measurements of pure light and heavy water, pure hydrocarbons, aqueous hydrocarbon and aqueous salt solutions in the near-critical and supercritical regions, and on the coexistence curve. In this chapter, the analyses of the available types (multiparameter, MBWR, fundamental, IAPWS-95 formulation, virial, scaling, and crossover) of the equations of state for pure components, aqueous hydrocarbon, and aqueous salt solutions are presented. The experimental apparatuses for $PVTx$ measurements of the high-temperature and high-pressure aqueous system are described. The data derived from $PVTx$ measurements of thermodynamic (excess, apparent, and partial molar volumes, the Krichevskii parameter) and structural (DCFI and TCFI) properties for dilute aqueous systems near the solvent (pure water) critical point are considered.

Chapter 2 presents a brief review of the calorimetric methods for determining the isochoric heat capacity of light and heavy water, their mixtures, aqueous hydrocarbon, aqueous salt, and aqueous alcohol solutions in the near-critical and supercritical condi-

tions. There is a detailed description of the method of quasi-static thermograms for measurement of the phase transition temperature T_S near the critical point in calorimetric (C_VVTx) experiments. The likely sources of systematic and nonsystematic uncertainties are considered for each method. This chapter also contains tables that include information on experimental sources, methods of measurements, uncertainties of measured results, temperature and density ranges of measurements, and a list of sources. Detailed comparisons of various experimental data sets for isochoric heat capacity with crossover equations of state and IAPWS-95 and IAPWS-85 for light and heavy water, their mixtures, and aqueous salt solutions are presented.

In Chapter 3, the thermal conductivity data sources for light and heavy water, and aqueous salt solutions at high temperatures and high pressures are reviewed, including brief descriptions of the methodology, known sources of uncertainties, boundaries of study, and uncertainty estimates for different thermodynamic states. More reliable data sets are selected and recommended for scientific and technological applications. Various correlation and prediction techniques for thermal conductivity of aqueous salt solutions are discussed. All of the available experimental data sets for thermal conductivity of light and heavy water, and 25 aqueous salt solutions were critically analyzed, and their reliability and consistency were estimated. Selected data sets are recommended on the bases of detailed comparisons with the IAPWS-98 formulation for light and heavy water, and various correlation equations and prediction techniques for salt solutions. The deviation plots, deviations statistics, and analyses of the character and distribution of the deviations for various thermal conductivity data sets are presented. The quality of data and their consistency are graphically demonstrated in the deviation plots.

In the Appendix, we have presented tables of original extended experimental data ($PVTx$, C_VVTx , and λPTx) for pure light and heavy water, pure hydrocarbons, alcohols, their mixtures, aqueous salt solutions, aqueous hydrocarbon mixtures, and aqueous alcohol solutions at high temperatures and high pressures, including two- and one-phase regions, near-critical and supercritical regions, and properties at saturation. More detailed comparisons with fundamental equations of state and deviation plots for each system are given. A discussion of the accuracy of these data is also included.

This book is designed for specialists in molecular physics, chemical technology, and chemical and power engineering, as well as researchers, lecturers, postgraduates, and students in technical colleges and universities. We hope that the results presented in this book will be useful to a wide circle of researchers and practitioners working in various fields of science and technology.

Introduction

Need for Thermophysical Data for Aqueous Systems at High Temperatures and High Pressures

Water, the most important solvent in nature, has surprising properties as a reaction medium in its supercritical state [1]. The remarkable anomalous properties of supercritical fluids are widely used in industry. Supercritical fluids are of fundamental importance in geology and mineralogy (for hydrothermal synthesis), in chemistry, in the oil and gas industries (e. g., in tertiary oil recovery), and for some new separation techniques, especially in supercritical fluid extraction. Supercritical water is used for the destruction of hazardous wastes and has been explored as a solvent medium to carry out chemical reactions or biological degradations without char formation. Although our understanding of the thermophysical properties of water and aqueous systems at ambient conditions has improved significantly, it is far from sufficient to even conjecture the behavior of aqueous systems in the highly compressible conditions (near-critical and supercritical conditions) that are currently of great scientific and practical interest. Aqueous solutions at high temperatures and high pressures play a major role in both natural and industrial processes and in waste disposal, which is, in a sense, both industrial and natural [2]. While surface and oceanic waters are near room temperature, similar aqueous solutions are present at high temperature and high pressure in deep geological formations. Aqueous systems also arise in steam-power generation, geothermal power plants, hydrothermal synthesis, seawater desalination processes, and other industrial operations at high temperatures and high pressures. Thus, there is great practical interest in the thermodynamic properties of aqueous salt solutions at these conditions. Aqueous systems play a significant role not only in chemical industry and technological processes, but also in nature as geothermal systems and in the biological processes of living organisms. The oceans and underground waters are the largest reservoirs of aqueous electrolyte solutions.

The dominant solutes are often simple electrolytes such as NaCl, CaCl₂, MgCl₂, and Na₂SO₄ with lesser amounts of potassium salt, carbonates, borates, etc. H₂O +

NaCl systems are very important in many geological processes. NaCl is the primary solution in most hydrothermal and metasomatic fluids. The two-phase region for this system is of particular interest because phase separation is an important process in many hydrothermal systems and, in particular, seafloor geothermal systems [3, 4]. Seawater circulates in these systems between the seafloor and the top subsurface magma chamber, with hydrostatic pressures ranging from 10 to 60 MPa. The H₂O + NaCl system can serve as a model for other ionic salts. The importance of CaCl₂ in deep brines of the Earth's crust and its reactivity in fluid-rock interaction is becoming increasingly recognized. The thermodynamic properties of H₂O + CaCl₂ systems are important in understanding these interactions and deep-seated geochemical processes. *Ca* is the second most important cation after *Na*. At salinities in excess of about 30wt%, *Ca* becomes the most abundant cation, and such brines are widespread in the deeper parts of many sedimentary basins. Groundwaters encountered in deep wells drilled in crystalline rocks also commonly are highly saline brines in which *Ca* is the dominant cation, exceeding *Na* by a factor of 2–3 by weight basis. The Russian super-deep well in the Kola Peninsula produced a brine rich in *Ca*. That *Ca*-rich brines have been mobilized in hydrothermal processes related to ore deposition is clearly shown by compositions of fluid inclusions trapped within hydrothermally deposited minerals in ore deposits. *Ca*-rich brines also play an important role in seafloor hydrothermal systems at mid-ocean ridges. In addition, CaCl₂ is the premier example of an electrolyte of the 2:1 charge type, and its aqueous solution has been much used as an isopiestic standard.

Na⁺ and SO₄²⁻ are important components of natural fluids, and a knowledge of their aqueous solution thermodynamic properties is important in understanding various geochemical processes, such as those related to evaporite formation, subsurface brines, seafloor vents, geothermal energy production, and mineral scaling problems. In addition, aqueous Na₂SO₄ solution is a good example of a 1:2 charge type electrolyte.

In this book, special attention is focused on the thermodynamic properties of aqueous systems in the supercritical region. Supercritical water (SCW) (i.e., water at temperatures and pressures above its critical point, $T_C = 647.1$ K; $P_C = 22.1$ MPa) has recently become subject to growing scientific interest due to its crucial role in a variety of natural processes, as well as because of emerging promising technological applications (supercritical water oxidation, SCWO, for the environmentally-friendly destruction of toxic and hazardous wastes).

SCWO technology is an emerging technology for the destruction of civilian and military hazardous wastes. One of the important applications of SCWO for waste treatment is in the handling of solids that can be present at high temperatures and high pressures. Sodium sulfate is one of the most commonly encountered salts in prospective applications of SCWO. Development of effective strategies for applying SCWO technology to the destruction of hazardous materials requires knowledge of the thermodynamic properties of aqueous salt solutions near the critical point.

Due to the large compressibility under supercritical conditions, small changes in pressure can produce substantial changes in density, which, in turn, affect diffusivity, viscosity, dielectric, and solvation properties, thus dramatically influencing the kinetics and mechanisms of chemical reactions in water. The properties of water change markedly when it is approaching temperatures and pressures near, or above, the critical point

(22.1 MPa and 647.1 K). The ionic product falls by many orders of magnitude and the dielectric constant is reduced to values (about 2 at 25 MPa and 723 K) typical of organic solvents. It is possible to sustain a flame in supercritical water by injecting oxygen into an aqueous solution of methane [1]. This is to allow the use of SCWO as a means for hazardous waste destruction, including chemical weapons and the clean-up of nuclear processing sites. SCWO is the oxidation of organics, in the presence of a high concentration of water, at temperatures and pressures above the critical point of water. The oxidation is usually conducted at temperatures from 673 K to 723 K and at pressures of 25 MPa. SCWO offers significant improvements over conventional methods of oxidation because the effluents are clean. The gaseous effluent can be discharged directly to the atmosphere without scrubbing, the solids can be reused or landfilled, and the water reused. Significant problems in the practical development of SCW destruction facilities are considerable experimental difficulties and the lack of detailed knowledge of the thermodynamic and transport properties of supercritical fluids at the molecular level. The advantages of SCWO arise primarily from the unusual properties exhibited by water under supercritical conditions. The density decreases rapidly in the range of 573 K to 673 K. The solubility of organics in SCW is typified by that of benzene and pentane. Between 533 K and 573 K, benzene solubility increases from a few percent to completely miscible. In general, organics and water are miscible in all proportions above the critical temperature of pure water. Gases such as oxygen are completely miscible with SCW. The solubility of salts (for example NaCl) in SCW at a pressure of 25 MPa and a temperature of 723 K decreases sharply. The residual solubility is on the order of 100 ppm. This is not surprising because inorganics are practically insoluble in SCW. One of the most serious obstacles in developing industrial-scale supercritical water technologies is the lack of fundamental understanding of many aspects of the supercritical fluid state itself, and particularly the behavior of supercritical aqueous systems. Therefore, additional experimental and theoretical studying of the thermophysical properties of aqueous systems at high temperatures and high pressures is very important to many industrial processes such as emerging technologies of hazardous waste destruction (supercritical water oxidation processes), for understanding mechanisms and kinetics of chemical reactions in supercritical water, design calculations, heat and mass transfer, fluid flow, developments and utilization of geothermal energy, etc. Understanding various geochemical and industrial processes requires a thorough knowledge of thermodynamic properties of aqueous electrolyte solutions.

Supercritical fluids have been proposed as solvent or reaction media for a number of technological applications such as coal conversion [5], organic synthesis [6], destructive oxidation of hazardous wastes (SCWO process) [7–11], enhanced oil recovery [12], activated carbon regeneration [13], formation of inorganic films and powders [14], supercritical chromatography [15], organic reaction rate modification [16], precipitation polymerization [17], etc. Thermodynamic properties of hydrocarbons in water at high temperatures and high pressures are of considerable interest in a number of industrial applications such as and petroleum chemistry (reservoir fluids, enhanced oil recovery-in tertiary oil recovery), environmental protection (removal of hydrocarbons from waste waters, fate of hydrocarbons in geological fluids), organic chemistry (formation of petroleum), geology and mineralogy (for hydrothermal synthesis), new separation techniques, biological degradations without char formation [5–22], etc. SCW is receiving

increased interest as an alternative to organic solvents [10]. SCW has the capability of dissolving both non-polar and polar, solutes since its dielectric constant can be adjusted from a room temperature value of 80 to a value 5 at its critical point. Therefore, water can solubilize most non-polar organic compounds, including most hydrocarbons and aromatics starting at 473 K to 523 K and extending to the critical point [23, 24]. Low-polarity organic pollutants, such as polycyclic aromatic hydrocarbons (PAH), typically have very low solubility in water at ambient conditions because of water's high polarity (dielectric constant, $\epsilon = 80$). However, the dielectric constant of water can be drastically lowered by raising the temperature of the water under moderate pressure to effect dramatic increases (to percent levels) in the solubility of low-polarity organics. For example, sub-critical water at 523 K and 5 MPa has $\epsilon = 27$, which allowed quantitative extractions of PAH in 15 min from soil and urban air particulars. Decreasing the polarity of water by sequentially raising the extraction temperature from 323 K to 523 K (sub-critical water), and finally to 673 K (SCW if $P > 22.1$ MPa), allowed class-selective extractions of polar organics (chlorinated phenols), low-polarity organics (PAH), and nonpolar organics (*n*-alkanes) to be performed. Hawthorne et al. [25–28] used sub-critical and supercritical water for quantitative extraction of organics from environmental solids.

The properties of water + hydrocarbon systems are also of fundamental importance in geology and mineralogy, i.e., in the geothermal processes, which form oil reservoirs, and in the oil and gas industries. Furthermore, water + hydrocarbon systems may serve as model systems that are useful in the development of processes such as the hydrolysis of plastic, synthetic fibers, or polycarbonates for recycling [30] and the destruction of hazardous wastes [7–11]. Water + toluene mixtures are also used for extraction processes [29]. Fundamental understanding of some of these technologically important applications of SCW might be substantially improved through comprehending the solvation structures around solutes dissolved in SCW. Design and control of systems for supercritical fluid extractions requires pure-component and mixture thermodynamic properties and molecular-based understanding of the mechanism underlying the supercritical solubility enhancement. The efficient utilization of the possibilities offered by supercritical fluid solubility requires an accurate and detailed knowledge of the fluid thermodynamic properties, particularly *PVTx* relation to the near-critical mixtures.

Water-hydrocarbon mixtures are important in a wide range of industrial processes, including coal gasification, oil recovery, steam distillation, steam reforming, and combustion. It is crucial to understand *PVTx* behavior for water + hydrocarbon systems at high temperatures and high pressures for supercritical process design. Understanding the thermodynamic behavior of the water + hydrocarbon mixtures and water + salt solutions near the critical point of pure water would well serve supercritical technological processes at high temperatures and high pressures. Much attention has been focused also on the water + hydrocarbon systems because of their fundamental importance to understanding specific interaction between polar (water) and non-polar (hydrocarbon) molecules. *PVTx* measurements are crucial to the comprehension of many important phenomena taking place in supercritical aqueous solutions.

To use water + hydrocarbon systems effectively, it is necessary to know their fundamental *PVTx* relationship and other derived properties. The sparing solubility of

oil, gas, and water mixtures at the earth's surface may very well present an entirely different mutual relationship when subject to high underground pressure and temperature. The present technological advancement in the use of high temperature and high pressure in chemical industries would be well served by an understanding of the phase and *PVTx* relations in water + hydrocarbon mixtures. *PVTx* data for water + hydrocarbon systems provide additional information on the effects of temperature, pressure, and composition on the thermodynamic behavior in such systems, which could lead to improved understanding of processes near the solvent critical point. However, *PVTx* data for the water + hydrocarbon systems under supercritical conditions are scarce.

In addition to being of practical interest (primarily in the nuclear industries), the thermodynamic properties of heavy water and its mixtures with light water are interesting from a modeling point of view. Because of the similarity of the molecules, the mixture properties are very nearly ideal. Reproducing the small nonidealities is a challenge for modelers. In addition, the presence of the isotope exchange equilibrium involving HDO adds an extra complication, but does so in a way that has less impact on the phase diagram than is observed in most reacting systems.

The thermodynamic behavior of dilute mixtures in the vicinity of the solvent (water) critical point is of considerable practical and theoretical importance. Much of the theoretical work on supercritical solubility has focused upon relating the infinite dilution properties, for example, negatively and positively diverging solute partial molar volume in mixtures in the immediate vicinity of the solvent critical point and path-dependence solvent properties in near-critical systems [31–42].

To develop a reliable equation of state for fluids and fluid mixtures, various thermodynamic properties data are required. Among them, isochoric heat capacity data C_V is one of the important thermodynamic properties of fluids and provides a strong test of the reliability of the *PVT* equation of state. Calorimetric (C_{VT}) measurements to develop an equation of state are very important, especially near the critical and phase transition points where real curvature of $P-T$ isochores is essential. The accurate calculation of the caloric and acoustic properties from a *PVT* equation of state strongly depends on accurate determination of the *PVT* data and temperature derivatives $(\partial P/\partial T)_P$ and $(\partial^2 P/\partial T^2)_P$. These derivatives directly relate to caloric and acoustic properties. As a rule, thermal properties (*PVT*) do not correctly reproduce the values and qualitative behavior of caloric (C_V , C_P , S , H) and acoustic (sound of velocity, W) properties of real fluids because the calculation depends upon the $(\partial P/\partial T)_P$ and second $(\partial^2 P/\partial T^2)_P$ temperature derivatives of the pressure. Reliable isochoric heat capacity measurements yield valuable, accurate, and direct information about second temperature derivatives $(\partial^2 P/\partial T^2)_P$ of the pressure, which cannot be correctly determined solely on the basis of *PVT* measurements. It is almost impossible to accurately extract $(\partial^2 P/\partial T^2)_P$ from thermal (*PVT*) measurements. If, however, measurements of C_{VT} are available, use of well-known thermodynamic relations can yield a *PVT* equation of state that is capable of reproducing caloric (C_V , C_P , S , H) and thermal (*PVT*) properties within the experimental uncertainties of the measurements. The role of calorimetric, particularly isochoric heat capacity (C_{VT}), measurements to develop an equation of state, especially near the critical and supercritical regions, is very important. Isochoric heat capacity measurements are often used to develop a fundamental equation of state. Detailed com-

parisons of the experimental data on isochoric heat capacity are necessary to establish an accurate PVT equation of state because they contain direct information on second temperature derivatives of pressure $(\partial^2 P / \partial T^2)_P$. An accurate equation for $P(VT)$ should describe all thermodynamic (thermal, caloric, and acoustic) properties within their experimental uncertainties.

There is a very important theoretical aspect of near-critical and supercritical phenomena in ionic systems such as $\text{H}_2\text{O} + \text{NaCl}$. For these systems, the P_{C-x} and T_{C-x} critical lines show rapid changes in slope near the critical point of pure water. The derivatives dT_C/dx and dP_C/dx govern the thermodynamic (crossover) behavior of fluid mixtures near the critical point of one of the components. Thermodynamic properties of dilute aqueous salt solutions (ionic solutions) are difficult to determine accurately from experiment due to simultaneous occurrence of long-ranged density-composition fluctuations and long-ranged Coulomb interactions, which translates into a rapid change in the slope of the T_{C-x} and P_{C-x} critical lines. More precise experimental C_{Vx} data are needed to confirm the basic ideas of the modern crossover theory of the critical phenomena in ionic systems. Therefore, new experimental C_{Vx} data for $\text{H}_2\text{O} + \text{NaCl}$ near the critical point of pure water may prove to be very important in the development of new theoretical equations of state that will more correctly predict the thermodynamic behavior of ionic solutions near the solvent critical point (pure water), and to improve existing models for aqueous electrolyte solutions.

Much attention has been focused on the $\text{H}_2\text{O} + \text{NaCl}$ system because of its fundamental importance to the understanding of electrolyte behavior and its importance in many geological and industrial processes. The development of an equation of state depends on experimental data, from which empirical parameters can be obtained. NaCl is a good example of a 1:1 charge-type electrolyte. Theoretical modeling of the $\text{H}_2\text{O} + \text{NaCl}$ system will serve as an example for other ionic systems of 1:1 charge-type electrolytes.

Water and alcohol are complicated highly associated, H-bonding liquids that are a challenge to study experimentally and theoretically. Therefore, their mixtures are far more complex liquid systems. If a small amount of alcohol is added to water, the water structure becomes enhanced in a way similar to when a non-polar solute is dissolved in water. Water + alcohol mixtures show many unusual properties, often quite different from those observed for the pure components of the mixture. Alcohol has highly polar molecules and interacts strongly with water in a hydrogen-bonded network. A knowledge of the PVT_x properties of water + alcohol mixtures over wide temperature and pressure ranges is necessary in understanding the role of hydrogen bonding and other non-electrostatic effects in solvation. Methanol and ethanol and their aqueous solutions are of interest for various applications, such as transport and storage of hydrogen, natural refrigerants, and working fluids in new power cycles. The properties of aqueous methanol and ethanol mixtures as a function of temperature, pressure, and composition are scarce in the literature, especially in the near-critical and supercritical conditions.

A thorough knowledge of the thermodynamic and transport properties of hot aqueous salt solutions that transport heat and the vapors that drive turbines to produce electricity is essential. An understanding of the transport properties of water + salt solutions is needed in many industrial applications, such as design calculation, heat and

mass transfers, and fluid flow, developments and utilization of geothermal and ocean thermal energy, etc. Thermal conductivity is important in the prediction of heat- and mass-transfer coefficients under both laminar and turbulent regimes. Thermal conductivity data are also required for calculating flow, heat transfer, and mass transfer rates in various pieces of industrial equipment. For engineering utility, reliable methods for the estimation of the thermal conductivity of solutions over wide ranges of concentration, temperature, and pressure would be extremely valuable. To understand and control those processes that use electrolyte solutions, it is necessary to know their thermodynamic and transport properties. However, the lack of reliable data over wide temperature, pressure, and concentration ranges makes it necessary to estimate the missing properties by empirical and semi-empirical methods. Therefore, new experimental data on the thermal conductivity of aqueous systems at high temperatures and high pressures are needed to improve and extend the range of validity of available estimation and correlation methods that are capable of reproducing the experimental thermal conductivity data and to develop more reliable prediction techniques of thermal conductivity behavior at high temperatures, high pressures, and high concentrations.

Aqueous solutions of electrolytes are also very important in physical chemistry and biophysical systems. For example, data on geothermal brines and sea water, which can be considered as mixtures of aqueous solutions of NaCl, KCl, CaCl₂, MgCl₂ etc., are needed for geothermal and ocean thermal energy utilization devices and for desalination of sea water. Aqueous LiBr solution is widely used in absorption refrigerators for air conditioning. However, measurements of the thermal conductivity of aqueous salt solutions have so far been limited to rather narrow ranges of temperature, pressure, and concentration with less than satisfactory accuracy.

Only limited experimental thermal conductivity data of water + salt solutions over a wide range of temperatures, pressures, and concentrations are available in the literature. Measurements of the thermal conductivity of aqueous salt solutions at high temperatures and high pressures are very scarce. Almost all of the previous thermal conductivity measurements for aqueous salt solutions were performed at atmospheric pressure and low temperatures (up to 373 K).

There is an ongoing demand for new reliable thermodynamic and transport properties data on the properties of aqueous solutions that cover a wide temperature and pressure range, especially in the near-critical and supercritical conditions.

For the study of the properties of aqueous systems, in most cases the properties of pure water are required. Therefore, we critically analyzed all of the available experimental, *PVT*, isochoric heat capacity, and thermal conductivity data sets for pure light and heavy water near the critical point and in the supercritical conditions. Selected and recommended data are presented in the Appendix for easy access.

Due to the lack of experimental data, all the necessary design and safety calculations have been upon estimated thermophysical property values. Very limited experimental data are available on aqueous salt solution and aqueous hydrocarbons at near-critical and supercritical conditions. Therefore, the designers and scientists who require information about thermodynamic and transport properties for high-temperature and high-pressure aqueous solutions must rely on the available estimation techniques. The main goals of this book are to provide readers with a review of the available ex-

perimental data sets on the thermodynamic and transport properties of aqueous systems at high temperatures and high pressures, give critical analyses of the estimation, correlation, and prediction methods, select more reliable data sets, and offer recommendations for scientific and applied use.

The main objective of the book is to provide new, reliable experimental thermodynamic (volumetric, PVT_x and caloric, C_VT_x) and transport (thermal conductivity) properties for aqueous systems, such as pure light and heavy water, their mixtures, aqueous hydrocarbons, aqueous salt, and aqueous alcohol solutions in near subcritical and near supercritical conditions, which can be used as prospective media in the emerging technologies of hazardous waste destruction, such as SCWO processes.

1

Volumetric (*PVTx*) Properties of Pure Fluids and Aqueous Systems at High Temperatures and High Pressures, Including Near-Critical and Supercritical Conditions

1.1 Review of Available *PVT* Measurements for Light and Heavy Water, Pure Hydrocarbons, and Pure Methanol in the Near-Critical and Supercritical Conditions

PVT properties for light and heavy water have been thoroughly studied, but there are limited *PVT* data on hydrocarbons in the critical and supercritical regions. This section contains a critical review of the available *PVT* data and saturated properties (saturated densities and vapor pressure) for pure light and heavy water and some hydrocarbons. The uncertainties of each data set are discussed. We also considered correlation equations for saturated liquid and vapor densities and vapor pressures near the critical point.

1.1.1 Experimental *PVT* Data for Pure H₂O and D₂O in the Near-Critical and Supercritical Conditions

Several *PVT* measurements have been reported in the critical and supercritical regions of light and heavy water. Table 1 lists information on selected data sets that includes measurements of *PVT* together with measured temperature, density, and pressure ranges for light and heavy water. *PVT* properties for light water in the temperature range from 303 K to 647 K at pressures up to 35 MPa have been measured by Smith and Keyes [56]. A major portion of the water sample (about 75% to 99% of the total) was en-

Table 1 Summary of *PVT* measurements for light and heavy water in the near-critical and supercritical regions

First author	Temperature range, K	Density range, kg·m ⁻³	Pressure range, MPa
Light water			
Smith [56]	303–647	420–1009	up to 35
Keyes [66]	468–733	7–500	up to 36
Rivkin [57–61]	633–693	17–627	10–30
Kell [64]	623–773	2–765	up to 100
Alexandrov [71, 72]	423–653	15–777	5–100
Hanafusa [62, 63]	643–653	136–618	19.7–39.5
Morita [65]	638–652	122–610	18.5–39.2
Abdulagatov [44, 46, 49, 50, 52, 53]	523–653	8–652	1–60
Heavy water			
Rivkin [67, 68]	548–698	18–879	5–34
Tsederberg [69]	473–698	9–1024	2–100
Kell [70]	423–723	0.5–180	0.5–100
Alexandrov [71]	673–823	15–763	4–100
Juza [73]	353–623	928–1126	50–350

closed in a heavy walled metal container, or bomb, immersed in a high-temperature bath. The remainder of the water was kept at a constant temperature of 303 K in a steel cylinder over mercury and in the connecting capillary tube, part of which was kept at 303 K and part at the higher temperature of the nitrate bath. The temperature gradient of the water in the capillary was made as sharp as possible by means of a water cooler placed on the tube just above the point where it emerged from the high-temperature bath. By means of a calibrated volume displacement piston, varying quantities of water could be displaced from the steel cylinder at 303 K and forced over into the high-temperature container. Knowledge of the constants of the apparatus made it possible to calculate the volume occupied by that portion of the water sample at 303 K and combined with the previously determined 303 K compressibility; thus, it was possible to calculate the mass of the water so confined. Therefore, from the known total weight of the sample, the quantity at the high temperature was easily determined. Knowing the volume at 273 K and atmospheric pressure, and the temperature and pressure dilation of the container, the total volume of water could be calculated for the temperature and pressure in question. Three independent series of measurements of the compressibility of liquid water were made. The agreement between the different series of measurements was within a range of 0.02% to 0.033%.

Rivkin and Akhundov [57–61] used the method of constant-volume piezometer for high-precision measurements of *PVT* properties of light water near the critical point. The method makes it possible to experimentally determine corrections for the "dead" volume. The main element of the apparatus is a thick-walled spherical piezometer made of a 1Kh18N9T stainless steel with an outside diameter (OD) of 140 mm and inside

diameter (ID) of 62 mm. The volume of the piezometer at 293 K and atmospheric pressure is 123 cm³. The piezometer is placed in a liquid thermostat. The liquid in the thermostat is intensely circulated. At temperatures higher than 473 K, a molten saltpeter mixture (50% NaNO₃ + 50% KNO₃, melting point is about 423 K) was used as the thermostat liquid. A correction for the "dead" volume was less than 0.03% of the total amount of liquid in the piezometer. The maximum relative uncertainty of the specific volume measurement was less than 0.05%. At low densities (lower than 0.1 g·cm⁻³), the uncertainty reached up to 0.1%. This apparatus has been used for measurements of the *PVT* properties of heavy water [67, 68] and aromatic hydrocarbons [74–77] in the near-critical and supercritical conditions.

Hanafusa et al. [62, 63] measured *PVT* properties of light water in the critical region using a constant-volume apparatus immersed in a thermostated bath. They measured 115 densities and eight vapor pressures along sixteen different isotherms between 643 K and 653 K, which cover the range of pressures between 19.7 MPa and 39.5 MPa and densities from 136 kg·m⁻³ to 618 kg·m⁻³. The experimental uncertainties of temperature, density, and pressure are estimated 4 mK, 0.04%, and 3 kPa, respectively.

Kell et al. [64] reported *PVT* data for light water in the temperature range from 623 K to 773 K and pressures up to 100 MPa and vapor-pressure data from 423 K to 623 K by using a high-temperature vessel with a volume of 36 cm³. The thermal expansion of the vessel was determined by a gas-expansion method. Twenty six vapor-pressure data measured by Morita et al. [65] cover a temperature range from 620.15 K to 647.05 K. Measurements were performed by means of the constant-volume method described by Hanafusa et al. [62, 63]. The uncertainty in density and pressure measurements is 0.04% and 0.02%, respectively.

PVT properties for heavy water in the critical region have been measured by Rivkin and Akhundov [67, 68] (785 data points), Tsederberg et al. [69] (175 data points), Kell et al. [70] (613 data points), and Alexandrov et al. [71] (134 data points). Alexandrov et al. [71] reported *PVT* data for light and heavy water in the temperature range from 673 K to 823 K at pressures from 5 MPa to 100 MPa. They used a thick-walled spherical vessel with an internal volume of about 205 cm³. The temperature of the liquid thermostat was measured by PRT with an accuracy of 0.03 K to 0.04 K. The maximum uncertainty of measured specific volume is about 0.1%. The pressure was measured with an uncertainty of about 0.05%.

The specific volumes of heavy water in the temperature range from 548 K to 698 K and at pressures up to 34 MPa are reported by Rivkin and Akhundov [68] using a constant-volume piezometer. The uncertainty in temperature, pressure, and specific volume measurements are 10 mK, 0.01%, and 0.02% to 0.1%, respectively. A total of 335 experimental values of specific volumes were obtained. In order to check the reproducibility of the experimental data, two series of measurements along the isotherms 633 K, 643 K, and 653 K were made. The results agreed within 0.02% to 0.03%. The saturation pressure values measured on a given isotherm differ from one another by less than 0.02 bar. The saturation pressure values measured by Rivkin and Akhundov [68] show acceptable agreement within 0.03 bar (0.015%) with data reported by Oliver and Grisard [78].

References

1. Franck, E. U., *Proc. 13th Int. Conference on the Properties of Water and Steam*, Tremaine, P. R., Hill, Ph. G., Irish, D. E., Balakrishnan, P. V., Eds., NRC Research Press, Ottawa, 2000, pp. 22–34.
2. Pitzer, K. S., *J. Chem. Thermodyn.*, 1993, Vol. 25, p. 7.
3. Bischoff, L. G., Pitzer, K. S., *Earth Planet. Sci. Lett.*, 1985, Vol. 75, p. 327.
4. Delaney, J. R., Mogk, D. W., Mottl, M. J., *J. Geophys. Res.*, 1987, Vol. 92, p. 9175.
5. Penninger, J. M. L., *Supercritical Fluid Technology*, Penninger, J. M. L., Rodosz, M., McHugh, M. A., Krukonis, V. J., Eds., Elsevier, New York, 1987, p. 309.
6. Naragan, R., Antol, M. J., *Supercritical Fluid Science and Technology*, Joohnston, K. P., Penninger, J. M. L., Eds., ACS Symp. Ser., Washington, DC, 1989, p. 226.
7. Modell, M., Gaudet, G. G., Simson, M., Hong, G. T., Bieman, K., *Supercritical Water. Solid Wastes Management*, 1982, pp. 26–30.
8. Thomason, T. B., Modell, M., *Hazardous Wastes*, 1984, Vol. 1, p. 453.
9. Staszak, C. N., Malinaaski, K. C., Killilea, W. R., *Environ. Prog.*, 1987, Vol. 6, p. 39.
10. Shaw, R. V., Brill, N. B., Clifford, A. A., Eckert, C. A., Franck, E. U., *Chem. Eng. News*, 1991, Vol. 69, p. 36.
11. Barner, H. E., Huang, C. Y., Johnson, T., Jacobs, G., Martch, M. A., *J. Hazardous Mater.*, 1992, Vol. 32, p. 1.
12. Doscher, T. M., El-Arabi, M., *Oil Gas J.*, 1982, Vol. 80, p. 144.
13. De Fillipi, R. P., Krukonis, V. J., Modell, M., Environ. Protect. Agency Report No. EPA-60012-80-054, 1980.
14. Matson, D. W., Peterson, R. C., Smith, R. D., *Adv. Cer. Mat.*, 1986, Vol. 1, p. 242.

15. Yonker, C. R., Wright, R. W., Frye, S. L., Smith, R. D., *Supercritical Fluids*, Squires, T. G., Paulaitis, M. E., Eds., ACS Symp. Ser., 1987, No. 329, p. 172.
16. Kim, S., Johuston, K. P., *Supercritical Fluids*, Squires, T. G., Paulaitis, M. E., Eds., ACS Symp. Ser., 1987, No. 329, p. 42.
17. Kumar, S. K., Suter, V. W., Reid, R. C., *Fluid Phase Equilibria*, 1986, Vol. 29, p. 373.
18. *Supercritical Fluid Technology*, Bright, F. V., McNally, M. E. P., Eds., ACS Symp. Ser., Washington, DC, 1992.
19. *Supercritical Fluid Engineering Science*, Kiran E., Brennecke, J. F., Eds., ACS Symp. Ser., Washington, DC, 1993, No. 514.
20. *Supercritical Fluid Science and Technology*, Johnston, K. P., Penninger, J. M. L., Eds., ACS Symp. Ser., Washington, DC, 1989, No. 406.
21. *The Theory and Practice in Supercritical Fluid Technology*, Hirota, M., Ishikawa, T., Eds., NTS, Tokyo, 1987, Part 1, Ch. 1.
22. *Supercritical Fluids. Fundamentals for Application*, Kiran, E., Levelt-Sengers, J. M. H., Eds., NATO ASI Ser., 1993, Vol. 273.
23. Connolly, J. F., *J. Chem. Eng. Data*, 1966, Vol. 11, p. 13.
24. Gao, J., *J. Am. Chem. Soc.*, 1993, Vol. 115, p. 6893.
25. Hawtherne, S. B., *Anal. Chem.*, 1990, Vol. 62, p. 633A.
26. Hawtherne, S. B., Yang, Yu., Miller, D. J., *Anal. Chem.*, 1994, Vol. 66, p. 2912.
27. Chester, T. L., Pinkston, J. D., Raynie, D. E., *Anal. Chem.*, 1992, Vol. 64, p. 153R.
28. Alexandrou, N., Pawliszyn, J., *Anal. Chem.*, 1992, Vol. 64, p. 301.
29. Garcia, M., de Lucas, A., Valverde, J. L., Rodriguez J. F., *J. Chem. Eng. Data*, 2000, Vol. 45, p. 540.
30. Siskin, M., Katritzky, A. R., *Science*, 1991, Vol. 254, p. 231.
31. Levelt-Sengers, J. M. H., Morrison, G., Nielson, G., Chang, R. F., Everhart, C. M., *Int. J. Thermophys.*, 1986, Vol. 7, p. 231.
32. Chang, R. F., Morrison, G., Levelt-Sengers, J. M. H., *J. Phys. Chem.*, 1984, Vol. 88, p. 3389.
33. Levelt-Sengers, J. M. H., *J. Supercritical Fluids*, 1991, Vol. 4, p. 215.
34. Harvey, A. H., Levelt-Sengers, J. M. H., *J. Phys. Chem.*, 1991, Vol. 95, p. 932.
35. Levelt-Sengers, J. M. H., *Supercritical Fluid Technology*, Ely, J. F., Bruno, T. J., Eds., CRC Press, Boca Raton, FL, 1991, p. 1.
36. Chang, R. F., Levelt-Sengers, J. M. H., *J. Phys. Chem.*, 1986, Vol. 90, p. 5921.
37. Chialvo, A. A., Cummings, P. T., *AICHE J.*, 1994 Vol. 40, p. 1558.
38. Cummings, P. T., Chialvo, A. A., *Chem. Eng. Sci.*, 1994, Vol. 49, p. 2735.
39. Chialvo, A. A., Cummings, P. T., *Mol. Phys.*, 1995, Vol. 84, p. 41.
40. Debenedetti, P. G., Kumar, S. K., *AICHE J.*, 1984, Vol. 34, p. 645.
41. Debenedetti, P. G., Mohamed, R. S., *J. Chem. Phys.*, 1989, Vol. 90, p. 4528.
42. McGuigan, D. B., Monson, P. A., *Fluid Phase Equilibria*, 1990, Vol. 57, p. 227.
43. Abdulagatov, I. M., Bazaev, A. R., Ramazanova, A. E., *Int. J. Thermophys.*, 1993, Vol. 14, p. 231.
44. Abdulagatov, I. M., Bazaev, A. R., Ramazanova, A. E., *J. Chem. Thermodyn.*, 1993, Vol. 25, p. 249.
45. Abdulagatov, I. M., Bazaev, A. R., Ramazanova, A. E., *Ber. Bunsenges. Phys. Chem.*, 1994, Vol. 98, p. 1596.
46. Abdulagatov, I. M., Bazaev, A. R., Gasanov, R. K., Ramazanova, A. E., *J. Chem. Thermodyn.*, 1996, Vol. 28, p. 1037.
47. Abdulagatov, I. M., Bazaev, A. R., Gasanov, R. K., Bazaev, E. A., Ramazanova, A. E., *J. Supercritical Fluids*, 1997, Vol. 10, p. 149.
48. Abdulagatov, I. M., Bazaev, A. R., Gasanov, R. K., Bazaev, E. A., Ramazanova, A. E., *High Temperatures — High Pressures*, 1997, Vol. 29, p. 137.

49. Abdulagatov, I. M., Bazaev, A. R., Bazaev, E. A., Khokhlachev, S. P., Saidakhmedova, M. B., Ramazanova, A. E., *J. Solution Chem.*, 1998, Vol. 27, p. 729.
50. Abdulagatov, I. M., Bazaev, A. R., Bazaev, E. A., Saidakhmedova, M. B., Ramazanova, A. E., *J. Chem. Eng. Data*, 1998, Vol. 43, p. 451.
51. Abdulagatov, I. M., Bazaev, A. R., Bazaev, E. A., Saidakhmedova, M. B., Ramazanova, A. E., *Fluid Phase Equilibria*, 1994, Vol. 150, p. 537.
52. Abdulagatov, I. M., Bazaev, E. A., Bazaev, A. R., Rabezkii, M. G., *J. Supercritical Fluids*, 2001, Vol. 19, p. 219.
53. Bazaev, A. R., Abdulagatov, I. M., Magee, J. W., Rabezkii, M. G., Bazaev, E. A., *J. Chem. Eng. Data*, 2001, Vol. 46, p. 1089.
54. Rabezkii, M. G., Bazaev, A. R., Abdulagatov, I. M., Magee, J. W., Bazaev, E. A., *J. Chem. Eng. Data*, 2001, Vol. 46, p. 1610.
55. Bazaev, A. R., Abdulagatov, I. M., Magee, J. W., Bazaev, E. A., Rabezkii, M. G., Ramazanova, A. E. *J. Supercritical Fluids*, 2003, Vol. 26, p. 115.
56. Smith, L. B., Keyes, F. G., *Proc. Am. Acad. Arts Sci.*, 1935, Vol. 69, p. 285.
57. Rivkin, S. L., Akhundov, T. S., *Teploenergetika*, 1962, Vol. 9, No. 1, p. 57.
58. Rivkin, S. L., Akhundov, T. S., *Teploenergetika*, 1963, Vol. 10, No. 9, p. 66.
59. Rivkin, S. L., Troyanovskaya, G. V., Akhundov, T. S., *Russ. J. High Temp.*, 1964, Vol. 2, p. 219.
60. Rivkin, S. L., Troyanovskaya G. V., *Teploenergetika*, 1964, Vol. 11, No. 10, p. 72.
61. Rivkin, S. L., Akhundov T. S., Kreminovskaya, E. A., Asadullaeva, N. N., *Teploenergetika*, 1966, Vol. 13, No. 4, p. 59.
62. Hanafusa, H., Tsuchida, T., Kawai, K., Sato, H., Uematsu, M., Watanabe, K., *High Temperatures — High Pressures*, 1983, Vol. 15, p. 311.
63. Hanafusa, H., Tsuchida, T., Kawai, K., Sato, H., Uematsu, M., Watanabe, K., *Proc. 10th Int. Conference on the Properties of Steam*, Sychev, V. V., Aleksandrov, A. A., Eds., Mir, Moscow, 1986, Vol. 1, p. 180.
64. Kell, G. S., McLaurin, G. E., Whalley, E., *Proc. 8th Int. Conference on the Properties of Water and Steam*, Giens, France, 1974, Vol. 1, p. 354.
65. Morita, T., Sato, H., Uematsu, M., Watanabe, K., *Physica A*, 1989, Vol. 156, p. 436.
66. Keyes, F. G., Smith, L. B., Gerry, H. T., *Proc. Am. Acad. Arts Sci.*, 1935, Vol. 70, p. 319.
67. Rivkin, S. L., Akhundov, T. S., *Teploenergetika*, 1962, Vol. 9, No. 5, p. 62.
68. Rivkin, S. L., Akhundov, T. S., *Atomn. Energet.*, 1963, Vol. 14, No. 6, p. 581.
69. Tsederberg, N. V., Aleksandrov, A. A., Khasanshin, T. S., Larkin, D. K., *Teploenergetika*, 1973, Vol. 20, No. 8, p. 13.
70. Kell, G. S., McLaurin, G. E., Whalley, E., *Proc. Roy. Soc. London A*, 1989, Vol. 425, p. 49.
71. Alexandrov, A. A., Khasanshin, T. S., Larkin, D. K., Report to Working Group, IAPWS, April 1976.
72. Alexandrov, A. A., Khasanshin, T. S., Larkin, D. K., *Russ. J. Phys. Chem.*, 1976, Vol. 50, p. 394.
73. Juza, J., Kmonicek, V., Sifner, O., Schovanec, K., *Physica*, 1966, Vol. 32, p. 362.
74. Mamedov, A. M., Akhundov, T. C., *Thermodynamic Properties of Gases and Liquids. Aromatic Hydrocarbons*, GSSSD, Moscow, 1978.
75. Akhundov, T. S., Asadullaev, N. N., *Izv. Vyssh. Uchebn. Zaved., Neft' Gaz*, 1968, Vol. 6, p. 83.
76. Akhundov, T. S., *Izv. Vyssh. Uchebn. Zaved., Neft' Gaz*, 1973, Vol. 11, p. 20.
77. Akhundov, T. S., Amanov, Sh. Yu., *Thermophysical Properties of Liquids*, Nauka, Moscow, 1970, p. 48.
78. Oliver, G. D., Grisar, J. W., *J. Am. Chem. Soc.*, 1956, Vol. 78, p. 561.

79. Rose-Innes, J., Young, S., *Philos. Mag.*, 1899, Vol. 47, p. 353.
80. Grigor'ev, B. A., Kurumov, D. S., Abdulagatov, I. M., Vasil'ev, Yu. L., *Russ. J. High Temp.*, 1986, Vol. 24, p. 1096.
81. Sage, B. H., Lacey, W. N., *Thermodynamic Properties of the Lighter Paraffin Hydrocarbons and Nitrogen*, Monograph on API Research Project 37, API, New York, 1950.
82. Sage, B. H., Lacey, W. N., *Ind. Eng. Chem.*, 1942, Vol. 34, p. 730.
83. Beattie, J. A., Levine, S. W., Douslin, D. R., *J. Am. Chem. Soc.*, 1951, Vol. 73, p. 4431.
84. Beattie, J. A., Levine, S. W., Douslin, D. R., *J. Am. Chem. Soc.*, 1952, Vol. 74, p. 4731.
85. Li, K., Canjar, L. N., *Chem. Eng. Prog. Symp. Ser.*, 1953, Vol. 49, p. 147.
86. Gehrig, M., Lentz, H., *J. Chem. Thermodyn.*, 1979, Vol. 11, p. 291.
87. Kratzke, H., Muller, S., Bohn, M., Kohlen, R., *J. Chem. Thermodyn.*, 1985, Vol. 17, p. 283
88. Kurumov, D. S., Ph.D. Thesis, GNI, Groznyi, 1977.
89. Kurumov, D. S., Grigor'ev, B. A., *Russ. J. Phys. Chem.*, 1982, Vol. 56, p. 551.
90. Griskey, R. D., Canjar, L. N., *AIChE J.*, 1959, Vol. 5, p. 1.
91. Grigor'ev, B. A., Kurumov, D. S., Vasil'ev, Yu. L., *Russ. J. Phys. Chem.*, 1986, Vol. 60, p. 14.
92. Kurumov, D. S., Grigor'ev, B. A., Vasil'ev, Yu. L., *Thermophys. Properties Substances Mater.*, GSSSD, Moscow 1989, Vol. 27, p. 101.
93. Beattie, J. A., Kay, W. C., *J. Am. Chem. Soc.*, 1937, Vol. 59, p. 1585.
94. Smith, L. B., Beattie, J. A., Kay, W. C., *J. Am. Chem. Soc.*, 1937, Vol. 59, p. 1587.
95. Connolly, J. F., Kandalic, G. A., *J. Chem. Eng. Data*, 1962, Vol. 7, p. 137.
96. Kurumov, D. S., Topchiev, C. A., *Phase Transition and Thermophysical Properties of Multicomponent Systems*, Dagestan Sci. Center, Russ. Acad. Sci., Makhachkala, 1990.
97. Gehrig, M., Lentz, H., *J. Chem. Thermodyn.*, 1977, Vol. 9, p. 445.
98. Gornowski, E. J., Amick, E. H., Hixson, A. N., *Ind. Eng. Chem.*, 1947, Vol. 39, p. 1348.
99. Akhundov, T. S., Abdullaev, F. G., *Thermophysical Properties of Liquids*, Nauka, Moscow, 1970.
100. Akhundov, T. S., Abdullaev, F. G., *Izv. Vyssh. Uchebn. Zaved., Neft' Gaz*, 1974, Vol. 1, p. 62.
101. Straty, G. C., Ball, M. J., Bruno, T. J., *J. Chem. Eng. Data*, 1988, Vol. 33, p. 115.
102. Grigor'ev, B. A., Rastorguev, Yu. L., Gerasimov, A. A., Kurumov, D. S., Plotnikov, S. A., *N-Hexane. Thermodynamic Properties at Temperatures from 180 to 630 K and at Pressures between 0.1 and 100 MPa*, GSSSD, Moscow, 1986.
103. Young, S., *J. Chem. Soc.*, 1897, Vol. 71, p. 446.
104. Sage, B. H., Lacey, W. N., Schaafsma, J. A., *Ind. Eng. Chem.*, 1935, Vol. 27, p. 48.
105. Pöhler, H., Kiran, E., *J. Chem. Eng. Data*, 1996, Vol. 33, p. 115.
106. Franck, E. U., Kerschbaum, S., Wiegand, G., *Ber. Bunsenges. Phys. Chem.*, 1998, Vol. 102, p. 1794.
107. Magee, J. W., Bruno, T. J., *J. Chem. Eng. Data*, 1996, Vol. 41, p. 900.
108. Kashiwagi, H., Kashimoto, T., Tanaka, Y., Kubota, H., Makita, T., *Int. J. Thermophys.*, 1981, Vol. 3, p. 201.
109. Muringer, M. J. P., Trappeniers, N. J., Biswas, S. N., *Phys. Chem. Liquids*, 1985, Vol. 14, p. 273.
110. Marcos, D. H., Lindley, D. D., Wilson, K. S., Kay, W. B., Hershey, H., *J. Chem. Thermodyn.*, 1983, Vol. 15, p. 1003.
111. Marshall, W., Simonson, J. M., *J. Chem. Thermodyn.*, 1991, Vol. 23, p. 613.
112. Dutta-Choudhury, M. K., Van Hook, W. A., *J. Phys. Chem.*, 1980, Vol. 84, p. 2735.
113. Simson, J. M., *J. Chem. Thermodyn.*, 1990, Vol. 22, p. 739.
114. Degrange, S., Ph.D. Thesis, University Blaise Pascal, France, 1998.
115. Wormald, C. J., Colling, C. N., Lancaster, N. M., Sellars, A. J., Gas Processors Association, Research Report RR-68, Tulsa, Oklahoma, 1983.

116. Wormald, C. J., Lancaster, N. M., *J. Chem. Soc. Faraday Trans. I*, 1994, Vol. 84, p. 3141.
117. Wormald, C. J., *Ber. Bunsenges. Phys. Chem.*, 1984, Vol. 88, p. 826.
118. Wormald, C. J., *J. Chem. Thermodyn.*, 1996, Vol. 28, p. 627.
119. Richards, P., Wormald, C. J., Yerlett, T. K., *J. Chem. Thermodyn.*, 1981, Vol. 13, p. 623.
120. Potter, R. W., Shaw, D. R., Haas, J. L., *U.S. Geol. Surv. Bull.*, 1975, Vol. 78D, p. 1417.
121. Potter, R. W., U.S. Geol. Surv., Open-File Report, No. 78-549, 1978, p. 34.
122. Oakes, C. S., Simonson, J. M., Bodnar, R. J., *J. Solution Chem.*, 1995, Vol. 24, p. 897.
123. Gates, J. A., Wood, R. H., *J. Chem. Eng. Data*, 1989, Vol. 34, p. 53.
124. Tsay, S. V., Gilyarov, V. N., Zaremba, V. I., Puchkov, L. V., *Geochem. Int.*, 1989, Vol. 26, p. 52.
125. Crovetto, R., Lvov, S. N., Wood, R. H., *J. Chem. Thermodyn.*, 1993, Vol. 25, p. 127.
126. Zhang, Y.-G., Frantz, J. D., *Chem. Geol.*, 1987, Vol. 64, p. 335.
127. Bodnar, R. J., Sternner, S. M., *Geochim. Cosmochim. Acta*, 1985, Vol. 49, p. 1855.
128. Egorov, V. Ya., Zaremba, V. I., Fedorov, M. K., *J. Appl. Chem. USSR*, 1976, Vol. 49, p. 119.
129. Urusova, M. A., *Russ. J. Inorg. Chem.*, 1975, Vol. 16, p. 1717.
130. Urusova, M. A., *Russ. J. Inorg. Chem.*, 1974, Vol. 19, p. 450.
131. Urusova, M. A., Ravich, M. I., *Russ. J. Inorg. Chem.*, 1971, Vol. 16, p. 1534.
132. Anderko, A., Pitzer, K. S., *Geochim. Cosmochim. Acta*, 1993, Vol. 57, p. 1657.
133. Bodnar, R. J., Ph.D. Thesis, Pennsylvania State University, 1985.
134. Potter, R. W., Brown, D. L., *U.S. Geol. Surv. Bull.*, 1977, Vol. 1424-C, p. 36.
135. Hilbert, R., Ph.D. Thesis, Universität Fridericiana, Karlsruhe, 1979.
136. Jiang, S., Pitzer, K. S., *AICHE J.*, 1996, Vol. 42, p. 585.
137. Gehrig, M., Lentz, H., Franck, E. U., *Ber. Bunsenges. Phys. Chem.*, 1983, Vol. 87, p. 597.
138. Khaibullin, Kh., Borisov, N. M., *Russ. J. High Temp.*, 1966, Vol. 4, p. 518.
139. Majer, V., Gates, J. A., Inglese, A., Wood, R. H., *J. Chem. Thermodyn.*, 1988, Vol. 20, p. 949.
140. Lemmon, E. W., Jacobsen, R. T., *Thermodynamic Properties of Toluene for Temperatures from 179 K to 700 K and Pressures to 500 MPa*, 2000 (private communication).
141. Span, R., Lemmon, E. W., Jacobsen, R. T., Wagner, W., *Int. J. Thermophys.*, 1998, Vol. 19, p. 1121.
142. Jacobsen, R. T., Penoncello, S. G., Lemmon, E. W., Span, R., *Experimental Thermodynamics. Part I. Equation of State for Fluids and Fluid Mixtures*, Sengers, J. V., Kayser, R. F., White, H. J., Eds., Elsevier, Amsterdam, 2000, pp. 849–881.
143. Setzmann, U., Wagner, W., *J. Phys. Chem. Ref. Data*, 1991, Vol. 20, No. 6, p. 1061.
144. Span, R., Wagner, W., *J. Phys. Chem. Ref. Data*, 1996, Vol. 25, No. 6, p. 1509.
145. Goodwin, R. D., *J. Phys. Chem. Ref. Data*, 1989, Vol. 18, p. 1565.
146. Mamedov, A. M., Akhundov, T. S., Imanov, Sh. Yu., Abdullaev, F. G., Asadullaeva, N. N., *Thermophys. Properties Substances Mater.*, GSSSD, Moscow, 1973, Vol. 6, p. 110.
147. Starling, K. E., *Fluid Thermodynamic Properties for Light Petroleum Systems*, Gulf Publishing Company, Houston, TX, 1973.
148. Span, R., *Multiparameter Equations of State — An Accurate Source of Thermodynamic Property Data*, Springer, Berlin, Heidelberg, New York, 2000.
149. Sauermann, P., Holzapfel, K., Oprzynski, J., Kohler, F., Poot, W., de Loos, Th. W., *Fluid Phase Equilibria*, 1995, Vol. 112, p. 249.
150. Lee, B. I., Kessler, M. G., *AICHE J.*, 1975, Vol. 21, p. 510.
151. Das, T. R., Reed, Ch. O., *J. Chem. Eng. Data*, 1977, Vol. 22, p. 3.
152. Bender, E., *Kältetechnik-Klimatisierung*, 1971, Vol. 23, p. 258.
153. Bender, E., *Chem.-Ing. Tech.*, 1972, Vol. 44, p. 576.

154. Bender, E., *Cryogenics*, 1975, Vol. 15, p. 667.
155. Bender, E., *Proc. 5th Symp. Thermophysical Properties*, ASME, New York, 1970, p. 258.
156. Benedict, M., Webb, G. B., Rubin, L. C., *J. Chem. Phys.*, 1940, Vol. 8, p. 334.
157. Polt, A., Platzer, B., Maurer, G., *Chem. Tech. (Leipzig)*, 1992, Vol. 44, p. 216.
158. Polt, A., Maurer, G., *Fluid Phase Equilibria*, 1992, Vol. 73, p. 27.
159. Bender, E., *VDI-Forschungsheft*, 1981, Vol. 609, p. 15.
160. Buhner, K., Maurer, G., Bender, E., *Cryogenics*, 1981, Vol. 21, p. 157.
161. Wagner, W., Prüß, A., *J. Phys. Chem. Ref. Data*, 2002, Vol. 31, p. 387.
162. Tegeler, C., Span, R., Wagner, W., *Eine neue Fundamentalgleichung für das Fluide Zustandsgebiet von Argon für Temperaturen von der Schmelzlinie bis 700 K und Drucke bis 1000 MPa* (in German), VDI Fortschritt-Berichte 3, No. 480, VDI, Dusseldorf, 1997.
163. Tegeler, C., Span, R., Wagner, W., *J. Phys. Chem. Ref. Data*, 1999, Vol. 28, p. 779.
164. Sychev, V. V., Vasserman, A. A., Kozlov, A. D., Tsymarny, V. A., *Thermodynamic Properties of Propane*, Hemisphere, Washington, New York, London, 1991.
165. Sychev, V. V., Vasserman, A. A., Kozlov, A. D., Tsymarny, V. A., *Thermodynamic Properties of Butane*, Begell House, New York, 1995.
166. Sychev, V. V., Vasserman, A. A., Kozlov, A. D., Spiridonov, G. A., Tsymarny, V. A., *Thermodynamic Properties of Oxygen*, Hemisphere, Washington, New York, London, 1987.
167. Sychev, V. V., Vasserman, A. A., Kozlov, A. D., Spiridonov, G. A., Tsymarny, V. A., *Thermodynamic Properties of Nitrogen*, Hemisphere, Washington, New York, London, 1987.
168. Setzmann, U., Wagner, W., *Fluid Phase Equilibria*, 1985, Vol. 19, p. 175.
169. Sifner, O., Klomfar, J., *J. Phys. Chem. Ref. Data*, 1994, Vol. 23, p. 63.
170. Smukala, J., Span, R., Wagner W., *J. Phys. Chem. Ref. Data*, 2000, Vol. 29, p. 1053.
171. de Reuck, K. M., Craven, R. J. B., *International Thermodynamic Tables of the Fluid State-12. Methanol*, Blackwell Scientific, London, 1993.
172. Lemmon, E. W., Jacobsen, R. T., *J. Phys. Chem. Ref. Data*, 2000, Vol. 29, p. 1053.
173. Lemmon, E. W., Jacobsen, R. T., Penoncello, S. G., Friend, D. G., *J. Phys. Chem. Ref. Data*, 2000, Vol. 29, p. 521.
174. Friend, D. G., Ingham, H., Ely, J. F., *J. Phys. Chem. Ref. Data*, 1991, Vol. 20, p. 275.
175. Tillner-Roth, R., *Int. J. Thermophys.*, 1995, Vol. 16, p. 91.
176. Younglove, B. A., Ely, J. F., *J. Phys. Chem. Ref. Data*, 1987, Vol. 16, p. 577.
177. Outcalt, S. L., McLinden, M. O., *J. Phys. Chem. Ref. Data*, 1996, Vol. 25, p. 605.
178. Wagner, W., Marx, V., Prüß, A., *Rev. Int. Froid*, 1993, Vol. 16, p. 373.
179. Grigor'ev, B. A., Rastorguev, Yu. L., Kurumov, D. S., Gerasimov, A. A., Kharin, V. E., Plotnikov, D. S., *Int. J. Thermophys.*, 1990, Vol. 11, p. 487.
180. Grigor'ev, B. A., Rastorguev, Yu. L., Kurumov, D. S., Gerasimov, A. A., Kharin, V. E., Plotnikov, D. S., *Int. J. Thermophys.*, 1988, Vol. 9, p. 439.
181. Sengers, J. V., Levelt-Sengers, J. M. H., *Ann. Rev. Phys. Chem.*, 1986, Vol. 37, p. 189.
182. Kiselev, S. B., Friend, D. G., *Fluid Phase Equilibria*, 1999, Vol. 155, p. 33.
183. Kiselev, S. B., Sengers, J. V., *Int. J. Thermophys.*, 1993, Vol. 14, p. 1.
184. Levelt Sengers, J. M. H., Straub, J., Watanabe, K., Hill, P. G., *J. Phys. Chem. Ref. Data*, 1985, Vol. 14, p. 193. [The revised values, on ITS-90, can be found in *Physical Chemistry of Aqueous Systems*, White, Jr., H. J., Sengers, J. V., Neumann, D. B., Bellows, J. C., Eds., Begell House, New York, 1995, Appendix A101–A102].
185. Kiselev, S. B., Abdulagatov, I. M., Harvey, A. H., *Int. J. Thermophys.*, 1999, Vol. 20, p. 563.
186. Wyczalkowska, A., Abdulkadirova, Kh. S., Anisimov, M. A., Sengers, J. V., *J. Chem. Phys.*, 2000, Vol. 113, p. 4985.
187. Chen, Z. Y., Abbaci, A., Tang, S., Sengers, J. V., *Phys. Rev.*, 1990, Vol. A42, p. 4470.

188. Luettmer-Strathmann, J., Tang, S., Sengers, J. V., *J. Chem. Phys.*, 1992, Vol. 97, p. 2705.
189. Sengers, J. V., *Supercritical Fluids*, Kiran, E., Levelt-Sengers, M. H., Eds., Kluwer, Dordrecht, 1994, pp. 231–271.
190. Wyczalkowska, A., Sengers, J. V., *J. Chem. Phys.*, 1999, Vol. 111, p. 1551.
191. Wyczalkowska, A., Abdulkadirova, Kh. S., Anisimov, M. A., Sengers, J. V., *Proc. 13th Int. Conference on the Properties of Water and Steam*, Tremaine, P. R., Hill, Ph. G., Irish, D. E., Balakrishnan, P. V., Eds., NRC Research Press, Ottawa, 2000, pp. 365–373.
192. Chen, Z. Y., Albright, P. C., Sengers J. V., *Phys. Rev.*, 1990, Vol. A41, p. 3161.
193. Anisimov, M. A., Kiselev, S. B., Sengers, J. V., Tang, S., *Physica A*, 1992, Vol. 188, p. 487.
194. Anisimov, M. A., Povodyrev, A. A., Sengers, J. V., *Fluid Phase Equilibria*, 1999, Vols. 159–160, p. 537.
195. Anisimov, M. A., Sengers, J. V., *Supercritical Fluids and Applications*, Kiran, E., De-benedetti, P. G., Peters, C. J., Eds., Kluwer, Dordrecht, 2000, pp. 89–120.
196. Osborne, N. S., Stimson, H. F., Flock, E. F., Ginnings, D. C., *J. Res. Nat. Bur. Stand. (U.S.)*, 1933, Vol. 10, p. 155.
197. Baehr, H. D., Schomacker, H., *Forsch. Ing.-Wes.* 1975, Vol. 41, p. 43.
198. Schomacker, H., Ph.D. Thesis, Ruhr-Universität, Bochum, 1973.
199. Sirota, A. M., Mal'tsev, B. K., *Teploenergetika*, 1962, Vol. 9, No. 1, p. 52.
200. Sirota, A. M., Beljakova, P. E., Shrago, Z. Kh., *Teploenergetika*, 1966, Vol. 13, No. 11, p. 84.
201. Erokhin, N. F., Kalyanov, B. I., *Teploenergetika*, 1980, Vol. 27, No. 11, p. 50.
202. Rivkin, S. L., Egorov, B. N., *Teploenergetika*, 1962, Vol. 9, No. 12, p. 60.
203. Rivkin, S. L., Egorov, B. N., *Teploenergetika*, 1963, Vol. 10, No. 7, p. 75.
204. Alexandrov, A. A., Larkin, D. K., *Teploenergetika*, 1977, Vol. 24, No. 1, p. 73.
205. Kiselev, S. B., Ely, J., Abdulagatov, I. M., Bazaev, A. R., Magee, J. W., *Ind. Eng. Chem. Res.*, 2002, Vol. 41, p. 1000.
206. Kiselev, S. B., Rainwater, J. C., *J. Chem. Phys.*, 1998, Vol. 109, p. 643.
207. Belyakov, M. Yu., Kiselev, S. B., Rainwater, J. C., *Fluid Phase Equilibria*, 1998, Vols. 151–152, p. 439.
208. Wyczalkowska, A., Sengers, J. V., *Thermodynamic Properties of Steam in the Critical Region. Evaluation of a Proposed Fundamental Equation for Scientific Use*, Institute for Physical Science and Technology, University of Maryland, College Park, MD 20742, 1995.
209. Abdulagatov, I. M., Magee, J. W., Kiselev, S. B., Friend, D. G., *A Critical Assessment of Experimental Data and Correlation for Heat Capacity at Constant Volume of Water and Steam*, Nat. Inst. Stand. Technol. NISTIR (unpublished).
210. Hill, P. G., MacMillan, R. D. C., Lee, V., *J. Phys. Chem. Ref. Data*, 1982, Vol. 11, p. 1.
211. Neichel, M., Franck, E. U., *J. Supercritical Fluids*, 1996, Vol. 9, p. 69.
212. Heiling, M., Franck, E. U., *Ber. Bunsenges. Phys. Chem.*, 1989, Vol. 93, p. 898.
213. Heiling, M., Franck, E. U., *Ber. Bunsenges. Phys. Chem.*, 1990, Vol. 94, p. 27.
214. Christoforakos, M., Franck, E. U., *Ber. Bunsenges. Phys. Chem.*, 1986, Vol. 90, p. 780.
215. Hirschfelder, J. O., Curtiss, C. F., Bird, R. B., *Molecular Theory of Gases and Liquids*, Wiley, New York, 1964.
216. Peng, D., Robinson, D. B., *Ind. Eng. Chem. Fund.*, 1976, Vol. 15, p. 59.
217. Peng, D., Robinson, D. B., *Can. J. Chem. Eng.*, 1976, Vol. 54, p. 595.
218. Redlich, O., Kwong, J. N. S., *Chem. Rev.*, 1949, Vol. 44, p. 233.
219. Soave, G., *Chem. Eng. Sci.*, 1972, Vol. 27, p. 1197.
220. Kabadi, V. N., Danner, R. P., *Ind. Eng. Chem. Process Des. Dev.*, 1985, Vol. 24, p. 537.
221. Higashi, H., Furuya, T., Ishidao, T., Iwai, Y., Arai, Y., *J. Chem. Eng. Japan*, 1994, Vol. 27, p. 677.
222. Haruki, M., Yahiro, Y., Higashi, H., Arai, Y., *J. Chem. Eng. Japan*, 1999, Vol. 32, p. 535.

1266 REFERENCES

223. Haruki, M., Iwai, Y., Nagao, S., Yahiro, Y., Arai, Y., *Ind. Eng. Chem. Res.*, 2000, Vol. 39, p. 4516.
224. Sandarusi, J. A., Kidnay, A. J., Yesavage, V. F., *Ind. Eng. Chem. Process Des. Dev.*, 1986, Vol. 25, p. 957.
225. Polishuk, I., Wisniak, J., Segura, H., Yelash, L. V., Kraska, Th., *Fluid Phase Equilibria*, 2000, Vol. 172, p. 1.
226. Carnahan, N. F., Starling, K. E., *J. Chem. Phys.*, 1969, Vol. 51, p. 635.
227. van der Waals, J. D., *On the Continuity of the Gaseous and Liquid States*, Rowlinson, J. S., Ed., *Stud. Stat. Phys.*, 1999, Vol. 1, p. 4225 and 2000, Vol. 2, p. 91.
228. Victorov, A. I., Fredenslund, A., Smirnova, N. A., *Fluid Phase Equilibria*, 1991, Vol. 66, p. 187.
229. Victorov, A. I., Smirnova, N. A., *Proc. VII Mendeleev's Discussions*, Khar'kov, 1985, pp. 37–42.
230. Smirnova, N. A., Victorov, A. I., *Fluid Phase Equilibria*, 1987, Vol. 34, p. 235.
231. Kehiaian, H. V., *Fluid Phase Equilibria*, 1983, Vol. 13, p. 243.
232. Panayiotou, C., Vera, J. H., *Polym. J.*, 1982, Vol. 14, p. 681.
233. Panayiotou, C., *Ind. Eng. Chem. Res.*, 2002, Vol. 41, p. 1057.
234. Kumar, S. K., Sutén, V. W., Reid, R. C., *Fluid Phase Equilibria*, 1986, Vol. 29, p. 373.
235. Belyakov, M. Yu., Kiselev, S. B., Rainwater, J. C., *J. Chem. Phys.*, 1997, Vol. 107, p. 3085.
236. Kiselev, S. B., *Fluid Phase Equilibria*, 1997, Vol. 128, p. 1.
237. Fisher, M. E., *Scaling, Universality, and Renormalization Group Theory*, Hahne, F. J. W. Ed., Critical Phenomena, Lectures Notes in Physics, Springer, Berlin, 1988, Vol. 186, p. 1.
238. Anisimov, M. A., Voronel, A. A., Gorodezkii, E. E., *Zh. Eksp. Teor. Fiz.*, 1971, Vol. 33, p. 605.
239. Griffiths, R. B., Wheeler, J. C., *Phys. Rev.*, 1970, Vol. A2, p. 1047.
240. Saam, W. F., *Phys. Rev.*, 1970, Vol. A2, p. 1461.
241. Kiselev, S. B., Povodyrev, A. A., *Fluid Phase Equilibria*, 1992, Vol. 79, p. 33.
242. Bischoff, J. L., Pitzer, K. S., *Am. J. Sci.*, 1989, Vol. 289, p. 217.
243. Bischoff, J. L., Rosenbauer, R. J., *Geochim. Cosmochim. Acta*, 1988, Vol. 52, p. 2121.
244. Bischoff, J. L., *Am. J. Sci.*, 1991, Vol. 291, p. 309.
245. Pitzer, K. S., *J. Chem. Thermodyn.*, 1989, Vol. 21, p. 1.
246. Harvey, A., Levelt-Sengers, J. M. H., *Chem. Phys. Lett.*, 1989, Vol. 156, p. 415.
247. Povodyrev, A. A., Anisimov, M. A., Sengers, J. V., Levelt-Sengers, J. M. H., *Physica A*, 1997, Vol. 244, p. 298.
248. Povodyrov, A. A., Jin, G. X., Kiselev, S. B., Sengers, J. V., *Int. J. Thermophys.*, 1995, Vol. 17, p. 909.
249. Anisimov, M. A., Kiselev, S. B., Sengers, J. V., Tang, S., *Physica A*, 1992, Vol. 188, p. 487.
250. Cheng, H., Anisimov, M. A., Sengers, J. V., *Fluid Phase Equilibria*, 1996, Vol. 128, p. 67.
251. Pitzer, K. S., *J. Phys. Chem.*, 1986, Vol. 90, p. 1502.
252. Pitzer, K. S., *Int. J. Thermophys.*, 1998, Vol. 19, p. 355.
253. Pitzer, K. S., *Acc. Chem. Res.*, 1990, Vol. 23, p. 333.
254. Pitzer, K. S., Tanger, J. C., *Int. J. Thermophys.*, 1988, Vol. 9, p. 635.
255. Hovey, J. K., Pitzer, K. S., Tanger, J. C., Bischoff, J. L., Rosenbauer, R. J., *J. Phys. Chem.*, 1990, Vol. 94, p. 1175.
256. Tanger, J. C., Pitzer, K. S., *Geochim. Cosmochim. Acta*, 1989, Vol. 53, p. 973.
257. Pabalan, R. T., Pitzer, K. S., *Geochim. Cosmochim. Acta*, 1988, Vol. 52, p. 2393.
258. Abdulagatov, I. M., Dvoryanchikov, V. I., Mursalov, B. A., Kamalov, A. N., *Fluid Phase Equilibria*, 1998, Vol. 143, p. 213.

259. Abdulagatov, I. M., Dvoryanchikov, V. I., Kamalov, A. N., *J. Chem. Thermodyn.*, 1997, Vol. 29, p. 1387.
260. Haar, L., Gallagher, J. S., Kell, G., *NBS/NRC Steam Tables: Thermodynamic and Transport Properties and Computer Programs for Vapor and Liquid States of Water in SI Units*, Hemisphere, Washington, 1984.
261. Pitzer, K. S., Bischoff, J. L., Rosenbauer, R. J., *Chem. Phys. Lett.*, 1987, Vol. 134, p. 60.
262. Anderko, A., Pitzer, K. S., *AIChE J.*, 1991, Vol. 37, p. 1379.
263. Anderko, A., Pitzer, K. S., *Geochim. Cosmochim. Acta*, 1993, Vol. 57, 4885.
264. Boublík, T., *J. Chem. Phys.*, 1970, Vol. 53, p. 471.
265. Mansoori, G. A., Carnahan, N. F., Starling, K. E., Leland, T. W., *J. Chem. Phys.*, 1971, Vol. 54, p. 1523.
266. Stell, G., Rasaiah, J. C., Narang, H., *Mol. Phys.*, 1972, Vol. 23, p. 393; 1974, Vol. 27, p. 1393.
267. Rushbrooke, G. S., Stell, G., Hoye, J. S., *Mol. Phys.*, 1973, Vol. 26, p. 1199.
268. Gubbins, K. E., Twu, C. H., *Chem. Eng. Sci.*, 1978, Vol. 33, p. 863.
269. Larsen, B., Rasaiah, J. C., Stell, G., *Mol. Phys.*, 1977, Vol. 33, p. 987.
270. Dohrn, R., Prausnitz, J. M., *Fluid Phase Equilibria*, 1990, Vol. 61, p. 53.
271. Jiang, S., Pitzer, K. S., *J. Chem. Phys.*, 1995, Vol. 102, p. 7632.
272. Wei, Y. S., Sadus, R. J., *AIChE J.*, 2000, Vol. 46, p. 169.
273. Bazaev, A. R., *Heat Transfer*, 1988, Vol. 1, p. 113.
274. Harvey, A. H., Peskin, A. P., Klein, S. A., *NIST/ASME Steam Properties*, NIST Standard Reference Database 10, Version 2.2, 2000.
275. Bich, E., Opel, G., Pietsch, R., Vogel, E., *Z. Phys. Chemie* (Leipzig), 1979, Vol. 260, p. 1145.
276. Egloff, G., *Physical Constant of Hydrocarbons*, Reinhold, New York, 1939, Vol. 1, p. 40.
277. Harvey, A. H., Levelt-Sengers, J. M. H., *AIChE J.*, 1990, Vol. 36, p. 539.
278. Japas, M. L., Levelt-Sengers, J. M. H., *AIChE J.*, 1989, Vol. 35, p. 705.
279. O'Connell, J. P., *Mol. Phys.*, 1971, Vol. 20, p. 27.
280. O'Connell, J. P., Sharygin, A. V., Wood, R. H., *Ind. Eng. Chem. Res.*, 1996, Vol. 35, p. 2808.
281. Conney, W. R., O'Connell, J. P., *Chem. Eng. Comm.*, 1987, Vol. 56, p. 341.
282. Kirkwood, J. G., Buff, F. P., *J. Chem. Phys.*, 1951, Vol. 19, p. 774.
283. Perry, R. L., O'Connell, J. P., *Mol. Phys.*, 1984, Vol. 52, p. 137.
284. Brelvi, S. W., O'Connell, J. P., *AIChE J.*, 1974, Vol. 18, p. 1239.
285. Shock, E. L., Helgeson, H. C., Sverjensky, D. A., *Geochim. Cosmochim. Acta*, 1976, Vol. 53, p. 2157.
286. Helgeson, H. C., Kirkham, D. H., Flowers, D. C., *Am. J. Sci.*, 1976, Vol. 281, p. 1249.
287. Shock, E. L., Helgeson, H. C., *Geochim. Cosmochim. Acta*, 1990, Vol. 54, p. 915.
288. Sedlbauer, J., Yezdimer, E. M., Wood, R. H., *J. Chem. Thermodyn.*, 1998, Vol. 30, p. 3.
289. O'Connell, J. P., *Fluctuation Theory of Mixtures*, Matteoli, E., Mansoori, G. A., Eds., Taylor and Francis, New York, 1990, pp. 45–67.
290. Mcguigan, D. B., Monson, P. A., *Fluid Phase Equilibria*, 1990, Vol. 57, p. 227.
291. Tom, J. W., Debenedetti, P. G., *Ind. Eng. Chem. Res.*, 1993, Vol. 32, p. 2118.
292. Wu, R. S., Lee, L. L., Cochran, H. D., *Ind. Eng. Chem. Res.*, 1990, Vol. 29, p. 977.
293. Huang, Y.-H., O'Connell, J. P., *Fluid Phase Equilibria*, 1987, Vol. 37, p. 75.
294. Polyasunov, A. V., Shock, E. L., *J. Supercritical Fluids*, 2001, Vol. 20, p. 91.
295. Krichevskii, I. R., *Russ. J. Phys. Chem.*, 1967, Vol. 41, p. 1332.
296. Petsche, I. B., Debenedetti, P. G., *J. Phys. Chem.*, 1991, Vol. 95, p. 386.
297. Japas, M. L., Alvarez, J. L., Kukuljan, J., Gutkowski, K., Fernandez-Prini, R., *Proc. 13th Int. Conference on the Properties of Water and Steam*, Tremaine, P. R., Hill, Ph. G., Irish, D. E., Balakrishnan, P. V., Eds., NRC Research Press, Ottawa, 2000, pp. 165–174.

298. Japas, M. L., Alvarez, J. L., Gutkowski, K., Fernandez-Prini, R., *J. Chem. Thermodyn.*, 1998, Vol. 30, p. 1603.
299. Sedlbauer, J., O'Connell, J. P., Wood, R. H., *Chem. Geology*, 2000, Vol. 163, p. 43.
300. Kukuljan, J., Alvarez, J. L., Fernandez-Prini, R., *J. Chem. Thermodyn.*, 1999, Vol. 31, p. 1511.
301. Hamod, E. Z., Manssori, G. A., *Fluctuation Theory of Mixtures*, Matteoli, E., Manssori G. A., Eds., Taylor and Francis, New York, 1990, pp. 95–130.
302. Chialvo, A. A., *Fluctuation Theory of Mixtures*, Matteoli, E., Manssori, G. A., Eds., Taylor and Francis, New York, 1990, pp. 131–209.
303. Kubicek, A. J., Eubank P. T., *J. Chem. Eng. Data*, 1972, Vol. 17, p. 232.
304. Fernandez-Prini, R., Japas M. L., *Chem. Soc. Rev.*, 1994, Vol. 23, p. 155.
305. Zmaczynski, A., *J. Chem. Phys.*, 1930, Vol. 27, p. 503.
306. Chialvo, A. A., *J. Phys. Chem.*, 1995, Vol. 95, p. 6683.
307. O'Connell, J. P., Hu Y., Marshall, K. A., *Fluid Phase Equilibria*, 1999, Vol. 158, p. 583.
308. Cochran, H. D., Lee, L. L., Pfund, D. M., *Fluctuation Theory of Mixtures*, Matteoli, E., Manssori, G. A., Eds., Taylor and Francis, New York, 1990, pp. 69–93.
309. Fernandez-Prini, R., Japas, M. L., *J. Phys. Chem.*, 1992, Vol. 96, p. 5115.
310. De Loos, Th. W., Pender, W. G., Lichtenthaler, R. N., *J. Chem. Thermodyn.*, 1982, Vol. 14, p. 83.
311. Yiling T., Michelberger, Th. M., Franck, E. U., *J. Chem. Thermodyn.*, 1991, Vol. 23, p. 105.
312. Abdulagatov, A. I., Stepanov, G. V., Abdulagatov, I. M., *Russ. J. Struct. Chem.*, 2001, Vol. 42, p. 585.
313. Morrison, G., *J. Solution Chem.*, 1988, Vol. 17, p. 887.
314. Pitzer, K. S., *Chem. Phys. Lett.*, 1984, Vol. 105, p. 484.
315. Chialvo, A. A., Cummings, P. T., *Encyclopedia of Computational Chemistry*, Wiley, New York, 1998, pp. 2839–2859.
316. Cummings, P. T., Chialvo, A. A., *Chem. Eng. Sci.*, 1994, Vol. 49, p. 2735.
317. Petsche, I. B., Debenedetti, P. G., *J. Chem. Phys.*, 1989, Vol. 91, p. 7075.
318. Shah, V. M., Cochran, H. D., Bienkowski, P. R., *J. Supercritical Fluids*, 1991, Vol. 4, p. 223.
319. Evans, D. J., Morris, G. P., *Phys. Lett. A*, 1983, Vol. 98, p. 433.
320. Nosé, S., *Mol. Phys.*, 1984, Vol. 52, p. 255.
321. Anderson, H. C., *J. Chem. Phys.*, 1980, Vol. 72, p. 2384.
322. Cummings, P. T., Cochran, H. D., Simonson, J. M., Mesmer, R. E., Karaborni, S., *J. Chem. Phys.*, 1991, Vol. 94, p. 5606.
323. Osborne, N. S., Stimson, H. F., Ginnings, D. C., *J. Res. Nat. Bur. Stand. (U.S.)*, 1937, Vol. 18, p. 389.
324. Osborne, N. S., Stimson, H. F., Ginnings, D. C., *J. Res. Nat. Bur. Stand. (U.S.)*, 1939, Vol. 23, p. 261.
325. Kell, G. S., *J. Chem. Eng. Data*, 1975, Vol. 20, p. 97.
326. Kell, G. S., McLaurin, G. E., Whalley, E., *Phil. Trans. Roy. Soc. London*, 1985, Vol. 315A, p. 235.
327. Abdulagatov, I. M., Mursalov, B. A., Gamzatov, N. M., *Proc. 12th Int. Conference on the Properties of Water and Steam*, White, H. J., Sengers, J. V., Neumann, D. B., Bellows, J. C., Eds., Begell House, New York, 1995, p. 94.
328. Abdulagatov, I. M., Dvoryanchikov, V. I., Kamalov, A. N., *J. Chem. Eng. Data*, 1998, Vol. 43, p. 830.
329. Amirkhanov, Kh. I., Stepanov, G. V., Alibekov, B. G., *Isochoric Heat Capacity of Water and Steam*, Amerind Publ. Co., New Delhi, 1974.

330. Kerimov, A. M., Ph.D. Thesis, AZNEFTEKhIM, Baku, 1964.
331. Kerimov, A. M., Alieva, M. K., *Teploenergetika*, 1976, Vol. 22, p. 76.
332. Wagner, W., Saul, A., *Proc. 10th Int. Conference on the Properties of Steam*, Sychev, V. V., Aleksandrov, A. A., Eds., Mir, Moscow, 1986, Vol. 1, p. 199.
333. Levelt-Sengers, J. H. M., *Proc. 12th Int. Conference on the Properties of Water and Steam*, White, H. J., Sengers, J. V., Neumann, D. B., Bellows, J. C., Eds., Begell House, New York, 1995, p. A143.
334. Eubank, P. T., Hall, K. R., Nehzat, M. S., *Proc. 9th Int. Conference on the Properties of Steam*, Straub, J., Scheffler, K., Eds., Pergamon Press, New York, 1979, pp. 120–127.
335. Sato, H., Uematsu, M., Watanabe, K., *Proc. 10th Int. Conference on the Properties of Steam*, Sychev, V. V., Aleksandrov, A. A., Eds., Mir, Moscow, 1986, Vol. 1, p. 71.
336. Levelt-Sengers, J. M. H., Straub, J., Watanabe, K., Hill, P. G., *J. Phys. Chem. Ref. Data*, 1985, Vol. 14, p. 193.
337. Blank, G., *Wärme und Stoffübertragung*, 1969, Vol. 2, p. 53.
338. Mursalov, B. A., Abdulagatov, I. M., Dvoryanchikov, V. I., Kamalov, A. N., Kiselev, S. B., *Int. J. Thermophys.*, 1999, Vol. 20, p. 1497.
339. Hebert, G. M., McDuffie, H. F., Secoy, C. H., *J. Phys. Chem.*, 1958, Vol. 62, p. 431.
340. Reisenfeld, E. H., Chang, T. L., *Z. Phys. Chem.*, 1935, Vol. 30, p. 61.
341. Polikhronidi, N. G., Abdulagatov, I. M., Magee, J. W., Stepanov, G. V., *Int. J. Thermophys.*, 2001, Vol. 22, p. 189.
342. Hill, P. G., MacMillan, R. D. C., *J. Phys. Chem. Ref. Data*, 1980, Vol. 9, p. 735.
343. Emmet, R., Millero, F., *J. Chem. Eng. Data*, 1975, Vol. 20, p. 351.
344. Polikhronidi, N. G., Abdulagatov, I. M., Magee, J. W., Batyrova, R. G., *J. Chem. Eng. Data*, 2001, Vol. 46, p. 1064.
345. Dornte, R. W., Smyth, C. P., *J. Am. Chem. Soc.*, 1930, Vol. 52, p. 3546.
346. McClune, C. R., *Cryogenics*, 1976, Vol. 16, p. 289.
347. Orrit, J., Laupretre, J. M., *Adv. Cryogenic Eng.*, 1978, Vol. 23, p. 573.
348. Wibout, J. P., Hoog, H., Langedijk, S. L., Overhoff, J., Smittenberg, J., *J. Rec. Trav. Chim. Pays-Bas*, 1939, Vol. 58, p. 329.
349. Young, S., *J. Chem. Soc. London*, 1900, Vol. 77, p. 1145.
350. Natural Gasoline Association of America (NGAA), Densities of Liquefied Petroleum Gases, *Ind. Eng. Chem.*, 1942, Vol. 34, p. 1240.
351. LeFevre, E. J., Nightingale, M. R., Rose, J. W., *J. Mech. Eng. Sci.*, 1975, Vol. 17, p. 243.
352. Cibulka, I., *Fluid Phase Equilibria*, 1993, Vol. 89, p. 1.
353. Zотов, В. В., Неручев, Ю. А., Мельников, Г. А., *Thermophys. Properties Substances Mater.*, ГСССД, Москва, 1975, Vol. 30, p. 16.
354. Охотин, В. С., Разумейченко, Л. А., Кас'янов, Ю. И., *Thermophys. Properties Substances Mater.*, ГСССД, Москва, 1991, Vol. 30, p. 20.
355. Hales, J. L., Townsend, R., *J. Chem. Thermodyn.*, 1972, Vol. 4, p. 763.
356. Chirico, R. D., Steele, W. V., *Ind. Eng. Chem. Res.*, 1994, Vol. 33, p. 157.
357. Rudenko, A. P., Sperkach, V. S., Timoshenko, A. N., Yagupol'skii, L. M., *Russ. J. Phys. Chem.*, 1981, Vol. 55, p. 1054.
358. Shraiber, L. S., Pechenuk, N. G., *Russ. J. Phys. Chem.*, 1975, Vol. 39, p. 429.
359. Simon, M., *Bull. Soc. Chim. Belg.*, 1957, Vol. 66, p. 375.
360. Kobe, K. A., Lynn, R. E., *Chem. Rev.*, 1953, Vol. 52, p. 117.
361. Harand, J., *Monatsh. Chem.*, 1935, Vol. 65, p. 153.
362. Fischer, R., Reichel T., *Mikrochem. Acta*, 1943, Vol. 31, p. 102.
363. Altschul, M., *Z. Phys. Chem.*, 1893, Vol. 11, p. 577.
364. Ambrose, D., *J. Chem. Thermodyn.*, 1987, Vol. 19, p. 1007.
365. Ambrose, D., Vapor-Liquid Critical Properties, National Physical Laboratory Report, Chem. 107, NPL, Teddington, England, 1980.

366. Ambrose, D., Broderick, B. E., Townsend, R., *J. Chem. Soc. A*, Vol. 4, 1967, p. 633.
367. Ambrose, D., Cox, J. D., Townsend, R., *Trans. Faraday Soc.*, 1960, Vol. 56, p. 1452.
368. Tsionopoulos, C., Ambrose, D., *J. Chem. Eng. Data*, 1995, Vol. 40, p. 547.
369. Kudchadker, A. P., Alani, G. H., Zwolinski, B. J., *Chem. Rev.*, 1968, Vol. 68, p. 659.
370. Partington, E. J., Rowlinson, J. S., Weston, J. F., *Trans. Faraday Soc.*, 1960, Vol. 56, p. 479.
371. Riedel, L., *Chem.-Ing. Tech.*, 1954, Vol. 26, p. 259.
372. Francis, A. W., *Ind. Eng. Chem.*, 1957, Vol. 49, p. 1779.
373. Rathmann, D., Sullivan, D. A., Thompson, P. A., *Liquid-Vapor Saturation Data*, Max-Planck Institut für Strömungsforschung, Göttingen, 1979.
374. Kamilov, I. K., Malysheva, L. V., Rasulov, A. R., Shakhbanov, K. A., Stepanov, G. V., *Fluid Phase Equilibria*, 1996, Vol. 125, p. 177.
375. Kamilov, I. K., Stepanov, G. V., Malysheva, L. V., Rasulov, A. R., Rasulov, S. M., Shakhbanov, K. A., *High Temperatures — High Pressures*, 1997, Vol. 29, p. 237.
376. Kamilov, I. K., Stepanov, G. V., Abdulagatov, I. M., Rasulov, A. R., Milikhina, E. I., *J. Chem. Eng. Data*, 2001, Vol. 46, p. 1556.
377. Stepanov, G. V., Shakhbanov, K. A., Malysheva, L. V., *Russ. J. High Temp.*, 1997, Vol. 35, p. 192.
378. Mirskaya, V. A., *Fluid Phase Equilibria*, 1998, Vol. 150–151, p. 739.
379. Mirskaya, V. A., Kamilov, I. K., *High Temperatures — High Pressures*, 1998, Vol. 30, p. 555.
380. Abdulagatov, I. M., Magomedov, U. B., *High Temperatures — High Pressures*, 1992, Vol. 24, p. 465.
381. Ellis, A. J., Golding, R. M., *Am. J. Sci.*, 1963, Vol. 261, p. 47.
382. Potter, R. W., Babcock, R. S., Czamanske, G. K., *J. Solution Chem.*, 1976, Vol. 5, p. 223.
383. Bell, J. T., Helton, D. M., Rogers, T. G., *J. Chem. Eng. Data*, 1970, Vol. 15, p. 44.
384. Copeland, C. S., Silverman, J., Benson, S. W., *J. Chem. Phys.*, 1953, Vol. 21, p. 12.
385. Abdulagatov, I. M., Dvoryanchikov, V. I., Abdurakhmanov, I. M., *Proc. 11th Int. Conference on the Properties of Water and Steam*, Piichal, M., Shifner, O., Eds., Hemisphere, New York, 1989, p. 203.
386. Abdulagatov, I. M., Dvoryanchikov, V. I., *Teploenergetika*, 1990, Vol. 8, p. 69.
387. Abdulagatov, I. M., Dvoryanchikov, V. I., *J. Chem. Thermodyn.*, 1993, Vol. 25, p. 823.
388. Abdulagatov, I. M., Bochkov, M. M., Mursalov, B. A., *Teploenergetika*, 1988, Vol. 1, p. 67.
389. Abdulagatov, I. M., Dvoryanchikov, V. I., Kamalov, A. N., Abramova, E. G., Abdurashidova, M. A., *Can. J. Chem. Eng.*, 2000, Vol. 78, p. 5.
390. Abdulagatov I. M., Dvoryanchikov V. I., Mursalov B. A., Kamalov A. N., *Fluid Phase Equilibria*, 1998, Vol. 150, p. 525.
391. Abdulagatov, I. M., Mursalov, B. A., Dvoryanchikov, V. I., *J. Chem. Eng. Data*, 2000, Vol. 45, p. 1133.
392. Khaibullin, I. Kh., Novikov, B. E., *Teplofiz. Vys. Temp.*, 1973, Vol. 11, p. 320.
393. Khaibullin, I. Kh., Novikov, B. E., *Teplofiz. Vys. Temp.*, 1972, Vol. 10, p. 895.
394. Novikov, B. E., Ph.D. Thesis, Krzhizhanovskii State Research Power Engineering Institute, Moscow, 1973.
395. Stimson, H. F., *J. Res. Nat. Bur. Stand. (U.S.)*, 1969, Vol. 73A, p. 493.
396. Guldner, L. A., Johnson, D. P., Jones, F. E., *J. Res. Nat. Bur. Stand. (U.S.)*, *Phys. Chem.*, 1976, Vol. 80A, p. 505.
397. Kawai, K., Sato, H., Uematsu, M., Watanabe, K., Report to IAPWS Working Group 1, Tokyo, 1983.
398. Douslin, D. R., *J. Chem. Thermodyn.*, 1971, Vol. 3, p. 187.
399. Wagner, W., *IUPAC Thermodynamic Tables Project Center*, Dept. Chem. Eng. and Chem. Tech., London, 1977.

400. Wagner W., Saul A., *Proc. 10th Int. Conference on the Properties of Steam*, Sychev, V. V., Aleksandrov, A. A., Eds., Mir, Moscow, 1986, p. 199.
401. Scheffler, K. Ph.D. Thesis, Technische Universität München, FRG, 1981.
402. Saul, A., Wagner, W., *J. Phys. Chem. Ref. Data*, 1987, Vol. 16, p. 893.
403. Oguchi, K., Tanishita, I., Kijima, J., Takaishi, Y., Shimizu, T., *Proc. 12th Int. Conference on the Properties of Water and Steam*, White, H. J., Sengers, J. V., Neumann, D. B., Bellows, J. C., Eds., Begell House, New York, 1995, p. 186.
404. Trubenbach, J., Kretzschmar, H.-J., Willkommen, Th., Dittmann, A., *Proc. 12th Int. Conference on the Properties of Water and Steam*, White, H. J., Sengers, J. V., Neumann, D. B., Bellows, J. C., Eds., Begell House, New York, 1995, p. 202.
405. Levet-Sengers, J. M. H., Greer, S. C., *Int. J. Heat Mass Transfer*, 1972, Vol. 15, p. 1865.
406. Liu, C. T., Lindsay, W. T., *J. Chem. Eng. Data*, 1970, Vol. 15, p. 510.
407. Jones, W. M., *J. Chem. Phys.*, 1968, Vol. 48, p. 207.
408. Pupezin, J., Jakli, G., Jancso, G., Van Hook, W. A., *J. Phys. Chem.*, 1972, Vol. 76, p. 743.
409. Besley, L., Bottomley, G. A., *J. Chem. Thermodyn.*, 1973, Vol. 5, p. 397.
410. Levelt-Sengers, J. M. H., Greer, W. L., Sengers, J. V., *J. Phys. Chem. Ref. Data*, 1976, Vol. 5, p. 1.
411. Tanishita, I., Watanabe, M., Uematsu, M., Eguchi, K., *Proc. 8th Int. Conference on the Properties of Water and Steam*, Giens, France, 1976, p. 560.
412. *Vapor-Pressures and Critical Properties of Liquids, Alkanes*, Data Items 84022, 84028, 85002, ESDU International, London, 1984, 1985.
413. Ambrose, D., Walton, J., *Pure Appl. Chem.*, 1989, Vol. 61, p. 1395.
414. Wagner, W., *Cryogenics*, 1973, Vol. 13, p. 470.
415. Wagner, W., *Fortschritt-Berichte VDI-Zeitschrift*, Reihe, 1974, Vol. 3, No 39, p. 1.
416. Morgan, D. L., Kobayashi, R., *Fluid Phase Equilibria*, 1994, Vol. 97, p. 211.
417. Chirico, R. D., Nguyen, A., Steele, W. V., Strube, M. M., *J. Chem. Eng. Data*, 1989, Vol. 34, p. 149.
418. Lemmon, E. W., Goodwin, A. R. H., *J. Phys. Chem. Ref. Data*, 2000, Vol. 29, p. 1.
419. Willingham, C. B., Taylor, W. J., Pignocco, J. M., Rossini, F. D., *J. Res. Nat. Bur. Stand. (U.S.)*, 1945, Vol. 35, p. 219.
420. Messerly, G. H., Kennedy, R. M., *J. Am. Chem. Soc.*, 1942, Vol. 62, p. 2988.
421. Bich, E., Lober, T., Millat, J., *Fluid Phase Equilibria*, 1992, Vol. 75, p. 149.
422. Forziati, A. F., Norris, W. R., Rossini, F. D., *J. Res. Nat. Bur. Stand. (U.S.)*, 1949, Vol. 43, p. 555.
423. Olson, J. D., *Int. J. Thermophys.*, 1995, Vol. 16, p. 215.
424. Dejoz, A., González-Alfaro, V., Miguel, P. J., Vázquez, M. I., *J. Chem. Eng. Data*, 1996, Vol. 41, p. 93.
425. Lee, Ch., Dempsey, D. M., Mohamed, R. S., Holder, G. D., *J. Chem. Eng. Data*, 1992, Vol. 37, p. 183.
426. Gregorewicz, J., Kiciak, K., Malanowski S., *Fluid Phase Equilibria*, 1987, Vol. 38, p. 97.
427. Gierycz, P., Gregorewicz, J., Malanowski, S., *J. Chem. Thermodyn.*, 1988, Vol. 20, p. 385.
428. Mathews, J. H., *J. Am. Chem. Soc.*, 1926, Vol. 48, p. 562.
429. Connolly, J. F., Kandalic, G. A., *J. Chem. Eng. Data*, 1962, Vol. 7, p. 137.
430. Young, S., *Sci. Proc. Roy. Dublin Soc.*, 1910, Vol. 21, p. 374.
431. Mousa, A. H. N., *J. Chem. Thermodyn.*, 1977, Vol. 9, p. 1063.
432. De Loos, Th. W., van Dorp, J. H., Lichtenthaler, R. N., *Fluid Phase Equilibria*, 1983, Vol. 10, p. 279.
433. Brunner, E., *J. Chem. Thermodyn.*, 1990, Vol. 22, p. 335.
434. Brollos, K., Peter, K. H., Schneider, G. M., *Ber. Bunsenges. Phys. Chem.*, 1970, Vol. 74, p. 682.

1272 REFERENCES

435. Wang, Q., Chao, K., *Fluid Phase Equilibria*, 1990, Vol. 59, p. 207.
436. Chandler, K., Eason, B., Liotta, Ch. L., Eckert, Ch. A., *Ind. Eng. Chem. Res.*, 1998, Vol. 37, p. 3515.
437. Anderson, F. E., Prausnitz, J. M., *Fluid Phase Equilibria*, 1986, Vol. 32, p. 63.
438. Roof, J. G., *J. Chem. Eng. Data*, 1970, Vol. 15, p. 301.
439. Thompson, W. H., Snyder, J. R., *J. Chem. Eng. Data*, 1964, Vol. 9, p. 516.
440. Chen, H., Wagner, J., *J. Chem. Eng. Data*, 1994, Vol. 39, p. 475.
441. Tsonopoulos, C., Wilson, G. M., *AIChE J.*, 1983, Vol. 29, p. 990.
442. Rebert, C. J., Kay, W. B., *AIChE J.*, 1959, Vol. 5, p. 285.
443. Scheffer, F. E. C., *Proc. Kon. Akad. Wetensch.-Amsterdam*, 1913, Vol. 16, Part 1, p. 404.
444. Rebert, C. J., Hayworth, K. E., *AIChE J.*, 1967, Vol. 13, p. 118.
445. Alwani, Z., Schneider, G. M., *Ber. Bunsenges. Phys. Chem.*, 1967, Vol. 71, p. 633.
446. Alwani, Z., Schneider, G. M., *Ber. Bunsenges. Phys. Chem.*, 1967, Vol. 73, p. 294.
447. Alwani, Z., Ph.D. Thesis, Karlsruhe, 1969.
448. Bradley, R. S., Drew, M. J., Munro, D. C., *High Temperatures — High Pressures*, 1973, Vol. 5, p. 169.
449. Roddy, J. W., Coleman, C. F., *Talanta*, 1968, Vol. 15, p. 1281.
450. McAuliffe, C., *Nature*, 1963, Vol. 200, p. 1092.
451. Rebert, C. J., Ph.D. Thesis, Ohio State University, 1955.
452. Jou, F.-Y., Mather, A. E., *J. Chem. Eng. Data*, 2000, Vol. 45, p. 728.
453. Gillespie, P. C., Wilson, G. M., Gas Processors Association Research Report RR-48, April 1982.
454. Eubank, P. T., Wu, C. H., Alvarado, J. F. J., Forero, A., Beladi, M. K., *Fluid Phase Equilibria*, 1994, Vol. 102, p. 181.
455. Majer, V., Degrange, S., Sedlbauer, J., *Fluid Phase Equilibria*, 1999, Vols. 158–160, p. 419.
456. Sultanov, R. G., Skripka, V. G., *Russ. J. Phys. Chem.*, 1972, Vol. 46, p. 1245.
457. Wood, S. A., Crerar, D. A., Brantley, S. L., Borscik, M., *Am. J. Sci.*, 1984, Vol. 284, p. 668.
458. Zaremba, V. I., Lvov, S. N., Matuzenko, M. Yu., *Geochem. Int.*, 1980, Vol. 17, p. 335.
459. Ketsko, V. A., Urusova, M. A., Valyashko, V. M., *Russ. J. Inorg. Chem.*, 1984, Vol. 29, p. 1398.
460. Bischoff, J. L., Rosenbauer, R. J., Fournier, R. O., *Geochim. Cosmochim. Acta*, 1996, Vol. 60, p. 7.
461. Bischoff, J. L., Rosenbauer, R. J., Pitzer, K. S., *Geochim. Cosmochim. Acta*, 1986, Vol. 50, p. 1437.
462. Rosenbauer, R. J., Bischoff, J. L., *Geochim. Cosmochim. Acta*, 1987, Vol. 51, p. 2349.
463. Schröer, E., *Z. Phys. Chem.*, 1927, Vol. 129, p. 79.
464. Ölander, A., Liander, H., *Acta Chem. Scand.*, 1950, Vol. 4, p. 1437.
465. Sourirajan, S., Kennedy, G. C., *Am. J. Sci.*, 1962, Vol. 260, p. 115.
466. Parisod, C. J., Plattner, E., *Acta Chem. Scand.*, 1981, Vol. 4, p. 16.
467. Parisod, C. J., Plattner, E., *J. Chem. Eng. Data*, 1981, Vol. 26, p. 16.
468. Rogers, P. S. Z., Pitzer, K. S., *J. Phys. Chem. Ref. Data*, 1982, Vol. 11, p. 15.
469. Majer, V., Gates, J. A., Inglese, A., Wood, R. H., *J. Chem. Thermodyn.*, 1988, Vol. 20, p. 949.
470. Rodnyanskii, I. M., Koobkov, V. I., Galinker, I. S., *Russ. J. Phys. Chem.*, 1962, Vol. 36, p. 1192.
471. Hovey, J. K., Pitzer, K. S., Tanger, J. C., *J. Phys. Chem.*, 1990, Vol. 94, p. 1175.
472. Mashovets, V. P., Zaremba, V. I., Fedorov, M. K., *Russ. J. Appl. Chem.*, 1973, Vol. 46, p. 650.
473. Zaremba, V. I., Antonov, N. A., Gilyarov, V. N., Fedorov, M. K., *Russ. J. Appl. Chem.*, 1976, Vol. 49, p. 1259.

474. Tkachenko, S. T., Shmulovich, K. I., *Dokl. Ross. Akad. Nauk*, 1992, Vol. 326, p. 1055.
475. Liu, C., Lindsay, W. T., *J. Phys. Chem.*, 1970, Vol. 74, p. 341.
476. Liu, C., Lindsay, W. T., *J. Solution Chem.*, 1972, Vol. 1, p. 45.
477. Shmulovich, K. I., Tkachenko, S. I., Plyasunova, N. V., *Fluids in the Crust: Equilibrium and Transport Properties*, Schmulovich, K. I. et al., Eds., Chapman and Hall London, 1995, pp. 193–214.
478. Oakes, C. S., Bodnar, R. J., Simonson, J. M., Pitzer, K. S., *Geochim. Cosmochim. Acta*, 1994, Vol. 58, p. 2421.
479. Valyashko, V. M., *Phase Equilibria and Properties of Hydrothermal Solutions*, Nauka, Moscow, 1990.
480. Marshall, W. L., Jones, E. V., *J. Inorg. Nucl. Chem.*, 1974, Vol. 36, p. 2313.
481. Dibrov, I. A., Mal'zev, G. Z., Mashovez, V. P., *Russ. J. Appl. Chem.*, 1964, Vol. 37, p. 1920.
482. Krumgal'z, B. S., Mashovez, V. P., *Russ. J. Appl. Chem.*, 1964, Vol. 37, p. 2750.
483. Bodnar, R. J., Burnham, C. W., Sterner, S. M., *Geochim. Cosmochim. Acta*, 1985, Vol. 49, p. 1861.
484. Powell, R. J., Swinton, F. L., *J. Chem. Thermodyn.*, 1972, Vol. 2, p. 105.
485. Teja, A. S., Rosenthal, D. J., *AIChE Symp. Ser.*, 1990, Vol. 86, p. 133.
486. Teja, A. S., Anselme, M. J., *AIChE Symp. Ser.*, 1990, Vol. 86, p. 115.
487. Wilson, L. C., Wilding, W. V., Wilson, H. L., Wilson, G. M., *J. Chem. Eng. Data*, 1995, Vol. 40, p. 765.
488. Kruse, N. W., Goodman, J. B., *Ind. Eng. Chem.*, 1930, Vol. 22, p. 13.
489. Jordan, T. E., *Vapor-Pressure of Organic Compounds*, Interscience Publishers, Inc., New York, 1954.
490. Simmorock, K. H., Janowsky, R., Ohnsorge, A., *Critical Data of Pure Substances*, DECHEMA Chemistry Data Series, Vol. II, Part 1: Ag-C7; Part-2: C8-Zr. DECHEMA, Frankfurt, 1986.
491. Hiza, M. J., Kidnay, A. J., Miller, R. C., *Equilibrium Properties of Fluid Mixtures*, Vol. 2, *A Bibliography of Experimental Data on Fluids*, IFI/Plenum, New York, 1982.
492. *TRC Thermodynamic Tables: Hydrocarbons* (formerly *Selected Values of Properties of Hydrocarbons and Related Compounds*), Thermodynamic Research Center, Texas A and M University, College Station, Texas, 1986, p. i-1010 (Table 23-2-(1.101)-i).
493. Brunner, E., *J. Chem. Thermodyn.*, 1988, Vol. 20, p. 273.
494. Stull, D. R., *Ind. Eng. Chem.*, 1947, Vol. 39, p. 517.
495. American Petroleum Institute of Research Project, 1946, Vol. 44, NBS.
496. Khurma, J. R., Muthu, O., Munjal, S., Smith, B. D., *J. Chem. Eng. Data*, 1983, Vol. 28, p. 412.
497. Kratzke, H., *AIChE J.*, 1985, Vol. 31, p. 693.
498. Kratzke, H., Ph.D. Thesis, Ruhr-Universität, Bochum, 1983.
499. Wolfe, D., Kay, W. B., Teja, A. S., *J. Chem. Eng. Data*, 1983, Vol. 28, p. 319.
500. Rosenthal, D. J., Teja, A. S., *AIChE J.*, 1989, Vol. 35, p. 1829.
501. McCracken, P. G., Storwick, T. S., Smith, J. M., *J. Chem. Eng. Data*, 1960, Vol. 5, p. 130.
502. Artyukhovskaya, L. M., Shimanskaya, E. T., Shimanskii, Yu. I., *Russ. J. Exp. Theor. Phys.*, 1970, Vol. 59, p. 688.
503. Aftienjew, J., Zawisza, A., *J. Chem. Thermodyn.*, 1977, Vol. 9, p. 153.
504. Ma, P., Ma, Y., Zhang, J., *J. Chem. Eng. Chin. Univer.*, 1991, Vol. 5, p. 175.
505. Gude, M. T., Teja, A. S., *AIChE Symp. Ser.*, 1994, Vol. 90, p. 14.
506. Kreglewski, A., Kay, W. B., *J. Phys. Chem.*, 1969, Vol. 73, p. 3359.
507. Young, C. L., *Int. Data, Ser. A*, 1974, Vol. 74, p. 47.
508. Young, C. L., *Int. Data, Ser. A*, 1975, Vol. 68, p. 66.

509. Quadri, S. K., Khilar, K. C., Kudchadker, A. P., Patni, M. J., *J. Chem. Thermodyn.*, 1991, Vol. 23, p. 67.
510. Nikitin, E. D., Pavlov, P. A., Skripov, P. V., *J. Chem. Thermodyn.*, 1993, Vol. 25, p. 869.
511. Kreglewski, A., *Roczn. Chem.*, 1957, Vol. 31, p. 1001.
512. Anselme, M. J., Gude, M., Teja, A. S., *Fluid Phase Equilibria*, 1990, Vol. 57, p. 317.
513. Amirkhanov, Kh. I., Vikhrov, D. I., Alibekov, B. G., Mirskaya, V. A., *Isochoric Heat Capacities and Other Caloric Properties of Hydrocarbons*, Dagestan Sci. Center, Russ. Acad. Sci., Makhachkala, 1981.
514. Zagoruchenko, V. A., Gyske, D. N., *Thermophysical Properties of Hydrocarbons, Their Mixtures, Oils, and Oils Fractions*, GSSSD, Moscow, 1973, p. Vol. 1, p. 23.
515. Kay, W. B., *J. Chem. Eng. Data*, 1970, Vol. 15, p. 46.
516. Reamer, H. H., Sage, B. H., Lacey, W. N., *Ind. Eng. Chem.*, 1953, Vol. 45, p. 1805.
517. Ambrose, D., Tsonopoulos, C., *J. Chem. Eng. Data*, 1995, Vol. 40, p. 531.
518. ESDU 84022. Engineering Sciences Data Unit, London, 1984.
519. ESDU International, Part 1A, C1 to C18 Alkanes, Data Item 87010, London, (1987).
520. Pawlewski, B., *Ber. Dtsch. Chem. Ges.*, 1882, Vol. 15, pp. 2143–2460.
521. Jordan, L. W., Kay, W. B., *Chem. Eng. Symp. Ser.*, 1968, Vol. 44, p. 48.
522. Glaser, F., Ruland, H., *Chem.-Ing. Tech.*, 1957, Vol. 29, p. 772.
523. McMicking, J. H., Kay, W. B., *Proc. API, Sec. III, Refining*, 1965, Vol. 45, p. 75.
524. De Loos, Th. W., Poot, W., de Swaan Arons, J., *Fluid Phase Equilibria*, 1988, Vol. 42, p. 209.
525. Kay, W. B., *J. Am. Chem. Soc.*, 1990, Vol. 68, p. 1336.
526. Wolff, H., Shadiakhy, A., *Fluid Phase Equilibria*, 1981, Vol. 7, p. 309.
527. Smith, B. D., Srivastava, R., *Thermodynamic Data for Pure Compounds*. Part A. *Hydrocarbons and Ketones*. Part B. *Halogenated Hydrocarbons and Alcohols*, Physical Sciences Data, Elsevier, Amsterdam, 1968.
528. Nichols, W. B., Reamer, H. H., Sage, B. H., *AICHE J.*, 1957, Vol. 3, p. 262.
529. Winkelmann, A., *Handbuch der Physik*, Verlag von Waorme, Leipzig, 1906, p. 73.
530. Merckel, J. H. C., *Proc. Kon. Nederland Akad. Wetenschap.*, 1937, Vol. 40, p. 164.
531. Ipatieff, V. N., Monroe, G. S., *Ind. Eng. Chem., Anal. Ed.*, 1942, Vol. 14, p. 171.
532. Mousa, A. H. N., Kay, W. B., Kreglewski, A., *J. Chem. Thermodyn.*, 1972, Vol. 4, p. 301.
533. Kay, W. B., Hissong, D. W., *Proc. Am. Petrol. Inst. Ref. Div.*, 1967, Vol. 47, p. 653.
534. Kay, W. B., *J. Phys. Chem.*, 1964, Vol. 68, p. 827.
535. Kay, W. B., Young, C. L., *Int. Data, Ser. A*, 1975, Vol. 52, p. 54.
536. Pak, S. C., Kay, W. B., *Ind. Eng. Chem. Fundam.*, 1972, Vol. 11, p. 255.
537. Ratzsch, M. T., Strauch, G., *Z. Phys. Chem. (Leipzig)*, 1972, Vol. 249, p. 243.
538. Tashmakhamedov, F., *Russ. Phys. Acoust.*, 1972, Vol. 17, p. 527.
539. Genco, J. M., Teja, A. S., Kay, W. B., *J. Chem. Eng. Data*, 1980, Vol. 25, p. 355.
540. Mandlekar, A. V., Kay, W. B., Smith, R. L., Teja, A. S., *Fluid Phase Equilibria*, 1985, Vol. 23, p. 79.
541. Zawisza, A., *J. Chem. Thermodyn.*, 1985, Vol. 17, p. 941.
542. Rossini, F. D., *Selected Values of Physical and Thermodynamic Properties of Hydrocarbons*, API, Carnegie Press, Pittsburgh, 1953.
543. Chun, S. W., Ph.D. Thesis, The Ohio State University, Columbus, Ohio, 1965.
544. Kay, W. B., *Ind. Eng. Chem.*, 1938, Vol. 30, p. 459.
545. Kay, W. B., *Ind. Eng. Chem.*, 1941, Vol. 33, p. 590.
546. Kay, W. B., *Ind. Eng. Chem.*, 1948, Vol. 40, p. 1459.
547. Kobe, K. A., Mathews J. F., *J. Chem. Eng. Data*, 1970, Vol. 15, p. 182.
548. Artyukhovskaya, L. M., Shimanskaya, E. T., Shimanskii, Yu. I., *Russ. J. Exp. Theor. Phys.*, 1972, Vol. 63, p. 2159.

549. *International Critical Tables*, McGraw Hill Book Company, Inc., New York, 1928, Vol. III, p. 249.
550. Khalilov, K., *Russ. J. Exp. Theor. Phys.*, 1939, Vol. 9, p. 335.
551. Edgar, G., Calingaert, G., *J. Am. Chem. Soc.*, 1929, Vol. 51, p. 1540.
552. Zawisza, A., Vejrosta, J., *J. Chem. Thermodyn.*, 1982, Vol. 14, p. 239.
553. Butcher, K. L., Ramasubramanian, K. R., Medani, M. S., *J. Appl. Biotechnol.*, 1972, Vol. 22, p. 1139.
554. Kobe, K. A., Crawford, H. R., Stephenson, R. W., *Ind. Eng. Chem.*, 1955, Vol. 47, p. 1767.
555. ESDU 84028. Engineering Sciences Data Unit, London, 1984.
556. Kreglewski, A., *Roczn. Chem.*, 1955, Vol. 29, p. 95.
557. Mogollon, E., Kay, W. B., Teja, A. S., *Ind. Eng. Chem. Fundam.*, 1983, Vol. 21, p. 173.
558. Matzik, I., Schneider, G. M., *Ber. Bunsenges. Phys. Chem.*, 1985, Vol. 89, p. 551.
559. Smith, Jr., R. L., Anselme, M. J., Teja, A. S., *Proc. World Congr. III. Chem. Eng.*, Tokyo, 1986, II, p. 135.
560. Smith, Jr., R. L., Teja, A. S., Kay, B. W., *AIChE J.*, 1987, Vol. 33, p. 232.
561. Pak, S. C., Kay, W. B., *Ind. Eng. Chem. Fundam.*, 1972, Vol. 11, p. 255.
562. Kay, W. B., Pak, S. C., *J. Chem. Thermodyn.*, 1980, Vol. 12, p. 673.
563. Allemand, N., Jose, J., Merlin, J. C., *Thermochim. Acta*, 1986, Vol. 105, p. 79.
564. Brunner, E., *J. Chem. Thermodyn.*, 1987, Vol. 19, p. 823.
565. Knipmeyer, S. E., Archer, D. G., Chirico, R. D., Gawmon B. E., Hossenlopp, I. A., Nguyen, A., Smith, N. K., Steel, W. V., Strube, M. M., *Fluid Phase Equilibria*, 1989, Vol. 52, p. 185.
566. ESDU 85022. Engineering Sciences Data Unit, London, 1985.
567. Gehrig, M., Lentz, H., *Erdoel Kohle, Erdgas, Petrochem.*, 1983, Vol. 36, p. 277.
568. Reamer, H. H., Sage, B. H., *J. Chem. Eng. Data*, 1963, Vol. 8, p. 508.
569. Shim, J., Kohn, J. P., *J. Chem. Eng. Data*, 1962, Vol. 7, p. 3.
570. Thomas, G. L., Young, S., *J. Chem. Soc.*, 1995, Vol. 67, p. 1071.
571. Mel'nikov, G. A., Verveiko, V. N., Otpushennikov, N. F., *Russ. J. Phys. Chem.*, 1988, Vol. 62, p. 798.
572. Daridon, J. L., Lagonrette, B., Grolier, J.-P.E., *Int. J. Thermophys.*, 1998, Vol. 19, p. 145.
573. Stewart, D. E., Sage, B. H., Lacey, W. N., *Ind. Eng. Chem.*, 1954, Vol. 46, p. 2529.
574. Zотов, В. В., Неручев, Ю. А., *Ультразвуковые и термодинамические свойства веществ*, Курск Педагогический Институт, Курск, 1986, pp. 34–42.
575. Kuss, E., Tasslimi, M., *Chem.-Ing. Tech.*, 1970, Vol. 42, p. 1073.
576. Carney, B. R., *Petrol. Refiner*, 1942, Vol. 21, p. 274.
577. Dornte, R. W., Smyth, C. P., *J. Am. Chem. Soc.*, 1930, Vol. 52, p. 3546.
578. Chappelow, C. C., Snyder, P. S., Winnick, J., *J. Chem. Eng. Data*, 1971, Vol. 16, p. 440.
579. Christopher, P. M., Laukhuf, W. L. S., Plank, C. A., *J. Chem. Eng. Data*, 1980, Vol. 21, p. 443.
580. Doolittle, A. K., Peterson, R. H., *J. Am. Chem. Soc.*, 1951, Vol. 73, p. 2145.
581. Nichols, W. B., Reamer, H. H., Sage, B. H., *Ind. Eng. Chem.*, 1955, Vol. 47, p. 2219.
582. Carmichael, L. T., Sage, B. H., Lacey, W. N., *Ind. Eng. Chem.*, 1953, Vol. 45, p. 2697.
583. Reamer, H. H., Olds, R. H., Sage, B. H., Lacey, W. N., *Ind. Eng. Chem.*, 1942, Vol. 34, p. 1526.
584. Sagdeev, D. I., Mukhamedzyanov, G. Kh., *Tr. Kazansk. Khim.-Tekhnol. Inst.*, Kazan, 1989, pp. 21–24.
585. Beaudoin, J. M., Kohn, J. P., *J. Chem. Eng. Data*, 1967, Vol. 12, p. 189.
586. Campbell, S. W., Wilsak, R. A., Thodos, G., *J. Chem. Eng. Data*, 1986, Vol. 31, p. 424.
587. Kiselev, S. B., Ely, J., Abdulagatov, I. M., Bazaev, A. R., Magee, J. W., *Ind. Eng. Chem. Res.*, 2001, Vol. 41, p. 1000.

1276 REFERENCES

588. Fransson, E., Barreau, A., Vidal, J., *J. Chem. Eng. Data*, 1992, Vol. 37, p. 521.
589. Keyes, F. G., Smith, L. B., *Proc. Am. Acad. Arts Sci.*, 1933, Vol. 68, p. 505.
590. Leu, A., Robinson, D. B., *J. Chem. Eng. Data*, 1987, Vol. 32, p. 447.
591. Olivares Fuentes, A., Cansino, J. S., Rodriguez, A. T., *Rev. Mexicana de Fisica*, 1983, Vol. 30, p. 63.
592. Li, I. P. C., Wong, Y.-W., Chang, S.-D., Lu, B. C.-Y., *J. Chem. Eng. Data*, 1972, Vol. 17, p. 492.
593. Young, S., *Proc. Roy. Irish Acad.*, 1928, Vol. 38B, p. 65.
594. Besserer, G. J., Robinson, D. B., *J. Chem. Eng. Data*, 1973, Vol. 18, p. 416.
595. Kay, W. B., *J. Chem. Eng. Data*, 1971, Vol. 16, p. 137.
596. Bich, E., Lober, T., Millat, J., *Fluid Phase Equilibria*, 1992, Vol. 75, p. 149.
597. Smyth, C. P., Engle, E. W., *J. Am. Chem. Soc.*, 1929, Vol. 51, p. 2646.
598. Wieczorek, S. A., Stecki, J., *J. Chem. Thermodyn.*, 1978, Vol. 10, p. 177.
599. Brown, I., *Aust. J. Sci. Res.*, 1952, Vol. A5, p. 530.
600. Leslie, E. H., Carr, A. R., *Ind. Eng. Chem.*, 1925, Vol. 17, 810.
601. Oscarson, J. L., Lundell, S. O., Cunningham, J. R., *AIChE Symp. Ser.*, 1987, Vol. 83, p. 1.
602. Smith, E. R., *J. Res. Nat. Bur. Stand. (U.S.)*, 1940, Vol. 24, p. 229.
603. Felsing, W. A., Watson, G. M., *J. Am. Chem. Soc.*, 1942, Vol. 64, p. 1882.
604. Weber, L. A., *Fluid Phase Equilibria*, 1999, Vol. 162, p. 31.
605. Millat, J., Bich, E., Hendl, H., Neumann A., *High Temperatures — High Pressures*, 1994, Vol. 26, p. 251.
606. Wisniewska, B., Gregorewicz, J., Malanowski, S., *Fluid Phase Equilibria*, 1993, Vol. 86, p. 173.
607. Smith, E. R., Matheson, H., *J. Res. Nat. Bur. Stand. (U.S.)*, 1957, Vol. 20, p. 641.
608. Carruth, G. F., Kobayashi, R., *J. Chem. Eng. Data*, 1973, Vol. 18, p. 115.
609. Reamer, H. H., Sage, B. H., *J. Chem. Eng. Data*, 1963, Vol. 8, p. 508.
610. Beaudoin, J. M., Kohn, J. P., *J. Chem. Eng. Data*, 1967, Vol. 12, p. 189.
611. Willman, B., Teja, A. S., *J. Chem. Eng. Data*, 1985, Vol. 30, p. 116.
612. Griswold, J., Andres, D., Klein, V. A., *Trans. Am. Inst. Chem. Engrs.*, 1943, Vol. 39, p. 223.
613. Abdulagatov, I. M., Magee, J. M., *A Database for Isochoric Heat Capacity of Technically Important Fluids and Fluid Mixtures*, Nat. Inst. Tech. Stand. (U.S.), NISTIR, 2001 (unpublished).
614. Tillner-Roth, R., Harms-Watzenberg, F., Baehr, H. D., *Eine neue Fundamentalgleichung fuer Ammoniak*, DKV-Tagungsbericht, 1993, Vol. 20, p. 167.
615. Tillner-Roth, R., Baehr, H. D., *J. Phys. Chem. Ref. Data*, 1994, Vol. 23, p. 657.
616. Tillner-Roth, R., Yokozeki, A., *J. Phys. Chem. Ref. Data*, 1997, Vol. 26, p. 1273.
617. Stewart, R. B., Jacobsen, R. T., Wagner, W., *J. Phys. Chem. Ref. Data*, 1991, Vol. 20, p. 917.
618. de Reuck, K. M., *International Thermodynamic Tables of the Fluid. State-11 Fluorine*, IUPAC, Pergamon Press, Oxford, 1990.
619. Juza, J., Sifner, O., *Acta Technica Csav*, 1976, Vol. 1, p. 1.
620. Jahangiri, M., Jacobsen, R. T., Stewart, R. B., McCarty, R. D., *J. Phys. Chem. Ref. Data*, 1998, Vol. 15, p. 593.
621. Magee, J. W., Kobayashi, R., *Proc. 8th Symp. on Thermophysical Properties.*, Vol. 1: *Thermophysical Properties of Fluids*, Sengers, J. V., Ed., ASME, New York, 1982, pp. 321–325.
622. Magee, J. W., Ph.D. Thesis, Rice University, Houston, Texas, 1983.
623. Magee, J. W., *20th Japan Symp. on Thermophysical Properties*, Tokyo, 1999, pp. 473–478.

624. Amirkhanov, Kh. I., Abdulagatov, I. M., Alibekov, B. G., Vikhrov, D. I., Mirskaya, V. A., *Russ. J. High Temp.*, 1983, Vol. 22, p. 1116.
625. Theeuwes, F., Bearman, R. J., *J. Chem. Thermodyn.*, 1970, Vol. 2, p. 513.
626. Bearman, R. J., Theeuwes, F., Bearman, M. Y., Mandel, F., Throop, G. J., *J. Chem. Phys.*, 1970, Vol. 52, p. 5486.
627. Stephenson, J., *Can. J. Phys.*, 1975, Vol. 53, p. 1367.
628. Stephenson, J., *Can. J. Phys.*, 1976, Vol. 54, p. 1282.
629. Diller, D. E., *Cryogenics*, 1971, Vol. 6, p. 186.
630. Gladun, C., *Cryogenics*, 1971, Vol. 4, p. 78.
631. Gladun, C., *Cryogenics*, 1971, Vol. 6, p. 205.
632. Abdulagatov, I. M., Stepanov, G. V., Bou, O. A., *J. Chem. Thermodyn.*, 1991, Vol. 23, p. 617.
633. Gaddy, E. M., White, J. A., *Phys. Rev. A*, 1982, Vol. 26, p. 2218.
634. Kiselev, S. B., Ely, J., Abdulagatov, I. M., Magee, J. W., *Int. J. Thermophys.*, 2000, Vol. 21, p. 356.
635. Abdulagatov, I. M., Levina, L. N., Zakaryaev, Z. R., Mamchenkova, O. N., *J. Chem. Thermodyn.*, 1995, Vol. 27, p. 1385.
636. Amirkhanov, Kh. I., Abdulagatov, I. M., Alibekov, B. G., Stepanov, G. V., Bouy, O. A., *J. Chem. Thermodyn.*, 1988, Vol. 20, p. 513.
637. Polikhronidi, N. G., Abdulagatov, I. M., Batyrova, R. G., *Int. J. Thermophys.*, 2000, Vol. 21, p. 1073.
638. Abdulagatov, I. M., Polikhronidi, N. G., Batyrova, R. G., *J. Chem. Thermodyn.*, 1994, Vol. 26, p. 1031.
639. Abdulagatov, I. M., Levina, L. N., Zakaryaev, Z. R., Mamchenkova, O. N., *Fluid Phase Equilibria*, 1997, Vol. 127, p. 205.
640. Anisimov, M. A., Kovalchuk, B. A., Rabinovich, V. A., Smirnov, V. A., *Thermophys. Properties Substances Mater.*, GSSSD, Moscow, 1975, Vol. 8, p. 237.
641. Anisimov, M. A., Beketov, V. G., Voronov, V. P., Nagaev, V. B., Smirnov, V. A., *Thermophys. Properties Substances Mater.*, GSSSD, Moscow, 1982, Vol. 16, p. 48.
642. Anisimov, M. A., Beketov, V. G., Voronov, V. P., Nagaev, V. B., Smirnov, V. A., *Thermophys. Properties Substances Mater.*, GSSSD, Moscow, 1982, Vol. 16, p. 124.
643. Adamov, Sh. P., Anisimov, M. A., Smirnov, V. A., *Thermophys. Properties Substances Mater.*, GSSSD, Moscow, 1983, Vol. 18, p. 7.
644. Magee, J. W., Ely, J. F., *Int. J. Thermophys.*, 1986, Vol. 7, p. 1163.
645. Duarte-Garza, H. A., Magee, J. W., *Int. J. Thermophys.*, 1997, Vol. 18, p. 173.
646. Duarte-Garza, H. A., Magee, J. W., *Int. J. Thermophys.*, 1999, Vol. 20, p. 1483.
647. Magee, J. W., *J. Res. Nat. Inst. Stand. Tech.*, 1991, Vol. 96, p. 725.
648. Fisher, M. E., Orkoulas, G., *Phys. Rev. Lett.*, 2000, Vol. 85, p. 696.
649. Orkoulas, G., Fisher, M. E., Ustun, C., *J. Chem. Phys.*, 2000, Vol. 113, p. 7530.
650. Yang, C. N., Yang, C. P., *Phys. Rev. Lett.*, 1969, Vol. 13, p. 303.
651. Wyczalkowska, A., Anisimov, M. A., Sengers, J. V., Kim, Y. C., *J. Chem. Phys.*, 2002, Vol. 116, p. 4202.
652. Amirkhanov, Kh. I., Stepanov, G. V., Abdulagatov, I. M., Bou, O. A., *Isochoric Heat Capacity of Propan-1-ol and Propan-2-ol*, Dagestan Sci. Center, Russ. Akad. Sci., Makhachkal, 1989.
653. Hill, P. G., Macmillan, R. D. C., *Ind. Eng. Chem. Res.*, 1988, Vol. 27, p. 874.
654. Kiselev, S. B., *Fluid Phase Equilibria*, 1998, Vol. 147, p. 7.
655. Kadanoff, L. P., *Physica*, 1966, Vol. 2, p. 263.
656. Potashinskii, A. Z., Pokrovskii, V. L., *Zh. Eksp. Teor. Fiz.*, 1966, Vol. 50, p. 439.
657. Migdal, A. A., *Zh. Eksp. Teor. Fiz.*, 1968, Vol. 55, p. 1964.
658. Polyakov, A. M., *Zh. Eksp. Teor. Fiz.*, 1968, Vol. 55, p. 1026.

659. Wilson, K. G., *Phys. Rev.*, 1971, Vol. 4, p. 3174.
660. Wilson, K., Kogut, J., *The Renormalization Group and ε -Expansion*, Wiley, New York, 1974.
661. Ma, S., *Modern Theory of Critical Phenomena*, Benjamin, Mass., 1976.
662. Sengers, J. V., Levelt-Sengers, J. M. H., *Critical Phenomena in Classical Fluids*, Croxton, C. A., Ed., *Progress in Liquid Physics*, Wiley, New York, 1978, p. 103.
663. Anisimov, M. A., *Critical Phenomena in Liquids and Liquid Crystals*, Gordon and Breach, Philadelphia, 1991.
664. Wegner, F. J., *Phys. Rev. B*, 1972, Vol. 5, p. 4529.
665. Ley-Koo, M., Green, M. S., *Phys. Rev. A*, 1981, Vol. 23, p. 2650.
666. Saul, D. M., Wortis, M., Jasnow, D., *Phys. Rev. B*, 1975, Vol. 11, p. 2571.
667. Camp, W. J., Van Dyke, J. P., *Phys. Rev. B*, 1975, Vol. 11, p. 2579.
668. Liu, A. J., Fisher, M. E., *Physica A*, 1989, Vol. 156, p. 35.
669. Tang, S., Sengers, J. V., Chen, Z. Y., *Physica*, 1991, Vol. 179, p. 344.
670. Bagnuls, C., Bervillie, C., Meiron, D. I., Nickel, B. C., *Phys. Rev. B*, 1987, Vol. 35, p. 3585.
671. Bagnuls, C., Bervillie, C., *Phys. Rev. B*, 1985, Vol. 32, p. 7209.
672. Beck, L., Ernst, G., Gurtner, J., *J. Chem. Thermodyn.*, 2000, Vol. 34, p. 277.
673. Fisher, M. E., *Phys. Rev.*, 1968, Vol. 176, p. 237.
674. Potashinskii, A. Z., Pokrovskii, V. L., Khokhlachev, S. B., *Zh. Eksp. Teor. Fiz.*, 1972, Vol. 63, p. 1521.
675. Anisimov, M. A., Kiselev, S. B., *Thermophysical Properties of Liquids and Liquid Solutions in Critical Region*. Sov. Tech. Rev., Ser. B, Thermophysics, Harwood Academic Publisher, New York, 1987, Vol. 1, p. 337.
676. Anisimov, M. A., Gorodezkii, E. E., Kulikov, V. D., Sengers, J. V., *Phys. Rev. E*, 1995, Vol. 51, p. 1199.
677. Anisimov, M. A., Gorodezkii, E. E., Kulikov, V. D., Povodyrev, A. A., Sengers, J. V., *Physica A*, 1995, Vol. 220, p. 277.
678. Anisimov, M. A., Gorodezkii, E. E., Kulikov, V. D., Sengers, J. V., *Pis'ma Zh. Eksp. Teor. Fiz.*, 1994, Vol. 60, p. 535.
679. Povodyrev, A. A., Kiselev, S. B., Anisimov, M. A., *Int. J. Thermophys.*, 1993, Vol. 14, p. 1187.
680. Kiselev, S. B., Kostukova, I. G., Povodyrev, A. A., *Int. J. Thermophys.*, 1991, Vol. 12, p. 877.
681. Fakhretdinov, I. A., Chalyi, A. V., *Izv. Vyssh. Uchebn. Zaved., Ser. Fizika*, 1976, Vol. 1, p. 35.
682. Barantsev, V. G., Kuz'min, V. D., *Physics of Liquid State*, KGU, Kiev, 1977, p. 32.
683. Thompson, C. J., *J. Math. Phys.*, 1966, Vol. 7, p. 531.
684. Mikulinskii, M. A., *Usp. Fiz. Nauk*, 1973, Vol. 110, p. 213.
685. Gorodezkii, E. E., Mikulinskii M. A., *Zh. Eksp. Teor. Fiz.*, 1974, Vol. 66, p. 986.
686. Kiselev, S. B., Kulikov, V. D., *Int. J. Thermophys.*, 1997, Vol. 18, p. 1143.
687. Kiselev, S. B., Rainwater, J. C., Huber, M. L., *Fluid Phase Equilibria*, 1998, Vol. 150, 469.
688. Kiselev, S. B., Rainwater, J. C., *Fluid Phase Equilibria*, 1997, Vol. 141, p. 129.
689. Abdulagatov, I. M., Bochkov, M. M., Mursalov, B. A., *Thermophys. Properties Substances Mater.*, GSSD, Moscow, 1989, Vol. 27, p. 95.
690. Abdulagatov, I. M., Kiselev, S. B., Levina, L. N., Zakar'yaev, Z. R., Mamchenkova, O. N., *Int. J. Thermophys.*, 1997, Vol. 17, p. 423.
691. Nicoll, J. F., *Phys. Rev. A*, 1981, Vol. 24, p. 2203.
692. Hensel, F., *Adv. Phys.*, 1995, Vol. 44, p. 3.
693. Mermin, N. D., *Phys. Rev. Lett.*, 1971, Vol. 26, p. 169.

694. Rehr, J. J., Mermin, N. D., *Phys. Rev. A*, 1973, Vol. 8, p. 472.
695. Widom, B., Rowlinson, J. S., *J. Chem. Phys.*, 1970, Vol. 52, p. 1670.
696. Hemmer, P. C., Stell, G., *Phys. Rev. Lett.*, 1970, Vol. 24, p. 1284.
697. Wallace, B., Meyer, H., *Phys. Rev. A*, 1970, Vol. 2, p. 1610.
698. Levelet-Sengers, J. M. H., Straub, J., Vicentini-Missoni, M., *J. Chem. Phys.*, 1991, Vol. 54, p. 5034.
699. Dymond, J. H., Smith, E. B., *The Virial Coefficients of Pure Gases and Mixtures*, Clarendon Press, Oxford, UK, 1980.
700. Pompe, B. A., Spurling, T. H., *Virial Coefficients for Gaseous Hydrocarbons*, CSIRO, Melbourne, 1974.
701. Mason, E. A., Spurling, T. H., *The Virial Equation of State*, Pergamon, New York, 1969.
702. Weber, L. A., *Fluid Phase Equilibria*, 1999, Vol. 162, p. 31.
703. Harvey, A. H., *Proc. 13th Int. Conference on the Properties of Water and Steam*, Tremaine, P. R., Hill, Ph. G., Irish, D. E., Balakrishnan, P. V., Eds., NRC Research Press, Ottawa, 2000, p. 571.
704. Kaplun, A. B., Meshalkin, A. B., *High Temperatures — High Pressures*, 1999, Vol. 31, p. 153.
705. Eubank, P. T., Jeffrion, L. L., Patel, M. R., Warowny, W., *J. Chem. Thermodyn.*, 1988, Vol. 20, p. 1009.
706. Dymond, J. H., *Fluid Phase Equilibria*, 1986, Vol. 27, p. 1.
707. Strelkov, P. G., Izkevich, E. S., Kostrukov, V. N., *Russ. J. Phys. Chem.*, 1954, Vol. 28, p. 459.
708. Voronel, A. V., Strelkov P. G., *Apparatus and Technique of Measurements*, 1960, Vol. 6, p. 111.
709. Chashkin, Yu. R., Smirnov, V. A., Voronel, A. V., *Thermophys. Properties Substances Mater.*, GS SSD, Moscow, 1970, Vol. 2, p. 139.
710. Voronel, A. V., *Phase Transitions and Critical Phenomena*, Domb C., Green, M. S. Eds., Academic Press, London, 1976, Vol. 5A, Chap. 5.
711. Voronel, A. V., Gorbunova, V. G., Chashkin, Ya. R., Shekochikhina, V. V., *Russ. J. Exp. Theor. Phys.*, 1966, Vol. 50, p. 897.
712. Shavandrin, A. M., Potapova, N. M., Chashkin, Ya. R., *Thermophys. Properties Substances Mater.*, GS SSD, Moscow, 1976, Vol. 9, p. 141.
713. Chashkin, Ya. R., Voronel, A. V., Smirnov, V. A., Gorbunova, V. G., *Russ. J. Exp. Theor. Phys.*, 1967, Vol. 52, p. 112.
714. Goodwin, R. D., *J. Res. Nat. Bur. Stand. (U.S.)*, 1961, Vol. 65, p. 231.
715. Gladun, G., *Cryogenics*, 1966, Vol. 6, p. 27.
716. Goodwin, R. D., Weber, L. A., *J. Res. Nat. Bur. Stand. (U.S.)*, 1969, Vol. 73A, p. 1.
717. Goodwin, R. D., Weber, L. A., *J. Res. Nat. Bur. Stand. (U.S.)*, 1969, Vol. 73A, p. 15.
718. Magee, J. W., Deal, R. J., Blanco, J. C., *J. Res. NIST*, 1998, Vol. 103, p. 63.
719. Mayrath, J. E., Magee, J. W., *J. Chem. Thermodyn.*, 1989, Vol. 21, p. 499.
720. Weber, L. A., *J. Chem. Thermodyn.*, 1981, Vol. 13, p. 389.
721. Weber, L. A., *J. Chem. Eng. Data*, 1982, Vol. 27, p. 203.
722. Goodwin, R. D., Prydz, R., *J. Res. Nat. Bur. Stand. (U.S.)*, 1970, Vol. 74A, p. 499.
723. Prydz, R., Goodwin, R. D., *J. Res. Nat. Bur. Stand. (U.S.)*, 1970, Vol. 74A, p. 661.
724. Roder, H. M., *J. Res. Nat. Bur. Stand. (U.S.)*, 1976, Vol. 80A, p. 739.
725. Younglove, B. A., Diller, D. E., *Cryogenics*, 1962, Vol. 2, p. 348.
726. Younglove, B. A., *J. Res. Nat. Bur. Stand. (U.S.)*, 1974, Vol. 78A, p. 401.
727. Buckingham, M. J., Edwards, C., Lipa, J. A., *Rev. Sci. Instrum.*, 1973, Vol. 44, p. 1167.
728. Lipa, J. A., Edwards, C., Buckingham, M. J., *Phys. Rev. A*, 1977, Vol. 15, p. 778.
729. Lipa, J. A., Edwards, C., Buckingham, M. J., *Phys. Rev. Lett.*, 1970, Vol. 25, p. 1086.
730. Wurz, V., Grubic, M., *J. Phys. E, Sci. Instrum.*, 1980, Vol. 13, p. 525.

731. Kruger, K., *Fortschritt-Berichte VDI-Zeitschrift*, Reihe, 1964, Vol. 6, p. 1.
732. Michels, A., Strijland, I. C., *Physics*, 1952, Vol. 18, p. 613.
733. Ernst, G., Gurtner, J., Beck, L., *J. Chem. Thermodyn.*, 1997, Vol. 29, p. 1189.
734. Gurtner, J., *Fortschritt-Berichte VDI-Zeitschrift*, Reihe Nr. 572. VDI-Verlag: Düsseldorf, Dissertation, Universität Karlsruhe, 1996.
735. Amirkhanov, Kh. I., *Adiabatic Calorimeter*, Inventor's Certificate No. 77653, MKL G No. 25/20, 1948.
736. Amirkhanov, Kh. I., Ph.D. Thesis, Leningrad, 1943.
737. Abdulagatov, I. M., Levina, L. N., Zakar'yaev, Z. R., Mamchenkova, O. N., *Dokl. Ross. Akad. Nauk*, 1994, Vol. 339, p. 764.
738. Abdulagatov, I. M., Levina, L. N., Zakaryev, Z. R., Mamchenkova, O. N., *Proc. Fourth Asian Thermophysical Properties Conference*, Tokyo, 1995, p. 635.
739. Abdulagatov, I. M., Polikhronidi, N. G., Batyrova, R. G., *Ber. Bunsenges. Phys. Chem.*, 1994, Vol. 98, p. 1068.
740. Bochkov, M. M., Abdulagatov, I. M., Mursalov, B. A., *Teploenergetika*, 1988, Vol. 1, p. 67.
741. Polikhronidi, N. G., Batyrova, R. G., Abdulagatov, I. M., *Fluid Phase Equilibria*, 2000, Vol. 175, p. 153.
742. Abdulagatov, I. M., Dvoryanchikov, V. I., Kamalov, A. N., Abramova, E. G., Abdurashidova, A. A., *J. Solution Chem.*, 1999, Vol. 28, p. 871.
743. Abdulagatov, I. M., Dvoryanchikov, V. I., Mursalov, B. A., Kamalov, A. N., *Fluid Phase Equilibria*, 1998, Vol. 150, p. 525.
744. Abdulagatov, I. M., Dvoryanchikov, V. I., Aliev, M. M., Kamalov, A. N., *Proc. 13th Int. Conference on the Properties of Water and Steam*, Tremaine, P. R., Hill, Ph. G., Irish, D. E., Balakrishnan, P. V., Eds., NRC Research Press, Ottawa, 2000, pp. 157–164.
745. Amirkhanov, Kh. I., Polikhronidi, N. G., Alibekov, B. G., Batyrova, R. G., *Thermophysical Properties of Substances at Condensed State*, Dagestan Branch, USSR Acad. Sci., Makhachkala, 1982, p. 3.
746. Amirkhanov, Kh. I., Alibekov, B. G., Polikhronidi, N. G., Batyrova, R. G., *Thermophysical Properties of Liquids and Gases*, Dagestan Branch, USSR Acad. Sci., Makhachkala, 1979, p. 15.
747. Amirkhanov, Kh. I., Alibekov, B. G., Polikhronidi, N. G., Batyrova, R. G., *Thermophys. Properties Substances Mater.*, GSSSD, Moscow, 1982, Vol. 16, p. 17.
748. Mursalov, B. A., Bochkov, M. M., *Thermophysical Properties of Individual Substances and Mixtures*, Dagestan Branch, USSR Acad. Sci., Makhachkala, 1989, p. 5.
749. Zakar'yaev, Z. R., *Apparatus and Technique of Experiments*, 1986, Vol. 5, p. 210.
750. Zakar'yaev, Z. R., *Russ. Phys. Eng. J.*, 1982, Vol. 53, p. 796.
751. Zakar'yaev, Z. R., *Thermophysical Properties of Liquids and Gases*, Dagestan Branch, USSR Acad. Sci., Makhachkala, 1979, p. 52.
752. Zakar'yaev, Z. R., Ph.D. Thesis, Geothermal Sci.-Res. Institute, Dagestan Sci. Center, Russ. Acad. Sci., Makhachkala, 1995.
753. Vargaftik, N. B., Vinogradov, Y. K., Yargin, V. S., *Handbook of Physical Properties of Liquids and Gases. Pure Substances and Mixtures*, 3rd augm. rev. ed., Begell House, New York, Wallingford (UK), 1996.
754. Porovskii, V. M., Deryagin, B. V., *Dokl. Akad. Nauk SSSR*, 1964, Vol. 159, p. 897.
755. Bestujeva, A. C., Ph.D. Thesis, MPI, Moscow, 1968.
756. Defoe, C. G., Furukawa, G. T., *J. Am. Chem. Soc.*, 1953, Vol. 75, p. 522.
757. Kirilin, V. A., Sheidlin, A. E., *Fundamentals of Experimental Thermodynamics* Moscow, 1948.
758. Polikhronidi, N. G., Batyrova, R. G., Abdulagatov, I. M., *Int. J. Thermophys.*, 2004 (in press).

759. Kuroki, T., Kagawa, N., Endo, H., Tsuruno, S., Magee J. W., *J. Chem. Eng. Data*, 2001, Vol. 46, p. 1101.
760. Kerimov, A. M., Alieva, M. K., Muradov, A. A., *Thermophysical Properties of Liquids*, Nauka, Moscow, 1970, p. 179.
761. Kerimov, A. M., Alieva, M. K., *Thermophysical Properties of Liquids*, Nauka, Moscow, 1970, p. 172.
762. Sato, H., Watanabe, K., Levelt Sengers, J. M. H., Gallagher, J. S., Hill, P. G., Straub, J., Wagner, W., *J. Phys. Chem. Ref. Data*, 1991, Vol. 20, p. 1023.
763. Preston-Thomas, H., *Metrologia*, 1990, Vol. 17, p. 3.
764. Rosby, R. L., *J. Chem. Thermodyn.*, 1991, Vol. 23, p. 1153.
765. Amirkhanov, Kh. I., Stepanov, G. V., Mursalov, B. A., Bouy, O. A., *Teploenergetika*, 1973, Vol. 22, p. 68.
766. Polikhronidi, N. G., Abdulagatov, I. M., Magee, J. W., Stepanov, G. V., *Int. J. Thermo-phys.*, 2002, Vol. 23, p. 745.
767. Amirkhanov, Kh. I., Stepanov, G. V., Mursalov, B. A., Bouy, O. A., *Dokl. Akad. Nauk SSSR*, 1965, Vol. 163, p. 1189.
768. Fisher, M. E., Levin, Y., *Phys. Rev. Lett.*, 1993, Vol. 71, p. 3826.
769. Weiss, V. C., Schroer, W., *J. Chem. Phys.*, 1997, Vol. 106, p. 1930.
770. Weingartner, H., Kleemeier, M., Wiegand, S., Schroer, W., *J. Stat. Phys.*, 1995, Vol. 78, p. 169.
771. Narayanan, T., Pitzer, K. S., *J. Chem. Phys.*, 1995, Vol. 102, p. 8118.
772. Narayanan, T., Pitzer, K. S., *Phys. Rev. Lett.*, 1994, Vol. 73, p. 3002.
773. Jacob, J., Kumar, A., Anisimov, M. A., Povodyrev, A. A., Sengers, J. V., *Phys. Rev. E*, 1998, Vol. 58, p. 2188.
774. Stell, G., *J. Stat. Phys.*, 1995, Vol. 78, p. 197.
775. Levelt-Sengers, J. M. H., Given, J. A., *Mol. Phys.*, 1993, Vol. 80, p. 899.
776. Singh, R. R., Pitzer, K. S., *J. Am. Chem. Soc.*, 1988, Vol. 110, p. 8723.
777. Zhang, K. C., Briggs, M. E., Gammon, R. W., Levelt-Sengers, J. M. H., *J. Chem. Phys.*, 1992, Vol. 97, p. 8692.
778. Japas, M. L., Levelt-Sengers, J. M. H., *J. Chem. Phys.*, 1990, Vol. 94, p. 5361.
779. Povodyrev, A. A., Anisimov, M. A., Sengers, J. V., Marshall, W. L., Levelt-Sengers, J. M. H., Tech. Report Prepared for the IAPWS, IPST, University of Maryland, 1998.
780. Shibue, Y., *J. Chem. Eng. Data*, 2000, Vol. 45, p. 523.
781. Levelt-Sengers, J. M. H., *Supercritical Fluids Fundamental for Application*, Kiran, E., Levelt-Sengers, J. M. H., Eds., NATO ASI Series Kluwer Academic Publishers, 1993, Vol. 273, p. 3.
782. Amit, D. J., *J. Phys. C*, 1974, Vol. 7, p. 3369.
783. Kitajima, H., Kagawa, N., Tsuruno, S., Endo, H., *Trans. Jpn. Soc. Mech. Eng.*, Ser. B, 2003, Vol. 69, p. 1921.
784. Delany, J. R., Mogk, D. W., Mottl, M. J., *J. Geophys. Res.*, 1987, Vol. 92, p. 9175.
785. Modell, M., *Chem. Phys. Processes Combust.*, 1989, pp. E1–E7.
786. Bochkov, M. M., Ph.D. Thesis, IVTAN SSSR, Moscow, 1985.
787. Valyashko, V. M., Abdulagatov, I. M., Levelt-Sengers, J. M. H., *J. Chem. Eng. Data*, 2000, Vol. 45, p. 1139.
788. Armellini, F. J., Tester, J. W., *J. Supercritical Fluids*, 1994, Vol. 7, p. 147.
789. Hodes, M. S., Marrone, Ph. A., Hong, G. T., Smith, K. A., Tester, J. W., *Supercritical Fluids*, 2004, Vol. 29, p. 265.
790. Etard, M. A., *Comptes Rendus*, 1891, Vol. 113, p. 854.
791. Smits, A., Wuite, J. P., *Proc. Kon. Acad. Wetensch. Amsterdam*, 1909, Vol. 12, p. 244.
792. Sharygin, A. V., Mokbel, I., Xiao, C., Wood, R. H., *J. Phys. Chem. B*, 2001, Vol. 105, p. 229.

793. Buechner, E. H., *Z. Phys. Chem.*, 1906, Vol. 56, p. 257.
794. Buechner, E. H., *Die Heterogenen Gleichgewichte vom Standpunkte der Phasenlehre von H. W. Bakhuys Roozeboom*, 2ter Teil, *Systeme mit Zwei Flüssigen Phasen*; 2tes Heft, *Systeme aus Zwei Komponenten*, Braunschweig, 1918.
795. Smits, A., *Proc. Kon. Akad. Wetensch. Amsterdam*, 1903, Vol. 7, p. 171.
796. Smits, A., *Proc. Kon. Akad. Wetensch. Amsterdam*, 1904, Vol. 8, p. 484.
797. Smits, A., *Z. Phys. Chem.*, 1911, Vol. 76, p. 445.
798. Van Konynenburg, P. H., Scott, R. L., *Phil. Trans. Roy. Soc. London*, 1980, Vol. 298, p. 495.
799. Valyashko, V. M., *Pure Appl. Chem.*, 1997, Vol. 69, p. 2271.
800. Peters, C. J., *Supercritical Fluids, Fundamentals for Application*, Kiran, E., Levelt-Sengers, J. M. H., Eds., NATO ASI Series, Kluwer Academic Publishers, 1994, Vol. 273, pp. 117–145.
801. Zdanovsky, A. B., Solov'eva, E. F., Ezrokhi, L. L., Lyakhovskaya, E. I., *Data Book on Experimental Data on Solubility in Water–Salt Systems*, III, Vyazovov, V. V., Pel'sh, A. D., Eds., Gos. Izd. Khim. Literat., Leningrad, 1962.
802. Taylor, B. N., Kuyatt, C. E., Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results, NIST Tech. Note No. 1297, 1994.
803. Abdulagatov, I. M., Magee, J. W., Kiselev, S. B., Friend, D. J., *Proc. 13th Int. Conference on the Properties of Water and Steam*. Tremaine, P. R., Hill, Ph. G., Irish, D. E., Balakrishnan, P. V., Eds., NRC Research Press, Ottawa, 2000, pp. 374–381.
804. Schroeder, W. C., Gabriel, A., *J. Am. Chem. Soc.*, 1935, Vol. 57, p. 1539.
805. Schroeder, W. C., Berk, A. A., Gabriel, A., *J. Am. Chem. Soc.*, 1937, Vol. 59, p. 1783.
806. Benrath, A., Gjedebo, F., Schiffers, B., Wunderlich, H. Z., *Anorg. Allgem. Chem.*, 1937, Vol. 231, p. 285.
807. Benrath, A. Z., *Anorg. Allgem. Chem.*, 1941, Vol. 247, p. 147.
808. Keveel, N. B., *J. Am. Chem. Soc.*, 1942, Vol. 64, p. 841.
809. Booth, H. S., Biswell, R. M., *J. Am. Chem. Soc.*, 1950, Vol. 72, p. 2567.
810. Ravich, M. I., Borovaya, F. E., Ketkovich, V. Ya., *Izv. Sektora Fiz.-Khim. Analyza*, 1953, Vol. 22, p. 240.
811. Marshall, W. L., Wright, H. W., Secoy, C. H., *J. Chem. Educ.*, 1954, Vol. 31, p. 34.
812. Abdulagatov, I. M., Ph.D. Thesis, Moscow Power Institute, Moscow, 1991.
813. Deiters, U. K., De Reuck, K. M., *Chem. Eng. J.*, 1998, Vol. 69, p. 69.
814. Gosman, A. L., McCarty, R. D., Hust, J. G., *Nat. Stand. Ref. Data Ser.*, NBS, 1996, Vol. 27, p. 112.
815. Vasserman, A. A., Rabinovich, V. A., *J. Eng. Phys.*, 1967, Vol. 13, p. 106.
816. Streett, W. B., Ringermacher, H. I., Burch, J. L., *J. Chem. Phys.*, 1972, Vol. 57, p. 3829.
817. Amirkhanov, Kh. I., Polikhronidi, N. G., Batyrova, R. G., *Teploenergetika*, 1971, Vol. 17, p. 70.
818. Amirkhanov, Kh. I., Polikhronidi, N. G., Alibekov, B. G., Batyrova, R. G., *Teploenergetika*, 1971, Vol. 18, p. 59.
819. Magee, J. W., *Int. J. Thermophys.*, 1996, Vol. 17, p. 803.
820. Kestin, J., Sengers, J. V., *J. Phys. Chem. Ref. Data*, 1986, Vol. 15, p. 305.
821. Abdulagatov, I. M., Dvoryanchikov, V. I., *Russ. Geokhimiya*, 1994, Vol. 1, p. 101.
822. Heiks, J. R., Barnett, M. K., Jones, L. V., Orban, E., *J. Phys. Chem.*, 1954, Vol. 58, p. 488.
823. Dreyer, R., Martin, W., Von Weber, U., *J. Pract. Chem.*, 1955, Vol. 1, p. 324.
824. Schouteden, F., Deveux, C. J., *Natuurwet. Tijdsch.*, 1936, Vol. 18, p. 242.
825. Besley, L., Bottomley, G. A., *J. Chem. Thermodyn.*, 1974, Vol. 6, p. 577.
826. Tsionopoulos, C., *AIChE J.*, 1987, Vol. 33, p. 2080.
827. Teja, A. S., Lee, R. J., Rosenthal, D., Anselme, M., *Fluid Phase Equilibria*, 1990, Vol. 56, p. 153.

828. Knight, C. L., Bodnar, R. J., *Geochim. Cosmochim. Acta*, 1989, Vol. 53, p. 3.
829. Levelt-Sengers, J. M. H., Everhart, C. M., Morrison, G., Pitzer, K. S., *Chem. Eng. Commun.*, 1986, Vol. 47, p. 315.
830. Ihmels, E. Ch., Gmehling, J., *Ind. Eng. Chem. Res.*, 2001, Vol. 40, p. 4470.
831. Potter, R. W., Clyne, M. A., U.S. Geol. Surv., Open-File Report, No. 76-365, 1976.
832. Copeland, C. S., Silverman, J., Benson, S. W., *J. Phys. Chem.*, 1953, Vol. 20, p. 12.
833. Eckert, C. A., Ziger, D. H., Johnston, K. P., Ellison, T. K., *Fluid Phase Equilibria*, 1983, Vol. 14, p. 167.
834. Roze, A. M., Russ. *J. Phys. Chem.*, 1976, Vol. 50, p. 837.
835. Debenedetti, P. G., *J. Chem. Phys.*, 1987, Vol. 86, p. 7126.
836. Horvath, A. L., *Handbook of Aqueous Electrolyte Solutions: Physical Properties, Estimation Methods and Correlation Methods*, Ellis Horwood, West Sussex, England, 1985.
837. IAPWS. *Release on Thermal Conductivity of Water Substance*, International Association for the Properties of Water and Steam, 1997. Available from the IAPWS Executive Secretary, Dr. Dolley, R. B., Electric Power Research Institute, 3412 Hillview Av., Palo Alto, CA 94304, USA.
838. Bridgman, P. W., *Proc. Am. Acad. Arts Sci.*, 1923, Vol. 59, p. 141.
839. Lawson, A. W., Lowel, R., Jain, A. L., *J. Chem. Phys.*, 1959, Vol. 30, p. 643.
840. Venart, J. E. S., *Proc. 3rd Symp. on Thermophysical Properties*, Gratch, S., Ed., ASME, New York, 1965, pp. 237–245.
841. Yata, J., Minamiyama, I., Tashiro, M., Muragishi, H., *Bull. JSME*, 1979, Vol. 22, p. 171.
842. Venart, J. E. S., Prasad, R. C., *J. Chem. Eng. Data*, 1980, Vol. 25, p. 196.
843. Tarzimanov, A. A., Lozovoi, V. S., *Proc. 7th Int. Conference on the Properties of Steam*, Tokyo, Japan, ASME, New York, 1968, p. C-8.
844. Le Neindre, B., Bury, P., Tufeu, R., Tohannin, P., Vodar B., *Proc. 7th Int. Conference on the Properties of Steam*, Tokyo, Japan, ASME, New York, 1968, p. C-1.
845. Cherneyeva, L. I., *Thermophysical Properties of Gases*, Nauka, Moscow, 1970.
846. Rastorguev, Y. L., Pugach, V. V., *Teploenergetika*, 1970, Vol. 4, p. 77.
847. Takizawa, S., Nagashima, A., Tanishita, I., *Proc. 8th Int. Conference on the Properties of Water and Steam*, Bury, P., Perdon, H., Vodar, B., Eds., Editions Europe, Thermal Industry, Paris, France, 1975, Vol. 1, pp. 245–264.
848. Rastorguev, Y. L., Grigor'ev, B. A., Ishkhanov, A. M., *Proc. 8th Int. Conference on the Properties of Water and Steam*, Giens, France, 1974, Vol. 1, p. 255.
849. Castelli, V., Stanley, E. M., *J. Chem. Eng. Data*, 1974, Vol. 19, p. 8.
850. Amirkhanov, Kh. I., Adamov, A. P., Magomedov, U. B., *Russ. J. High Temp.*, 1974, Vol. 13, p. 75.
851. Minamiyama, T. and Yata, I., *Proc. 8th Int. Conference on the Properties of Water and Steam*, Giens, France, 1974, Vol. 1, p. 243.
852. Le Neindre, B., Bury, P., Tufeu, R., Vodar, B., *J. Chem. Eng. Data*, 1976, Vol. 21, p. 265.
853. Vargaftik, N. B., Fillipov, L. P., Tarzimanov, A. A., Tozkii, E. E., *Thermal Conductivity of Liquids and Gases*, GSSSD, Moscow, 1978.
854. Dietz, F. J., de Groot, J. J., Franck, E. F., *Ber. Bunsenges. Phys. Chem.*, 1981, Vol. 85, p. 1005.
855. Nagasaka, Y., Okada, H., Suzuki, J., Nagashima, A., *Ber. Bunsenges. Phys. Chem.*, 1983, Vol. 87, p. 859.
856. DiGuilio, R. M., Lee, R. J., Jeter, S. M., Teja, A. S., *ASHRAE Trans.*, 1990, Vol. 96, p. 702.
857. Venart, J. E. S., Prasad, R. C., Stocker, D. G., *Proc. 9th Int. Conference on Properties of Steam*, Straub, J., Scheffler, K., Eds., Pergamon, Oxford, 1980, pp. 392–406.
858. Wakeham, W. A., *Proc. 10th Int. Conference on the Properties of Water and Steam*, Sychev, V. V., Alexandrov, A. A., Eds., Mir, Moscow, 1984, Vol. 2, p. 219.

859. Grigor'ev, E. B., Ph.D. Thesis, Dagestan Sci. Center, Russ. Acad. Sci., Makhachkala, 1995.
860. Tufeu, R., Le Neindre, B., Johannin, P., *C. R. Hebd. Seances Acad. Sci.*, Ser. B, 1966, Vol. 262, p. 229.
861. Sirota, A. M., Latunin, V. I., Belyaeva, G. M., Report to the Special Committee of IAPS, 1975.
862. Sirota, A. M., Latunin, V. I., Nikolaeva, N. E., *Teploenergetika*, 1981, Vol. 28, p. 72.
863. Zalaf, M., Ph.D. Thesis, Imperial College of Science, Technology and Medicine, University of London, 1988.
864. Tufeu, R., Denielou, L., Le Neindre, B., *Proc. 10th Int. Conference on Properties of Steam*, Sychev, V. V., Alexandrov, A. A., Eds., Mir, Moscow, 1986, Vol. 1, p. 466.
865. Tufeu, R., Le Neindre, B., *Int. J. Thermophys.*, 1987, Vol. 8, p. 283.
866. Ramires, M. L. V., Fareleira, J. M. N. A., Nieto de Castro, C. A., Dix M., Wakeham W. A., *Int. J. Thermophys.*, 1993, Vol. 14, p. 1119.
867. Guseinov, G. G., *Thermophysical Properties of Pure Substances and Aqueous Electrolyte Solutions*, Dagestan Sci. Center, Russ. Acad. Sci., Makhachkala, 1978, p. 51.
868. Assael, M. J., Charitidou, E., Georgiadis, G. P., Wakeham, W. A., *Ber. Bunsenges. Phys. Chem.*, 1988, Vol. 92, p. 627.
869. Dix, M., Wakeham, W. A., Zalaf, M., *Thermal Conductivity 20*, Hasselman, D. P. H., Thomas, J. R., Eds., Plenum Press, New York, 1988, pp. 185–192.
870. Cherneyeva, L. I., *Heat Transfer — Soviet Research*, 1971, Vol. 3, p. 1.
871. Bach, J., Grigull, U., *Wärme- und Stoffübertragung*, 1971, Vol. 3, p. 44.
872. Takizawa, S., Murata, H., Nagashima, A., *Bull. JSME*, 1978, Vol. 21, p. 273.
873. Gazdiev, M. A., Rastorguev, Yu. L., *Russ. J. Phys. Chem.*, 1971, Vol. 45, p. 692.
874. Stupak, P. M., Aizen, A. M., Yampol'skii, N. G., *Russ. Phys. Eng. J.*, 1970, Vol. 19, p. 74.
875. Papadopoulos, C., *Chemistry and Industry* London, August, 1971, p. 932, 932.
876. Filippov, L. P., Nefedov, S. N., *Industry Lab.* (English translation), 1980, Vol. 45, p. 1383.
877. Potienko, N. F., Tsymarnyi, V. A., *Izmerit. Tekh.*, 1972, Vol. 3, p. 40.
878. Shurygin, P. M., Buzovkin, V. P., Leonov, V. V., *Industry Lab.* (English translation), 1974, Vol. 40, p. 995.
879. Varchenko, A. A., *Proc. 15th Thermal Conductivity Conference*, Mirkovich, V. V., Ed., Plenum, New York, 1978, pp. 255–260.
880. Gross, U., Song, Y. W., Hahne, E., *Fluid Phase Equilibria*, 1992, Vol. 76, p. 273.
881. Venkateshan, S. P., *Proceedings Thermophysics and Heat Transfer Conference*, ASME, Seattle, 1990, Vol. 129, pp. 127–132.
882. Wakeham, W. A., Nagashima, A., Sengers, J. V., Eds., *Experimental Thermodynamics*. Vol. III. *Measurements of the Transport Properties of Fluids*, Blackwell Scientific, London, 1991.
883. Assael, M. J., Bekou, E., Giakoumakis, D., Friend, D. G., Killeen, M. A., Nagashima, A., *J. Phys. Chem. Ref. Data*, 2000, Vol. 29, p. 141.
884. Alas, A. C., Ph.D. Thesis, Zurich, 1967.
885. Tufeu, R., Bury, P., Le Neindre, B., *J. Chem. Eng. Data*, 1986, Vol. 31, p. 246.
886. Bonilla, C. F., Wang, G. J., Progr. Rep., Dec. 1950–Feb. 1951, DP-12, Atomic Energy Div., Colombia Univ. and E.I. Du Pont de Nemours & Co., 1951.
887. Meyer, F., Eigen, M., *Z. Naturforsch.*, 1953, Vol. 8A, p. 500.
888. Challoner, A. R., Powell, R. W., *Proc. Roy. Soc. London*, 1956, Vol. 238A, p. 90.
889. Vargaftik, N. B., Oleshuk, O. N., Belyakova, P. E., *Russ. Atomic Energy*, 1959, Vol. 7, p. 465.
890. Ziebland, H., J. Burton, T. A., *Int. J. Heat Mass Transfer*, 1960, Vol. 1, p. 242.

891. Le Neindre, B., Johannin, P., Vodar, B., *C. R. Acad. Sci. Paris*, 1965, Vol. 260, p. 67.
892. Rastorguev, Ya. L., Grigor'ev, B. A., Ishkhanov, A. M., *Teploenergetika*, 1975, Vol. 7, p. 81.
893. Bibik, A. P., Litvinenko, I. V., Radchenko, I. V., *Inzh.-Fiz. Zh.*, 1975, Vol. 28, p. 141.
894. Amirkhanov, Kh. I., Adamov, A. P., Magomedov, U. B., *Experimental Study of the Thermal Conductivity of Light and Heavy Water*, Dagestan Branch, USSR Acad. Sci., Makhachkala, 1974.
895. Yata, J., Minamiyama, T., Kim, T., Yokogawa, N., Murai, H., *Proc. 9th Int. Conference on Properties of Steam*, Straub, J., Scheffler, K., Eds., Pergamon, Oxford, 1980, pp. 431–438.
896. Nagasaka, Y., Hiraiwa, H., Nagashima, A., *Proc. 11th Int. Conference on the Properties of Water and Steam*, Pichal, M., Sifner, O., Eds., Hemisphere, New York, 1989, pp. 125–131.
897. Klassen, T. V., *Heat Transfer and Thermal Simulation*, Mikheev, M. A., Ed., Energiya, Moscow, 1959.
898. Rastorguev, Yu. L., Grigor'ev, B. A., Ishkhanov, A. M., *Proc. 9th Int. Conference on Properties of Steam*, Straub, J., Scheffler, K., Eds., Pergamon, Oxford, 1980, pp. 407–416.
899. Matsunaga, N., Nagashima, A., *J. Phys. Chem. Ref. Data*, 1983, Vol. 12, p. 933.
900. Tarzimanov, A. A., *Proc. 9th Int. Conference on Properties of Steam*, Straub, J., Scheffler, K., Eds., Pergamon, Oxford, 1980, pp. 439–444.
901. Nagasaka, Y., Suzuki, J., Nagashima, A., *Proc. 10th Int. Conference on the Properties of Water and Steam*, Sychev, V. V., Alexandrov, A. A., Eds., Mir, Moscow, 1984, Vol. 2, p. 203.
902. Eldarov, F. G., *Russ. J. Phys. Chem.*, 1980, Vol. 54, p. 348.
903. Magomedov, U. B., Ph.D. Thesis, MEI, Moscow, 1996.
904. Ganiev, Y., Musoyan, M. O., Rastorguev, Ya. L., Grigor'ev, B. A., *Proc. 11th Int. Conference on the Properties of Water and Steam*, Pichal, M., Sifner, O., Eds., Hemisphere, New York, 1989, pp. 132–139.
905. Safronov, G. A., Kosolap, Ya. G., Rastorguev, Ya. L., *Experimental Studing of the Thermal Conductivity of Binary Solutions of Electrolytes*, Dep. VINITI, 1990, No. 4262-B90, p. 28.
906. Kawamata, K., Nagasaka, Y., Nagashima, A., *Int. J. Thermophys.*, 1988, Vol. 9, p. 317.
907. Ozbek, H., Phillips, S. L., *J. Chem. Eng. Data*, 1980, Vol. 25, p. 263.
908. Riedel, L., *Chem.-Ing. Tech.*, 1951, Vol. 3, p. 57.
909. Kapustinskii, A. F., Ruzavin, I.I., *Russ. J. Phys. Chem.*, 1955, Vol. 29, p. 2222.
910. Vargaftik, N. B., Osminin, Y. P., *Teploenergetika*, 1956, Vol. 7, p. 11.
911. Chernen'kaya, E. I., Vernigora, G. A., *Russ. J. Appl. Chem.*, 1972, Vol. 45, p. 1779.
912. Ramires, M. L. V., Nieto de Castro, C. A., *J. Chem. Eng. Data*, 1994, Vol. 39, p. 186.
913. Alloush, A., Gosney, W. B., Wakeham, W. A., *Int. J. Thermophys.*, 1982, Vol. 3, p. 225.
914. Rastorguev, Yu. L., Grigor'ev, B. A., Safronov, G. A., Ganiev Yu. A., *Proc. 10th Int. Conference on the Properties of Water and Steam*, Sychev, V. V., Aleksandrov, A. A., Eds., Mir, Moscow, 1984, Vol. 2, p. 210.
915. Davis, P. S., Theeuwes, F., Bearman, R. J., Gordon, R. F., *J. Chem. Phys.*, 1971, Vol. 55, p. 4776.
916. Yusufova, V. D., Pepinov, R. I., Nikolaev, V. A., Guseinov, G. M., *Inzh.-Fiz. Zh.*, 1975, Vol. 29, p. 600.
917. Zaizev, I. D., Aseev, G. G., *Physical and Chemical Properties of Binary and Multicomponent Nonorganic Solutions*, Khimiya, Moscow, 1988.
918. Pepinov, R. I., Ph.D. Thesis, AZNEFTEKhIM, Baku, Azerbaijan, 1995.
919. DiGuilio, R. M., Teja, A. S., *Ind. Eng. Chem. Res.*, 1992, Vol. 31, p. 1081.

920. Bleazard, J. G., DiGuilio, R. M., Teja, A. S., *AICHE Symp. Ser.*, 1994, Vol. 298, p. 23.
921. Assael, M. J., Charitidou, E., Stassis, J. Ch., Wakeham, W. A., *Ber. Bunsenges. Phys. Chem.*, 1989, Vol. 93, p. 887.
922. Yusufova, V. D., Pepinov, R. I., Nikolaev, V. A., Guseinov, G. M., *Russ. J. Phys. Chem.*, 1975, Vol. 49, p. 2677.
923. Pepinov, R. I., Guseinov, G. M., *Russ. J. Phys. Chem.*, 1993, Vol. 67, p. 1101.
924. Pepinov, R. I., Guseinov, G. M., *Russ. J. High Temp.*, 1991, Vol. 29, p. 605.
925. White, W. R., Brunson, R. J., Bearman, R. J., Lindenbaum, S., *J. Solution Chem.*, 1975, Vol. 4, p. 557.
926. Eldarov, V. S., *Russ. J. Phys. Chem.*, 1986, Vol. 60, p. 603.
927. Yusufova, V. D., Pepinov, R. I., Nikolaev, V. A., Zokhrabbekova, G. U., Lobanova, N. V., Tuayev, T. D., *Desalination*, 1978, Vol. 25, p. 260.
928. Safronov, G. A., Kosolap, Yu. G., Rastorguev, Yu. L., *Experimental Study of the Thermal Conductivity of Electrolytes*, Groznyi Oil Institute, Groznyi, 1990, p. 28.
929. Dietz, F. J., De Groot, J. J., Franck, E. U., *Proc. 9th Int. Conference on Properties of Steam*, Straub, J., Scheffler, K., Eds., Pergamon, Oxford, 1980, pp. 425–438.
930. Ramires, M. L. V., Nieto de Castro, C. A., *Int. J. Thermophys.*, 2000, Vol. 21, p. 671.
931. Loktev, S. M., *High Fat Alcohols*, Khimiya, Moscow, 1970.
932. Abdulagatov, I. M., Akhmedova-Azizova, L. A., Azizov, N. D., *J. Chem. Eng. Data*, 2004, Vol. 49, p. 688.
933. Abdulagatov, I. M., Magomedov, U. B., *High Temperatures — High Pressures*, 2004 Vol. 35/36, p. 149.
934. Abdulagatov, I. M., Akhmedova-Azizova, L.A., Azizov, N. D., *J. Chem. Eng. Data*, 2004, Vol. 49, p. 1727.
935. Amirkhanov, Kh. I., Adamov, A. P., *Teploenergetika*, 1963, Vol. 10, p. 75.
936. Abdulagatov, I. M., Magomedov, U. B., *Int. J. Thermophys.*, 1994, Vol. 15, p. 401.
937. Abdulagatov, I. M., Magomedov, U. B., *J. Chem. Eng. Data*, 1997, Vol. 42, p. 1165.
938. Abdulagatov, I. M., Magomedov, U. B., *Ber. Bunsenges. Phys. Chem.*, 1997, Vol. 101, p. 708.
939. Abdulagatov, I. M., Magomedov, U. B., *Proc. 12th Int. Conference on the Properties of Water and Steam*, White, H. J., Sengers, J. V., Neumann, D. B., Bellows, J. C., Eds., Begell House, New York, 1995, pp. 549–557.
940. Abdulagatov, I. M., Magomedov, U. B., *Proc. 4th Asian Thermophysical Properties Conference*, A. Nagashima, Ed., Keio University, Tokyo, Japan, 1995, pp. 499–502.
941. Abdulagatov, I. M., Magomedov, U. B., *Proc. 5th Asian Thermophysical Properties Conference*, Kim, M. S., Ro, S. T., Eds., Seoul National University, Seoul, Korea, 1998, pp. 25–28.
942. Abdulagatov, I. M., Magomedov, U. B., *Ind. Eng. Chem. Res.*, 1998, Vol. 37, p. 4883.
943. Abdulagatov, I. M., Magomedov, U. B., *Int. J. Thermophys.*, 1999, Vol. 20, p. 187.
944. Abdulagatov, I. M., Magomedov, U. B., *J. Chem. Eng. Japan*, 1999, Vol. 32, p. 465.
945. Abdulagatov, I. M., Magomedov, U. B., *High Temperatures — High Pressures*, 2000, Vol. 32, p. 599.
946. Abdulagatov, I. M., Magomedov, U. B., *Fluid Phase Equilibria*, 2000, Vol. 171, p. 243.
947. Abdulagatov, I. M., Magomedov, U. B., *J. Solution Chem.*, 2001, Vol. 30, p. 1.
948. Healy, J., de Groot, J. J., Kestin, J., *Physica*, 1976, Vol. 82C, p. 392.
949. Menashe, J., Wakeham, W. A., *Int. J. Heat Mass Transfer*, 1982, Vol. 25, p. 661.
950. Nieto de Castro, C. A., Li, S. F., Maitland, G. C., Wakeham, W. A., *Int. J. Thermophys.*, 1984, Vol. 4, p. 311.
951. Fritz, W., Poltz, H., *Int. J. Heat Mass Transfer*, 1962, Vol. 3, p. 307.
952. Poltz, H., *Int. J. Heat Mass Transfer*, 1965, Vol. 8, p. 609.
953. Poltz, H., *Int. J. Heat Mass Transfer*, 1965, Vol. 8, p. 515.

954. Fisher, S., *Wärme- und Stofübertragung*, 1986, Vol. 20, p. 183.
955. Poltz, H., Jugel, R., *Int. J. Heat Mass Transfer*, 1967, Vol. 10, p. 1075.
956. Shingarev, R. V., *Convective Heat Transfer in Narrow Cylindrical Gaps*, Tekstil'nyi Institut, Ivanovo, 1955.
957. Bleazard, J. G., Teja, A. S., *J. Chem. Eng. Data*, 1995, Vol. 40, p. 732.
958. Chiquillo, A., *Measurements of the Relative Thermal Conductivity of Aqueous Salt Solutions with a Transient Hot-Wire Method*, Juris Druck + Verlag Zurich, 1967.
959. McLaughlin, E., *Chem. Rev.*, 1964, Vol. 64, p. 389.
960. Krönert, P., Schuberth, H., *Chem. Tech. (Leipzig)*, 1977, Vol. 29, p. 552.
961. Venart, J. E. S., Mani, N., *J. Mech. Eng. Sci.*, 1971, Vol. 13, p. 205.
962. Predvoditelev, A. S., *Russ. J. Phys. Chem.*, 1948, Vol. 22, p. 339.
963. Assael, M. J., Charitidou, E., Nieto de Castro, C. A., *Int. J. Thermophys.*, 1988, Vol. 9, p. 813.
964. Assael, M. J., Charitidou, E., Nieto de Castro, C. A., *Int. J. Thermophys.*, 1989, Vol. 10, p. 813.
965. Li, S. F. Y., Maitland, G. C., Wakeham, W. A., *High Temperatures — High Pressures*, 1985, Vol. 17, p. 247.
966. Losenicky, Z., *J. Phys. Chem.*, 1969, Vol. 73, p. 451.
967. Ramires, M. L. V., Nieto de Castro, C. A., Nagasaka, Y., Nagashima, A., Assael, M. J., Wakeham, W. A., *J. Phys. Chem. Ref. Data*, 1995, Vol. 24, p. 1377.
968. Assael, M. J., Tsalmanis, V. K., Dalaouth, N. K., Giakoumakis, D., Nagashima, A., *Proc. 13th Int. Conference on the Properties of Water and Steam*, Tremaine, P. R., Hill, Ph. G., Irish, D. E., Balakrishnan, P. V., Eds., NRC Research Press, Ottawa, 2000, pp. 72–79.
969. Chimowitz, E. H., Afrane, G., *Fluid Phase Equilibria*, 1996, Vol. 120, p. 167.
970. Wheeler, J. C., *Ber. Bunsenges. Phys. Chem.*, 1972, Vol. 76, p. 308.
971. Khazanova, N. E., Sominskaya, E. E., *Russ. J. Phys. Chem.*, 1971, Vol. 45, p. 1485.
972. van Wasen, U., Swaid, I., Schneider, G. M., *Angew. Chem. Int. Ed. Eng.*, 1980, Vol. 19, p. 575.
973. Harvey, A. H., *J. Phys. Chem.*, 1990, Vol. 94, p. 8403.
974. Furuya, T., Teja, A. S., *Ind. Eng. Chem. Res.*, 2000, Vol. 39, p. 4828.
975. Levelt-Sengers, J. M. H., *Supercritical Fluids*, Kiran, E., Levelt-Sengers, J. M. H., Eds., Kluwer, Dordrecht, 1994, pp. 13–37.
976. Chialvo, A. A., Cummings, P. T., *AIChE J.*, 1998, Vol. 44, p. 667.
977. Gude, M. T., Teja, A. S., *Fluid Phase Equilibria*, 1993, Vol. 83, p. 139.
978. Gude, M. T., Teja, A. S., *Mol. Phys.*, 1994, Vol. 81, p. 599.
979. Kosinski, J. J., Anderko, A., *Fluid Phase Equilibria*, 2001, Vols. 183–184, p. 75.
980. Chang, T. L., Chien, J. Y., *J. Am. Chem. Soc.*, 1941, Vol. 63, p. 1709.
981. Chang, T. L., Tung, L. H., *Nature (London)*, 1949, Vol. 16, p. 737.
982. Schrader, R., Wirtz, K., *Naturforsch.*, 1951, Vol. 6a, p. 220.
983. Hardy, R. C., Cottington, R. L., *J. Res. Natl. Bur. Stand. (U.S.)*, 1949, Vol. 42, p. 573.
984. Scheffer, F. E. C., *Proc. Kon. Akad. Wetensch. Amsterdam*, 1914, Vol. 17, p. 835.
985. Harvey, A. H., Lemmon, E. W., *J. Phys. Chem. Ref. Data*, 2002, Vol. 31, p. 173.
986. Young, S., *Sci. Proc. Roy. Dublin Soc.*, 1912, Vol. 13, p. 310.
987. Ambrose, D., Townsend R., Correlation and Estimation of Vapor-Liquid Critical Properties, Rep. Chem. 92, National Physical Laboratory, Teddington, England, 1978.
988. Young, S. Z., *Phys. Chem. (Leipzig)*, 1910, Vol. 70, p. 620.
989. Kay, W. B., Donham, W. E., *Chem. Eng. Sci.*, 1955, Vol. 4, p. 1.
990. Skaates, J. M., Kay, W. B., *Chem. Eng. Sci.*, 1964, Vol. 19, p. 431.
991. Kontogeorgis, G. M., Tassios, D. P., *Chem. Eng.*, 1997, Vol. 66, p. 35.
992. Reid, R. C., Prausnitz, J. M., Poling, B. E., *The Properties of Gases and Liquids*, 4th ed., McGraw-Hill, New York, 1987.

993. Somayajulu, G. R., *J. Chem. Eng. Data*, 1989, Vol. 34, p. 106.
994. Ambrose, D., Young, C. L., *J. Chem. Eng. Data*, 1995, Vol. 40, p. 345.
995. Twu, C. H., *Fluid Phase Equilibria*, 1984, Vol. 16, p. 137.
996. Twu, C. H., *Fluid Phase Equilibria*, 1983, Vol. 11, p. 65.
997. Abdulkadirova, Kh. S., Wyczalkowska, A., Anisimov, M. A., Sengers, J. V., *J. Chem. Phys.*, 2002, Vol. 116, p. 4597.
998. Marshall, W. L., *J. Chem. Soc. Faraday Trans.*, 1990, Vol. 86, No. 10, p. 1807.
999. Fisher, M. E., Zinn, S.-Y., Upton, P. J., *Phys. Rev.*, 1999, Vol. B59, p. 14533.
1000. Guida, R., Zinn-Justin, J., *J. Phys. A, Math. Gen.*, 1998, Vol. 31, p. 8103.
1001. Pitzer, K. S., Pabalan, R. T., *Geochim. Cosmochim. Acta*, 1986, Vol. 50, p. 1445.
1002. Povodyrev, A. A., Anisimov, M. A., Sengers, J. V., Marshall, W. L., Levelt-Sengers, J. M. H., *Int. J. Thermophys.*, 1999, Vol. 20, p. 1529.
1003. Gallagher, J. S., Levelt-Sengers, J. M. H., *Int. J. Thermophys.*, 1988, Vol. 9, p. 649.
1004. Leung S. S., Griffiths, R. B., *Phys. Rev.*, 1973, Vol. A8, p. 2670.
1005. Landau, L. D., Lifshitz, E. M., *Statistical Physics*, 3rd ed., Pergamon, New York, 1980.
1006. Tillner-Roth, R., Friend, D., *J. Phys. Chem. Ref. Data*, 1998, Vol. 27, p. 63.
1007. Barton, C. J., Hebert, G. M., Marshall, W. L., *J. Inorg. Nucl. Chem.*, 1961, Vol. 21, p. 141.
1008. Marshall, W. L., Jones, E. V., Hebert, G. M., Smith, F. J., *J. Inorg. Nucl. Chem.*, 1962, Vol. 24, p. 995.
1009. Jones, E. V., Marshall, W. L., *J. Inorg. Nucl. Chem.*, 1964, Vol. 26, p. 281.
1010. Marshall, W. L., Gill, J. S., Slusher, R., *J. Inorg. Nucl. Chem.*, 1962, Vol. 24, p. 889.
1011. Marshall, W. L., Slusher, R., Smith, F. J., *J. Inorg. Nucl. Chem.*, 1963, Vol. 25, p. 559.
1012. Piao, Ch., Noguchi, M., *J. Phys. Chem. Ref. Data*, 1998, Vol. 27, p. 775.
1013. Anisimov, M. A., Povodyrev, A. A., Roseli, J. P., Sengers, J. V., Kiselev, S. B., Friend D. G., *Proc. 13th Int. Conference on Properties of Water and Steam*, Tremaine, P. R., Hill, P. G., Irish, D. E., Balakrishnan, P. V., Eds., NRC Research Press, Ottawa, 2000, p. 339.
1014. Fisher, M. E., *Rep. Prog. Phys.*, 1967, Vol. 30, p. 615.
1015. Levelt-Sengers, J. M. H., Kamgar-Parsi, B., Balfour, F. W., Sengers, J. V., *J. Phys. Chem. Ref. Data*, 1983, Vol. 12, p. 1.
1016. Kiselev, S. B., Kostukova, I. G., *J. Chem. Phys.*, 1993, Vol. 98, p. 6455.
1017. Zieborak, K., *Z. Phys. Chem.*, 1966, Vol. 231, p. 248.
1018. Jansc, G., Jkli, Gy., *Aust. J. Chem.*, 1980, Vol. 33, p. 2357.
1019. Jkli, Gy., Van Hook, W. A., *J. Chem. Eng. Data*, 1981, Vol. 26, p. 243.
1020. Jkli, Gy., Mark, L., *ACH — Models in Chemistry*, 1980, Vol. 133, p. 225.
1021. Mursalov, B. A., Ph.D. Thesis, AZNEFTEKhIM, Baku, Azerbaijan, 1975.
1022. Sengers, J. V., Kamgar-Parsi, B., *J. Phys. Chem. Ref. Data*, 1984, Vol. 13, p. 185.
1023. Anisimov, M. A., Sengers, J. V., *Equations of State for Fluids and Fluids Mixtures*, Sengers, J. V., Kayser, R. F., Peters, C. J., White, Jr., H. J., Eds., Elsevier, Amsterdam, 2000, p. 381.
1024. Polikhronidi, N. G., Abdulagatov, I. M., Magee, J. W., Stepanov, G. V., *Int. J. Thermophys.* (to be published).
1025. Doglas, T., Furukawa, R., Coskey, A., Ball, J., *J. Res. Natl. Bur. Stand. (U.S.)*, 1954, Vol. 53, p. 3.
1026. Messerly, J. F., Guirie, S. S., Todd, H. L., Finke, J., *J. Chem. Eng. Data*, 1967, Vol. 12, p. 3.
1027. Grigor'ev, B. A., Rastorguev, Ya. L., Yanin, G. S., *Isv. Vyssh. Uchebn. Zaved., Neft' Gaz*, 1975, Vol. 10, p. 63.
1028. Chen, J.-H., Fisher, M. E., Nickel, B. J., *Phys. Rev. Lett.*, 1982, Vol. 48, p. 630.
1029. Polikhronidi, N. G., Abdulagatov, I. M., Magee, J. W., Stepanov, G. V., Batyrova, R. G., *Int. J. Thermophys.* (to be published).

1030. Kuroki, T., Kagawa, N., Araoka, K., Endo, H., Tsuruno, S., *Proc. 20th Japanese Symp. on Thermophysical Properties*, Tokyo, Japanese Soc. of Thermophysical Properties, At-sugi, Kanagawa, 1999, p. 456.
1031. Polikronidi, N. G., Abdulagatov, I. M., Batyrova, R. G., *Fluid Phase Equilibria*, 2002, Vol. 201, p. 269.
1032. Abdulagatov, I. M., Magee, J. W. (unpublished results).
1033. Jin, G. X., Tang, S., Sengers, J. V., *Phys. Rev. E*, 1993, Vol. 47, p. 388.
1034. Nikitin, E. D., Popov, A. P., Bogatishcheva, N. S., *J. Chem. Eng. Data*, 2002, Vol. 47, p. 1012.
1035. Nikitin, E. D., Popov, A. P., Bessonova, N. V., *J. Chem. Thermodyn.*, 1994, Vol. 26, p. 177.
1036. Bolotin, N. K., Shelomentsev, A. M., *Liquid State Phys.*, 1991, Vol. 19, p. 75.
1037. Kerimov, A. M., Alieva, M. K., Gasanov, N. S., *Izv. Akad. Nauk. Azerb. SSR, Ser. Fiz.-Tekh. Mat. Nauk*, 1971, Vol. 4, p. 149.
1038. Joback, K. G., Reid, R. C., *Chem. Eng. Commun.*, 1987, Vol. 57, p. 233.
1039. Constantinou, L., Gani R., *AIChE J.*, 1994, Vol. 40, p. 1697.
1040. Tsionopoulos, C., Dymond, J. H., Szafranski, A. M., *Pure Appl. Chem.*, 1989, Vol. 61, p. 1387.
1041. Hossenlopp, I. A., Scott, D. W., *J. Chem. Thermodyn.*, 1981, Vol. 13, p. 415.
1042. McLashan, M. L., Wormald, C. J., *J. Chem. Thermodyn.*, 2000, Vol. 32, p. 1489.
1043. Collins, S. C., Keyes, F., *Proc. Am. Acad. Arts Sci.*, 1938, Vol. 72, p. 283.
1044. Pankevich, G. M., Zotov, V. V., *Sci. Papers of Kursk Pedagogical Institute*, Kursk Pedagogical Institute, Kursk, 1976, Vol. 81, p. 91.
1045. Akhundov, T. S., Eksaev, R. A., Sultanov, *Thermophys. Properties Substances Mater.*, GSSSD, Moscow, 1973, Vol. 7, Ch. I, p. 84.
1046. Abdulagatov, A. I., Kaplun, A. B., Meshalkin, A. B., Abdulagatov, I. M., Stepanov G. V., *J. Chem. Thermodyn.*, 2002, Vol. 34, p. 2049.
1047. Abdulagatov, I. M., Dadashev, M. N., Saidalhmedova, M. B., *Russ. Chem. Chem. Product.*, 1998, Vols. 1–2, p. 30.
1048. Kerimov, A. M., Kafarov, T. E., Gamidov, Sh. G., Suleimanov, Ja. M., *Thermophysical Properties of Liquids*, Nauka, Moscow, 1970. p. 176.
1049. Polikronidi, N. G., Abdulagatov, I. M., Magee, J. W., Stepanov, G. V., *Int. J. Thermophys.* (to be published).
1050. Bazaev, A. R., Abdulagatov, I. M., Magee, J. W., Bazaev, E. A., Ramazanova, A. E., *Int. J. Thermophys.* (to be published).
1051. Stepanov, G. V., Shakhbanov, K. A., Bouy, O. A., *Thermodynamics of Phase Equilibria and Critical Phenomena*, Dagestan Sci. Center, Russ. Acad. Sci., 1991, p. 8.
1052. Stepanov, G. V., Shakhbanov, K. A., Bouy, O. A., *Thermophysical Properties of Individual Substances and Mixtures*, Dagestan Sci. Center, Russ. Acad. Sci., Makhachkala, 1989, p. 58.
1053. Aseev, G. G., *Electrolytes. Properties of Solutions. Methods for Calculation of Multicomponent Systems and Experimental Data on Thermal Conductivity and Surface Tension*, Begell-House, New York, 1998.
1054. Stepanov, G. V., Shakhbanov, K., Abdurakhmanov, I. M., Malysheva, L. V., *Russ. J. Phys. Chem.*, 1992, Vol. 66, p. 2795.
1055. Kim, Y. C., Fisher, M. E., *J. Phys. Chem. B*, 2001, Vol. 105, p. 11785.
1056. Stepanov, G. V., Bouy, O. A., Shakhbanov, K. A., *Russ. J. Phys. Chem.*, 1989, Vol. 63, p. 1524.
1057. de Reuck, K. M., Craven, R. J. B., *Methanol. International Thermodynamic Tables of the Fluid State-12*, Blackwell Scientific, London, 1993.
1058. Goodwin, R. D., *J. Phys. Chem. Ref. Data*, 1987, Vol. 16, p. 799.

1290 REFERENCES

1059. Straty, G. C., Palavra, A. M. F., Bruno, T. J., *Int. J. Thermophys.*, 1986, Vol. 7, p. 1077.
1060. Ta'ani, R., Dr.-Ing. Thesis, Karlsruhe, 1976.
1061. Zubarev, V. N., Bagdonas, A. V., *Teploenergetika*, 1967, Vol. 4, p. 79.
1062. Machado, J. R. S., Street, W. B., *J. Chem. Eng. Data*, 1983, Vol. 28, p. 218.
1063. Finkelstein, R. S., Stiel, L. I., *Chem. Eng. Prog. Symp. Ser.*, 1970, Vol. 66, p. 11.
1064. Petty, L. B., Smith, J. M., *Ind. Eng. Chem.*, 1955, Vol. 47, p. 1258.
1065. Ramsay, W., Young, S., *Phil. Trans. Roy. Soc. London*, 1887, Vol. A178, p. 313.
1066. Yan, X., Dong, Q., Hong, X., *J. Chem. Eng. Data*, 2003, Vol. 48, p. 374.
1067. Wilson, G. M., Jasperson, L. V., *AIChE Meeting*, New Orleans, LA, 1996.
1068. Marrero, L., Gani, R., *Fluid Phase Equilibria*, 2001, Vols. 183–184, p. 183.
1069. Marrero-Morejon, J., Pardillo-Fontdevila, E., *AIChE J.*, 1999, Vol. 45, p. 615.
1070. Poling, B. E., Prausnitz, J. M., O'Connell, J. P., *The Properties of Gases and Liquids*, 5th ed., McGraw-Hill, New York, 2001.
1071. Wilhoit, R. C., Marsh, K. N., *J. Chem. Inf. Comput. Sci.*, 1989, Vol. 29, p. 17.
1072. Frenkel, M., Dong, Q., Wilhoit, R. C., Hall, R., *Int. J. Thermophys.*, 2001, Vol. 22, p. 215.
1073. Lashakov, L. M., *Acta Physicochim.*, 1939, Vol. 11, p. 107.
1074. Kozlov, A. D. (private communication).
1075. Osada, O., Sato, M., Uematsu, M., *J. Chem. Thermodyn.*, 1999, Vol. 31, p. 451.
1076. Ambrose, D., Sprake, C. H. S., Townsend, R., *J. Chem. Thermodyn.*, 1975, Vol. 7, p. 185.
1077. Walter, E. D., Ph.D. Thesis, Ohio State University, 1953.
1078. Maher, P. J., Smith, B. D., *J. Chem. Eng. Data*, 1980, Vol. 25, p. 61.
1079. Alm, K., Ciprian, M., *J. Chem. Eng. Data*, 1984, Vol. 29, p. 100.
1080. Efremov, Yu. V., *Russ. J. Phys. Chem.*, 1966, Vol. 40, p. 1240.
1081. Gibbard, H. F., Creek, J. L., *J. Chem. Eng. Data*, 1974, Vol. 19, p. 308.
1082. Niesen, V., Palavre, A. M. F., Kidney, A. J., Yesavage, V. F., *Fluid Phase Equilibria*, 1986, Vol. 31, p. 283.
1083. Wilsak, R. A., Campbell, S. W., Thodos G., *Fluid Phase Equilibria*, 1986, Vol. 28, p. 13.
1084. Holldorff, H., Knapp, H., *Fluid Phase Equilibria*, 1988, Vol. 40, p. 113.
1085. Hirata, M., Suda, S., *Kagaku Kogaku*, 1967, Vol. 31, p. 339.
1086. Costello, J. M., Bowden, S. T., *J. Rec. Trav. Chim. Pays-Bas*, 1958, Vol. 77, p. 36.
1087. Hales, J. L., Ellender, J. H., *J. Chem. Thermodyn.*, 1976, Vol. 8, p. 1177.
1088. Yerlett, T. K., Wormald, C. J., *J. Chem. Thermodyn.*, 1986, Vol. 18, p. 719.
1089. Brunner, E., Hultenschmidt, W., Schlichtharle, G., *J. Chem. Thermodyn.*, 1987, Vol. 19, p. 273.
1090. Hanny, J. B., *Proc. Roy. Soc. London*, 1982, Vol. 32, p. 294.
1091. Nadejdine, A., *J. Russ. Phys.-Chem. Soc.*, 1882, Vol. 14, p. 157.
1092. de Henn, P., *Recherches Touchant la Physique Comparee et la Theories des Liquides*, Paris, 1888.
1093. Schmidt, G. C., *Z. Phys. Chem.*, 1891, Vol. 8, p. 628.
1094. Schmidt, G. C., *Justus Liebigs Ann. Chem.*, 1891, Vol. 266, p. 266.
1095. Centnerszwer, M., *Z. Phys. Chem.*, 1904, Vol. 49, p. 199.
1096. Crismér, L., *Bull. Soc. Chim. Belg.*, 1904, Vol. 18, p. 18.
1097. Salwedel, E., *Ann. Phys. (Leipzig)*, 1930, Vol. 5, p. 853.
1098. Golik, A. Z., Ravikovich, S. D., Orishchenko, A. V., *Ukr. J. Chem.* 1955, Vol. 21, p. 167.
1099. Nozdrev, V. F., *Acoustic J.*, 1956, Vol. 2, p. 209.
1100. Mocharnyuk, R. F., *Zh. Obshch. Khim.*, 1960, Vol. 30, p. 1098.
1101. Kay, W. B., Khera, R., *Int. Data Ser., Selected Data Mixtures*, 1975, Ser. A, Vol. 62.
1102. Francesconi, A. Z., Lentz, H., Franck, E. U., *J. Phys. Chem.*, 1981, Vol. 85, p. 3303.

1103. Lydersen, A. L., Tsochev, V., *Chem. Eng. Technol.*, 1990, Vol. 13, p. 125.
1104. Gude, M., Teja, A. S., *J. Chem. Eng. Data*, 1995, Vol. 40, p. 1025.
1105. Simonson, J. M., Bradley, D. J., Busey, R. H., *J. Chem. Thermodyn.*, 1987, Vol. 19, p. 479.
1106. Eubank, P. T., *Chem. Eng. Symp. Ser.*, 1970, Vol. 66, p. 16.
1107. Tatevskiy, V. M., *Physical and Chemical Properties of Individual Hydrocarbons*, Gostoptekh Moscow, 1960.
1108. Vikhrov, D. I., Mirskaya, V.A., *Thermophysical Properties of Individual Substances and Mixtures*, Dagestan Sci. Center, Russ. Acad. Sci., Makhachkla, 1989, p. 45.
1109. Abdulagatov, A. I., Stepanov, G. V., Abdulagatov, I. M., *Fluid Phase Equilibria*, 2003, Vol. 209, p. 55.
1110. Ambrose, D., Townsend, R., *J. Chem. Soc. (London)*, 1963, p. 3614.
1111. Straub, J., Nitsche, K., *Fluid Phase Equilibria*, 1980, Vol. 88, p. 183.
1112. Lange, R., Straub, J., Die isochore Wärmekapazität fluider Stoffe im kritischen Gebiet-Voruntersuchungen zu einem Spacelab Experiment, Scientific Report W 84-034 BMFT, 1984.
1113. Straub, J., Lange, R., Nitsche, K., Kemmerle, K., *Int. J. Thermophys.*, 1985, Vol. 7, p. 343.
1114. Nitsche, K., Ph.D. Thesis, Technical University of Munich, Munich, 1990.
1115. Thoen, J., Bloemen, E., Van Dael, W., *J. Chem. Phys.*, 1978, Vol. 68, p. 735.
1116. Suleimanov, Ya. M., Ph. D. Thesis, OTI, Odessa, 1971.
1117. Polikronidi, N. G., Batyrova, R. G., Abdulagatov, I. M., Magee, J. W., *J. Supercritical Fluids*, 2004 (in press).
1118. Aliev, M. M., Magee, J. W., Abdulagatov, I. M., *Int. J. Thermophys.*, 2003, Vol. 24, p. 1527.
1119. Japas, M. L., Fernandez-Pirini, R., Horita, J., Wesolowski, D. J., *J. Phys. Chem.*, 1995, Vol. 99, p. 5171.
1120. Harvey, A. H., Crochetto, R., Levelt Sengers, J. M. H., *AIChE J.*, 1990, Vol. 36, p. 1901.
1121. Alvarez, J., Corti, H. R., Fernandez-Pirini, R., Japas, M. L., *Geochim. Cosmochim. Acta*, 1994, Vol. 58, p. 2789.
1122. Alieva, M. K., Ph.D. Thesis, Institute of Physics, Baku, Azerbaijan, 1968.
1123. Harvey, A., H., Lemmon, E. W., *J. Phys. Chem. Ref. Data*, 2002, Vol. 31, p. 173.
1124. Barkan, E. S., *Russ. J. Phys. Chem.*, 1983, Vol. 57, p. 1378.
1125. Lee, M., Chen, J., *J. Chem. Eng. Jap.*, 1998, Vol. 31, p. 518.
1126. Al-Bizreh, N., Wormald, Ch. J., *J. Chem. Thermodyn.*, 1978, Vol. 10, p. 231.
1127. Iglesias-Silva, G. A., Hall, K. R., *Ind. Eng. Chem. Res.*, 2001, Vol. 40, p. 1968.
1128. Patel, M. R., Holste, J. C., Hall, K. R., Eubank, P. T., *Fluid Phase Equilibria*, 1987, Vol. 36, p. 279.
1129. O'Connel, J. P., Prausnitz, J. M., *Ind. Eng. Chem. Fundam.*, 1972, Vol. 9, p. 579.
1130. Maass, O., Mennie, J., *Proc. Roy. Soc. London*, 1926, Vol. 110A, p. 198.
1131. Keyes, F. G., *Int. J. Heat Mass Transfer*, 1962, Vol. 5, p. 137.
1132. Kell, G. S., McLaurin, G. E., Whalley, E., *J. Chem. Phys.*, 1968, Vol. 48, p. 3805.
1133. Keyes, F. G., *J. Chem. Phys.*, 1949, Vol. 17, p. 923.
1134. Vukalovich, M. P., Trankhtengerts, M. S., Spiridonov, G. A., *Teploenergetika*, 1991, Vol. 14, p. 65.
1135. Kurumov, D. S., Vasil'ev, Ya. L., Grigor'ev, B. A., *Russ. J. Phys. Chem.*, 1986, Vol. 60, p. 286.
1136. Hajjar, R. F., Kay, W. B., Leverett, G. F., *J. Chem. Eng. Data*, 1969, Vol. 14, p. 377.
1137. McGlashan, M. L., Potter, D. J. B., *Proc. Roy. Soc. London*, 1962, Vol. 26A, p. 478.
1138. Garner, M. D. G., McCoubrey, J. C., *Trans. Faraday Soc.*, 1952, Vol. 55, p. 1524.
1139. Aften'ev, Ya. M., *Thermophys. Properties Substances Mater.*, GSSSD, Moscow, 1981, Vol. 14, p. 115.

1292 REFERENCES

1140. Connolly, J. F., Kandalic, G. A., *Phys. Fluids*, 1960, Vol. 3, p. 463.
1141. Zaalishvili, Sh. D., Belousova, Z. S., Verkhova, V. P., *J. Phys. Chem.*, 1971, Vol. 45, p. 1589.
1142. Gasanov, N. S., Ph.D. Thesis, Dushanbe, 1972.
1143. Wilhoit, R. C., Zwolinski, B. J., *J. Phys. Chem. Ref. Data*, 1973, Vol. 1, Suppl. 2, p. 1.
1144. Smith, B. D., Srivastava, R., *Phys. Sci. Data*, Elsevier, Amsterdam, 1986, Vol. 25.
1145. Craven, R. J. B., de Reuck, K. M., *Int. J. Thermophys.*, 1986, Vol. 7, p. 541.
1146. Zubarev, V. N., Prusakov, P. G., Sergeev, L. V., *Thermophysical Properties of Methyl Alcohol*, GSSSD, Moscow, 1973.
1147. Marshall, W. L., Jones, E. V., *J. Inorg. Nucl. Chem.*, 1974, Vol. 36, p. 2319.
1148. Krichevskii, I. R., Khazanova, N. E., Lifshits, L. R., *Russ. J. Phys. Chem.*, 1957, Vol. 31, p. 2711.
1149. Harrison, R. H., Gammon, B. E., *Private Commun.*, IUPAC Center, 1989.
1150. Abdulagatov, I. M., Azizov, N. D., *Fluid Phase Equilibria*, 2004, Vol. 216, p. 189.
1151. Griswold, J., Havey, J. D., Klein, V. A., *Ind. Eng. Chem.*, 1943, Vol. 35, p. 701.
1152. Wormald, C. J., Vine, M. D., *J. Chem. Thermodyn.*, 2000, Vol. 32, p. 439.
1153. Griswold, J., Wong, S. Y., *Chem. Eng. Prog. Symp. Ser.*, 1952, Vol. 48, p. 18.
1154. Wormald, C. J., Yerlett, T. K., *J. Chem. Thermodyn.*, 2000, Vol. 32, p. 97.
1155. Keenan, J. H., Keyes, F. G., Hill, P. G., Moore, J. G., *Steam Tables*, Wiley, New York, 1969.
1156. Japas, M. L., Franck, E. U., *Ber. Bunsenges. Phys. Chem.*, 1985, Vol. 89, p. 1268.
1157. Sretenskaya, N. G., Sadus, R. J., Franck, E. U., *J. Phys. Chem.*, 1995, Vol. 99, p. 4273.
1158. Seward, T. M., Franck, E. U., *Ber. Bunsenges. Phys. Chem.*, 1981, Vol. 85, p. 2.
1159. Lentz, H., Franck, E. U., *Ber. Bunsenges. Phys. Chem.*, 1969, Vol. 73, p. 28.
1160. Wu, G., Heiling, M., Lentz, H., Franck, E. U., *Ber. Bunsenges. Phys. Chem.*, 1990, Vol. 94, p. 247.
1161. Welsch, H., Ph. D. Thesis, Die Systeme Xenon-Wasser und Methan-Wasser bei Hohen Drucken und Temperaturen, University Karlsruhe, Karlsruhe, 1973.
1162. Prokhorov, V. M., Tsiklis, D. S., *Russ. J. Phys. Chem.*, 1970, Vol. 44, p. 1173.
1163. Takenouchi, S., Kennedy, G. C., *Am. J. Sci.*, 1964, Vol. 262, p. 1055.
1164. Morrison, G., *J. Phys. Chem.*, 1981, Vol. 85, p. 759.
1165. Todheide, K., Franck, E. U., *Z. Phys. Chemie*, 1963, Vol. 37, p. 387.
1166. Smits, P. J., Smits, R. J. A., Peters, C. J., de Swaan Arons J., *J. Chem. Thermodyn.*, 1997, Vol. 29, p. 23.
1167. Stuckey, J. E., Secoy, C. H., *J. Chem. Eng. Data*, 1963, Vol. 8, p. 386.
1168. Tsiklis, D. S., Linshits, L. R., Goryunova, N. P., *Russ. J. Phys. Chem.*, 1966, Vol. 39, p. 1590.
1169. Sassen, C. L., van Kwartel, R. A. C., van der Kool, H. J., de Swaan Arons, J., *J. Chem. Eng. Data*, 1990, Vol. 35, p. 140.
1170. Rizvi, S. S., Heidemann, R. A., *J. Chem. Eng. Data*, 1987, Vol. 32, p. 183.
1171. Urusova, M. A., *Russ. J. Inorg. Chem.*, 1974, Vol. 59, p. 828.
1172. Fokeev, V. M., Izv. Vyssh. Uchebn. Zaved., Ser. Geologiya Razvedka, 1966, Vol. 9, p. 96.
1173. Oakes, C. S., Bodnar, R. J., Simonson, J. M., Pitzer, K. S., *Int. J. Thermophys.*, 1995, Vol. 16, p. 483.
1174. Marshall, W. L., *J. Chem. Eng. Data*, 1982, Vol. 27, p. 175.
1175. Dubois, M., Weisbrod, A., Shtuka, A., *Chem. Geology*, 1994, Vol. 115, p. 227.
1176. Marshall, W. L., Hall, C. E., Mesmer, R.E., 1981, Vol. 43, p. 449.
1177. Vandana V., Teja A.S., *Fluid Phase Equilibria*, 1995, Vol. 103, p. 113.
1178. Christensen, S. P., Paulaitis, M. E., *Fluid Phase Equilibria*, 1992, Vol. 71, p. 63.
1179. White, J. F., *Trans. Am. Inst. Chem. Eng.*, 1942, Vol. 38, p. 435.

1180. Barr-David, F., Dodge, B. F., *J. Chem. Eng. Data*, 1959, Vol. 4, p. 107.
1181. Sultanov, R. G., Skripka, V. G., Namiot, A. Yu., *Russ. Gas Industry*, 1971, No. 4, p. 6.
1182. Shmonov, V. M., Sadus, R. J., Franck, E. U., *J. Phys. Chem.*, 1993, Vol. 97, p. 9054.
1183. Danneil, A., Toedheide, K., Franck, E. U., *Chem. -Ing. -Tech.*, 1967, Vol. 39, p. 816.
1184. De Loos, Th. W., Wijen, A. J. M., Diepen, G. A. M., *J. Chem. Thermodyn.*, 1980, Vol. 12, p. 193.
1185. Sanchez, M., Lentz, H., *High Temperatures — High Pressures*, 1973, Vol. 5, p. 689.
1186. Tsiklis, D. S., Maslennikova, V. Ya., *Dokl. Akad. Nauk SSSR*, 1964, Vol. 157, p. 426.
1187. Tsonopoulos, C., Dymond, J. H., *Fluid Phase Equilibria*, 1997, Vol. 133, p. 11.
1188. Harvey, A. H., Bellows, J. C., Evaluation and Correlation of Steam Solubility Data for Salts and Minerals of Interest in the Power Industry. NIST Technical Note 1387, U.S. Government Printing Office: Washington, D.C., 1997.
1189. Kitajima, H., Kagawa, N., Endo, H., Tsuruno, S., Magee, J.W., *J. Chem. Eng. Data*, 2003, Vol. 48, p. 1583.
1190. Alibekov, B. G., Ph. D. Thesis, MOPI, Moscow, 1963.
1191. Kafarov, T. E., Ph. D. Thesis, Azerbaijan State Oil and Chemistry Institute, Baku, 1969.
1192. Gamidov, Sh. G., Ph. D. Thesis, Azerbaijan State University, Baku, 1971.
1193. Gamidov, Sh. G., *Dokl. Akad. Nauk Azerb. SSR*, 1960, Vol. 16, p. 1161.
1194. Kerimov, A.M., Gamidov, Sh.G., *Izv. Akad. Nauk Azerb. SSR*, 1971, Vol. 4, p. 73.
1195. Schneider, G. M., in: Water - A Comprehensive Treaties, Vol. 2, Plenum Press, New York, 1973, Chap. 6, pp. 381–404.
1196. Polikhronidi, N. G., Abdulagatov, I. M., Magee, J. W., Stepanov, G. V., *Int. J. Thermophys.*, 2004 (to be submitted).
1197. Polikhronidi, N. G., Abdulagatov, I. M., Magee, J. W., Stepanov, G. V., *J. Supercritical Fluids*, 2004 (to be submitted).
1198. Polikhronidi, N. G., Abdulagatov, I. M., Magee, J. W., Stepanov, G. V., *Fluid Phase Equilibria*, 2004 (to be submitted).
1199. Abdulagatov, I. M., Azizov, N. D., *Int. J. Thermophys.*, 2004 (to be submitted).
1200. Bazaev, A. R., Abdulagatov, I. M., Bazaev, E. A., Magee, J. W., Abdurashidova, A., *Int. J. Thermophys.*, 2004, Vol. 25, p. 181.
1201. Couch, H. T., Kozicki, W., Sage, B. H., *J. Chem. Eng. Data*, 1963, Vol. 8, p. 346.