

## References

---

1. Zaytsev, I. D., Zozulya, A. F., Aseev, G. G., *Computation of Physico-Chemical Properties of Inorganic Substances*, Khimiya Publishing House, Moscow, 1983, 256 pp. (in Russian).
2. Zaytsev, I. D., Aseev, G. G., *Physico-Chemical Properties of Binary and Multicomponent Solutions of Inorganic Substances, Handbook*, Khimiya Publishing House, Moscow, 1988, 416 pp. (in Russian).
3. Zaytsev, I. D., Aseev, G. G., *Properties of Aqueous Solutions of Electrolytes*, CRC Press, Boca Raton, Ann Arbor, London, Tokyo, 1992, 1774 pp.
4. Nazarov, S. A., Novikov, D. N., Latysheva, V. A., Heat Capacity of Solutions in the NaCl–MgCl<sub>2</sub>–H<sub>2</sub>O System at 298 K, *J. Appl. Chem.*, 1992, **65**, Issue 3, 502–506 (in Russian).
5. Popova, O. V., Drakin, S. I., *Calculation of the Apparent Heat Capacity of Electrolytes in an Infinitely Diluted Aqueous Solution*, MKhTI, Moscow, 1990, VINITI Dep. No. 2541-B90 (in Russian).
6. Jauch, K., Die Spezifische Wärme Wasseriger Salzlösungen, *Z. Phys.*, 1921, **4**, 441–447 (in German).
7. Hovey, J. K., Tremaine, P. R., Thermodynamics of Aqueous Aluminium: Standard Partial Molar Heat Capacities of Aluminium (3<sup>+</sup>) from 10 to 55°C, *Geochim. Cosmochim. Acta*, 1986, **50**, No. 3, 453–459.
8. Myasnikova, V. F., Drakin, S. I., Karapetyants, M. Kh., Lantukhova, L. V., Heat Capacities of Aqueous Solutions of Salts with Trivalent Ions, *J. Phys. Chem.*, 1968, **42**, 2055–2057 (in Russian).
9. Spitzer, J. J., Singh, P. P. et al., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes: CaCl<sub>2</sub>, Cd(NO<sub>3</sub>)<sub>2</sub>, CoCl<sub>2</sub>, Cu(ClO<sub>4</sub>)<sub>2</sub>, Mg(ClO<sub>4</sub>)<sub>2</sub>, and NiCl<sub>2</sub>, *J. Solution Chem.*, 1978, **7**, No. 2, 81–86.
10. Drakin, S. I., Heat Capacities of Aqueous Solutions of Aluminum Thiosulfate and Potassium Fluoride, *Proc. Moscow Khim. Technol. Inst.*, 1956, Issue 22, 79–83 (in Russian).
11. Zaytsev, I. D., Mozharova, T. V., Aseev, G. G. et al., *Physico-Chemical Properties of Binary Aqueous Solutions of Electrolytes in Wide Concentration and Temperature Ranges. Handbook*, KhNPO Karbonat, Khar'kov, 1988, ONIITEKhIM (Cherkassy) Dep. No. 576-XII88, 147 pp. (in Russian).
12. Criss, C. M., Cobble, J. W., The Thermodynamic Properties of High Temperature Aqueous Solution, I, *J. Amer. Chem. Soc.*, 1961, **83**, 3223–3228.
13. Urban, F., The Influence of Electrolytes on the Specific Heat of Water, *J. Phys. Chem.*, 1932, **36**, 1108–1122.
14. Desnoyers, J. E., Devisser, C., Perron, G., Picker, P., Reexamination of the Heat Capacities Obtained by Flow Microcalorimetry, *J. Solution Chem.*, 1976, **5**, No. 9, 605–616.
15. Ginzburg, D. M., Kochkaldia, V. E., Enthalpies and Heat Capacities in the Barium Chloride–Water System, *J. Phys. Chem.*, 1976, **50**, No. 11, 2991–2992 (in Russian).
16. Tanger, J. C., Helgeson, H. C., Calculation of the Thermodynamic and Transport Properties of Aqueous Species at High Pressures and Temperatures, *Amer. J. Sci.*, 1988, **288**, 19–98.
17. Syrnikov, Yu. R., Heat Capacity of Aqueous Solutions of Electrolytes, *J. Struct. Chem.*, 1971, **12**, No. 6, 1082–1084 (in Russian).

18. Vasylev, V. A., Fedyainov, N. V., Kurenkov, V. V., Heat Capacities and Volumes of Isopiestic Solutions of Metal Chlorides of the Beryllium Subgroup, *J. Phys. Chem.*, 1973, **47**, No. 11, 2799–2803 (in Russian).
19. Perron, G., Desnoyers, J. E., Millero, F. J., Apparent Molar Volumes and Heat Capacities of Alkaline Earth in Water at 25°C, *Can. J. Chem.*, 1974, **52**, No. 22, 3738–3741.
20. Voskresenskaya, N. K., Rutskov, A. P., Heat Capacity of Potassium Monophosphate Solutions, *Izv. AN SSSR, Otd. khim. nauk*, 1940, **5**, 795–810 (in Russian).
21. Latysheva, V. A., Andreeva, I. N., Study of the Heat Capacity of Aqueous Solutions of the Perchlorates of Elements of the 11 Group of the Periodic System, *Editorial Staff of J. Phys. Chem.*, USSR Academy of Sci., Moscow, 1973, VINITI Dep. No. 7677–73, December 21, 1973 (in Russian).
22. Mal'kov, I. V., Vorobyev, A. F., Vasilyev, V. A., Heat Capacity and Density of Two- and Three-Component Aqueous Solutions of Iodides of Some S-Elements at 298.15 K, In: *Thermodynamics and Structure of Solutions*, Ivanovo, 1982, pp. 19–23 (in Russian).
23. Horsak, I., Slama, I., Densities of Aqueous Electrolyte Solutions. A Model for a Data Bank, *J. Chem. Eng. Data*, 1986, **31**, No. 4, 434–437.
24. Ginzburg, D. M., Kochkalda, V. E., Ved', V. N., Enthalpies and Heat Capacities in the Ba(OH)<sub>2</sub>–H<sub>2</sub>O System, *Editorial Staff of J. Phys. Chem.*, USSR Academy of Sci., Moscow, 1975, VINITI Dep. No. 3199–75, November 11, 1975 (in Russian).
25. Bratash, E. G., Vernigora, G. A. et al., Experimental Determination of the Density, Heat Capacity, and Thermal Conductivity of Barium Sulfide Solutions, *Proc. of NIOKhIM*, 1976, **42**, 9–13 (in Russian).
26. Drakin, S. I., Prikota, O. K., Apparent Heat Capacities of Potassium, Beryllium, and Strontium Nitrates in an Aqueous Solution in the Range 25–90°C, In: *Proc. 9th All-Union Conf. on Calorimetry and Chemical Thermodynamics*, Tbilisi, September, 14–16, 1982, pp. 126–128 (in Russian).
27. Rutskov, A. P., Heat Capacities of Aqueous Solutions of MgCl<sub>2</sub>, CaCl<sub>2</sub>, NaCl, KNO<sub>3</sub>, and NH<sub>4</sub>NO<sub>3</sub> at 25, 50 and 75°C, *J. Appl. Chem.*, 1948, **21**, No. 8, 820–823 (in Russian).
28. White, D. F., Doberstein, A. L., Gates, J. A., Tillett, D. M., Wood, R. H., Heat Capacities of Aqueous CaCl<sub>2</sub> from 306 to 603 K at 17.5 MPa, *J. Chem. Thermodyn.*, 1987, **19**, 251–259.
29. Soboleva, N. G., Puchkov, L. V., Zarembo, V. I., Heat Capacities of Aqueous Solutions of Calcium Chloride in the Temperature Range 423–623 K, *J. General Chem.*, 1985, **55**, No. 3, 509–512 (in Russian).
30. Mischenko, K. P., Podgornaya, E. A., Thermochemistry of Electrolyte Solutions. VI. CaCl<sub>2</sub> Aqueous Solutions at Various Temperatures, *J. General Chem.*, 1961, **31**, 1743–1754 (in Russian).
31. Phutela, R. C., Pitzer, K. S., Saluja, P. P. S., *J. Chem. Eng. Data*, 1987, **32**, No. 1, 76–80.
32. Ananthaswamy, J., Atkinson, G., Thermodynamics of Concentrated Electrolyte Mixtures. 5. A Review of the Thermodynamic Properties of Aqueous CaCl<sub>2</sub> in the Range 273.15–373.15 K, *J. Chem. Eng. Data*, 1985, **30**, 120–128.
33. Leyendekkers, J. V., The Tamman-Tait Model. Application to the Heat Capacities of Aqueous Electrolyte Solutions, *J. Chem. Soc. Faraday Trans. I*, 1980, **76**, 1206–1218.
34. Perron, G., Roux, A., Desnoyers, J. E., Heat Capacities and Volumes of NaCl, MgCl<sub>2</sub>, CaCl<sub>2</sub>, NiCl<sub>2</sub> up to 6 Molal in Water, *Can. J. Chem.*, 1981, **59**, No. 21, 3049–3054.
35. Gurovich, B. M. et al., *Tables of the Thermophysical Properties of Aqueous Solutions of Some Inorganic Substances*, TPI, Tashkent, 1975 (in Russian).
36. Lavrov, V. A., Experimental Investigation of the Heat Capacity of Aqueous CaCl<sub>2</sub>, In: *Thermophysical Properties of Substances and Solutions*, Novosibirsk, 1988, pp. 81–90 (in Russian).
37. Pavlyuchenko, E. N., Chyornen'kaya, E. I., *Study of the Heat Capacities of Nitrate Aqueous Solutions at Various Temperatures*, NIOKhIM, Khar'kov, 1988, p. 10, ONITEKhIM (Cherkassy) Dep. No. 255-khp-88, March 9, 1988 (in Russian).
38. Spitzer, J. J., Olofsson, I. V., Singh, P. P., Hepler, L. G., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes at 298.15 K: Ca(NO<sub>3</sub>)<sub>2</sub>, Co(NO<sub>3</sub>)<sub>2</sub>, Cu(NO<sub>3</sub>)<sub>2</sub>, Mg(NO<sub>3</sub>)<sub>2</sub>, Mn(NO<sub>3</sub>)<sub>2</sub>, Ni(NO<sub>3</sub>)<sub>2</sub>, and Zn(NO<sub>3</sub>)<sub>2</sub>, *J. Chem. Thermodyn.*, 1979, **11**, No. 3, 233–238.
39. Chyornen'kaya, E. I., Pavlyuchenko, E. N., *Heat Capacities of Cadmium Halide Solutions at Various Temperatures*, NIOKhIM, Khar'kov, 1984, p. 8, ONITEKhIM (Cherkassy) Dep. No. 547-khp-84, July 12, 1984 (in Russian).
40. Chyornen'kaya, E. I., Pavlyuchenko, E. N., Aseev, G. G., *Study of the Heat Capacities of Aqueous Solutions of Bromide, Potassium, Ammonium, Magnesium, and Cadmium as a Function of Temperature and Concentration*, NIOKhIM, Khar'kov, 1985, p. 8, ONITEKhIM (Cherkassy) Dep. No. 1198-khp, December 26, 1985 (in Russian).
41. Vasilev, V. A., Heat Capacities of Aqueous Solutions of Cadmium Chlorides at 25°C, *Izv. Vuzov. Khim. Tekhnol.*, 1977, **20**, No. 2, 216–219 (in Russian).

42. Vorobyov, A. F., Mal'kov, I. V., Vasilev, V. A., *On the Effect of the Formation of Acidocomplexes on the Heat Capacities and Densities of Aqueous Solutions*, Mosk. khim.-tekhnol. in-t, Moscow, 1982, 8 p., VINITI Dep. No. 5536-82, November 9, 1982 (in Russian).
43. Papadopoulos, M. N., Giauque, W. F., Cadmium Sulfate and its Hydrates. Heat Capacities and Heats of Hydration Application on the Third Law of Thermodynamics, *J. Amer. Chem. Soc.*, 1955, **77**, No. 10, 2740-2744.
44. Dunkelberger, T. H., Robinson, A. L., Heats of Dilution and Heat Contents of Aqueous  $\text{CdSO}_4$  Solutions, *J. Amer. Chem. Soc.*, 1938, **60**, 1301-1305.
45. Vorobyov, A. F., Vasilev, V. A., Mikhailin, B. V., Heat Capacities and Densities of  $\text{MgBr}_2\text{-MeBr-H}_2\text{O}$  Solutions at 298.15 K, In: *Thermodynamic Properties of Solutions*. Interdepartmental Collected Book, Vol. 1, *Trudy MKhTI im. D. I. Mendeleva*, 1980, 121-127 (in Russian).
46. Galipker, I. S., Belova, N. A., Thermal Properties of Aqueous Solutions of Cobaltous Chloride at Temperatures up to 300°C, *J. General Chem.*, 1963, **33**, No. 10, 3119-3121 (in Russian).
47. Chyornen'kaya, E. I., Pavlyuchenko, E. N., Aseev, G. G., *Heat Capacities of Chloride Solutions of Some Metals of the Fourth Period at 298-348.15 K*, NIOKhIM, Khar'kov, 1985 p. 11, ONITEKhIM (Cherkassy) Dep. No. 1107-khp, November 5, 1985 (in Russian).
48. Vasilev, V. A., Sanayev, E. S., Karapetyants, M. Kh., Study of the Heat Capacities of Aqueous Solutions of Chlorides of d-Elements of the III Period at 25°C, *Proc. MKhTI*, 1973, Issue 75, 13-16 (in Russian).
49. Shpakova, S. G., *Apparent Heat Capacities of Some Salts in an Aqueous Solution at Concentrations Smaller than 0.1 of Molality*, Cand. Sc. (Chem.) Thesis, Moscow, 1975, p. 20 (in Russian).
50. Drakin, S. I., Madanat, A. T., Apparent Heat Capacities of Sulfates of Some Transition Metals in an Aqueous Solution at 50, 70, and 90°C, *Proc. 11th All-Union Conf. on Calorimetry and Chemical Thermodynamics*, Novosibirsk, June 17-19, 1986, pp. 166-167 (in Russian).
51. Spitzer, J. J., Olfsson, I. V., Singh, P. P., Hepler, L. G., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes at 25°C:  $\text{Cr}(\text{NO}_3)_3$ ,  $\text{LaCl}_3$ ,  $\text{K}_3\text{Fe}(\text{CN})_6$ , and  $\text{K}_4\text{Fe}(\text{CN})_6$ , *Can. J. Chem.*, 1979, **57**, No. 21, 2798-2803.
52. Fortier, J. L., Leduc, P. A., Desnoyers, J. E., Thermodynamic Properties of Alkali Halides. II. Enthalpies of Dilution and Heat Capacities in Water at 25°C, *J. Solution Chem.*, 1974, **3**, No. 4, 323-349.
53. Mikhailin, B. V., Vorobyov, A. F., Vasilev, V. A., Heat Capacities and Densities of Aqueous Solutions of Cesium Bromide and Copper at 298.15 K, *J. Phys. Chem.*, 1982, **56**, No. 8, 1937-1940 (in Russian).
54. Mikhailin, B. V., Vorobyov, A. F., Vasilev, V. A., Heat Capacities and Densities of Aqueous Solutions of Cesium Bromide and Copper at 298.15 K, *J. Phys. Chem.*, 1982, **56**, No. 8, 1937-1940 (in Russian).
55. Carter, R. W., Wood, R. H., Apparent Molar Heat Capacities at Constant Pressure of Aqueous 1:1 Electrolytes from 600 to 720 K and 28 to 38 MPa, In: *46th Annual Calorimetry Conference*, Dekalb, Illinois, July 28 - August 1, 1991. Reports.
56. Drakin, S. I., Mikhailov, V. A., Popova, O. V., Calculation of the Standard Partial Molal Heat Capacity and the Dissociation Constant for Strong 1:1 Electrolytes from the Heat Capacities of Solutions, *J. Phys. Chem.*, 1992, **66**, No. 7, 1981-1983 (in Russian).
57. Myasnikova, V. F., Drakin, S. I., Karapetyants, M. Kh., Heat Capacities of Aqueous Solutions:  $\text{RbCl}$ ,  $\text{CsCl}$ ,  $\text{Sn}(\text{NO}_3)_2$ ,  $\text{Ga}(\text{NO}_3)_2$ ,  $\text{In}(\text{NO}_3)_3$ ,  $\text{Y}(\text{NO}_3)_3$ , *J. Phys. Chem.*, 1969, **43**, No. 8, 2141.
58. Myasnikova, V. F., Drakin, S. I., Karapetyants, M. Kh., Heat Capacities of Aqueous Solutions:  $\text{RbCl}$ ,  $\text{CsCl}$ ,  $\text{Sr}(\text{NO}_3)_2$ ,  $\text{Ga}(\text{NO}_3)_2$ ,  $\text{In}(\text{NO}_3)_3$ ,  $\text{Y}(\text{NO}_3)_3$ , *Editorial Staff J. Phys. Chem.*, VINITI Dep. No. 852-Dep., July 17, 1969 (in Russian).
59. Saluja, P. P. S., Pitzer, K. S., Phutela, R. C., High-Temperature Thermodynamic Properties of Several 1:1 Electrolytes, *Can. J. Chem.*, 1986, **64**, No. 7, 1328-1335.
60. Saluja, P. P. S., LeBlanc, J. C., Hume, H. B., Apparent Molar Heat Capacities and Volumes of Aqueous Solutions of Several 1:1 Electrolytes, *Can. J. Chem.*, 1986, **64**, No. 5, 926-931.
61. Saluja, P. P. S., LeBlanc, J. C., Hume, H. B., Apparent Molar Heat Capacities and Volumes of Aqueous Solutions of Several 1:1 Electrolytes at Elevated Temperatures, *Can. J. Chem.*, 1986, **64**, 926-931.
62. Shul'gin, A. V., Puchkov, L. V., Heat Capacities of Aqueous Solutions of Li, K, Na, and Cs Iodides at Temperatures from 293 to 363 K, *J. General Chem.*, 1984, **54**, No. 1, 23-27 (in Russian).
63. Vasilev, V. A., Kruchina, T. I. et al., *Study of the Heat Capacities and Densities of Aqueous Solutions of Metal Chromates in Connection with the Periodic Law*, MKhTI, 1984, VINITI Dep. No. 7579-84 Dep. (in Russian).
64. Vasilev, V. A., Kruchina, T. I., Novikov, A. N., Comparison Study of the Heat Capacities of Aqueous Solutions of Alkali Metal Chromates at 298.15 K, In: *Problems of Calorimetry and Chemical Thermodynamics*, *Proc. Xth Conf. on Calorimetry*, Chernogolovka, 1984, Vol. III, Part II, pp. 288-290 (in Russian).

65. Vasilev, V. A., Kruchina, T. I., Novikov, A. N., Heat Capacities and Densities of the  $M_2CrO_4\text{-H}_2O$  ( $M = \text{Na}, \text{Cs}$ ) Systems at 298.15 K. Determination of the Standard Heat Capacities and Volumes of Chromate (VI) Ion in an Aqueous Solution, *Izv. Vuzov. Khim. Tekhnol.*, 1987, **30**, No. 4, 53–56 (in Russian).
66. Vasilev, V. A., Karapetyants, M. Kh., Sanayev, E. S., Novikov, S. N., Heat Capacities of Aqueous  $\text{CuCl}_2$  at 25°C, *J. Phys. Chem.*, 1974, **48**, No. 9, 2360–2361 (in Russian).
67. Latysheva, V. A., Kozhevnikov, V. A., Heat Capacities of Aqueous Perchlorates of Bivalent Mn, Co, Ni, Cu, and Zn, In: *Thermodynamic and Thermochemical Constants*, Nauka Publishing House, 1970, pp. 146–152 (in Russian).
68. Baruel, P., Improved Theoretical and Experimental Investigation of the Transient Hot-Wire Method for Measuring the Thermal Conductivity of Liquids, Especially of its Applicability to Electrolyte Solutions, *Danish AEC*, Rep. 284, 1973.
69. Karapetyants, M. Kh., Vasilev, V. A., Sanayev, E. S., Study of the Heat Capacities and Individual Properties of  $\text{MeCl}_2\text{-H}_2O$  ( $\text{Me} = \text{Fe}, \text{Ni}$ ) Solutions at 25°C, *J. Phys. Chem.*, 1977, **51**, No. 9, 2180–2183 (in Russian).
70. Wood, R. H., White, D. E., Davis, W. E., Heat Capacity of Aqueous  $\text{FeCl}_2$  from 349 to 597 K, *J. Chem. Eng. Data*, 1988, **33**, 301–306.
71. Chyornen'kaya, E. I., Makarovskaya, I. I., Heat Capacities of Ferric Chloride at Elevated Temperatures, *J. Appl. Chem.*, 1981, **54**, No. 10, 2314–2316 (in Russian).
72. Bhattacharyya, S., Bhattacharyya, S. N., Heat Capacity and Enthalpy of the Ternary System Ferrous Sulfate Heptahydrate, Sulfuric Acid, and Water, *J. Chem. Eng. Data*, 1979, **24**, No. 2, 93–96.
73. Singh, P. P., Woolley, E. M., Melurdy, K. G., Hepler, L. G., Heat Capacities of Aqueous Electrolytes: Eight 1:1 Electrolytes..., *Can. J. Chem.*, 1976, **54**, No. 21, 3315–3318.
74. Tremaine, P. R., Sway, K., Barbero, J. A., The Apparent Molar Heat Capacity of Aqueous Hydrochloric Acid from 10 to 140°C, *J. Solut. Chem.*, 1986, **15**, No. 1, 1–22.
75. Allred, G. C., Wooley, E. M., Heat Capacities of Aqueous HCl, NaOH, and NaCl at 283.15, 298.15, and 313.15 K:  $C_p$  for Ionization of Water, *J. Chem. Thermodyn.*, 1981, **13**, 147–154.
76. Pogue, R., Atkinson, G., Apparent Molar Volumes and Heat Capacities of Aqueous HCl and  $\text{HClO}_4$  at 15–55°C, *J. Chem. Eng. Data*, 1988, **33**, No. 4, 495–499.
77. Singh, P. P., Melurdy, K. G., Woolley, E. M., Hepler, L. G., Heat Capacities of Aqueous Perchloric Acid and Sodium Perchlorate at 298 K..., *J. Solution Chem.*, 1977, **6**, No. 5, 327–330.
78. Grigor'eva, E. G., Latysheva, V. A., Schukarev, S. A., Study of the Heat Capacities of Aqueous Perchloric Acid at 25°C, *J. Struct. Chem.*, 1977, **18**, No. 2, 291–296 (in Russian).
79. Movey, J. K., Hepler, L. G., Tremaine, R., Apparent Molar Heat Capacities and Volumes of Aqueous  $\text{HClO}_4$ ,  $\text{HNO}_3$ ,  $(\text{CH}_3)_4\text{NOH}$ , and  $\text{K}_2\text{SO}_4$  at 298.15 K, *Thermochim. Acta*, 1988, **126**, 245–253.
80. Hovey, J. K., Hepler, L. G., Apparent and Partial Molar Heat Capacities and Volumes of Aqueous  $\text{HClO}_4$  and  $\text{HNO}_3$  from 10 to 55°C, *Can. J. Chem.*, 1989, **67**, No. 9, 1489–1495.
81. Babakulov, N., Latysheva, V. A., Heat Capacities of Aqueous Perchlorates of Metals of the Third Group of the Periodic System, *J. Phys. Chem.*, 1974, **48**, No. 4, 1012–1014 (in Russian).
82. Wooley, E. M., Hepler, L. G., Heat Capacities of Weak Electrolytes and Ion Association Reactions: Method and Application to Aqueous  $\text{MgSO}_4$  and  $\text{HIO}_3$  at 298 K, *Can. J. Chem.*, 1972, **55**, 158–163.
83. Randoll, M., Taylor, M. D., Heat Capacity and Density of Aqueous Solutions of Potassium Iodate, Potassium Acid Sulfate, Iodic Acid, and Sulfuric Acid at 25°C, *J. Phys. Chem.*, 1941, **45**, 959.
84. Gladushko, V. I., Bochenko, G. A. et al., Heat Capacity of the Ternary System  $\text{NH}_4\text{NO}_3\text{-NH}_3\text{-H}_2\text{O}$ , *Engin. Phys. J.*, 1985, **48**, No. 1, 90–91 (in Russian).
85. Enea, O., Singh, P. P., Woolley, E. M., McCurdy, K. G., Hepler, L. G., Heat Capacities of Aqueous Nitric Acid, Sodium Nitrate and Potassium Nitrate at 298.15 K:  $C_p$  of Ionization of Water, *J. Chem. Thermodyn.*, 1977, **9**, No. 8, 731–734.
86. Clegg, S. L., Brimblecombe, P., Equilibrium Partial Pressures and Mean Activity and Osmotic Coefficients of 0–100% Nitric Acid as a Function of Temperature, *J. Phys. Chem.*, 1990, **94**, No. 13, 5369–5380.
87. Larson, J. W., Zeeb, K. G., Hepler, L. G., Heat Capacities and Volumes of Dissociation of Phosphoric Acid (1st, 2nd, and 3rd), Bicarbonate Ion, and Bisulfate Ion in Aqueous Solution, *Can. J. Chem.*, 1982, **60**, 2141–2150.
88. Bolsaitis, P., Elliott, J. F., Thermodynamic Activities and Equilibrium Partial Pressures for Aqueous Sulfuric Acid Solutions, *J. Chem. Eng. Data*, 1990, **35**, No. 1, 69–85.
89. Zeleznik, F. J., Thermodynamic Properties of the Aqueous Sulfuric Acid System to 350 K, *J. Phys. Chem. Ref. Data*, 1991, **20**, No. 6, 1157–1200.
90. Hovey, J. K., Hepler, L. G., Tremaine, P. R., Apparent Molar Heat Capacities and Apparent Molar Volumes of  $\text{Hg}(\text{ClO}_4)_2$  (aq) and  $\text{Pb}(\text{ClO}_4)_2$  (aq) at 298.15 K, *J. Chem. Thermodyn.*, 1988, **20**, 595–602.

91. Vorobyov, A. F., Vasilev, V. A., Mikhailin, B. V., Mal'kov, I. V., Heat Capacities and the Volume Properties of  $\text{NiBr}_2\text{-H}_2\text{O}$ ,  $\text{KBr}\text{-H}_2\text{O}$ , and  $\text{NiBr}_2\text{-KBr}\text{-H}_2\text{O}$  Solutions, *J. Phys. Chem.*, 1979, **53**, No. 10, 2493–2496 (in Russian).
92. Roux, A., Musbally, G. M., Perron, G. et al., Apparent Molal Heat Capacities and Volumes at 25°C:  $\text{NaClO}_3$ ,  $\text{NaClO}_4$ ,  $\text{NaNO}_3$ ,  $\text{NaBrO}_3$ ,  $\text{NaIO}_3$ ,  $\text{KClO}_3$ ,  $\text{KBrO}_3$ ,  $\text{KIO}_3$ ,  $\text{NH}_4\text{NO}_3$ ,  $\text{NH}_4\text{Cl}$ , and  $\text{NH}_4\text{ClO}_4$ , *Can. J. Chem.*, 1978, **56**, No. 1, 24–28.
93. Chakhalyan, O. Kh., Dankova, I. N., Puchkov, L. V., Thermochemical Study of the Systems  $\text{Na}_2\text{SO}_4\text{-H}_2\text{O}$ ,  $\text{Li}_2\text{SO}_4\text{-H}_2\text{O}$ ,  $\text{K}_2\text{CO}_3\text{-H}_2\text{O}$ , *J. General Chem.*, 1980, **50**, No. 11, 2393–2396 (in Russian).
94. Borodenko, V. I., Galinker, I. S., Heat Capacities and the Heats of Dissolution of  $\text{NaCl}$  and  $\text{KCl}$  in Water at 200, 250, and 300°C, *Izv. Vuzov. Khim. I Khim. Tekhnol.*, 1976, **12**, 1908–1910 (in Russian).
95. Olofsson, I. V., Apparent Molar Heat Capacities and Volumes of Aqueous  $\text{NaC}$ ,  $\text{KCl}$ , and  $\text{KNO}_3$  at 298.15 K, Comparison of Picker Flow Calorimeter with other Calorimeters, *J. Chem. Thermodyn.*, 1979, **11**, No. 10, 1005–1014.
96. White, D. E., Ryan, M. A. et al., Heat Capacities for Aqueous  $\text{KCl}$  from 325 to 600 K at 17.9 MPa, *J. Chem. Thermodyn.*, 1987, **19**, No. 10, 1023–1030.
97. Pabalan, R. T., Pitzer, K. S., Apparent Molal Heat Capacity and Other Thermodynamic Properties of Aqueous  $\text{KCl}$  Solutions to High Temperatures and Pressures, *J. Chem. Eng. Data*, 1988, **33**, No. 3, 354–362.
98. Olofsson, I. V., Spitzer, J. J., Hepler, L. G., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes at 25°C:  $\text{Na}_2\text{SO}_4$ ,  $\text{K}_2\text{SO}_4$ ,  $\text{Na}_2\text{S}_2\text{O}_3$ ,  $\text{Na}_2\text{S}_2\text{O}_8$ ,  $\text{K}_2\text{S}_2\text{O}_8$ ,  $\text{K}_2\text{CrO}_4$ ,  $\text{Na}_2\text{MoO}_4$ , and  $\text{Na}_2\text{WO}_4$ , *Can. J. Chem.*, 1978, **56**, No. 14, 1871–1873.
99. Vasilev, V. A., Lar'kov, A. P., Kruchina, T. I., Heat Capacity and Density of Aqueous  $\text{K}_2\text{CrO}_4$  at 298.15 K, Connection with the Peculiar Features of the Hydration of  $\text{CrO}_4^{2-}$  Ion, *J. Appl. Chem.*, 1984, **58**, No. 11, 2761–2765 (in Russian).
100. Hovey, J. K., Hepler, L. G., Apparent and Partial Molar Heat Capacities and Volumes of  $\text{CrO}_4^-$  (aq),  $\text{HCrO}_4^-$  (aq), and  $\text{Cr}_2\text{O}_7^-$  (aq) at 25°C: Chemical Relaxation and Calculation of Equilibrium Constants for High Temperatures, *J. Phys. Chem.*, 1990, **94**, No. 20, 7821–7830.
101. Barbero, J. A., Hepler, L. G., McCurdy, K. G., Tremaine, P. R., Thermodynamics of Aqueous Carbon Dioxide and Sulfur Dioxide: Heat Capacities, Volumes, and the Temperature Dependence of Ionization, *Can. J. Chem.*, 1983, **61**, No. 11, 2509–2519.
102. Reznik, F. Ya., Vitteeva, L. N., Voskresenskaya, I. E., Thermodynamic Properties of Aqueous  $\text{KH}_2\text{PO}_4$ ,  $\text{K}_2\text{HPO}_4$ , and  $\text{K}_3\text{PO}_4$ , *Proc. NIOKhIM*, 1974, **34**, 79–81 (in Russian).
103. Luff, B. B., Reed, R. B., Enthalpies of Formation, Densities and Heat Capacities at 25°C, *J. Chem. Eng. Data*, 1983, **28**, 39–45.
104. Vorobyov, A. F., Mal'kov, I. V., Vasilev, V. A., Lar'kov, A. P., Heat Capacities and Densities of Aqueous Nickel and Potassium at 298.15 K, *J. Phys. Chem.*, 1982, **56**, No. 4, 1021–1022 (in Russian).
105. Spitzer, J. J., Olofsson, I. V., Singh, P. P., Hepler, L. G., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes at 25°C:  $\text{NaIO}_3$ ,  $\text{KMnO}_4$ , and  $\text{MnCl}_2$ , *Thermochim. Acta*, 1979, **28**, No. 1, 155–160.
106. Drakin, S. I., Prikota, O. K. et al., Apparent Heat Capacities of  $\text{KNO}_3$  and  $\text{Sr}(\text{NO}_3)_2$  in the Range 50–90°C, *J. Phys. Chem.*, 1982, **56**, No. 11, 2773–2776 (in Russian).
107. Petrov, G. I., Puchkov, L. V., Adiabatic Calorimeter for Measuring Heat Capacities of Liquids in the Temperature Range 0–100°C, *J. Appl. Chem.*, 1973, **46**, No. 10, 2233–2236 (in Russian).
108. Roux, A. H., Perron, G., Desnoyers, J. E., Capacites calorifiques, volumes, expansibilites et compressibilites des solutions aqueuses concentrees de  $\text{LiOH}$ ,  $\text{NaOH}$  et  $\text{KOH}$ , *Can. J. Chem.*, 1984, **62**, 878–885.
109. Lebedeva, N. D., Stepanov, V. B. et al., Heat Capacity and Viscosity of a 38%  $\text{K}_3\text{PO}_4$  Solution in the Temperature Range 254–298 K, In: *Thermodynamics and Kinetics of Chemical Processes*, Leningrad, 1978, pp. 109–110 (in Russian).
110. Ishii, T., Fujita, S., Properties of Potassium Sulfate Aqueous Solution and Crystals, *J. Chem. Eng. Data*, 1978, **23**, 19–23.
111. Holmes, H. F., Mesmer, R. E., Thermodynamics of Aqueous Solutions of Alkali Metals Sulfates, *J. Solution Chem.*, 1986, **15**, No. 6, 495–508.
112. Perron, G., Desnoyers, J. E., Mollero, F. J., Apparent Molar Volumes and Heat Capacities of Some Sulfates and Carbonates in Water at 25°C, *Can. J. Chem.*, 1975, **53**, No. 8, 1134–1138.
113. Ogawa, K., Thermodynamic Properties of Aqueous Solution  $\text{LiBr}$ , *Reito*, 1980, **55**, No. 630, 347–351.
114. Verba, O. I., Gruzdev, V. A. et al., Thermodynamic Properties of  $\text{LiBr}$  Aqueous Solutions, In: *Thermophysical Properties of Solutions*, Ed. by Kutateladze, S. S., Novosibirsk, 1983, pp. 19–34 (in Russian).
115. Lavrov, V. A., Gruzdev, V. A., Experimental Techniques and Investigation of the Heat Capacities of Aqueous  $\text{LiBr}$  Solutions, In: *Study of the Thermophysical Properties of Solutions and Melts*, Ed. by Kutateladze, S. S., Novosibirsk, 1974, pp. 53–66 (in Russian).

116. Iyoki, S., Ohmori, S., Uemura, T., Heat Capacities of the Water-Lithium Bromide-Lithium Iodide System, *J. Chem. Eng. Data*, 1990, **35**, 317–320.
117. Lavrov, V. A., Experimental Investigation of the Heat Capacities of Aqueous LiCl Solutions, In: *Thermophysical Properties of Individual Substances and Solutions*, Novosibirsk, 1986, pp. 65–73 (in Russian).
118. White, D. E., Gates, J. A., Wood, R. H., Heat Capacities of Aqueous LiCl from 306 to 603 K at 17.5 MPa, *J. Chem. Thermodyn.*, 1987, **19**, No. 10, 1037–1045.
119. Vorobyov, A. F., Mal'kov, I. V., Vasilev, V. A., *On the Effect of the Formation of Acidocomplexes on the Heat Capacity and Density of Aqueous Solutions*, Mosk. khim.-tekhn. in-t, Moscow, 1982, p. 8, VINITI Dep. No. 5536–82 Dep., November 9, 1982 (in Russian).
120. Drakin, S. I. et al., Apparent Heat Capacities of Salts in Aqueous Solutions, In: *Thermodynamics and Structure of Solutions, Interdepartmental Collected Book*, Issue 1, Ivanovo, 1973, pp. 45–51 (in Russian).
121. Puchkov, L. V., Matveyeva, R. P., Heat Capacities and the Thermodynamic Functions of Solution in the LiOH–H<sub>2</sub>O System, In: *Physics and Chemistry of Solutions*, Nauka Publishing House, Moscow, 1972, pp. 95–98 (in Russian).
122. White, D. E., Gates, J. A. et al., Heat Capacities of Aqueous MgCl<sub>2</sub> from 349 to 598 K, *J. Chem. Eng. Data*, 1988, **33**, No. 4, 485–490.
123. Saluja, P. P. S., LeBlanc, J. C., Apparent Molar Heat Capacities and Volumes of Aqueous Solutions of MgCl<sub>2</sub>, CaCl<sub>2</sub>, and SrCl<sub>2</sub> at Elevated Temperatures, *J. Chem. Eng. Data*, 1987, **32**, No. 1, 72–76.
124. Nazarov, S. A., Novikov, D. N., Latysheva, V. A., Heat Capacities of Solutions in the NaCl–MgCl<sub>2</sub>–H<sub>2</sub>O System at 298 K, *J. Appl. Chem.*, 1992, **65**, No. 3, 502–506 (in Russian).
125. Phutela, R., Pitzer, K. S., Heat Capacity and other Thermodynamic Properties of Aqueous Magnesium Sulfate to 473 K, *J. Phys. Chem.*, 1986, **90**, 895–901.
126. Loseva, G. K., Heat Capacities of Aqueous Sodium Chlorate and Perchlorate, *Proc. Novocherkassk politekhn in-ta*, 1972, **266**, 82–85 (in Russian).
127. Sorina, G. A., Kozlovskaya, G. M., Tsekhanskaya, Yu. V., Bezlyudova, L. I., Shmakov, N. G., Heat Capacity of Aqueous Ammonium Nitrate Solutions and the Partial Heat Capacities of the Components of these Solutions, *J. Phys. Chem.*, 1977, **51**, 2099–2100 (in Russian).
128. Chyornen'kaya, E. I., Vernigora, G. A. et al., *Thermal Properties of Solutions of Ammonium and Sodium Nitrates and their Mixtures*, NIOKhIM, Khar'kov, 1982, p. 11, ONIITEKhIM (Cherkassy) Dep. No. 1148-khp-D82, October 27, 1982 (in Russian).
129. Chyornen'kaya, E. I., Pavlyuchenko, E. N., Makarovskaya, I. I., *Heat Capacities of Aqueous (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub> Solutions*, NIOKhIM, Khar'kov, 1982, ONIITEKhIM (Cherkassy) Dep. No. 1147-khp-D82, October 27, 1982 (in Russian).
130. Schneider, W., Muller, H., Morke, K., Spezifische warme und warmeitfähigkeit des systems (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>–H<sub>2</sub>O, *Chem. Techn.*, 1982, **34**, No. 1, 31–32.
131. Tanner, J. E., Lamb, F. W., Specific Heats of Aqueous Solutions of Sodium Chloride, NaBr, KCl, *J. Solution Chem.*, 1978, **7**, No. 4, 303–316.
132. Karapetyants, M. Kh., Vasilev, V. A., Mikhailin, B. V., Strakhov, V. M., Heat Capacities and Densities of Aqueous Solutions of Sodium and Rubidium Bromides at 25°C, *J. Phys. Chem.*, 1979, **53**, No. 1, 207–209 (in Russian).
133. Peiper, J. C., Pitzer, K. S., Thermodynamics of Aqueous Carbonate Solutions Including Mixtures of Sodium Carbonate..., *J. Chem. Thermodynamics*, 1982, **14**, 613–638.
134. Pitzer, K. S., Fluids, Both Ionic and Non-Ionic, over Wide Ranges of Temperatures and Composition, *J. Chem. Thermod.*, 1989, **21**, No. 1, 1–17.
135. Tanger, J. C., Pitzer, K. S., Calculation of the Thermodynamic Properties of Aqueous Electrolytes to 1000°C and 5000 Bar from Semicontinuum Model for Ion Hydration, *J. Phys. Chem.*, 1989, **936**, No. 12, 4941–4951.
136. Mursalov, B. A., Bochkov, M. M., Study of the Isochoric Heat Capacity in the NaCl–H<sub>2</sub>O System at High Parameters of State, In: *Thermophysical Properties of Substances in the Condensed State*, Makhachkala, 1982, pp. 53–59 (in Russian).
137. Bochkov, M. M., Mursalov, B. A., Abdulagatov, I. M., Determination of the Heat Capacity of Aqueous NaCl from the Critical Isochore Curves, In: *Physical Constants and Properties of Materials. Thermophysical Properties of Substances and Materials*, Izd-vo Standartov, Moscow, 1989, pp. 95–101 (in Russian).
138. Clarke, E. C. W., Colin, W., Glew, D. N., Evaluation of the Thermodynamic Functions for Aqueous NaCl from Equilibrium and Calorimetric Measurements below 154°C, *J. Phys. Chem. Data*, 1985, **14**, No. 2, 489–610.

139. Mursalov, B. A., Bochkov, M. M., *Tables of the Recommended Reference Data: Aqueous NaCl Solutions. Isochoric Heat Capacity*, All-Union Research Center on Materials and Substances, Gosstandart SSSR, Moscow, 1988, p. 34, VNIKI Dep. No. 499-k/e 88, September 28, 1988 (in Russian).
140. Rogers, P. S. Z., Duffy, C. S., Comparison of Calibration Methods for Flow Heat-Capacity Calorimeters and Heat Capacities of Concentrated Sodium Chloride (aq) to 598 K, *J. Chem. Thermodyn.*, 1989, **21**, No. 6, 595–614.
141. Clarke, E., Colin, W., Glew, D. N., Evaluation of the Thermodynamic Functions for Aqueous NaCl from Equilibrium and Calorimetric Measurements below 154°C (Erratum to document cited in CA 103 (8): 60304g), *J. Phys. Chem. Ref. Data*, 1989, **18**, No. 1, 545–550.
142. Gates, J. A., Tillett, D. M. et al., Apparent Molar Heat Capacities of Aqueous NaCl Solutions from 0.05 to 3.0 mol·kg<sup>-1</sup>, 350 to 600 K and 2 to 18 MPa, *J. Chem. Thermodyn.*, 1987, **19**, No. 2, 131–146.
143. Plyasunov, A. V., Description of the Standard Thermodynamic Properties of Dissolved Electrolytes on the Basis of the Total Equilibrium Constant Concept, *Geokhimiya*, 1993, No. 1, 54–66 (in Russian).
144. Rogers, P. S. Z., Pitzer, K. S., Volumetric Properties of Aqueous Sodium Chloride Solutions, *J. Phys. Chem. Ref. Data*, 1982, **11**, No. 1, 15–81.
145. Pitzer, K. S., Peiper, J. C., Busey, R. H., Thermodynamic Properties of Aqueous Sodium Chloride Solutions, *J. Phys. Chem. Ref. Data*, 1984, **13**, No. 1, 1–102.
146. Allred, G. C., Woolley, E. M., Heat Capacities and Densities of Solutions of NaCl, DCl, and NaOD in D<sub>2</sub>O at 283.15, 298.15, and 313.15 K: *C<sub>p</sub>* and V° for Ionization of D<sub>2</sub>O, *J. Chem. Thermodyn.*, 1981, **13**, No. 6, 585–590.
147. Perron, G., Fortier, J.-L., Desnoyers, J. E., The Apparent Molar Heat Capacities and Volumes of Aqueous NaCl from 0.01 to 3 mol·kg<sup>-1</sup> in the Temperature Range 274.65 to 318.15 K, *J. Chem. Thermodyn.*, 1975, **7**, No. 12, 1177–1184.
148. Khaybullin, I. Kh., *Aqueous and Vapor-Phase Solutions. The Water-Sodium Chloride System. Tables of the Thermodynamic Properties of Gases and Liquids*, Issue 6, Izd-vo Standartov, Moscow, 1980, p. 80 (in Russian).
149. Loseva, G. K., Semchenko, D. P., *Heat Capacities and Densities of Aqueous Solutions of Sodium Chlorate and Perchlorate at 25, 40, and 60°C*, VINITI Dep. No. 5537–73, February 28, 1973 (in Russian).
150. Mastroianni, M., Kriss, C. M., Standard Partial Molal Heat Capacities of Sodium Perchlorate in Water from 0–90°C and ..., *J. Chem. Eng. Data*, 1972, **17**, No. 2, 222–226.
151. Iskanderov, Kh. I., Drakin, S. I., *Apparent Heat Capacities of Sodium and Sodium Nitrate at 50, 70, and 90°C*, MKhTI, Moscow, 1983, VINITI Dep. No. 4311–83 Dep., August 4, 1983 (in Russian).
152. Puchkov, L. V., Baranova, T. A., Matveyeva, R. P., Heat Capacities of Aqueous Solutions at Temperatures to 400°C, In: *Physical Chemistry of Solutions*, Nauka Publishing House, Moscow, 1972, pp. 86–90 (in Russian).
153. Amirkhanov, Kh. I., Dvoryanchikov, V. I., Stepanov, G. V., *Isochoric Heat Capacity of Aqueous NaOH along the Boundary Curves*, Makhachkala, 1982, pp. 36–38 (in Russian).
154. Conti, G., Gianni, P. et al., Apparent Molar Heat Capacity and Relative Enthalpy of Aqueous Sodium Hydroxide between 323 and 523 K, *J. Solution Chem.*, 1988, **17**, No. 5, 481–497.
155. Simonson, J. M., Megmen, R. E., Rogers, P. S. Z., The Enthalpy of Dilution and Apparent Molar Heat Capacity of NaOH to 523 K and 40 MPa, *J. Chem. Thermodyn.*, 1989, **21**, No. 6, 561–584.
156. Abdulagatov, I. M., Dvoryanochikov, V. I., Abdurakhmanov, I. M., Thermodynamic Properties of Aqueous Sodium Hydroxide Solutions Near the Liquid-Gas-Critical Points. In: *Properties of Water and Steam, Proc. 11th Internat. Conf.*, Ed. by M. Pichal, O. Sifner, 1990, New York, pp. 203–209.
157. Martynova, O. I. et al., Thermodynamic Properties of the Sodium Hydroxide-Water System, In: *Reviews of the Thermophysical Properties of Substances*, IVTAN, Moscow, 1982, No. 4(36), pp. 4–108 (in Russian).
158. Pabalan, R., Pitzer, K. S., Heat Capacity and Other Thermodynamic Properties of Na<sub>2</sub>SO<sub>4</sub> (aq) in Hydrothermal Solutions and the Solubilities of Na<sub>2</sub>SO<sub>4</sub>-Minerals in the System Na-Cl-SO<sub>4</sub>-OH-H<sub>2</sub>O to 300°C, *Geochim. Cosmochim. Acta*, 1988, **92**, No. 10, 2393–2404.
159. Conti, G., Gianni, P., Tine, M. R., Mixed Interaction Terms in the Use of Pitzer Equations: Application to the Heat Capacities of the Reciprocal System Na<sup>+</sup>/K<sup>+</sup>/Cl<sup>-</sup>/SO<sub>4</sub><sup>2-</sup>/H<sub>2</sub>O at High Temperatures, *Thermochimica Acta*, 1989, **145**, 61–75.
160. Rogers, P. S. Z., Pitzer, K. S., High-Temperature Thermodynamic Properties of Aqueous Na<sub>2</sub>SO<sub>4</sub> Solutions, *J. Phys. Chem.*, 1981, **85**, No. 20, 2886–2895.
161. Smith-Magowan, Wood, R. H., Tillet, D. M., Heat Capacities of Aqueous Solutions of NiCl<sub>2</sub> and NiCl<sub>2</sub>·2NaCl from 0.12 to 3.0 mol·kg and 321 to 572 K at a Pressure 17.7 MPa, *J. Chem. Eng. Data*, 1982, **27**, 335–342.

498 REFERENCES

162. Spitzer, J. J., Singh, P. P., Olofsson, I. V., Hepler, L. G., Apparent Molar Heat Capacities and Volumes of Aqueous Electrolytes at 25°C: Cd(ClO<sub>3</sub>)<sub>2</sub>, Ca(ClO<sub>3</sub>)<sub>2</sub>, Co(ClO<sub>3</sub>)<sub>2</sub>, Mn(ClO<sub>3</sub>)<sub>2</sub>, Ni(ClO<sub>3</sub>)<sub>2</sub>, Zn(ClO<sub>3</sub>)<sub>2</sub>, *J. Solut. Chem.*, 1978, **7**, No. 8, 623–629.
163. Sergeyeva, R. I., Drakin, S. I., Karapetyants, M. Kh., On the Concentration Dependence of the Apparent Heat Capacities of Electrolytes in an Aqueous Solution, *J. Phys. Chem.*, 1970, **44**, No. 11, 2922–2923 (in Russian).
164. Drakin, S. I., Madanat, A. T., Apparent Heat Capacities of Sulfates of Some Transition Metals in an Aqueous Solution at 50, 70, and 90°C, *Proc. 11th All-Union Conf. on Calorimetry and Chemical Thermodynamics*, Novosibirsk, June 17–19, 1986, Part I, pp. 166–167 (in Russian).