

# Index

## **AgBr**

carriers  
mass *tab.8*  
mobility *tab.8, fig.63-65*  
crystallographic structure *tab.8*  
Debye temperature *tab.8*  
density *tab.8*  
dielectric constant *tab.8*  
forbidden gap *tab.8*  
melting temperature *tab.8*

## **AgCl**

carriers  
mass *tab.8*  
mobility *tab.8, fig.62*  
crystallographic structure *tab.8*  
Debye temperature *tab.8*  
density *tab.8*  
dielectric constant *tab.8*  
forbidden gap *tab.8*  
melting temperature *tab.8*

## **AgI**

carriers  
mass *tab.8*  
mobility *tab.8*  
crystallographic structure *tab.8*  
Debye temperature *tab.8*  
density *tab.8*  
dielectric constant *tab.8*  
forbidden gap *tab.8*  
melting temperature *tab.8*

## **Ag<sub>2</sub>O**

carrier mass *tab.7*  
crystallographic structure *tab.7*  
density *tab.7*  
forbidden gap *tab.7*  
melting temperature *tab.7*  
resistivity *fig.51*

## **Ag<sub>2</sub>S**

carriers  
concentration *tab.7, fig.53*  
mass *tab.7*  
mobility *tab.7, fig.54*  
crystallographic structure *tab.7*  
Debye temperature *tab.7*  
density *tab.7*

## **Ag<sub>2</sub>Se**

forbidden gap *tab.7*  
melting temperature *tab.7*  
resistivity *fig.52*  
carriers  
concentration *tab.7, fig.57*  
mass *tab.7*  
mobility *tab.7, fig.56*  
crystallographic structure *tab.7*  
Debye temperature *tab.7*  
density *tab.7*  
forbidden gap *tab.7*  
melting temperature *tab.7*

## **AgTe**

carrier mobility *tab.7*  
crystallographic structure *tab.7*  
density *tab.7*  
forbidden gap *tab.7*  
melting temperature *tab.7*

## **Ag<sub>2</sub>Te**

carriers  
concentration *fig.59*  
mass *tab.7*  
mobility *tab.7, fig.60,61*  
crystallographic structure *tab.7*  
Debye temperature *tab.7*  
density *tab.7*  
forbidden gap *tab.7*  
melting temperature *tab.7*  
resistivity *fig.58*

## **AlAs**

band structure *fig.127*  
forbidden gap *tab.15*  
carriers  
mass *tab.15*  
mobility *tab.15*  
crystallographic structure *tab.15*  
Debye temperature *tab.15*  
density *tab.15*  
dielectric constant *tab.15*  
impurity *tab.16*  
melting temperature *tab.15*  
optical phonons *tab.15*

## **Al<sub>2</sub>O<sub>3</sub>**

- crystallographic structure *tab.18*  
 forbidden gap *tab.18*  
 melting temperature *tab.18*
- AlP**  
 band structure *fig.127*  
 forbidden gap *tab.15*  
 carriers  
   concentration *fig.130*  
   mass *tab.15*  
   mobility *tab.15*  
 crystallographic structure *tab.15*  
 Debye temperature *tab.15*  
 density *tab.15*  
 dielectric constant *tab.15*  
 impurity *tab.16*  
 melting temperature *tab.15*  
 optical phonons *tab.15*  
 resistivity *fig.130*
- Al<sub>2</sub>S<sub>3</sub>**  
 crystallographic structure *tab.18*  
 density *tab.18*  
 forbidden gap *tab.18*  
 melting temperature *tab.18*
- AlSb**  
 band structure *fig.127*  
 forbidden gap *tab.15*  
 carriers  
   mass *tab.15*  
   mobility *tab.15, fig.131-133*  
 crystallographic structure *tab.15*  
 Debye temperature *tab.15*  
 density *tab.15*  
 dielectric constant *tab.15*  
 impurity *tab.16*  
 melting temperature *tab.15*  
 optical phonons *tab.15*  
 resistivity *fig.130*
- Al<sub>2</sub>Se<sub>3</sub>**  
 crystallographic structure *tab.18*  
 density *tab.18*  
 forbidden gap *tab.18*  
 melting temperature *tab.18*
- Al<sub>2</sub>Te<sub>3</sub>**  
 crystallographic structure *tab.18*  
 density *tab.18*  
 forbidden gap *tab.18*  
 melting temperature *tab.18*
- As**  
 forbidden gap *tab.2*  
 parameters *tab.2*  
 carriers  
   concentration *tab.2*  
   mass *tab.2*  
   mobility *tab.2, fig.11*  
 crystallographic structure *tab.2*  
 Debye temperature *tab.2*  
 density *tab.2*  
 dielectric constant *tab.2*  
 melting temperature *tab.2*
- As<sub>2</sub>S<sub>3</sub>**  
 carrier mobility *tab.25, fig.220*  
 crystallographic structure *tab.25*  
 Debye temperature *tab.25*  
 density *tab.25*  
 dielectric constant *tab.25*  
 forbidden gap *tab.25*  
 melting temperature *tab.25*
- As<sub>2</sub>Se<sub>3</sub>**  
 carrier mobility *tab.25, fig.222*  
 crystallographic structure *tab.25*  
 Debye temperature *tab.25*  
 density *tab.25*  
 dielectric constant *tab.25*  
 forbidden gap *tab.25*  
 melting temperature *tab.25*  
 resistivity *fig.221*
- As<sub>2</sub>Te<sub>3</sub>**  
 carriers  
   mass *tab.25*  
   mobility *tab.25, fig.222*  
 crystallographic structure *tab.25*  
 Debye temperature *tab.25*  
 density *tab.25*  
 dielectric constant *tab.25*  
 forbidden gap *tab.25*  
 melting temperature *tab.25*  
 resistivity *fig.221*
- B**  
 band structure  
 forbidden gap *tab.2*  
 parameters *tab.2*  
 carriers  
   concentration *tab.2*  
   mass *tab.2*  
   mobility *tab.2, fig.2-5*

## INDEX

- crystallographic structure *tab.2*  
Debye temperature *tab.2*  
density *tab.2*  
dielectric constant *tab.2*  
melting temperature *tab.2*  
resistivity *fig.1*
- B<sub>4</sub>C**  
crystallographic structure *tab.14*  
Debye temperature *tab.14*  
density *tab.14*  
melting temperature *tab.14*  
forbidden gap *tab.14*  
resistivity *tab.14*
- BP**  
band structure *fig.127*  
forbidden gap *tab.15*  
carriers  
concentration *fig.129*  
mass *tab.15*  
mobility *tab.15, fig.129*  
crystallographic structure *tab.15*  
Debye temperature *tab.15*  
density *tab.15*  
dielectric constant *tab.15*  
melting temperature *tab.15*  
optical phonons *tab.15*  
resistivity *tab.3, fig.128*
- Bi<sub>2</sub>S<sub>3</sub>**  
carrier mobility *tab.25*  
crystallographic structure *tab.25*  
Debye temperature *tab.25*  
density *tab.25*  
dielectric constant *tab.25*  
forbidden gap *tab.25*  
melting temperature *tab.25*
- Bi<sub>1-x</sub>Sb<sub>x</sub>**  
forbidden gap *tab.24*  
carriers  
mass *tab.24*  
mobility *tab.24*  
crystallographic structure *tab.24*  
Debye temperature *tab.24*  
dielectric constant *tab.24*  
forbidden gap *tab.24*
- BiSe**  
carrier mobility *tab.25*  
crystallographic structure *tab.25*
- density *tab.25*  
forbidden gap *tab.25*  
melting temperature *tab.25*
- Bi<sub>2</sub>Se<sub>3</sub>**  
carriers  
concentration *fig.227,228*  
mass *tab.25*  
mobility *tab.25, fig.229*  
crystallographic structure *tab.25*  
Debye temperature *tab.25*  
density *tab.25*  
dielectric constant *tab.25*  
forbidden gap *tab.25*  
melting temperature *tab.25*  
resistivity *fig.226,228*
- Bi<sub>2</sub>Te<sub>3</sub>**  
carriers  
concentration *fig.232*  
mass *tab.25*  
mobility *tab.25, fig.231*  
crystallographic structure *tab.25*  
Debye temperature *tab.25*  
density *tab.25*  
dielectric constant *tab.25*  
forbidden gap *tab.25*  
melting temperature *tab.25*  
resistivity *fig.230*
- C**  
band structure  
forbidden gap *tab.2*  
parameters *tab.2*  
carriers  
concentration *tab.2*  
mass *tab.2*  
mobility *tab.2, fig.6*  
crystallographic structure *tab.2*  
Debye temperature *tab.2*  
density *tab.2*  
dielectric constant *tab.2*  
melting temperature *tab.2*
- CdAs<sub>2</sub>**  
carriers  
concentration *tab.10, fig.89*  
mass *tab.10*  
mobility *tab.10*  
crystallographic structure *tab.10*  
Debye temperature *tab.10*  
density *tab.10*

- dielectric constant *tab.10*  
 forbidden gap *tab.10*  
 melting temperature *tab.10*  
 resistivity *fig.89*
- Cd<sub>3</sub>As<sub>2</sub>**  
 band structure *fig.90*  
 forbidden gap *tab.10*  
 carriers  
   concentration *tab.10, fig.91*  
   mass *tab.10*  
   mobility *tab.10, fig.92, 93*  
 crystallographic structure *tab.10*  
 Debye temperature *tab.10*  
 density *tab.10*  
 dielectric constant *tab.10*  
 melting temperature *tab.10*
- CdF<sub>2</sub>**  
 carriers  
   mass *tab.13*  
   mobility *tab.13*  
 crystallographic structure *tab.13*  
 dielectric constant *tab.13*  
 forbidden gap *tab.13*
- CdI<sub>2</sub>**  
 crystallographic structure *tab.13*  
 density *tab.13*  
 dielectric constant *tab.13*  
 melting temperature *tab.13*  
 forbidden gap *tab.13*
- CdO**  
 carriers  
   mass *tab.12*  
   mobility *tab.12*  
 crystallographic structure *tab.12*  
 Debye temperature *tab.12*  
 density *tab.12*  
 dielectric constant *tab.12*  
 melting temperature *tab.12*  
 forbidden gap *tab.12*  
 optical phonons *tab.12*
- CdP<sub>2</sub>**  
 crystallographic structure *tab.10*  
 density *tab.10*  
 forbidden gap *tab.10*  
 melting temperature *tab.10*
- CdP<sub>4</sub>**
- carrier mobility *tab.10*  
 crystallographic structure *tab.10*  
 density *tab.10*  
 forbidden gap *tab.10*  
 resistivity *fig.78*
- Cd<sub>3</sub>P<sub>2</sub>**  
 band structure *fig.86*  
 forbidden gap *tab.10*  
 carriers  
   concentration *tab.10, fig.87*  
   mass *tab.10*  
   mobility *tab.10, fig.88*  
 crystallographic structure *tab.10*  
 Debye temperature *tab.10*  
 density *tab.10*  
 dielectric constant *tab.10*  
 melting temperature *tab.10*  
 resistivity *fig.87*
- CdS**  
 band structure *fig.98*  
 forbidden gap *tab.12*  
 parameters *tab.11*  
 carriers  
   concentration *fig.106*  
   mass *tab.12*  
   mobility *tab.12, fig.106–108*  
 crystallographic structure *tab.12*  
 Debye temperature *tab.12*  
 density *tab.12*  
 dielectric constant *tab.12*  
 melting temperature *tab.12*  
 optical phonons *tab.12*
- CdSb**  
 carriers  
   concentration *tab.10, fig.94, 95*  
   mass *tab.10*  
   mobility *tab.10*  
 crystallographic structure *tab.10*  
 Debye temperature *tab.10*  
 density *tab.10*  
 dielectric constant *tab.10*  
 forbidden gap *tab.10*  
 melting temperature *tab.10*  
 resistivity *fig.94, 95*
- Cd<sub>4</sub>Sb<sub>3</sub>**  
 carriers  
   concentration *tab.10*  
   mass *tab.10*

## INDEX

- mobility *tab.10, fig.96*  
crystallographic structure *tab.10*  
Debye temperature *tab.10*  
dielectric constant *tab.10*  
forbidden gap *tab.10*  
melting temperature *tab.10*
- CdSe**  
band structure *fig.98*  
forbidden gap *tab.12*  
parameters *tab.11*  
carriers  
mass *tab.12*  
mobility *tab.12, fig.109,110*  
crystallographic structure *tab.12*  
Debye temperature *tab.12*  
density *tab.12*  
dielectric constant *tab.12*  
melting temperature *tab.12*  
optical phonons *tab.12*
- CdTe**  
band structure *fig.97*  
forbidden gap *tab.12*  
parameters *tab.11*  
carriers  
concentration *fig.111*  
mass *tab.12*  
mobility *tab.12, fig.112,113*  
crystallographic structure *tab.12*  
Debye temperature *tab.12*  
density *tab.12*  
dielectric constant *tab.12*  
melting temperature *tab.12*  
optical phonons *tab.12*
- CoSb<sub>2</sub>**  
carrier mobility *tab.29*  
crystallographic structure *tab.29*  
forbidden gap *tab.29*
- CoSb<sub>3</sub>**  
crystallographic structure *tab.29*  
forbidden gap *tab.29*  
melting temperature *tab.29*
- CrO<sub>3</sub>**  
crystallographic structure *tab.26*  
forbidden gap *tab.26*
- Cr<sub>2</sub>O<sub>3</sub>**  
crystallographic structure *tab.26*
- forbidden gap *tab.26*
- CrTe<sub>2</sub>**  
carrier mobility *tab.26*  
forbidden gap *tab.26*
- CsAu**  
carriers  
concentration *tab.3, fig.45*  
mobility *fig.44,45*  
resistivity *tab.3, fig.44*
- Cs<sub>3</sub>Bi**  
carrier mobility *tab.6*  
crystallographic structure *tab.6*  
forbidden gap *tab.6*  
melting temperature *tab.6*  
resistivity *tab.3, fig.46*
- CsSb**  
carrier mobility *tab.6*  
crystallographic structure *tab.6*  
forbidden gap *tab.6*  
melting temperature *tab.6*
- Cs<sub>3</sub>Sb**  
carrier mobility *tab.6*  
crystallographic structure *tab.6*  
forbidden gap *tab.6*  
melting temperature *tab.6*  
resistivity *tab.3, fig.46*
- CuBr**  
carrier  
mass *tab.8*  
mobility *tab.8*  
crystallographic structure *tab.8*  
Debye temperature *tab.8*  
density *tab.8*  
dielectric constant *tab.8*  
forbidden gap *tab.8*  
melting temperature *tab.8*
- CuCl**  
carrier mass *tab.8*  
crystallographic structure *tab.8*  
Debye temperature *tab.8*  
density *tab.8*  
dielectric constant *tab.8*  
forbidden gap *tab.8*  
melting temperature *tab.8*
- CuI**

- carrier mass *tab.8*  
 crystallographic structure *tab.8*  
 Debye temperature *tab.8*  
 density *tab.8*  
 dielectric constant *tab.8*  
 forbidden gap *tab.8*  
 melting temperature *tab.8*
- Cu<sub>2</sub>O**  
 carriers  
   mass *tab.7*  
   mobility *tab.7, fig.47*  
 crystallographic structure *tab.7*  
 Debye temperature *tab.7*  
 density *tab.7*  
 dielectric constant *tab.7*  
 forbidden gap *tab.7*  
 melting temperature *tab.7*
- Cu<sub>2</sub>S**  
 carriers  
   mass *fig.50*  
   mobility *tab.7, fig.49*  
 crystallographic structure *tab.7*  
 Debye temperature *tab.7*  
 density *tab.7*  
 dielectric constant *tab.7*  
 forbidden gap *tab.7*  
 melting temperature *tab.7*  
 resistivity *fig.49*
- Cu<sub>2</sub>Se**  
 carriers  
   mass *tab.7*  
   mobility *tab.7, fig.47*  
 crystallographic structure *tab.7*  
 Debye temperature *tab.7*  
 density *tab.7*  
 dielectric constant *tab.7*  
 forbidden gap *tab.7*  
 melting temperature *tab.7*  
 resistivity *fig.48*
- Fe<sub>2</sub>O<sub>3</sub>**  
 crystallographic structure *tab.30*  
 forbidden gap *tab.30*  
 melting temperature *tab.30*
- FeS<sub>2</sub>**  
 mobility *tab.30*  
 crystallographic structure *tab.30*  
 forbidden gap *tab.30*
- melting temperature *tab.30*
- FeTe<sub>2</sub>**  
 mobility *tab.30*  
 crystallographic structure *tab.30*  
 forbidden gap *tab.30*  
 melting temperature *tab.30*
- GaAs**  
 band structure *fig.126*  
 forbidden gap *tab.15*  
 carriers  
   mass *tab.15*  
   mobility *tab.15, fig.139-142*  
 crystallographic structure *tab.15*  
 Debye temperature *tab.15*  
 density *tab.15*  
 dielectric constant *tab.15*  
 impurity *tab.16*  
 melting temperature *tab.15*  
 optical phonons *tab.15*  
 resistivity *fig.138*
- GaN**  
 band structure *fig.126*  
 forbidden gap *tab.15*  
 carriers  
   concentration *fig.134*  
   mass *tab.15*  
   mobility *tab.15, fig.135*  
 crystallographic structure *tab.15*  
 Debye temperature *tab.15*  
 density *tab.15*  
 dielectric constant *tab.15*  
 impurity *tab.16*  
 melting temperature *tab.15*
- GaP**  
 band structure *fig.127*  
 forbidden gap *tab.15*  
 carriers  
   concentration *fig.136,137*  
   mass *tab.15*  
   mobility *tab.15*  
 crystallographic structure *tab.15*  
 Debye temperature *tab.15*  
 density *tab.15*  
 dielectric constant *tab.15*  
 impurity *tab.16*  
 melting temperature *tab.15*  
 optical phonons *tab.15*

## INDEX

### GaS

band structure *fig.157*  
forbidden gap *tab.17*  
carriers  
mass *tab.17*  
mobility *tab.17, fig.159*  
crystallographic structure *tab.17*  
Debye temperature *tab.17*  
density *tab.17*  
dielectric constant *tab.17*  
melting temperature *tab.17*  
resistivity *fig.158, 160*

### Ga<sub>2</sub>S<sub>3</sub>

carrier mobility *tab.18*  
crystallographic structure *tab.18*  
density *tab.18*  
forbidden gap *tab.18*  
melting temperature *tab.18*

### GaSb

band structure *fig.126*  
forbidden gap *tab.15*  
carriers  
mass *tab.15*  
mobility *tab.15, fig.144*  
crystallographic structure *tab.15*  
Debye temperature *tab.15*  
density *tab.15*  
dielectric constant *tab.15*  
impurity *tab.16*  
melting temperature *tab.15*  
optical phonons *tab.15*  
resistivity *fig.143*

### GaSe

band structure *fig.157*  
forbidden gap *tab.17*  
carriers  
concentration *fig.161, 162*  
mass *tab.17*  
mobility *tab.17, fig.163*  
crystallographic structure *tab.17*  
Debye temperature *tab.17*  
density *tab.17*  
dielectric constant *tab.17*  
melting temperature *tab.17*  
resistivity *fig.158*

### Ga<sub>2</sub>Se<sub>3</sub>

carrier mobility *tab.18*  
crystallographic structure *tab.18*

density *tab.18*

forbidden gap *tab.18*  
melting temperature *tab.18*

### GaTe

band structure *fig.157*  
forbidden gap *tab.17*  
carriers  
concentration *fig.165*  
mass *tab.17*  
mobility *tab.17, fig.166*  
crystallographic structure *tab.17*  
Debye temperature *tab.17*  
density *tab.17*  
dielectric constant *tab.17*  
melting temperature *tab.17*  
resistivity *fig.164*

### Ga<sub>2</sub>Te<sub>3</sub>

carrier mobility *tab.18*  
crystallographic structure *tab.18*  
density *tab.18*  
forbidden gap *tab.18*  
melting temperature *tab.18*

### Ge

band structure *fig.23*  
forbidden gap *tab.3, fig.34*  
parameters *tab.3*  
carriers  
concentration *tab.3, fig.24*  
life time *tab.3, fig.31*  
mass *tab.3*  
mobility *tab.3, fig.35–38*  
crystallographic structure *tab.3*  
Debye temperature *tab.3*  
density *tab.3*  
dielectric constant *tab.3*  
impurities *tab.5*  
melting temperature *tab.3*  
resistivity *tab.3, fig.32, 33*

### GeS

carriers  
mass *tab.23*  
mobility *tab.23, fig.197, 198*  
crystallographic structure *tab.23*  
density *tab.23*  
dielectric constant *tab.23*  
forbidden gap *tab.23*  
melting temperature *tab.23*  
resistivity *fig.197*

**GeSe**

carriers  
concentration *p..*, *fig.199,200*  
mass *tab.23*  
mobility *tab.23, fig.199*  
crystallographic structure *tab.23*  
density *tab.23*  
dielectric constant *tab.23*  
forbidden gap *tab.23*  
melting temperature *tab.23*  
resistivity *fig.199,200*

**GeTe**

band structure *fig.201*  
forbidden gap *tab.23*  
carriers  
concentration *p..*, *fig.203*  
mass *tab.23*  
mobility *tab.23, fig.202–204*  
crystallographic structure *tab.23*  
Debye temperature *tab.23*  
density *tab.23*  
dielectric constant *tab.23*  
melting temperature *tab.23*  
resistivity *fig.199,200*

**HgI<sub>2</sub>**

carriers  
mass *tab.13*  
mobility *tab.13, fig.124,125*  
crystallographic structure *tab.13*  
density *tab.13*  
dielectric constant *tab.13*  
melting temperature *tab.13*  
forbidden gap *tab.13, fig.123*  
resistivity *fig.119*

**HgS**

band structure *fig.99*  
forbidden gap *tab.12*  
carriers  
concentration *fig.114*  
mass *tab.12*  
mobility *tab.12, fig.114*  
crystallographic structure *tab.12*  
density *tab.12*  
dielectric constant *tab.12*  
melting temperature *tab.12*  
resistivity *fig.114*

**HgSe**

band structure *fig.99*

forbidden gap *tab.12, fig.115*  
carriers  
mass *tab.12, fig.116*  
mobility *tab.12, fig.117*  
crystallographic structure *tab.12*  
Debye temperature *tab.12*  
density *tab.12*  
dielectric constant *tab.12*  
melting temperature *tab.12*  
optical phonons *tab.12*

**HgTe**

band structure *fig.99*  
forbidden gap *tab.12, fig.115*  
carriers  
concentration *fig.118,119*  
mass *tab.12*  
mobility *tab.12, fig.120–122*  
crystallographic structure *tab.12*  
Debye temperature *tab.12*  
density *tab.12*  
dielectric constant *tab.12*  
melting temperature *tab.12*  
optical phonons *tab.12*  
resistivity *fig.119*

**InAs**

band structure *fig.126*  
forbidden gap *tab.15*  
carriers  
mass *tab.15*  
mobility *tab.15, fig.148–150*  
crystallographic structure *tab.15*  
Debye temperature *tab.15*  
density *tab.15*  
dielectric constant *tab.15*  
impurity *tab.16*  
melting temperature *tab.15*  
optical phonons *tab.15*

**InN**

band structure *fig.126*  
forbidden gap *tab.15*  
carriers  
mass *tab.15*  
mobility *tab.15*  
crystallographic structure *tab.15*  
Debye temperature *tab.15*  
density *tab.15*  
dielectric constant *tab.15*  
impurity *tab.16*

## INDEX

- melting temperature *tab.15*  
optical phonons *tab.15*
- In<sub>2</sub>O<sub>3</sub>**  
carrier  
mass *tab.18*  
mobility *tab.18*  
crystallographic structure *tab.18*  
density *tab.18*  
forbidden gap *tab.18*  
melting temperature *tab.18*
- InP**  
band structure *fig.126*  
forbidden gap *tab.15*  
carriers  
mass *tab.15*  
mobility *tab.15, fig.145–147*  
crystallographic structure *tab.15*  
Debye temperature *tab.15*  
density *tab.15*  
dielectric constant *tab.15*  
impurity *tab.16*  
melting temperature *tab.15*  
optical phonons *tab.15*
- InS**  
band structure *fig.157*  
forbidden gap *tab.17*  
carriers  
mass *tab.17*  
mobility *tab.15*  
crystallographic structure *tab.17*  
density *tab.17*  
dielectric constant *tab.17*  
melting temperature *tab.17*  
resistivity *fig.168*
- InSb**  
band structure *fig.126*  
forbidden gap *tab.15*  
carriers  
mass *tab.15, fig.151*  
mobility *tab.15, fig.152–156*  
crystallographic structure *tab.15*  
Debye temperature *tab.15*  
density *tab.15*  
dielectric constant *tab.15*  
impurity *tab.16*  
melting temperature *tab.15*  
optical phonons *tab.15*
- In<sub>2</sub>S<sub>3</sub>**  
carrier mobility *tab.18*  
crystallographic structure *tab.18*  
density *tab.18*  
forbidden gap *tab.18*  
melting temperature *tab.18*
- InSe**  
band structure *fig.157*  
forbidden gap *tab.17*  
carriers  
mass *tab.17*  
mobility *tab.17*  
crystallographic structure *tab.17*  
Debye temperature *tab.17*  
density *tab.17*  
dielectric constant *tab.17*  
melting temperature *tab.17*  
resistivity *fig.169*
- In<sub>2</sub>Se<sub>3</sub>**  
carrier mobility *tab.18*  
crystallographic structure *tab.18*  
density *tab.18*  
forbidden gap *tab.18*  
melting temperature *tab.18*
- InTe**  
band structure *fig.157*  
forbidden gap *tab.17*  
carriers  
mass *tab.17*  
mobility *tab.17*  
crystallographic structure *tab.17*  
density *tab.17*  
dielectric constant *tab.17*  
melting temperature *tab.17*  
resistivity *fig.170*
- In<sub>2</sub>Te<sub>3</sub>**  
carrier  
mass *tab.18*  
mobility *tab.18*  
crystallographic structure *tab.18*  
density *tab.18*  
forbidden gap *tab.18*  
melting temperature *tab.18*
- KSb**  
crystallographic structure *tab.6*  
density *tab.6*  
forbidden gap *tab.6*

- melting temperature *tab.6*
- K<sub>3</sub>Sb**
- crystallographic structure *tab.6*
  - density *tab.6*
  - forbidden gap *tab.6*
  - melting temperature *tab.6*
- Li<sub>3</sub>Sb**
- crystallographic structure *tab.6*
  - density *tab.6*
  - forbidden gap *tab.6*
  - melting temperature *tab.6*
- Mg<sub>3</sub>As<sub>2</sub>**
- carriers
    - concentration *tab.10, fig.74*
    - mobility *tab.10*
  - crystallographic structure *tab.10*
  - forbidden gap *tab.10*
  - melting temperature *tab.10*
  - resistivity *fig.74*
- Mg<sub>2</sub>Ge**
- band structure *fig.66*
  - forbidden gap *tab.9*
  - carriers
    - concentration *tab.9, fig.68, 69*
    - mass *tab.9*
    - mobility *tab.9, fig.69*
  - crystallographic structure *tab.9*
  - Debye temperature *tab.9*
  - density *tab.9*
  - dielectric constant *tab.9*
  - melting temperature *tab.9*
  - resistivity *fig.68, 69*
- Mg<sub>2</sub>Pb**
- carriers
    - mass *tab.9*
    - mobility *tab.9*
  - crystallographic structure *tab.9*
  - Debye temperature *tab.9*
  - density *tab.9*
  - forbidden gap *tab.9*
  - melting temperature *tab.9*
  - resistivity *fig.73*
- Mg<sub>3</sub>Sb<sub>2</sub>**
- carriers
    - mass *tab.10*
    - mobility *tab.10*
- crystallographic structure *tab.10*
- density *tab.10*
- forbidden gap *tab.10*
- melting temperature *tab.10*
- Mg<sub>2</sub>Si**
- band structure *fig.66*
  - forbidden gap *tab.9*
  - carriers
    - concentration *tab.9, fig.67*
    - mass *tab.9*
    - mobility *tab.9, fig.67*
  - crystallographic structure *tab.9*
  - Debye temperature *tab.9*
  - density *tab.9*
  - dielectric constant *tab.9*
  - melting temperature *tab.9*
  - resistivity *fig.67*
- Mg<sub>2</sub>Sn**
- band structure *fig.66*
  - forbidden gap *tab.9*
  - carriers
    - concentration *tab.9, fig.70–72*
    - mass *tab.9*
    - mobility *tab.9, fig.72*
  - crystallographic structure *tab.9*
  - Debye temperature *tab.9*
  - density *tab.9*
  - dielectric constant *tab.9*
  - melting temperature *tab.9*
  - resistivity *fig.71, 72*
- MoS<sub>2</sub>**
- carrier mobility *tab.26*
  - crystallographic structure *tab.26*
  - forbidden gap *tab.26*
- MnO<sub>2</sub>**
- crystallographic structure *tab.28*
  - forbidden gap *tab.28*
  - Neel temperature *tab.28*
- MnS**
- crystallographic structure *tab.28*
  - density *tab.28*
  - melting temperature *tab.28*
  - Neel temperature *tab.28*
- MnS<sub>2</sub>**
- crystallographic structure *tab.28*
  - melting temperature *tab.28*

## INDEX

Neel temperature tab. 28

### melting temperature *tab.30*

MnSe

- crystallographic structure *tab.28*
- Debye temperature *tab.28*
- density *tab.28*
- forbidden gap *tab.28*
- melting temperature *tab.28*
- Neel temperature *tab.28*

MnSe<sub>2</sub>

crystallographic structure *tab.28*  
melting temperature *tab.28*  
Neel temperature *tab.28*

MnTe

- carriers
- mass *tab.28*
- mobility *tab.28*
- crystallographic structure *tab.28*
- Debye temperature *tab.28*
- density *tab.28*
- forbidden gap *tab.28*
- melting temperature *tab.28*
- Neel temperature *tab.28*

MnTe<sub>2</sub>

carriers  
 mass *tab.28*  
 mobility *tab.28*  
 crystallographic structure *tab.28*  
 melting temperature *tab.28*  
 Neel temperature *tab.28*

NaSh

crystallographic structure *tab.6*  
density *tab.6*  
forbidden gap *tab.6*  
melting temperature *tab.6*

Na<sub>3</sub>Sb

crystallographic structure tab.6  
density tab.6  
forbidden gap tab.6  
melting temperature tab.6

NiO

mobility *tab.30*  
crystallographic structure *tab.30*  
density *tab.30*  
dielectric constant *tab.30*  
forbidden gap *tab.30*

P

forbidden gap *tab.2*  
 parameters *tab.2*  
 carriers  
     concentration *tab.2, fig.7*  
     mass *tab.2*  
     mobility *tab.2, fig.7*  
 crystallographic structure *tab.2*  
 Debye temperature *tab.2*  
 density *tab.2*  
 dielectric constant *tab.2*  
 melting temperature *tab.2*  
 resistivity *fig.7*

PbO

- band structure *fig. 181*
- forbidden gap *tab. 22*
- carrier mobility *tab. 22*
- crystallographic structure *tab. 22*
- Debye temperature *tab. 22*
- density *tab. 22*
- dielectric constant *tab. 22*
- melting temperature *tab. 22*

PbS

- band structure *fig. 181*
- forbidden gap *tab. 22, fig. 182*
- carriers
- concentration *fig. 183-185*
- mass *tab. 22*
- mobility *tab. 22, fig. 186*
- crystallographic structure *tab. 22*
- Debye temperature *tab. 22*
- density *tab. 22*
- dielectric constant *tab. 22*
- melting temperature *tab. 22*
- optical phonons *tab. 22*
- resistivity *fig. 184, 185*

PbSe

- band structure *fig. 181*
- forbidden gap *tab. 22, fig. 187*
- carriers
- concentration *fig. 188, 189*
- mass *tab. 22*
- mobility *tab. 22, fig. 190*
- crystallographic structure *tab. 22*
- Debye temperature *tab. 22*
- density *tab. 22*
- dielectric constant *tab. 22*

- melting temperature *tab.22*
- optical phonons *tab.22*
- resistivity *fig.189*
  
- PbTe**
  - band structure *fig.181*
  - forbidden gap *tab.22, fig.191*
  - carriers
    - concentration *fig.192,193*
    - mass *tab.22*
    - mobility *tab.22, fig.194,195*
  - crystallographic structure *tab.22*
  - Debye temperature *tab.22*
  - density *tab.22*
  - dielectric constant *tab.22*
  - melting temperature *tab.22*
  - optical phonons *tab.22*
  - resistivity *fig.193*
  
- PtSb<sub>2</sub>**
  - carriers
    - concentration *tab.29*
    - mass *tab.29*
    - mobility *tab.29*
  - crystallographic structure *tab.29*
  - forbidden gap *tab.29*
  - melting temperature *tab.29*
  
- Rb<sub>3</sub>Sb**
  - crystallographic structure *tab.6*
  - forbidden gap *tab.6*
  - melting temperature *tab.6*
  
- S**
  - forbidden gap *tab.2*
  - parameters *tab.2*
  - carriers
    - concentration *tab.2*
    - mass *tab.2*
    - mobility *tab.2, fig.8-10*
  - crystallographic structure *tab.2*
  - Debye temperature *tab.2*
  - density *tab.2*
  - dielectric constant *tab.2*
  - melting temperature *tab.2*
  
- Sb**
  - band structure
    - forbidden gap *tab.2*
    - parameters *tab.2*
  - carriers
    - concentration *tab.2*
  
- life time *tab.2*
- mass *tab.2*
- mobility *tab.2, fig.17*
- crystallographic structure *tab.2*
- Debye temperature *tab.2*
- density *tab.2*
- dielectric constant *tab.2*
- melting temperature *tab.2*
  
- Sb<sub>2</sub>S<sub>3</sub>**
  - carrier mobility *tab.25*
  - crystallographic structure *tab.25*
  - Debye temperature *tab.25*
  - density *tab.25*
  - dielectric constant *tab.25*
  - forbidden gap *tab.25*
  - melting temperature *tab.25*
  - resistivity *fig.223*
  
- Sb<sub>2</sub>Se<sub>3</sub>**
  - carriers
    - mass *tab.25*
    - mobility *tab.25*
  - crystallographic structure *tab.25*
  - Debye temperature *tab.25*
  - density *tab.25*
  - dielectric constant *tab.25*
  - forbidden gap *tab.25, fig.224*
  - melting temperature *tab.25*
  - resistivity *fig.224*
  
- Sb<sub>2</sub>Te<sub>3</sub>**
  - carriers
    - concentration *fig.225*
    - mass *tab.25*
    - mobility *tab.25*
  - crystallographic structure *tab.25*
  - Debye temperature *tab.25*
  - density *tab.25*
  - dielectric constant *tab.25*
  - forbidden gap *tab.25*
  - melting temperature *tab.25*
  - resistivity *fig.225*
  
- Se**
  - forbidden gap *tab.2*
  - parameters *tab.2*
  - carriers
    - concentration *tab.2, fig.7*
    - mass *tab.2*
    - mobility *tab.2, fig.12,13*
  - crystallographic structure *tab.2*

## INDEX

- Debye temperature** *tab.2*
- density** *tab.2*
- dielectric constant** *tab.2*
- melting temperature** *tab.2*
- Se<sub>x</sub>Te<sub>1-x</sub>**
- carriers**
    - concentration** *fig.234*
    - mass** *tab.27*
    - mobility** *tab.27, fig.234, 235*
  - crystallographic structure** *tab.27*
  - density** *tab.27*
  - forbidden gap** *tab.27, fig.233*
  - melting temperature** *tab.27*
- Si**
- band structure** *fig.22*
    - forbidden gap** *tab.3, fig.25*
    - parameters** *tab.3*
  - carriers**
    - concentration** *tab.3, fig.24*
    - life time** *tab.3, fig.31*
    - mass** *tab.3*
    - mobility** *tab.3, fig.27-30*
  - crystallographic structure** *tab.3*
  - Debye temperature** *tab.3*
  - density** *tab.3*
  - dielectric constant** *tab.3*
  - impurities** *tab.4*
  - melting temperature** *tab.3*
  - resistivity** *fig.26*
- SiC**
- carriers**
    - mass** *tab.209*
    - mobility** *tab.20, fig.179, 180*
  - crystallographic structure** *tab.20*
  - Debye temperature** *tab.20*
  - density** *tab.20*
  - dielectric constant** *tab.20*
  - forbidden gap** *tab.20*
  - melting temperature** *tab.20*
  - optical phonons** *tab.19*
- Si<sub>x</sub>Ge<sub>1-x</sub>**
- band structure**
    - forbidden gap** *fig.40*
  - carriers**
    - life time** *tab.3, fig.31*
    - mobility** *fig.42, 43*
  - crystallographic structure** *fig.39*
  - resistivity** *tab.3, fig.41*
- Si<sub>2</sub>Te<sub>3</sub>**
- carriers**
    - mass** *tab.23*
    - mobility** *tab.23*
  - crystallographic structure** *tab.23*
  - density** *tab.23*
  - dielectric constant** *tab.23*
  - forbidden gap** *tab.23*
  - melting temperature** *tab.23*
- Sn**
- band structure** *fig.14*
    - forbidden gap** *tab.2*
    - parameters** *tab.2*
  - carriers**
    - concentration** *tab.2*
    - life time** *tab.2*
    - mass** *tab.2*
    - mobility** *tab.2, fig.15, 16*
  - crystallographic structure** *tab.2*
  - Debye temperature** *tab.2*
  - density** *tab.2*
  - dielectric constant** *tab.2*
  - melting temperature** *tab.2*
- SnO<sub>2</sub>**
- carriers**
    - concentration** *p., fig.215*
    - mass** *tab.23*
    - mobility** *tab.23, fig.215*
  - crystallographic structure** *tab.23*
  - Debye temperature** *tab.23*
  - density** *tab.23*
  - dielectric constant** *tab.23*
  - forbidden gap** *tab.23*
  - melting temperature** *tab.23*
  - resistivity** *fig.215*
- SnS**
- carriers**
    - concentration** *p., fig.207*
    - mass** *tab.23*
    - mobility** *tab.23, fig.206*
  - crystallographic structure** *tab.23*
  - density** *tab.23*
  - dielectric constant** *tab.23*
  - forbidden gap** *tab.23*
  - melting temperature** *tab.23*
  - resistivity** *fig.205*
- SnS<sub>2</sub>**
- band structure** *fig.216*

- forbidden gap *tab.23*
- carriers
- concentration *p.., fig.203*
- mass *tab.23*
- mobility *tab.23, fig.217*
- crystallographic structure *tab.23*
- density *tab.23*
- dielectric constant *tab.23*
- melting temperature *tab.23*
  
- SnSe**
- carriers
- concentration *p.., fig.208*
- mass *tab.23*
- mobility *tab.23, fig.209, 210*
- crystallographic structure *tab.23*
- density *tab.23*
- dielectric constant *tab.23*
- forbidden gap *tab.23*
- melting temperature *tab.23*
- resistivity *fig.208*
  
- SnSe<sub>2</sub>**
- band structure *fig.216*
- forbidden gap *tab.23*
- carriers
- mass *tab.23*
- mobility *tab.23, fig.219*
- crystallographic structure *tab.23*
- density *tab.23*
- dielectric constant *tab.23*
- melting temperature *tab.23*
- resistivity *fig.218*
  
- SnTe**
- band structure *fig.211*
- forbidden gap *tab.23*
- carriers
- concentration *p.., fig.203*
- mass *tab.23*
- mobility *tab.23, fig.213*
- crystallographic structure *tab.23*
- Debye temperature *tab.23*
- density *tab.23*
- dielectric constant *tab.23*
- melting temperature *tab.23*
- resistivity *fig.212*
  
- Te**
- band structure
- forbidden gap *tab.2*
- parameters *tab.2*
  
- carriers
- concentration *tab.2, fig.18*
- life time *tab.2*
- mass *tab.2, fig.21*
- mobility *tab.2, fig.19, 20*
- crystallographic structure *tab.2*
- Debye temperature *tab.2*
- density *tab.2*
- dielectric constant *tab.2*
- melting temperature *tab.2*
- resistivity *fig.18*
  
- TeO<sub>2</sub>**
- crystallographic structure *tab.26*
- forbidden gap *tab.26*
  
- TiO**
- mobility *tab.21*
- crystallographic structure *tab.21*
- density *tab.21*
- forbidden gap *tab.21*
- melting temperature *tab.21*
  
- TiO<sub>2</sub>**
- carrier mobility *tab.21*
- crystallographic structure *tab.21*
- Debye temperature *tab.21*
- density *tab.21*
- dielectric constant *tab.21*
- forbidden gap *tab.21*
- melting temperature *tab.21*
  
- Ti<sub>2</sub>O<sub>3</sub>**
- carrier mobility *tab.21*
- crystallographic structure *tab.21*
- density *tab.21*
- forbidden gap *tab.21*
- melting temperature *tab.21*
  
- TlBr**
- band structure *fig.175*
- forbidden gap *tab.19*
- carriers
- mass *tab.19*
- mobility *tab.19, fig.178*
- crystallographic structure *tab.19*
- Debye temperature *tab.19*
- density *tab.19*
- dielectric constant *tab.19*
- melting temperature *tab.19*
  
- TlCl**
- band structure *fig.175*

## INDEX

- forbidden gap *tab.19*  
carriers  
  mass *tab.19*  
  mobility *tab.19, fig.176, 177*  
crystallographic structure *tab.19*  
Debye temperature *tab.19*  
density *tab.19*  
dielectric constant *tab.19*  
melting temperature *tab.19*
- TlS**  
band structure *fig.157*  
forbidden gap *tab.17*  
carriers  
  mass *tab.17*  
  mobility *tab.17*  
crystallographic structure *tab.17*  
density *tab.17*  
melting temperature *tab.17*  
resistivity *fig.171*
- TlSe**  
carriers  
  concentration *fig.173*  
  mass *tab.17*  
  mobility *tab.17*  
crystallographic structure *tab.17*  
Debye temperature *tab.17*  
density *tab.17*  
dielectric constant *tab.17*  
forbidden gap *tab.17*  
melting temperature *tab.17*  
resistivity *fig.172*
- TlTe**  
carriers  
  concentration *fig.174*  
  mass *tab.17*  
  mobility *tab.17*  
crystallographic structure *tab.17*  
density *tab.17*  
melting temperature *tab.17*  
resistivity *fig.174*
- ZnAs<sub>2</sub>**  
carriers  
  mass *tab.10*  
  mobility *tab.10*  
crystallographic structure *tab.10*  
Debye temperature *tab.10*  
density *tab.10*  
dielectric constant *tab.10*
- forbidden gap *tab.10*  
melting temperature *tab.10*  
resistivity *fig.78*
- Zn<sub>3</sub>As<sub>2</sub>**  
carriers  
  concentration *tab.10, fig.80, 81*  
  mass *tab.10*  
  mobility *tab.10, fig.80*  
crystallographic structure *tab.10*  
Debye temperature *tab.10*  
density *tab.10*  
dielectric constant *tab.10*  
forbidden gap *tab.10*  
melting temperature *tab.10*  
resistivity *fig.81*
- ZnO**  
band structure *fig.98*  
forbidden gap *tab.12*  
parameters *tab.11*  
carriers  
  concentration *fig.100*  
  mass *tab.12*  
  mobility *tab.12, fig.100*  
crystallographic structure *tab.12*  
Debye temperature *tab.12*  
density *tab.12*  
dielectric constant *tab.12*  
melting temperature *tab.12*  
optical phonons *tab.12*  
resistivity *fig.100*
- ZnP<sub>2</sub>**  
carriers  
  concentration *tab.10, fig.77*  
  mobility *tab.10*  
crystallographic structure *tab.10*  
Debye temperature *tab.10*  
density *tab.10*  
forbidden gap *tab.10*  
melting temperature *tab.10*
- Zn<sub>3</sub>P<sub>2</sub>**  
carriers  
  concentration *tab.10, fig.76*  
  mass *tab.10*  
  mobility *tab.10, fig.76*  
crystallographic structure *tab.10*  
Debye temperature *tab.10*  
density *tab.10*  
forbidden gap *tab.10*

melting temperature *tab.10*  
resistivity *fig. 75, 76*

**ZnS**

band structure *fig.97*  
forbidden gap *tab.12*  
parameters *tab.11*  
carriers  
concentration *fig.101*  
mass *tab.12*  
mobility *tab.12, fig.101*  
crystallographic structure *tab.12*  
Debye temperature *tab.12*  
density *tab.12*  
dielectric constant *tab.12*  
melting temperature *tab.12*  
optical phonons *tab.12*

melting temperature *tab.12*  
optical phonons *tab.12*

**ZnTe**

band structure *fig.97*  
forbidden gap *tab.12*  
parameters *tab.11*  
carriers  
concentration *fig.105*  
mass *tab.12*  
mobility *tab.12, fig.105*  
crystallographic structure *tab.12*  
Debye temperature *tab.12*  
density *tab.12*  
dielectric constant *tab.12*  
melting temperature *tab.12*  
optical phonons *tab.12*

**ZnSb**

carriers  
concentration *tab.10, fig.82*  
mass *tab.10*  
mobility *tab.10, fig.83*  
crystallographic structure *tab.10*  
Debye temperature *tab.10*  
density *tab.10*  
forbidden gap *tab.10*  
melting temperature *tab.10*  
resistivity *fig.82*

**Zn<sub>4</sub>Sb<sub>3</sub>**

carriers  
mass *tab.10*  
mobility *tab.10, fig.84*  
crystallographic structure *tab.10*  
Debye temperature *tab.10*  
density *tab.10*  
forbidden gap *tab.10*  
melting temperature *tab.10*

**ZnSe**

band structure *fig.97*  
forbidden gap *tab.12*  
parameters *tab.11*  
carriers  
concentration *fig.102*  
mass *tab.12*  
mobility *tab.12, fig.102-104*  
crystallographic structure *tab.12*  
Debye temperature *tab.12*  
density *tab.12*  
dielectric constant *tab.12*