

SUBJECT INDEX

A

absorption, radiation, 92, 94
accident management strategy, 115
Ackerman correction factor, 472
acoustic streaming, 281
accuracy
 estimation, 392
 predictions, 392
additives, 3
adhesion, platelet, 100
admittance
 characteristic, 236
 input, 235, 239
 tip, 239
air cooled
 cold plate, 203
 heat exchanger, 194
 heat sink, 200
air cooling, 200, 208
air industrial furnace, 87
air bubble injection, 175, 176, 311
air injection and dispersion, 430
air jet(s)
 impinging, 307
 non-impinging, 308
air side pin fin array, 200
algorithm(s)
 cascade, 235, 236
 cluster, 236
 condensing prediction, 471
 parallel, 236
 SAMPLE, 63
 SIMPLE, 392, 423
 trajectory, 89

allometric law(s), 51, 56
ammonia refrigeration, 333
amplitude/wavelength ratio, 118
analogies
 Colburn-Chilton, 472
 general, 392
 heat/mass transfer, 321, 414
angle(s)
 cavity, 102
 cone, 103
 contact, 103)
 inclination, 115
 mouth, 102, 109
 static constant, 109
 wedge, 101
annular
 diaphragms, 298
 grooved tubes, 298
 flow, 448
 grooved tubes, 298
apparent friction factor, 396
array(s)
 cold plate, 210
 finned, 211
 general, 210, 215, 406
 optimum geometry, 208
 optimization, 236-238
 parallel plate fin, 207, 208, 212,
 215
 pin fin, 208
 square pin fins, 193
aspect ratio, fin, 239
augmentation
 bubble factor, 203
 duct flow, 409

- factor, 202
- forced convection, 405
- general, 203, 204, 369
- heat transfer, see augmentation of heat transfer
- natural convection, 203, 204
- ratio, 197, 202, 204
- turbine blade cooling, 339
- augmentation of heat transfer**
 - active techniques,
 - electrohydrodynamics, 279, 282, 283
 - general, 277, 278
 - induced flow, 279
 - injection, 278, 280)
 - jet impingement, 279
 - mechanical aids, 278, 279
 - rotation, 279, 282
 - summary of, 277
 - vibration techniques, 280-282
 - world wide status, 279
 - general, 406
 - passive techniques
 - advanced, 278
 - general, 277
- average(s)
 - phase, 320
 - temporal, 320
 - axi-symmetric, 115
- B**
 - back wall, reradiating, 89
 - bilinear transformation, 235
 - bi-metal tubes, 245
 - binary collisions, 433
 - biological "on-off" processes, 51
 - Blasius
 - correlation, 471
 - formula, 449
 - bleed holes, 340
 - blood circulation, 51
 - boiling
 - crisis, 113
- film, see flow boiling
- flow, see film boiling
- heat transfer coefficient, 147
- hysteresis, 139
- incipience, 101
- nucleate, see nucleate boiling
- number, 170
- pool, see pool boiling
- subcooled flow, 12, 13, 147, 437, 440
- thin film, 175
- transition, see transition boiling
- boundary layer**
 - bubble, 328, 329
 - developing liquid, 118
 - development, 212, 311
 - disruption, 311
 - disturbances, 309
 - dynamics, 308
 - hydrodynamic, 278, 309, 311
 - laminar, 54, 436
 - partially developed, 311
 - renewal, 307, 311, 312
 - scaling, 53
 - stability analyses in, 313
 - thermal, 277, 282, 309, 311
 - turbulent, 414
- Boussinesq
 - approximation, 358
 - model, 392
- Brinkman-Forchheimer model, 215
- bubble(s)**
 - boundary layer, 328, 329
 - clusters, 140
 - departure, 106, 118
 - embryo, 101
 - frequency, 312
 - generation, 101, 105, 436
 - injection, 283, 310
 - period, 101
 - inception, 101, 106
 - merger of, 105
 - movement, 106
 - non condensing, 197

nucleation, 436
 nucleation frequency, 436
 packing
 general, 114
 limit, 121
 pumped
 augmentation ratio, 197, 202
 convection, 194, 197, 202, 204
 enhancement, 202
 natural convection, 201
 region, 119
 release frequency, 106
 sliding, 107
 vapor, 101
 wake, 106
bubbly
 air water downflow, 430
 air water upflow, 437, 430
 bundles, tube, 140
 burnout, premature, 114
 buoyant force, 194

C

cascade test section(s), 414
 capillary force, 115
 cavitation, 281
 cavity
 cone angle, 103
 conical, 101, 103, 104
 effective radius, 101
 entrapment, 101
 flooding, 115
 general, 100
 liquid/vapor interface in, 101
 local distribution of, 103
 mouth
 angle, 102, 104
 diameter, 101, 103
 probability density function, 103
 reservoir type, 104, 109
 shape of, 120
 side angle, 101
 spherical, 102, 104
 wedge angle, 101
 cell(s)
 donor, 92
 interaction with photon bundles, 89
 receptor, 92
 cellular phone(s), 218
 channel (s)
 choking in, 147
 diamond, 147
 geometry
 blockage, 65
 communicating, 381
 louvered fin, 381
 offset fin, 381
 strip fin, 381
 micro, 147
 characteristic
 admittance, 235
 impedance, 235
 Choanda effect, 302, 303
 choking
 heat flow, 235
 in channels, 148
 chopper wheels, 307, 310, 311
 circuit densities, 208
 circular duct flow, 406
 circulation ratio, 334
 cladding, 245
 coatings, 246
 Clausius-Clapeyron equation, 101, 108
 Colburn-Chilton
 analogy, 472
 equation, 472
 Colburn correlation, 171
 Colburn-Hougen
 analysis, 476
 method, 467, 471
 compact two phase heat exchangers, 135
 combined heat/mass transfer, 255
 competing irreversibilities, 408
 composition uncertainties, 392
 computational

cells, 87
 fluid dynamics (CFD), 431, 436
 methodology
 algorithms, 355, 358
 background, 354, 355
 computing power/unit cost, 353
 concentration gradient(s), 324
 condensate
 drainage, 469, 455
 film thickness, 469
 condensation
 correlations, 470, 471
 effects of
 circumferential temperature variation, 456
 interface matter transfer, 457
 film, 196
 flow regimes, 469
 gravity controlled, 469
 laminar film, 199
 low-finned tubes, in, 455
 Nusselt theory, 455
 on pin fins, 199
 prediction algorithm, 471
 shear controlled, 469
 with non condensable gas, 471, 472
 conduction, time dependent, 52
 conjugate thermal transport, 59
 capacitance, 114
 constitutive laws, 448
 contact
 angle
 general, 100, 102, 105, 109, 111, 112
 hysteresis, 101
 minimum side, 101
 mouth, 101
 static, 109, 111, 116
 wedge, 101
 melting, 52
 pressure, 195
 conservation equation, generic, 431
 continuous phase velocity, 436
 continuous porous strip, 255
 controlling thermal resistance, 246
 "cross-grooved" tube geometry, 248
 convection
 bubble pumped, 194, 197, 202, 204
 coefficients
 Churchill-Chu, 196
 Colburn, 158
 Dittus-Boelter, 158
 Gerstmann-Griffith, 197
 Goldstein, 196
 Markowitz-Bergles, 197
 Nusselt, 199
 Petukhov-Kirillov, 158
 Protopopov, 158
 Rohsenow, 198
 Watwe, 198
 Zuber, 198
 forced, 54-56
 models, 51-54, 152
 natural, 51-54, 194-196, 201, 203, 204, 379, 380
 uncertainties
 free, 395
 mixed, 391
 convergence criteria, 94
 convoluted free surface, 309
 coolant extraction surface, 342
 cooling of electronic equipment
 air, 208
 boiling heat transfer in, 227
 cold plate
 air cooled, 203
 arrays, 210
 downward facing, 197
 finned, 209, 211
 general, 211
 dielectric coolants, 227, 230, 231
 direct immersion, 227
 enhancements, 217
 general, 194, 205
 high power density chips, 227, 232
 indirect liquid systems, 208

- liquid cooled, 195
 - unfinned, 196
 - water cooled, 201
 - liquid encapsulated module (LEM), 229, 230, 232
 - immersion, 228, 232, 233
 - microelectronic components, 193
 - natural convection, 217
 - performance, system level, 219
 - cooper sleeves, 135
 - correlations
 - Churchill-Chu, 196
 - Colburn, 158
 - Dittus-Boelter, 158, 184-186, 344
 - Gerstmann-Griffith, 197
 - Goldstein, 196
 - Liu-Winterton, 183, 185
 - Markowitz-Bergles, 197
 - Nusselt, 199
 - Petukhov, 184-186
 - Petukhov-Kirillov, 158
 - Protopopov, 158
 - Rohsenow, 198
 - Shah, 183-186
 - Watwe, 198
 - Zuber, 198
 - covered tubes, 135
 - critical heat flux (CHF)
 - correlation(s) for, 198, 326, 328
 - enhancement, 325
 - experiments, 326
 - flow boiling, 13, 14
 - general, 108, 110, 194, 198, 230, 231
 - helically cooled tubes, 14
 - limit, 204
 - non-uniformity factor, 328
 - post-CHF model, 151-157, 165
 - pre-CHF model, 151-156, 165
 - prediction, 326
 - onset of, 115
 - prediction of, 114
 - reduction, 114
 - subcooled, 440
 - value, 198
 - critical velocity, vapor jets, 110
 - cross flow, 55
 - crossed-string method, 92
 - cryogenic fluids, 117, 296
 - coupling, pressure/velocity, 392
 - curvature, dimensionless modified, 102
 - curved flow, 101, 400
- D**
- deactivation of sites, 104
 - deflectors, flow, 231
 - deformation behavior, glass, 72
 - degradation of heat transfer, 168, 171
 - density wave type oscillation, 443, 445-447, 452
 - depth, sink mark, 71-75
 - desktop computers, 208
 - detachment
 - point, 159
 - temperature, 153, 154
 - developing regime, 215
 - dewatering
 - general, 461
 - thermohydraulic, 461
 - diamond shaped
 - channel, 147
 - cylinders, 301
 - island(s), 302-304
 - diaphragmed tubes, 295
 - dielectric
 - coolant, 209, 211
 - liquids, 193
 - dielectrophoretic force, 283
 - diffuse radiation source, 92
 - diffusion coefficients, 472
 - dimensionless
 - entropy generation, 406, 411
 - modified curvature, 102
 - view factor(s), 92
 - direct contact
 - drying, 256
 - heat transfer, 256

- liquid cooling
 - general, 193
 - microelectronics, 193
 - mass transfer, 256
 - porous strip, 256
 - direct immersion cooling, 227
 - direct radiation exchange factor(s), 87
 - discrete heat sources, 207, 215
 - discretization techniques, 354
 - disjoining pressure, 108
 - dispersed
 - film boiling regime, 296
 - flow film boiling, 9
 - phase Reynolds stress, 436
 - spherical particles, 432, 433
 - two phase flow, 435
 - Dittus-Boelter correlation, 184, 186, 339
 - dominant thermal resistance, 246
 - doubly enhanced tubes, 247, 249
 - drift flux model, 445, 448
 - droplet
 - diameter, 175
 - formation frequency, 176
 - general, 175, 176
 - generator, 175-177
 - dry area fraction, 113, 116
 - drying
 - dielectric, 461
 - direct contact, 256
 - dryout
 - heater surface, 115
 - process, 115
 - dynamics, 256
 - moving porous strip, 255
 - superheated steam, 461
 - duct flow
 - augmented, 409
 - general, 405
 - irreversibility, 409
 - optimum, 406
 - dynamic
 - drying, 256
 - evaporation, 256
 - friction, 434
 - instabilities, 443, 448
- E**
- effective heat transfer coefficient, 212
 - effectiveness, fin, 213, 215
 - efficiency
 - effective spray cooling, 180, 181
 - fin, 209, 214, 235, 236
 - electromagnetic radiation, 218
 - electrophoretic force, 282
 - electrostrictive force, 283
 - Elenbaas correlation, 208
 - emission
 - control strategies, 468
 - reductions, 474, 475
 - volatile organic vapors, 468
 - empirical configuration factor, 194
 - energy source point, 302
 - enhanced
 - condenser
 - performance, 468
 - technology, 468, 469
 - heat transfer, 311, 313
 - natural convection, 105
 - surfaces, 127
 - tube(s)
 - evaporation in, 135
 - general, 245, 467, 468
 - geometries, 252, 470
 - spirally ribbed, 469
 - enhancement
 - boiling heat transfer
 - film evaporation, 10
 - general, 227, 295-297
 - pool boiling, 7, 8
 - both sides, 245
 - bubble pumped, 202
 - condensation heat transfer, 296, 297
 - criteria, 7, 8
 - devices, 333
 - factor, 334

- heat transfer
 during drying, 256
 general, 147, 148, 168, 208, 212,
 214, 295
 geometries, historical evolution of,
 246-252
 inside, 245
 mass transfer
 during drying, 256
 general, 473
 natural convection, 214
 options, 214, 215
 natural convection, 214, 215
 passive techniques, 334
 preferred geometry, 469, 470
 pool boiling
 low finned structures, 7, 8
 ultrasonic techniques in, 7, 8
 porous medium surface, 206
 refrigeration capacity, 333
 review papers, 10, 11
 single phase flow
 additives, 5
 general, 474
 performance evaluation, 7, 8
 spirally grooved, 6
 turbulators, 6
 twisted tape inserts, 5, 6
 strategies, 385, 388
 surface, 205
 thermal, 204
 two phase flow
 boiling, 9
 condensation, 9
 internally finned tubes, 9
 microfins, 9
 twisted tapes, 9
 ultrasonic, 230
 vibration, 5
- ensemble
 average, 431
 definition, 432
- enthalpy perturbations, 448
- entrapment of vapor, 101, 105, 106
- entropy
 concept, 406
 dimensionless, 406-411
 formulation, 59, 61
 general, 51
 generation, 51
 minimization, 51
 rate, 405-410
- evaporation
 dynamics, 255, 256
 latent heat transport, 106, 107
 limit, 100, 101
 macrolayer, 116, 117
 microlayer, 107
 rate, 108, 112, 113
- evaporator(s)
 flooded, 137, 333
 kettle, 137
 spray, 334, 336
- expansion chamber, 201
- extended Chen model, 158, 161, 162
- external
 condensation, 301
 resistance, 201
- F**
- falling film(s)
 ammonia, 334
 general, 334
- fan power, 383
- Fanning friction coefficient, 448
- “fan sink” heat exchanger, 193, 203
- fatigue failure, 443
- fibrous components, 215
- film
 boiling
 effect of radiation, 117
 general, 99, 100, 113, 116-120,
 121, 280
 gravity feed system, 229
 heat flux, 116
 interfacial condition(s), 117
 saturated, 118

- subcooled, 117, 118
 - condensation, 196
 - extraction holes, 339, 344
 - substrate thickness, 118
 - theory model, 128
 - rupture, 120
- filter press, 462
- fin
 - effectiveness, 203, 205
 - efficiency, 209, 214, 235, 236
 - optimum spacing, 210
 - spacing, optimum, 210
- finite-difference(s)
 - analysis, 211
 - equations, 449
- finite temperature irreversibility, 410
- finned submerged condenser, 199
- flat plate submerged condenser, 199
- flip flop phenomenon, 302, 305
- flooded evaporator, 137, 339
- flooding, cavity, 115
- flow(s)
 - accelerating, 308
 - annular, 448
 - boiling
 - channel, 148
 - deflectors, 231
 - CHF in, 15, 16
 - general, 12-14, 144, 194, 227, 231, 436
 - heat transfer coefficients in, 167-173
 - measurements, 167
 - systems, 184
- modeling limitations
 - complex geometry, 358, 359
 - complex physics, 362, 363
 - turbulence, 359, 362
 - uncertain physical understanding, 363
 - physics, 168
 - subcooled, 14, 15
- circular duct, 406
- disturbances, 308
- divider, 301, 302
- dynamic instabilities, 443
- duct, 405
- external tube, 308
- fully developed, 382, 383
- hydraulically fully developed, 383
- impinging jet, 307
- internal duct, 405
- internal tube, 308
- irreversibility level, 406
- island(s), 301, 302
- network(s), 301-303, 305
- pattern(s), 301
- oscillations, 323
- pulsating, 307, 308, 311, 313, 320
- regimes
 - laminar, 392, 405
 - mixed convection, 393, 397
 - multiphase, 431, 440
 - optimum, 405, 406, 408
- secondary, 384
- simultaneously developing, 397
- slug, 448
- slurry
 - bubbly vapor/liquid, 431
 - solid/fluid, 431, 430
- streaklines, 303
- thermally fully developed, 383
- turbulent shear, 320
- variable property, 397
- visualization
 - general, 413, 415, 418
 - naphthalene mass transfer, 413-416
 - oil/lampblack technique, 415, 416
 - studies, 301
- fluctuations, thermal, 322
- fluid(s)
 - ferro, 287-292
 - friction irreversibilities, 405-411
 - high viscosity, 60
 - magnetic, 288
 - non-Newtonian, 59

- power law, 62
 property uncertainties, 391-397
 flush mounted
 cold plate(s), 214
 heat source(s), 87
 surfaces, 213, 214
 vibration, 280
 fluorcarbon liquids, 228
 food processing, 60
 forced convection
 augmentation, 406
 general, 54-56
 with pulsating heating, 54-56
 fouling
 gas side, 37
 general, 295, 298
 in enhanced surfaces, 7
 thermal resistance, 246, 297, 299
 fraction(s)
 dry area, 113, 116
 wet area, 116, 117
 free surface distortions, 308
 free stream turbulence, 312
 freezing time, 52
 frequency
 bubble generation, 280
 natural, 323
 oscillations, 323
 pulsation, 309, 323
 sound, 280
 vibration, 281
 friction factor
 apparent, 386
 uncertainties, 384-386
 full cone spray nozzles, 334
 fully developed
 flow, 382
 limit, 208
 fusion reactors, 325
- G**
- Galerkin method, 309, 354
 Galilean invariance, 362
- gas**
 bubble injection, 310
 entrapment, 103, 104
gas side fouling
 cement plants, 45-48
 gas-to-air heat exchangers, 46, 47
 general, 37
 preheater(s), 45, 46
 waste heat boiler(s), 47, 48
Gauss-Seidel iteration, 355
generation, sink mark, 69-72
generic conservation equation, 431
geometric method, 51
geometries
 communicating, 381
 louvered (fin), 381, 383
 offset (fin), 381, 383
 strip (fin), 381, 383
glass
 deformation behavior, 72
 press formaing, 69, 70
global secondary flow fields, 413
“gob,” molten glass, 69
Graetz
 problem, 63
 solution, 383
gravity controlled condensation regime,
 471
grid
 generation equations, 423
 refinement studies, 354
grooved tubes, 137
ground water hydrology, 256
- H**
- Hamaker constant**, 108, 109
heat carrier condensation, 298
heat exchanger(s)
 air side, 203
 compact two phase, 135
 diamond channel, 148
 falling film, 278
 “fan sink,” 193, 203

- gas-to-air, 43
- liquid cooled, 194
- microchannel, 143-146
- parallel channel, 148
- plate fin, 385, 386
- scraped surface, 278
- shell and tube, 145
- tubular, 295
- heat flow choking, 236
- heat/mass transfer analogy, 414
- heat flux, maximum, 110-114
- heat recovery
 - clinker coolers, 44, 45
 - gas-to-air heat exchangers, 43, 44
 - general, 37, 43
 - preheaters, 43
 - waste heat boilers, 44
- heat pipe(s), 219
- heat sink(s)
 - air cooled, 198
 - discrete, 215
 - flush mounted, 207, 215
 - general, 87, 143
- heat spreader(s)
 - effect of, 223
 - general, 220
 - motherboard location, 224
 - system enclosure location, 223
- heat transfer
 - augmentation
 - duct flow, 409
 - forced convection, 405
 - general, 379
 - turbine blade cooling, 339
 - boiling in channels, 144
 - coefficients
 - Churchill-Chu, 196
 - Colburn, 158
 - Dittus-Boelter, 158, 184, 186, 344
 - flow boiling, 167, 168, 171, 173
 - Gerstmann-Griffith, 197
 - Goldstein, 196
 - Markowitz-Bergles, 197
- Nusselt, 199
- Petukhov-Kirillov, 158
- Protopopov, 158
- Rohsenow, 198
- Watwe, 198
- Zuber, 198
- combined with mass transfer, 255
- conjugate, 255
- degradation, 167, 168, 171, 173
- direct contact, 256
- enhancement
 - during drying, 256
 - enhanced tubes, 14, 15
 - general, 168, 202, 204, 295, 421
 - magnetic field, 289, 291-293
 - history of, 18, 19
 - options, 204
 - pool boiling, 14
 - porous media, 255
 - refrigerants, 13
 - subcooled flow boiling, 14, 15
- mechanisms
 - enhanced natural convection, 105, 106
 - evaporation, 105
 - general, 105, 106
 - measurements, 168
 - mixture mechanisms, 168
 - natural convection, 105, 106
 - transient conduction, 105-107
 - microscale, 143
 - nucleate boiling, 198
 - turbine blade passages, 413
- helical tubes, 295
- Helmholtz
 - free energy, 101
 - unstable wavelength, 110
- high efficiency heat exchangers, 299
- high energy lasers, 143
- high viscosity fluids, 60
- history of heat transfer, 18, 19
- homogeneous nucleation temperature, 101
- honeycomb framework, 205

Huen's method, 259
hydraulic resistance, 297
hydraulically smooth regime, 405
hydrodynamic
analysis, 105
boundary layer, 278, 309, 310
limit, 113, 121
parameters, 121
theory, 111, 113, 114
vapor outflow, 110, 111, 114, 115
Zuber analysis, 115
hydrodynamically controlled vapor curves, 113
hydrology, ground water, 256
hydrophilic surface, 101
hysteresis
boiling, 101, 116
effects, 138, 139

I

ice production, 51, 52
image processing system, 339
imbedded nonlinearities, 309
immersion cooled multichip module, 195
impinging jet flow(s)
general, 307, 311
stagnation region, 308
impingement
channel(s), 342, 345, 346
holes, 345
surface. 340
inception superheats, 120
incipient nucleation temperature, 102
indirect liquid cooling, 208
industrial furnace, 87
inertial coupling, 433
infinite
back wall, 89
radiating plane, 87
injection molding, 60
inlet subcooling, 443, 445, 447, 451
inline tube bundle(s), 301

input admittance, 235
instabilities
density wave type, 443
dynamic, 443, 448
Kelvin-Helmholtz, 110
Ledinegg, 443
pressure drop type, 443
two phase flow, 443
instability
boundaries, 445
critical point of, 103
Kelvin-Helmholtz, 110
level, 408
phenomena, 409
pressure, 195
trade-offs, 408, 409
instrumentation accuracy, 392
interface
resistance, 200
liquid/vapor, 105, 106, 108
interfacial
area density, 436, 437
drag coefficient, 433
drag law, 432
force density, 432, 433
internal resistance, 201
internally finned tubes, 9
interrupted fins, 386-388
inviscid
flow theory, 433
liquids, 110
irreversibilities
competing, 408
duct flow, 410
finite temperature, 410
flow, 406
fluid friction, 405-411
heat transfer, 408
overall level, 405, 406
thermodynamic, 405, 406, 411
isolated
bubble regime, 106
plate limit, 208

J

jet(s)

- formation, 105
- general, 307
- impinging, 308
- impingement
 - angle, 340
 - boiling, 232
 - cooling, 111
 - general, 277, 339
- non-impinging, 308
- pulsating, 308
- pulsed, 308, 312
- Reynolds number, 311
- submerged, 309

Jens-Lottes model, 158, 161, 162

jump conditions, 431

K

Kelvin-Helmholtz instability, 110

kettle evaporator, 137

kiln(s)

- dust, 44
- rotary, 38

kinetic

- Taylor scale, 321
- wave propagation phenomena, 446

knurled surface, 129

Kolmogorov scale, 321

L

laminar

- boundary layer thickness, 436
- flow, steady, 392
- film condensation, 199
- flow, 143
 - internal flow, 12
 - sublayer, 340, 436
- lap top computer(s) 208, 209
- large eddy simulation, 360
- laser, high energy, 143
- latent heat transport, 106, 107

lead/chip resistance, 200

Ledinegg instability, 443

lexon

- spacer, 211
- substrate, 196, 200

limit(s)

- bubble packing, 121
- evaporation, 121
- hydrodynamic, 121
- liquid accessibility, 121
- vapor removal, 121

linear

- cascade tunnel, 413
- transformation(s), 235

Linde high flux surface, 127

liquid

- crystal(s)
- calibration, 343
- coated surface, 342
- thermochromic, 340
- cooled cold plate, 195
- cryogenic, 117
- drag, 108
- fluorcarbon, 228
- encapsulated module (LEM), 229, 230, 232

immersion cooling, 228, 232, 233

inviscid, 110

jet impingement, 227

heat exchanger, 194

immersion, 193

filled module, 194

mass fraction, 61

wettability, 110, 111

liquid/vapor interface, 101, 102, 105, 106, 108

living systems, 51, 56

Lockhart-Martinelli flow parameter, 471

louvered geometry, 381

low finned structures, 9

low frequency oscillation, 443

low gravity studies, 115

M

- Mach number
 - flow, 353
 - general, 355, 358
 - preconditioning, 353
- macrolayer
 - evaporation, 116, 117
 - thickness, 108
- magnetic field(s)
 - enhancement, 291-293
 - general, 287-290, 292, 293
 - Rayliegh number, 291
 - rotating, 287-290
 - strength, 291, 292
- magnetic fluids, 288
- magnetization, saturation, 287, 288, 290
- mass diffusion, 55
- mass diffusion rate, 129
- mass flux oscillation, 446
- mass transfer
 - coefficient(s), 413, 416, 418
 - combined with heat transfer, 255
 - direct contact, 256
 - general, 127
 - enhancement during drying, 256
 - porous media, 256
 - resistance, 471
- mean time before failure, 195
- mesh sleeves, 136
- measurement accuracy, 392
- micro
 - channel(s)
 - general, 144
 - grooves, 231
 - heat exchangers, 143-145
 - surfaces, 143, 144
 - convection, 106
 - gravity
 - condition(s), 120
 - effect(s) of, 115
 - layer
 - evaporation, 107
 - thickness, 107
- micro/macro layer thickness, 120, 123
- microscale
 - general, 321, 322
 - heat transfer, 143, 144
 - Stokes, 321
 - Taylor, 319, 321
 - thermal, 320
- microfin
 - general, 9
 - tube(s), 168, 169
- micromachining processes, 143
- mixed convection
 - correlation uncertainties, 391, 395
 - flow, 391, 396
- mixture, zeotropic, 127, 171
- mobile communications, 207
- model, Brinkman-Forchheimer, 215
- module(s)
 - liquid filled, 194
 - multichip, 195
- mold filling process, 60
- moldings, plastic injection, 70
- molten glass "gob," 69
- Monte Carlo
 - computer programs
 - convergence criteria, 94
 - general, 94
 - method, 87, 92
 - numerical technique(s), 89
 - results, 92
 - technique(s), 89
- multiphase flow
 - air jet injection and dispersion, 430
 - analysis, 431
 - CFD techniques in, 431, 436
 - continuous phase velocity, 433
 - coring in, 430
 - dispersed phase
 - general, 433-435
 - Reynolds number, 436
 - two phase flow, 435
 - flow, 431, 432

interfacial work, 435
interior peaking in, 430
multidimensional
 analyis, 431
 phenomena, 431
 two fluid models, 431, 437, 430,
 440
one dimensional models of, 431
particle/wall collisons, 433-435
particle turbulent wall kinetic en-
 ergy, 435
spherical vapor phase, 433
two fluid
 closure laws, 440
 model, 431, 433
two phase turbulence model, 436
velocity distribution, 430
volume fraction distribution, 430
wall peaking, 430
multiple horseshoe vortex system, 416
Murray-Gardner assumptions, 239

N

natural convection
 augmentation, 203, 204
 bubble pumped, 201
 enhancement, 214
 general, 5, 51, 380
 neighboring sites, 106
 nucleate boiling, 105
 single phase, 215
 turbulent, 196
 with pulsating heating, 52, 53
nearest neighbor distance, 104
Navier-Stokes equations, 280, 309, 354-
 357, 359, 362, 421, 422
Newtonian substance, 406
non condensible gases, 467
non condensing bubbles, 197
non impinging
 air jets, 308
 submerged jets, 308
nonlinearites, Imbedded, 309

non-Newtonian fluids. 59
nozzle spray systems, 334, 335
nucleate boiling
 fully developed, 106-110, 121
 general, 99, 100, 103, 105, 113,
 114, 116, 121, 127, 139, 143,
 194, 197, 198, 280, 309
heat flux in, 110-114
orientation of heater, 106
partial, 103, 105-107, 120
regime(s), 105, 178, 280
rotation effect, 282
stable, 115
transition, 105, 106, 112, 114, 116
vapor structure, 105
nucleation
 active sites, 105, 109, 113
 active site density, 110
 artificial, 230
 bubbles in, 105, 436
 frequency, bubble, 436
 general, 101, 102
 homogeneous, 101
 inhibition of, 104, 105
models
 Colburn/Thom, 162
 Dittus-Boelter/Jens-Lottes, 161,
 162
 Dittus-Boelter/Jens-Lottes, 161,
 162
 extended CHEN, 158, 161, 162
 general, 152
 Jens-Lottes, 158, 161, 162
 Petukhov-Kirillov/Thom, 162
 Thom, 158
sites
 active, 104-106, 109
 deactivation of, 104, 105
 density, 103-105, 120
 initiation of, 104, 105
surface promotion, 230
temperature
homogeneous, 101
interference, 104

nucleii, preexisting, 102
numerical
 analysis
 general, 392, 393
 uncertainties in, 392
 methods, 354
 modeling, 353
Nusselt number uncertainties, 392

O

“Oasis” immersion cooling system, 195
offset (fin) geometry, 381, 383
“on-off” process, biological, 51
open weave fibrous composites, 215
optimization
 procedure, 239-241
 thermodynamic, 55
optimum
 duct flow, 406
 fin spacing, 210
 flow regime, 405, 409
 geometry, 208
 least material fin, 208
 thermodynamic, 411
oscillating turbulent flows, 319, 321
oscillation(s)
 amplitude, 446, 452
 density wave, 443, 445-447, 452
 flow, 323
 frequency, 323
 low frequency, 443
 mass flow, 446
 period of, 446, 447, 452
 pressure drop type, 443, 450-452
 self sustained, 380, 381
 thermal, 443, 450-452
 two phase flow, 443
 wall temperature, 446
overall thermal resistance, 246
overfeed ratio, 334

P

packing, bubble, 112

pagers, 207
parabolic internal flow problem, 392
parallel plate arrays
 general, 127, 207, 208, 212
 geometry, 209
 optimum fin spacing, 210
parallel plate fins, 212
 parametric calculations, 266
 penetration distance, 266
partially wetted surface, 112-114, 120
particle/wall collisions(s)
 force, 436
 general, 433, 434
passage vortex system, 416
passive enhancement techniques, 333
passive immersion cooled module(s)
 (PIM)
 air cooled, 194, 203, 204
 flat cold plate, 199
 general, 193, 200, 204
 horizontal orientation, 197, 199,
 201, 203, 205
 internally finned, 199
 performance
 envelope, 195
 map(s), 196, 199, 203-205
 reflux, 200
 test module, 200
 vertical orientation, 197, 200, 202,
 203, 204
perforated sleeves, 136
performance
 envelope, 195
 general, 199
 map(s), 196, 199, 203-205
 thermal, 203
periodic boundary layer removal, 309
periodic ribs, 339
personal digital assistants (PDA's), 218
perturbation methods, 311
phase
 average, 320
 change processes, 99
 enthalpies, 61

locking, pressure wave, 301
 separation indicator function, 431,
 432
 photon bundles
 cell(s)
 entry to, 92
 interaction, 89
 discrete energy units, 89
 emmision
 diffuse, 89
 general, 89
 random, 89
 surface interaction, 89
 trajectory
 algorithm, 89
 general, 89
 pi-network, 235
 "pie" segment, 115
 piezoelectric droplet generator, 175,
 177
 pin fin
 arrays
 air side, 200
 general, 207, 208, 215
 condensation on
 general, 196
 square, 193
 submerged condenser, 193
 pitch to chord length ratios, 414
 plain fins, 385, 387
 plain sleeves, 135
 plasma facing wall surfaces, 325
 plastic injection moldings, 70
 plate fin heat exchangers
 interrupted fins, 385, 386
 plain fins, 385
 wavy fins, 386
 platelet adhesion, 100
 plunger mold, 70, 71
 Poisson distribution, 103
 polymer
 flows, 65
 processing, 59, 60
 pool boiling
 conditions, 115
 CHF in, 15
 effect of dissolved gas, 101
 general, 8, 9, 99, 100, 105, 110,
 111, 127, 135, 227, 228, 230,
 230, 278
 heat transfer, 14
 horizontal surface, 105
 link to forced boiling, 113
 low finned structures, 8, 9
 subcooled flow boiling, 14, 15
 tests, 135
 transition to, 113
 vibration techniques, 8
 porous medium
 general, 51, 411
 heat transfer surface, 278, 280
 stretching, 411
 polymer particles, 303
 porous strip
 continuously moving, 255, 266
 direct contact
 heat transfer, 255
 mass transfer, 256
 wet region, 255
 portable communications system(s), 217
 cellular phones, 218
 lap top computer(s), 218, 219
 literature, 218
 pager(s), 218
 personal digital assistants (PDA's),
 218
 solid conduction paths in, 222
 two way radios, 218
 wireless data communications, 218
 Portland cement
 composition of raw materials, 40
 flow rate(s), 40, 41
 manufacture, 37-39
 plants
 number of, 39
 primary fuels
 chemical composition, 42
 general, 40

- particle density, 42
 - particle size distribution, 42, 43
 - type of fuels, 39
- post-CHF model, 151-157, 165
- potential flow theory, 308
- power dissipation level(s), 406
- power law fluid, 62
- pre-CHF model, 151-156, 165
- prediction uncertainties, 431
- press forming, glass
 - general, 69, 70
 - pressure duration effect, 73
- pressure
 - disjoining, 108
 - drop type oscillations, 448, 450-452
 - wave phase locking, 301
- pressure-velocity gradient, 392
- propagation of errors, 393
- pseudo
 - droplet diameter, 156
 - time term, 357
- pulsating
 - air jets, 307, 308
 - circular jets, 307
 - flow problems, 309
 - flow(s), 308, 311
 - frequency, 307, 311, 323
 - heating, 52-54
 - jet flows, 307, 308, 310, 311, 313
 - planar jets, 307
 - stagnation flow(s), 307
 - submerged water jets, 307
 - water jets, 308
- pulsation(s)
 - cycles, 310
 - flow, 309, 311
 - frequencies, 309, 311, 313
 - low frequency, 310
 - period, 309
 - sinusoidal flow, 310
- pulse
 - combustion, 323, 324
 - combustor tailpipe, 319, 323, 324
- velocity, 311

Q

- quality of vapor, 148

R

- radiant energy exchange problem, 87
- radiating plane, infinite, 87, 89
- radiation
 - absorption, 92, 94
 - back wall
 - non-conducting, 92
 - reradiating, 92
 - contribution(s), 89
 - diffuse source, 92
 - direct
 - exchange factor(s), 87
 - radiation source, 87
 - enclosed configuration, 94
 - exchange factor evaluation
 - crossed-string, 92
 - graphical, 92
- ramming effect, 301
- random turbulence fluctuations, 310
- ratio
 - amplitude/wavelength, 118
 - pitch to chord length, 414
- Rayleigh number, magnetic field, 291
- reattachment
 - general, 384
 - line, 417
 - peaks, 418
 - phenomena, 340
- reciprocating migration, 303
- reciprocity, 235
- recirculation, 384
- reflection relationship, 235, 237, 238
- refrigerant, heat transfer to, 13
- refrigeration
 - ammonia system, industrial, 335
 - enhancement for capacity, 333
 - film, 334
- regimes

- developing, 215
 - hydraulically smooth, 406
 - isolated bubble, 106
 - laminar flow, 405
 - nucleate boiling, 178
 - optimum flow, 405, 406, 408, 409
 - thermodynamic optimum, 409
 - transition, 178
 - turbulent flow, 409
 - regeneration analysis, 205
 - regression analysis, 393
 - relative roughness, 405, 406, 409
 - reradiation, 89
 - reradiating
 - back wall, 89, 94
 - view factors, 89
 - reservoir type cavities, 104
 - resistance
 - controlling thermal, 246
 - convective, 246
 - dominant thermal, 247
 - external, 203
 - fouling, 246
 - interface, 203, 247
 - internal, 201
 - lead/chip interface, 200
 - mass transfer, 471
 - overall thermal, 246
 - thermal, 116, 127, 128, 131, 133, 134, 194, 197, 201, 227, 246, 163, 264
 - tube wall, 246
 - respiration, 51
 - restructuring coefficients, 165
 - resonance, 231
 - review papers, 10, 11
 - Reynolds stress
 - data, 437
 - general, 320
 - shear induced, 435
 - rib(s)
 - broken, 340
 - turbulated channels, 344, 345
 - turbulators, 215
 - V-shaped, 340
 - ripples, 118
 - rotary kiln, 38
 - rotating magnetic field(s). 287, 288
 - roughness
 - relative, 405, 406, 409
 - surface, 405, 406, 409, 410
 - rupture, film, 120
- S**
- salt deposits, 298
 - SAMPLE algorithm, 63
 - saturation
 - level, zone-array, 89
 - magnetization, 287, 288, 290
 - scale analysis, 52-55
 - scatter diagram, 161, 163, 165
 - Schmidt number, 414
 - secondary
 - flows, 384
 - flow vorticity, 415
 - motion, 380
 - source, 89
 - self sustained oscillations, 380
 - semi-mechanistic
 - approaches, 116, 117
 - correlations, 118
 - sensitivity studies, 392
 - sequential perturbation method, 310
 - separated flow model, 447
 - separation
 - bubble, 302, 303
 - general, 384
 - vortices, 301, 302
 - shear controlled condensation regime, 471
 - shear induced Reynolds stress, 435
 - shell and tube heat exchangers
 - condensers, 467
 - flooded evaporator, 333
 - general, 145, 381
 - Sherwood number, 414, 417, 418
 - silicon chip heaters, 194

SIMPLE algorithm, 392, 423
 sinusoidal flow pulsations, 309
 sink mark (glass)
 behavior, 72
 depth, 71-75
 generation, 69-72
 pressing duration effect, 73
 relation to roughness of mold, 74
 relation to temperature, 73
 single phase
 enhancement
 additives, 5
 performance evaluation, 7, 8
 spirally grooved tubes, 6
 turbulators, 6
 twisted tape inserts, 5, 6
 vibration, 5
 friction factor, 449
 natural convection, 215
 single array elements
 series, 235
 shunt, 235
 sintered materials, 215
 sintered surface, 130
 six equation model, 152, 153
 skin friction, 321
 sleeve(s)
 mesh, 135
 perforated, 135
 plain, 135
 slip ratio, 448
 slot perforated plates, 302
 slurry flows
 bubbly vapor/liquid, 431
 solid/fluid, 431, 430
 slug film boiling, 296
 slug flow, 448
 small channels, 384
 solidification, 52, 59, 60, 66, 67
 solidified layer thickness, 65
 solid/liquid interface, 67
 sound, 380
 source-to-sink arrangement, 94
 spectral methods, 308

spirally indented enhanced tubes, 474
 spirally grooved tubes, 6
 spiroulators, 278
 spray systems
 air jet assisted, 175, 176
 efficiency, 180, 181
 evaporator, 334, 336
 full cone nozzles in, 334
 general, 175, 176, 333
 nozzles in 334-336
 optimization of, 335, 336
 sputter deposition, 145
 square pin fins, 193
 stability
 criteria, 102
 map, 313
 staggered
 grid, 63
 pressure gradient, 392
 tube bundles, 301
 stagnation
 flow, 309
 line, 308, 309, 312, 313
 state variable(s), 432
 static contact angle, 116
 stationary linear cascade tunnel, 416
 statistical
 comparisons, 161, 162
 measures, 158
 results, 165
 steady secondary motion, 380
 Stefan-Maxwell equation, 128
 Stokes scale, 321
 streaming, 381, 383
 strip (fin) geometry, 381, 383
 Strouhal number, 305, 311, 312
 structured surfaces, 231
 structures, porous, 215
 subcooled
 boiling, 115, 184, 325, 437, 440
 film boiling, 117
 subcooling
 air cooled, 200
 augmentation factor, 202

- data summary, 195
 effect of, 198
 finned, 195, 199
 flat plate, 196-199
 general, 193-195
 liquid, 117
 pin fin, 196
 temperature, 203
 water, 118
 submerged jets, 309
 superheat
 inception, 120
 incipience, 101-103, 198
 overshoot, 198
 required for nucleation, 101
 surface, 101, 144, 147
 wall, 101, 103-106, 108, 109, 113,
 115-118, 120
 superheated
 liquid layer, 106, 107
 steam drying, 463
 surface(s)
 boiling, 298
 diamond knurled, 334
 enhancement, 215
 high flux porous, 334
 hydrophilic, 101
 inclined, 115
 knurled, 129, 334
 Linde high flux, 127
 microchannel, 143-146
 partially wetted, 112-114, 120
 roughness, 74, 215, 405, 406, 409,
 410
 scraping method, 278
 sintered, 130
 structured, 231
 superheat, 100, 101
 vibration, 280
 well wetted, 112-114, 120
 wettability, 108, 110, 111
 wetting, 108
 Wolverine Turbo-B, 127
- swirl flow
 general, 325, 326
 multiplication factor, 327
 parameter, 425
- T**
- tape carrier package, 219
 Taylor-Gortler vortices, 418
 Taylor
 scale, 319, 322
 wavelength(s), 110, 118
 temporal average, 320
 temperature
 dependent viscosity, 59
 homogeneous nucleation, 101
 incipient nucleation, 102
 overshoot effects, 230, 231
 temporary hardness salts, 298
 Tennekes model, 322
 threshold performance map, 199
 thermal
 boundary layer, 212, 277, 282
 conduction module (TCM), 229,
 232
 control, 208
 enhancement, 214
 fluctuations, 320
 fouling resistance, 299
 hysteresis, 230
 layer
 description, 106
 general, 108
 resistance, 116, 227
 scale, 321, 322
 system
 chaos, 309
 thickness, 108
 management, 193, 196
 oscillations, 443, 450, 452
 performance, 203
 resistance(s), 194, 197, 201, 207,
 208, 211, 212, 214, 246, 263,
 264

- thermochromic liquid crystals, 340
 thermodynamic
 - irreversibility, 405, 406, 411
 - optimum, 411
 - optimum regime, 409
 - optimization, 55
 thermohydraulic drying, 465
 thin film
 - boiling, 175
 - vaporization, 129
 Thom model, 158
 threshold value, 446, 447
 time dependent conduction, 52
 tracer method, 301, 306
 trade-offs, irreversibility, 408, 409
 trajectories, photon bundle, 89
 transient thermal-hydraulic codes, 151
 transport processes during drying, 256
 transient
 - conduction, 117
 - liquid crystal technique, 339, 340
 - liquid/solid contacts, 117
 transition boiling
 - curves, 116
 - data
 - general, 116
 - steady state, 116
 - general, 99, 100, 113, 116, 117, 121
 - reviews of, 116
 trapped vapor, 100
 tube-fin heat exchangers
 - interrupted fins, 387, 388
 - plain, 387
 - wavy, 387
 tube(s)
 - annular grooved, 295
 - axially grooved, 334
 - bi-metal, 247, 252
 - burnished, 334
 - claddings, 247
 - coatings 247, 252
 - “cross-rifled”, 248
 - diamond knurled, 334
 - diamond shaped, 301, 302, 306
 - diaphragmed, 295
 - dimples on, 247
 - doubly enhanced, 247, 249
 - enhanced geometries, 470
 - enhanced operation, 135
 - evaporator, 249
 - grooved, 135
 - helical, 295
 - high flux porous surface, 334
 - integral fins, 247, 248
 - knurled, 334
 - microfin, 168, 169
 - seamless, 247-249
 - seamless extruded, 249, 250
 - “skive” fin, 251
 - spirally indented, 474
 - spirally ribbed, 470
 - welded, 249
 tube bank(s)
 - circular, 301
 - in line, 301
 - staggered, 301
 - vibration, 280
 tube bundle(s)
 - in line, 333
 - mini, 135
 - single, 135
 - smooth, 135, 334
 - staggered, 135, 333
 - structured, 135
 - wire wrapped, 138
 tubular heat exchangers, 295
 turbine blade(s)
 - cascade, 415
 - cooling, 339
 - geometry, 339
 - impingement, 340
 turbulator(s)
 - general, 6
 - ribbed, 215, 340
 - twisted tape, 3, 6, 9, 335, 336, 474
 turbulence

- dynamics, 320, 321
- free stream, 312
- general, 381, 382
- levels, 340
- microstructure, 321
- model(s), 413, 436, 437
- promotors, 339
- velocity field, 436
- turbulent
 - dispersion coefficient, 433
 - flow(s)
 - oscillating, 319, 321
 - shear, 320
 - velocity fluctuations in, 323
 - wall kinetic energy, 435
- turbulizer(s)
 - equipped tubes, 300
 - general, 296
- twisted tape inserts
 - general, 3, 6, 9, 325, 326, 335, 336, 421, 422, 474
 - pitch, 422
 - single phase flow, 5, 6
 - in square duct, 421, 422
- two phase
 - flow
 - boiling, 9
 - condensation, 9
 - general, 143
 - internally finned tubes, 9
 - instabilities, 443
 - microfins, 9
 - oscillations, 443
 - heat transfer, 145
 - heat transfer coefficient, 145
 - two way radio(s), 218
- U**
- ultrasonic
 - enhancement, 230
 - techniques, 8
 - vibration, 280
- uncertainties
- composition, 392
- effect of, 391
- fluid property, 391, 397
- friction factor, 394, 395
- in mixed convection, 394, 395, 396
- in numerical analysis, 391
- Nusselt number, 394, 395
- uncertainty
 - analysis, 310, 391, 392, 396
 - overall, 170, 393
 - prediction, 431
- universal velocity profile, 129
- unstable region, 446
- unsteady flow, 380
- unstructured
 - grids, 358, 359
 - meshes, 359
- V**
- vapor
 - bulge, 119
 - bubble(s), 100
 - blanketing, 198
 - column(s), 106
 - embryo, 101, 102
 - entrapment, 103, 104
 - escape
 - rate, 114
 - velocity, 123
 - film
 - collapse, 118
 - general, 118
 - liquid interface, 101, 102, 105, 106, 108
 - mushroom, 106, 110
 - nucleus, 100, 102
 - outflow
 - hydrodynamics, 110, 115
 - process, 115
 - pockets, 334
 - quality, 148
 - removal
 - limit, 121

mechanism, 115
 rate, 113
 stem(s)
 diameter, 108, 109, 112, 114
 extinction, 113
 formation, 113
 general, 106, 109, 110, 112-114
 merger of, 113
 model, 113, 114
 shear, 471
 vapor space condensation, 194, 197, 202-204
 vaporization
 rate, 129
 thin film, 129
 variable property flow, 392
 velocity fluctuations, turbulent, 323
 vibration
 fluid, 280, 281
 frequency, 281
 self excited, 303
 surface, 280, 281
 techniques, 5, 8
 tube, 280
 ultrasonic, 280, 281
 viscosity, temperature dependent, 59
 viscous heat dissipation, 62, 66
 void fraction(s)
 data, 437
 direct, 92
 distribution, 437, 430
 general, 87, 94, 111, 112, 114, 121, 199, 201, 202, 448
 profile(s), 108, 439
 volatile organic vapors (VOC)
 control, 476
 emission control strategies, 468, 476
 emmision(s), 468, 476
 enhanced condenser technology, 468
 general, 467
 reduction, 476
 von Karman-Polhausen techniques, 309
 von Karman vortices, 305

vortex
 counter rotating, 417
 formation, 312, 313
 generation, 308, 309
 map, 308
 structure(s), 307
 system, multiple horseshoe, 416
 passage, 413, 418
 Taylor-Görtler, 418
 vortices, separation, 301, 302
 vorticity/velocity method, 280

W

wall
 jet interaction, 340
 superheat, 101, 103, 104-106, 108, 109, 113, 115-118, 120, 144, 147
 temperature oscillations, 446
 void fraction, 108, 111-114

water
 cooled
 immersion cooling module, 196
 cold plate, 201
 hardness, 300
 subcooling, 118
 wavy fins, 386, 387
 wedge angle, 101
 welded tubes, 249
 wet area fraction, 116, 117
 wet region, porous strip, 255
wettability
 degree of, 111
 liquid, 110, 111
 surface, 110, 111

wire
 meshes, 215
 wrapped tubes, 135
 Wolverine Turbo B surface, 127

X

Y

Z

- zeotropic mixture, 127, 171
zone area, saturation level, 94
Zuber-Findlay model, 449