

INDEX

- Accuracy of measurements, 92–94
- Aerodynamic drag force, 42, 43
- Amplitude signal selection efficiency, 105–113
- Archimedes number, 94
- Averaged motion
 - characteristic scales of, 18
- Algebraic models,
 - of turbulence, 5–7
- Bidisperse particles
 - different sizes, 87–91, 159
 - different densities, 91, 92, 161
 - gravitational deposition, 169
- Characteristics of heterogeneous flow,
 - influence of collisions, 169
- Characteristic time (scale)
 - in averaged motion, 18, 31, 134, 273, 286, 291, 295
 - in large-scale fluctuation motion, 18, 19, 31, 134
 - in small-scale fluctuation motion, 19, 20, 31
- Classification of heterogeneous flows
 - by Stokes number, 34
 - by volume concentration, 33
 - past bodies, 243
- Clusterization of particles, 179
- Crosstalk, estimation of, 102–104
- Coefficient of recovery
 - of velocity, 142, 207, 218, 264
 - absolutely elastic impact, 142, 152, 206
 - absolutely inelastic impact, 142
- Correlations
 - one-point, 17

- two-point, 17
- Eulerian time, 17
- Collisions of particles
 - cylinder of collisions, 155
 - cylindrical formulation, 154
 - frequency of, 27, 158, 162, 178, 221, 252, 253, 269, 270
 - gravitational deposition, 156, 157
 - mean free path, 28, 178
 - spherical formulation, 153
 - sphere of collisions, 154
 - time between, 28, 159, 178, 253, 270
 - turbulent flow, 162–166
- Collisions of particles with a wall
 - frequency of, 29
 - mean free path, 29, 200
 - time between, 29, 200
- Concentration of particles
 - mass, 24–26
 - volume, 24–26, 33
- Direct numerical simulation (DNS), 63–65
- Dissipation of turbulence, 8, 9, 19, 317
- Distribution of
 - averaged velocity, 11–13
 - averaged fluctuation velocity, 13, 14
 - turbulent energy, 14, 15
- Dominating influence of the wall, 199–201
- Downward flow
 - polydisperse particles, 174–179
- Equations of gas carrying solid particles
 - actual, 56
 - averaged, 56, 57
 - fluctuation, 57, 58
 - for Reynolds stresses, 58, 59
 - for turbulent energy, 61
 - of continuity, motion, and energy, 56
- Equations for particles
 - averaged concentration, 53
 - energy of fluctuations, 54

- motion, 42, 53, 92, 246, 256, 279, 280
- temperature, 53
- Equations of single-phase flow
 - actual, 2
 - averaged, 2, 3
 - fluctuation, 3, 4
 - for Reynolds stresses, 4, 5
 - for turbulent dissipation, 9, 10
 - for turbulent energy, 7
 - of continuity, motion, and energy, 2
- Equilibrium flow,
 - collisional core, 165
- Eulerian approach, 50–55
 - algebraic and differential models, 51
 - models based on kinetic equations for PDF, 51
- Eulerian integral space scale, 19
- Eulerian integral time scale, 19
- Experimental setup
 - for studying downward flows, 132, 133
 - for studying upward flows, 130–132
- Form factor, 311, 312
- Friction factor, 142, 206, 207, 216
- Froude number, 210
- Generalized computer model, 65–67
- Gravitational deposition, 169
- Gravity force, 42–44, 193
 - influence on collisions, 166
 - sedimentation of particles under, 187
- Heterogeneous flow
 - in horizontal channels, 219–232
 - in vertical channels, 232–240
 - longitudinal past a cylinder (hemispherical end), 266–274
 - longitudinal past a cylinder (flat end), 274–282
 - past a blade cascade, 290–294
 - past a sphere (potential case), 255–257
 - past a sphere (viscous case), 257–259
 - past flat wedges, 282–287
 - transverse past a cylinder (potential case), 259–264

- transverse past a cylinder (viscous case), 264–266
- transverse past a plate, 287–290
- Homogeneous isotropic turbulence, 162
- Impact
 - glancing, 146, 149, 151, 203
 - nonglancing, 147, 150, 151, 204
- Kolmogorov hypothesis, 8
- Kolmogorov–Prandtl relation, 10
- Kolmogorov space scale, 20
- Kolmogorov time scale, 20
- Lagrangian approach, 42–50
- Lagrangian integral space scale, 18, 19
- Lagrangian integral time scale, 18, 19, 48, 134, 190
- Laminar boundary layer, 294–308
- Laminar–turbulent transition, 308–313
- Large eddy simulation (LES), 63–65
- Large-scale fluctuation motion,
 - characteristic scales of, 18
- Laser Doppler anemometer(s) (LDA)
 - features, 70
 - heavily dusted flows, 115–124
 - interference volume, 70, 71
 - measuring volume, 71, 72
 - necessary conditions, 70
 - relative concentration of particles, 95–102
 - signal visibility, 72, 73
 - velocities of bidisperse particles, 85–92
 - velocities of large particles, 74–78
 - velocities of polydisperse particles, 78–85
- Law of conservation
 - momentum, 138
 - momentum of momentum, 138
- Logarithmic law of the wall, 12
- Magnus force, 42, 43, 45, 46
- Mathematical modeling,
 - specific features, 20, 21
 - two classes of problems of, 22

- Momentum of inertia, 139
- Nonequilibrium flow,
 - collisional core, 166
- Number density, 24, 26
- One-parameter models,
 - of turbulence, 7
- Particle-body interaction, 241
 - classification of modes, 243
 - collisions of incident and reflected particles, 252–255
 - collisions with surface, 248–252
 - increase of concentration, 245–255
 - retardation of particles, 246–248
 - sedimentation factor, 242–245
- Particle characteristics, choice of, 133–135
- Particle image velocimetry (PIV), 124
 - error of measurements, 129
 - principle of measurement, 125–127
 - principles of processing images, 127–129
- Particle-particle interaction, 49, 137
 - absolutely elastic impact, 152, 153
 - absolutely smooth surfaces, 152, 153
 - general statement, 138–145
 - particular cases, 148
 - plane case with rotation, 148–151
 - plane case without rotation, 151, 152
- Particles, parameters of, 135
- Particle-wall interaction, 185
 - absolutely elastic impact, 206, 207
 - absolutely smooth wall, 206, 207
 - general case, 202
 - particular cases, 204
 - plane case with rotation, 204–206
 - plane case without rotation, 206
 - wall roughness, 208
- Physical modeling,
 - principles, 67
 - specific features, 20, 21

- two classes of problems of, 22
- Prandtl–Nikuradze mixing length, 19
- Reynolds number, 11, 23, 34, 43, 46, 94, 181, 257, 264, 297, 298, 301
- Reynolds stresses, 4
- Saffman force, 42–44, 194–197
- Sedimentation of particles on a wall
 - in a shear gas flow, 192–199
 - influence of turbulent fluctuations, 188–192
 - physical mechanisms, 186
 - under the gravity force, 187, 188
- Shear of averaged gas velocity,
 - influence on collisions, 166
- Signal selection, methods of, 104, 105
- Signal selection, monitoring of, 113, 114
- Small-scale fluctuation motion,
 - characteristic scales of, 19, 20
- Stokes numbers
 - collisional, 159–162, 172, 178, 222, 253, 254, 263, 270
 - collisions of particles with a wall, 32, 200, 201, 233
 - in averaged motion, 30, 34, 134, 243–245, 247, 256, 261, 272, 275, 280, 286, 291, 295
 - in large-scale fluctuation motion, 31, 34, 134, 175, 182, 183, 191
 - in small-scale fluctuation motion, 31, 34, 181, 182
 - interparticle collisions, 31, 33
- Time
 - of dynamic relaxation, 23, 31, 32, 93, 135, 158, 187–189, 200, 201, 222, 247, 253, 256, 261, 271, 295
 - of thermal relaxation, 24
- Time averaging, 2
- Theoretical description
 - particle collision, 138
- Torque, 47
- Turbulence-particle interaction, 47
- Turbulent boundary layer, 313–318
- Turbulent dissipation,
 - equation for, 9
- Turbulent energy, 190

- additional (by particles) dissipation, 61, 62
- additional (by particles) production, 62
- diffusion, 8
- dissipation, 8, 9
- distribution of, 14, 15
- equation for, 7, 317
- production, 8
- spectrum of, 15, 16
- Turbulent heterogeneous flows
 - classification by Stokes number, 34
 - classification by volume concentration, 33
- Turbulent flows
 - correlations in, 17
 - scales of, 17
- Turbulent viscosity,
 - for air, 9–10
 - for particles, 51
- Two-parameter models,
 - of turbulence, 9
- Wall roughness, 208–219
 - friction factor, 216, 218
 - recovery factor, 215, 218
 - model of random collisions, 209, 210
 - model of stochastic collisions, 210, 211
 - model with a virtual wall, 210
 - shadow effect, 211–215
 - various models, 209