

Index

- Adiabatic calorimeter, 278, 295
- Aqueous solutions, 49, 173, 232, 372, 381, 386
 - water + alcohol, 372, 386–390
 - water + hydrocarbon, 50, 381
 - water + salt, 50–53, 173, 386, 392–429, 485
- Apparent molar volume, 190–205
 - water + hydrocarbon, 190–205
 - light water + heavy water, 190
- Apparent molar thermal conductivity, 615
- Binodal, 293
- Compressibility factor, 82, 101, 108, 167, 173–179, 229, 262
- Correlations, 12–48
 - saturation density, 12–27
 - vapor pressure, 28–48
 - thermal conductivity, 549–564
 - critical parameters, 123–151

- Correlation function integrals, 218–231
 - direct correlation function integrals, 218, 219
 - total correlation function integrals, 218
 - correlation function, 218
- Corresponding states (law) principle, 101, 109
- Constant-volume piezometer, 151–153
- Critical amplitudes, 249, 252–254, 370, 380
 - light water, 253, 254, 258
 - heavy water, 253–255
- Critical exponents, 86, 87, 99, 249–255
 - pure fluids, 86, 249–251, 364
 - fluid mixtures, 103, 255, 380, 383, 385
 - effective critical exponents, 257, 258
 - classical exponents, 204
 - non-classical (scaling), 206
- Critical lines, 109, 126, 1229
 - light water + heavy water, 126, 127, 1229
 - water + salt (NaCl, KCl, CaCl₂, NaOH), 138, 1229
 - water + alcohol (methanol, ethanol), 136, 137, 1229
 - water + hydrocarbon (*n*-alkane, benzene, toluene), 128–138, 1229
- Critical point, 109
 - pure fluids (light and heavy water, *n*-alkanes, toluene, alcohols), 110–125
 - mixtures (water + hydrocarbons, water + salt, water + alcohol), 109, 126, 130–137, 147–149
 - methods of measurements, 109, 110
- Crossover equation of state, 84, 98
 - light water, 84, 87, 88
 - heavy water, 84, 87, 88
 - toluene, 87
 - light water+heavy water, 103, 484
 - water + *n*-hexane, 98
 - water + toluene, 98
 - water + NaCl, 98
 - six-term Landau expansion, 88, 102
- Crossover function, 86, 89, 258
- Density (*PVT_x* relationship), 1, 49, 55, 621
 - light water, 1–4, 155–157, 631

- heavy water, 1–4, 155–158
- light water + heavy water, 186–189, 631
- hydrocarbons (*n*-alkanes, benzene, toluene), 4–8, 155–167, 622–630
- alcohols (methanol), 2, 166, 167, 630, 631
- water + *n*-alkane (*n*-pentane, *n*-hexane, *n*-heptane, *n*-octane), 173, 174, 633–660
- water + benzene, 660–665
- water + salt, 50
- water + toluene, 179, 180–183, 665, 666
- water + methanol, 667–680
- methods of measurements, 151–155
- Dilute mixtures, 209–217
 - thermodynamic properties, 215, 217
 - structural properties, 215, 229
- Equation of state, 76
 - Carnahan–Starling-type, 96
 - classical Pitzer-type, 105, 484
 - crossover-type, 84, 98, 101, 102, 431
 - pure fluids, 76
 - fluids mixtures, 92
 - quasi-chemical group-contribution hole model, 97
 - perturbation type, 92
 - modified Soave–Redlich–Kwong (MSRK), 95
 - fundamental equation of state, 70, 76, 237, 431
 - light water, 76
 - heavy water, 76
 - scaling-type, 83
 - parametric crossover, 98, 104
- Entropy, 248
- Enthalpy, 247, 248
- Excess molar volume, 50, 190–197
- Excess enthalpy, 50
- Gibbs function, 109
- Ginzburg parameter, 86, 249, 257, 258
- Fisher renormalization, 256–8, 380
- Fundamental equation of state, 76, 441
 - light water (IAPWS-95 Formulation), 90, 450
 - heavy water (IAPWS-85 Formulation), 91, 450

- hydrocarbons, 76
- Helmholtz energy, 77, 81–88, 90–99, 107–110, 235, 432
 - high-temperature high-pressure adiabatic calorimeter, 278
 - isobaric heat capacity, 84, 100, 234, 237, 247
 - isochoric heat capacity, 84, 100, 232
 - aqueous solutions, 232, 371, 372, 381, 485
 - asymptotic and nonasymptotic scaling properties, 248, 249, 252
 - basic thermodynamic relations, 235–237, 247, 248
 - coexistence curve, 234, 307, 336, 350, 360, 363, 378, 482
 - extrema loci, 429, 432–439
 - jump, 236, 290, 309, 310, 338, 352, 427, 470
 - ideal gas, 262, 432–434
 - one-phase, 234, 242, 245, 308, 311, 323, 324
 - two-phase, 236, 242–246, 309, 324
 - light water, 249–352, 683–718
 - heavy water, 299–352, 718–748
 - hydrocarbons (*n*-alkanes, toluene), 342, 353, 356, 748–791
 - light water + heavy water, 342, 371–380, 807, 819–824
 - alcohols (methanol, ethanol, propanol, isopropanol, octanol, heptanol), 342, 353, 365–371
 - water + alcohol (methanol, ethanol, propanol) 353, 386–391, 813–815, 897–904
 - water + *n*-alkane (hexane, heptane), 381–383, 811, 890–897
 - water + salt (NaCl, KCl, NaOH, KOH, KNO₃, Na₂SO₄, Na₂CO₃), 386, 392–429, 807–811, 825–889
 - methods of measurements, 275
- Isomorphism, 99, 103, 104, 255, 256
- Isothermal compressibility, 218, 248
- Joule–Thomson coefficient, 275
- Krichevskii parameter, 215, 218, 220, 224, 256
 - light water + heavy water, 220
 - water + alcohol (methanol, ethanol), 220
 - water + toluene, 220
 - water + salt (NaCl, KCl, NaOH, KOH, KNO₃, Na₂SO₄, Na₂CO₃), 220
- Krichevskii function, 218
- Metastable phase, 293
- Molar volumes, 190, 206
- Multiparametric equation of state, 81, 431

- Benedict–Webb–Rubin-type, 79
- Beattie–Bridgeman-type, 83
- Tait-type, 78
- nonanalytic-type, 77
- Bender-type, 80
- virial-type, 82, 433
- Parallel-plate method, 541, 544
- Partial molar volumes, 190–212
 - infinite dilution, 209–215, 218
- Piezometer, 152, 153
- Phase diagrams, 49, 55–57, 69, 71, 381, 410
 - water + *n*-alkane (*n*-pentane, *n*-hexane, *n*-heptane), 55–57, 69–76
 - water + benzene, 70, 134
 - water + toluene, 134
 - water + salt, 410–412
- Phase transition temperatures, 289, 381, 410–413
 - liquid–liquid, 55, 70, 135, 381
 - liquid–vapor, 70, 135, 381, 383
 - liquid–liquid–gas, 70, 381–383, 417
 - liquid–liquid–solid, 413, 417, 427
 - liquid–gas–solid, 381, 411–413, 417
- Quasistatic-termograms technique, 110, 122, 289
- Radiation heat transfer, 546
- Rayleigh number, 546
- Rectilinear diameter, 110
- Renormalization, 103, 255, 380–385
- Saturated liquid density, 9, 53–69
 - light water, 9–12, 342
 - heavy water, 9, 10, 342
 - hydrocarbons, 16, 17, 22, 342
 - methanol, 16, 342
 - light water + heavy water, 53, 54
 - water + hydrocarbon, 69
 - water + salt, 59–69
- Saturated vapor density, 9, 59
 - correlations, 12–28
 - light water, 9, 10, 19, 1019

- heavy water, 9, 10, 1053
- hydrocarbons, 16
- methanol, 10, 22, 23
- light water + heavy water, 53, 54
- water+hydrocarbon, 53
- water + salt (NaCl, KCl, NaOH, KNO₃, Na₂SO₄, Na₂CO₃), 59–69
- Second temperature derivatives, 236, 238, 815
 - Vapor-pressure curve, 236–244, 815
 - Chemical potential, 236, 244, 246
- Singularity, 89
 - coexistence curve diameter, 110, 258–261
 - isochoric heat capacity, 91, 249, 257, 364, 430
 - isothermal compressibility, 202, 225
 - second temperature derivatives of vapor-pressure curve, 243, 244–246
 - second temperature derivatives of chemical potential, 243–246, 259
 - partial molar volume at infinite dilution, 202–215
- Spinodal, 293
- Speed of sound, 100, 234, 237, 248
- Supercritical fluids, 2, 49, 92, 191, 232, 324, 328, 358, 438, 469, 481, 496, 621
 - aqueous solutions, 49, 92, 171, 191, 232
- Supercritical water oxidation, 407
- Thermodynamic properties, 247, 248
 - supercritical fluids, 1055, 1068,
 - supercritical fluid mixtures, 49, 1097
 - saturated fluids, 247, 1019
 - saturated fluid mixtures, 1084, 1091
 - light water + heavy water, 102, 1084
- Thermal conductivity, 490, 963
 - correlation and prediction, 549–587
 - IAPWS-83 formulation, 551
 - light water, 490–511, 963–966
 - methods of measurements, 541
 - heavy water, 490–511, 966–970
 - water + salt (NaCl, KCl, LiCl, MgCl₂, CaCl₂, CdCl₂, CoCl₂, SrCl₂, ZnCl₂, NaI, KI, CaI₂, BaI₂, ZnI₂, KBr, LiBr, CdBr₂, K₂CO₃, MgSO₄, ZnSO₄, Sr(NO₃)₂), 512, 970
 - pressure coefficient, 548, 564

- temperature coefficient, 564
 - maximum, 562–564
- Upper critical end point, 57, 58, 71, 381, 383, 426, 429
 - water + *n*-hexane, 55, 58
 - water + *n*-pentane, 71
 - water + Na₂SO₄, 426
 - water + Na₂CO₃, 429
- Vapor pressure, 69–72
 - correlations, 28–48
 - light water, 28–6
 - heavy water, 28–36
 - hydrocarbons (*n*-alkanes, toluene, benzene), 36–48
 - methanol, 36
 - water + hydrocarbon, 69
 - water + salt (NaCl, KCl, NaOH, KNO₃, Na₂SO₄, Na₂CO₃), 71, 72
- Vapor–liquid distribution function, 221–224
- Virial coefficients, 262–275
 - light water, 264, 267–272
 - n*-alkanes (*n*-pentane, *n*-hexane, *n*-heptane, *n*-octane), 266–272
 - second heat capacity virial coefficients, 266
 - third heat capacity virial coefficients, 266
- Yang–Yang anomaly, 259