

REFERENCES

- Abolfadl, M., and Wallis, G.B. (1985), A mixing length model for annular two phase flow. *Physico-Chemical Hydrodynamics* vol. 6, pp 49-68.
- Addison, C.C. (1945), The properties of freshly formed surfaces: Part IV - the influence of chain length and structure on the static and dynamic surface tensions of aqueous alcoholic solutions. *Journal of the Chemical Society*, pp 98-106.
- Adechy, D., and Issa, R.I. (2004), Modelling annular flow through pipes and T-junctions. *Computers and Fluids* vol. 33, pp 289-313.
- Adorni, N., Casagrande, I., Cravarolo, L., Hassid, A., and Silvestri, M. (1961)' Experimental data on two-phase flow: liquid film thickness, phase and velocity distribution, pressure drops in vertical gas-liquid flow. C.I.S.E. report no. R 35.
- Adorni, N., Peterlongo, G., Ravetta, R., Tacconi, F.A. (1964) Large scale experiments on heat transfer and hydrodynamics with steam-water mixtures: phase and velocity distribution measurements in a round vertical tube. C.I.S.E. report no. R 91.
- Agrawal, S.S., Gregory, G.A., and Govier, G.W. (1973), An analysis of horizontal stratified two-phase flow in pipes. *Canadian Journal of Chemical Engineering* vol. 51, pp 280-286.
- Ahmed, W.H., Ching, C.Y., and Shoukri, M. (2004), A new model for the pressure recovery of air-oil two-phase flow across sudden expansions. *3rd International Symposium on Two-Phase Flow Modelling and Experimentation*, Pisa, 22-24 September .
- Akbar, M.K., and Ghiaasiaan, S.M. (2003), Stability of stratified gas-liquid flow in horizontal annular channels. *Experimental Thermal and Fluid Science*, vol. 28, pp 17-21.
- Akelseev, V.P., Poberezkin, A.E., and Gerasimov, P.V. (1972), Determination of flooding rates in regular packings. *Heat Transfer Soviet Research* vol.4, pp 159-163.
- Aloui, F. (1994), Etude des écoulements monophasique et diphasique dans the élargissements brusques axisymétriques et bidimensionnels. PhD Thesis, INPL, Nancy.
- Aloui, F., Doublié, L., Legrand, J., and Souhar, M. (1999), Bubbly flow in an axisymmetric sudden expansion: pressure drop, void fraction, wall shear stress, bubble velocities and sizes. *Experimental Thermal and Fluid Science*, vol. 19, pp 118-130.

- Al-Sarkhi, A., and Hanratty, T.J. (2002), Effect of pipe diameter on the drop size in a horizontal annular gas-liquid flow. *International Journal of Multiphase Flow* vol. 28, pp 1617-1629.
- Alves, G.E. (1974), Experience with industrial co-current liquid-gas pipelines. *Institution of Chemical Engineers Symposium Series*. No.38, Paper F1.
- Aly, A.M.M. (1981), Flow regime boundaries for an interior subchannel of a horizontal 37-element bundle. *Canadian Journal of Chemical Engineering* vol. 59, pp 158-163.
- Ambrosini, W., Andreussi, P., and Azzopardi, B.J. (1991), A physically based correlation for drop size in annular flow. *International Journal of Multiphase Flow* vol. 17, pp 497-507.
- Andeen, G.B., and Griffiths, P. (1968), Momentum flux in two-phase flow. *Journal of Heat Transfer* vol. 90, pp 211-222.
- Andersen, P.S., and Wurtz, J. (1981), Adiabatic steam water annular flow in an annular geometry. *International Journal of Multiphase Flow* vol. 7, pp 235-239.
- Anderson, G.H., and Hills, P.D. (1974), Two-phase annular flow in tube bends. *Symposium on Multiphase Flow Systems*, University of Strathclyde, paper J1, published in *Institution of Chemical Engineers Symposium Series* No. 38.
- Andeen, G.B., and Griffiths, P. (1968), Momentum flux in two-phase flow. *Journal of Heat Transfer* vol. 90, pp 211-222.
- Andreussi, P., and Zanelli, S. (1976), Liquid phase mass transfer in annular two-phase flow. *Ingenieria Chimica* vol. 12, pp 132-136.
- Andreussi, P., Romano, G., and Zanelli, S. (1978), Drop size distribution in annular mist flow. *First Conf. on Liquid Atomisation in Spray Systems, Tokyo, 27-31 August*.
- Andreussi, P. (1980), The onset of droplet entrainment in annular downflow. *Canadian Journal of Chemical Engineering* vol. 50, pp 267-270.
- Andreussi, P., and Azzopardi, B.J. (1983), Droplet deposition and interchange in annular gas-liquid flow. *International Journal of Multiphase Flow* vol. 9, pp 681-695.
- Andreussi, P., Asali, J.C., and Hanratty, T.J. (1985), Initiation of roll waves in gas-liquid flows. *American Institute of Chemical Engineers Journal* vol. 31, pp 119-126.
- Andreussi, P. (1990), Annular flow. Notes of a course on Physical Modelling of Gas Liquid Flows, Pisa.
- Andreussi, P., Bendiksen, K.H., and Nydal, O.J. (1993), Void distribution in slug flow. *International Journal of Multiphase Flow* vol. 19, pp 817-828.
- Andritsos, N. (1986), Effect of pipe diameter and liquid viscosity on horizontal stratified flow. PhD thesis, Univ. Illinois, Urbana.
- Andritsos, N., and Hanratty, T.J. (1987), Influence of interfacial waves in stratified gas-liquid flows. *American Institute of Chemical Engineers Journal* vol. 33, pp 444-454.
- Andritsos, N., Williams, L., and Hanratty, T.J. (1989), Effect of liquid viscosity on the stratified-slug transitions in horizontal pipe flow. *International Journal of Multiphase Flow* vol. 15, pp 877-892.
- Anglesea, W.T., Chambers, D.J.B., and Jeffrey, R.C. (1974), Measurement of water steam pressure drop in helical coils at 179 bar. *Symposium on Multiphase Flow Systems*, University of Strathclyde, paper I2J1, published in *Institution of Chemical Engineers Symposium Series* No. 38.
- Armand, A.A. (1946), The resistance during the movement of a two-phase system in horizontal pipes. *Izv. Vsesoyuznogo Tepl. Inst.* Vol. 1, pp 16-23.
- Armand, A.A., and Treschev, G.G. (1947), Investigation of resistance during the movement of steam-water mixtures in heated boiler pipes at high pressures. *Izv. Vsesoyuznogo Tepl. Inst.* vol. 4, pp 1-5.
- Armand, A.A., and Nevstrueva, E.I. (1950), Investigation of mechanism of two-phase mixture transport in a vertical tube. *Izv. VTI* vol. 2, pp 1-8.
- Arnold, C.R., and Hewitt, G.F. (1967), Further developments in the photography of two-phase gas-liquid flow. *Journal of Photographic Science* vol. 15, pp 97-114.

- Arosio, S., Guglielmini, G., Lorenzi, A., Muzzio, A., and Sotgia, G. (1990), Two-phase pressure drop through sudden area contractions in horizontal flow. *Heat Transfer 1990* (Proceedings of the 9th International Heat Transfer Conference, Jerusalem, 19-24 Aug. 1990), Hemisphere Publishing Corporation vol. 6, pp 59-64.
- Asali, J.C. (1984), Entrainment in vertical gas-liquid annular flows. PhD Thesis, University of Illinois, Urbana, USA.
- Asali, J.C., Hanratty, T.J., and Andreussi, P. (1985), Interfacial drag and film height for vertical annular flow. *American Institute of Chemical Engineers Journal* vol. 31, pp 895-902.
- Assad, A., Jan, C., Lopez de Bertodano, M., and Beus, S. (1998), Scaled entrainment measurements in ripple-annular flow in a small tube. *Nuclear Engineering and Design* vol. 184, pp 437-447.
- Attou, A., and Bolle, L. (1997a), Integral formulation of balance equations for two-phase flow through a sudden enlargement - part 1: basic approach. *Proceedings of the Institution of Mechanical Engineers* vol. 211C, pp 387-397.
- Attou, A., and Bolle, L. (1997b), Integral formulation of balance equations for two-phase flow through a sudden enlargement - part 2: a new interlocked volumes semi-empirical model. *Proceedings of the Institution of Mechanical Engineers* vol. 211C, pp 399-408.
- Azzi, A., Friedel, L., and Belaadi, S. (2000), Two-phase gas/liquid flow pressure loss in bends. *Forschung im Ingenieurwesen* vol. 65, pp 309-319.
- Azzi, A., Friedel, L., Kibboua, R., and Shannak, B. (2002), Reproductive accuracy of two-phase flow pressure loss correlations for vertical 90° bends. *Forschung im Ingenieurwesen* vol. 67, pp 109-116.
- Azzi, A., and Friedel, L. (2005), Two-phase upward flow 90° bend pressure losses. *Forschung im Ingenieurwesen* vol. 69, pp 121-130.
- Azzopardi, B.J. (1977), The interaction of a falling film and a gas stream. PhD Thesis, University of Exeter.
- Azzopardi, B.J. (1978), Consideration of the fluorescence film thickness technique. Oxford University Engineering Laboratory Report 1229/78.
- Azzopardi, B.J. (1979), Measurements of drop sizes. *International Journal of Heat and Mass Transfer* vol. 22, pp 1245-1279.
- Azzopardi, B.J. (1983), Mechanisms of entrainment in annular two-phase flow. UKAEA Report AERE-R 11068.
- Azzopardi, B.J. (1984a), A diffraction drop sizing technique: its testing and application to confined sprays. *Filtration and Separation* vol. 21, pp 415-419.
- Azzopardi, B.J. (1984b), Annular two phase flow in constricted tubes. *Proceedings of the 1st U K National Heat Transfer Conference, Institution of Chemical Engineers Symposium Series No 86.*, vol. 1, pp 211-220.
- Azzopardi, B.J. (1984c), The effect of side arm diameter on two phase flow split at a T junction. *International Journal of Multiphase Flow* vol. 10, pp 509-512.
- Azzopardi, B.J. (1985), Drop-sizes in annular two-phase flow. *Experiments in Fluids* vol.3, pp 53-59.
- Azzopardi, B.J. (1986), Disturbance wave frequencies, velocities and spacing in vertical annular two-phase flow. *Nuclear Engineering and Design* vol. 92, pp 121-133.
- Azzopardi, B.J. (1987), Observations of drop motion in horizontal annular flow. *Chemical Engineering Science* vol. 42, pp 2059-2062.
- Azzopardi, B.J. (1988), Measurements and observations of the split of annular flow at a vertical T junction. *International Journal of Multiphase Flow* vol. 14, pp 701-710.

- Azzopardi, B.J. (1989), The split of annular-mist flows at vertical and horizontal Ts. *Proceedings of the Eighth International Conference on Offshore Mechanics and Arctic Engineering*, The Hague, Netherlands, 19-23 March, ASME
- Azzopardi, B.J. (1992a), Instrumentation for particle size analysis by far field diffraction: accuracy, limitations and future. in **Particle Size Analysis**, Ed N.G. Stanley-Wood and R.W. Lines, Royal Society of Chemistry, Cambridge.
- Azzopardi, B.J. (1992b), Gas-liquid flows in cylindrical venturi scrubbers: boundary layer separation in the diffuser section. *Chemical Engineering Journal* vol. 49, pp 55-64.
- Azzopardi, B.J. (1994), The split of vertical annular flow at a large diameter T junction. *International Journal of Multiphase Flow* vol. 20, pp 1071-1083.
- Azzopardi, B.J. (1996), Prediction of dryout and post-burnout heat transfer with axially non-uniform heat input by means of an annular flow model. *Nuclear Engineering and Design* vol. 163, pp 51-57.
- Azzopardi, B.J. (1997), Drops in annular Two-phase flow. *International Journal of Multiphase Flow* vol. 23, pp S1-S53.
- Azzopardi, B.J. (1999a), Turbulence modification in annular gas/liquid flow. *International Journal of Multiphase Flow* vol. 25, pp 431-452.
- Azzopardi, B.J. (1999b), Phase split at T-junctions. *Multiphase Science and Technology* vol. 11, pp 223-329.
- Azzopardi, B.J., Freeman, G., and Whalley, P.B. (1978), Drop sizes in annular two-phase flow. *ASME Winter Annual Meeting, Pub. in Topics in Two-phase Flow and Heat Transfer*, pp 165-173.
- Azzopardi, B.J., and Williams, N.M. (1979), The calculation of two-phase pressure drop by means of an annular flow model. *2nd Multiphase Flow and Heat Transfer Symposium/Workshop*, Miami, April.
- Azzopardi, B.J., Freeman, G., and King, D.J. (1980), Drop sizes and deposition in annular two-phase flow. UKAEA Report AERE R9634.
- Azzopardi, B.J., and Whalley, P.B. (1980), Artificial waves in annular two-phase flow. ASME Winter Annual Meeting, Chicago. *Published in Basic Mechanisms in Two-Phase Flow and Heat-Transfer*, pp 1-8.
- Azzopardi, B.J., and Whalley, P.B. (1982), The effect of flow pattern on two phase flow in a T junction. *International Journal of Multiphase Flow* vol. 8, pp 481-507.
- Azzopardi, B.J., Taylor, S., and Gibbons, D.B. (1983), Annular two-phase flow in large diameter pipes. *Proceedings of the International Conference on Physical Modelling of Multi-Phase Flow, 19-21 April, Coventry, England*, pp 256-267.
- Azzopardi, B.J., and Govan, A.H. (1984), The modelling of venturi scrubbers. *Filtration and Separation*, vol. 21,, pp 196-200.
- Azzopardi, B.J., and Govan A.H. (1985), Annular two phase flow in venturis. *European Two Phase Flow Group Meeting, Southampton*.
- Azzopardi, B.J., Govan, A.H., and Hewitt, G.F. (1985), Slug flow in horizontal pipes. *Symposium on Pipelines*, Utrecht, I.Chem.E., European Branch Symposium Series No 4, vol. 2, pp 213-225.
- Azzopardi, B.J., Purvis, A., Govan, A.H. (1987), Annular two-phase flow split at an impacting T. *International Journal of Multiphase Flow* vol. 13, pp 605-614.
- Azzopardi, B.J., Wagstaff, D., Patrick, L., Memory, S.B., and Dowling, J. (1988a), The split of two-phase flow at a horizontal T - annular and stratified flow. UKAEA Report AERE R13059.
- Azzopardi, B.J., Purvis, A., and Govan, A.H. (1988b), Flow split of churn flow at a vertical impacting T. *International Journal of Engineering Fluid Mechanics*, vol. 1, pp 320-329.

- Azzopardi B.J., and Memory, S.B. (1989) The split of two-phase flow at a horizontal T - annular and stratified flow. *4th International Conference on Multi-phase Flow*, Nice, France, 19-21 June (Pub. BHRA)
- Azzopardi, B.J., Teixeira, J.C.F., and Jepson, D.M. (1989), Drop sizes and velocities in vertical annular two-phase flow. *Proceedings of the International Conference on Mechanics of Two-phase Flows, Taipei, Taiwan*, pp 261-266.
- Azzopardi, B.J., Pearcey, A., and Jepson, D.M. (1991a), drop size measurements for annular two-phase flow in a 20 mm diameter vertical tube. *Experiments in Fluids* vol. 11, pp 191-197.
- Azzopardi, B.J., Teixeira, S.F.C.F., Govan A.H., and Bott T.R. (1991b), An improved model for pressure drop in venturi scrubbers, *Process Safety and Environmental Protection* vol. 69, pp 237-245.
- Azzopardi, B.J., and Smith, P.A. (1992), Flow split at a T junction: effect of side arm orientation and downstream geometry. *International Journal of Multiphase Flow* vol. 18, pp 861-875.
- Azzopardi, B.J. and Hervieu, E. (1994), Phase separation at junctions. *Multiphase Science and Technology*, vol. 8, pp 645-714.
- Azzopardi, B.J., and Hibberd, S. (1994), Determination of maximum drop sizes in annular gas/liquid flow. *Proceedings of the 6th International Conference on Liquid Atomization and Spray Systems*, pp 962-969.
- Azzopardi, B.J., and Teixeira, J.C.F. (1994), Detailed measurements of vertical annular two-phase flow - Part I: drop velocities and sizes. *Journal of Fluids Engineering*. Vol. 116, pp 792-795; Detailed measurements of vertical annular two-phase flow - Part II: gas core turbulence. *Journal of Fluids Engineering*. Vol. 116, pp 796-800.
- Azzopardi, B.J., Zaidi, S.H., and Sudlow, C.A. (1996), The effect of inclination on drop sizes in annular gas-liquid flow. *European Two Phase Flow Group Meeting*, Grenoble, 2-5 June.
- Azzopardi, B.J., and Hewitt, G.F. (1997), Maximum drop sizes in gas-liquid flows. *Multiphase Science and Technology* vol. 9, pp 109-204.
- Azzopardi, B.J., and Zaidi, S.H. (1997), The effect of inclination on drop sizes in annular gas-liquid flow. *Experimental Heat Transfer, Fluid Mechanics and Thermodynamics (Ed. M. Giot, F. Mayinger and G.-P. Celata) Edizione ETS.*, vol. **2**, pp 1167-1174.
- Azzopardi, B.J., Zaidi, S.H. and Jepson, D.M. (1997), Entrained fraction in inclined annular gas/liquid flow. *Proc. ASME Fluids Eng. Division*, vol. FED 244, pp 69-76.
- Azzopardi, B.J., and Zaidi, S.H. (1998), Drop sizes and velocities in annular two-phase flow. *Proceedings of ILASS'98*, pp 153-158.
- Azzopardi, B.J., and Rea, S. (1999), Modelling the split of horizontal annular flow at a T-junction. *Chemical Engineering Research and Design* vol. 77, pp 713-720.
- Azzopardi, B.J., and Zaidi, S.H. (2000), Determination of entrained fraction in vertical annular flow. *Journal of Fluids Engineering* vol. 122, pp 146-150.
- Azzopardi, B.J., and Sanaullah, K.S., (2001), Re-entrainment in wave plate mist eliminators. *Chemical Engineering Science* vol. 57, pp 3557-3563.
- Azzopardi, B.J., Colman, D.A., and Nicholson, D. (2002), Plant application of a T-junction as a partial phase separator. *Chemical Engineering Research and Design* vol. 80, pp 87-96.
- Azzopardi, B.J., and Wren, E. (2004), What is entrainment in vertical two-phase churn flow? *International Journal of Multiphase Flow*, vol. 30, pp 89-103.
- Azzopardi, B.J., Belghazi, A., Fossa M., and Guglielmini, P. (2004), Features of two-phase gas/liquid flow at combining T junction – hold up profiles around the junction. *3rd International Symposium on Two-Phase Flow Modelling and Experimentation*, Pisa, 22-24 September .
- Badie, S. (2000), Horizontal stratifying/annular gas-liquid flow. PhD Thesis, Imperial College London.

- Badie, S., Hale, C.P., Lawrence, C.J., and Hewitt, G.F. (2000), Pressure gradient and holdup in horizontal two-phase gas-liquid flows with low liquid loading. *International Journal of Multiphase Flow* vol. 26, pp 1525-1543.
- Baker, O. (1954), Simultaneous flow of oil and gas. *Oil and Gas Journal* vol. 53, p 185-195.
- Baker, G., Azzopardi, B.J., Clark, W.W., and Dyakowski, T. (2003), Transients in stratified/slug flow – observations using electrical capacitance tomography. *Proceedings of the 11th International Conference on Multiphase Flow*, San Remo, Italy, pp 457-472.
- Balfour, J.D., and Pearce, D.L. (1978), Annular flows in horizontal 180° bends: measurements of water flow rate distributions in the film and vapour core. CEGB Report No. CERL/RD/L/N 96/78.
- Ballyk, J.D., Shoukri, M., and Chan, A.M.C. (1988), Steam-water annular flow in a horizontal dividing T-junction. *International Journal of Multiphase Flow* vol. 14, pp 265-285.
- Ballyk, J.D., and Shoukri, M. (1990), On the development of a model for predicting phase separation phenomena in dividing two-phase flow. *Nuclear Engineering and Design* vol. 123, pp 67-75.
- Banerjee, S., Rhodes, E., and Scott, D.S. (1969), Studies on cocurrent gas-liquid flow in helical coiled tubes: I. Flow patterns, pressure drop and holdup. *Canadian Journal of Chemical Engineering* vol. 47, pp 445-453.
- Bankoff, S.G. (1960), A variable density single-fluid model for two-phase flow with particular reference to steam-water flow. *Journal of Heat Transfer* vol. 82, pp 265-272.
- Bao, Z.Y., Bosnich, M.G., and Haynes, B.S. (1994), Estimation of void fraction and pressure drop for two-phase flow in fine passages. *Chemical Engineering Research and Design* vol. 72, pp 625-632.
- Bardina, J.G., Lyrio, A.A., Kline, S.J., Ferziger, J.H., Johnston, J.P. (1981), A prediction method for planer diffuser flows. *Journal of Fluids Engineering* vol. 103, pp 315-321.
- Barbosa, J., Richardson, S., and Hewitt, G.F. (2001a), Churn flow: myth, magic and mystery. *39th European Two-Phase Flow Group Meeting*, Aveiro, Portugal, 18-20, June.
- Barbosa, J., and Hewitt, G.F. (2001b), Forced convective boiling of binary mixtures in annular flow. Part I: liquid phase mass transport. *International Journal of Heat and Mass Transfer* vol. 44, pp 1465-1474; Part II: heat and mass transfer. *International Journal of Heat and Mass Transfer* vol. 44, pp 1475-1484.
- Barbosa, J., Hewitt, G.F., König, G., and Richardson, S.M. (2002), Liquid entrainment, droplet concentration and pressure gradient at the onset of annular flow in a vertical pipe. *International Journal of Multiphase Flow* vol. 28, pp 943-961.
- Barbosa, J., Richardson, S.M., and Hewitt, G.F. (2003), A note on the influence of droplet interchange on evaporation and condensation of multicomponent mixtures in annular flow. *International Journal of Heat and Mass Transfer* vol. 46, pp 2503-2509
- Barnea, D., Shoham, O., and Taitel, Y. (1982), Flow pattern transition for downward inclined two-phase flow: Horizontal to vertical. *Chemical Engineering Science* vol. 37, pp 735-740.
- Barnea, D., and Brauner, N. (1985), Holdup of the liquid slug in two-phase intermittent flow. *International Journal of Multiphase Flow* vol. 11, pp 43-49.
- Barnea, D., and Taitel, Y. (1985), Flow pattern transition in two-phase gas-liquid flows. In *Encyclopedia of Fluid Mechanics*, Volume 3 (ed. N. Chermisinoff), Gulf Publishing Co.
- Barnea, D. (1986), Transition from annular flow and from dispersed bubble flow - unified models for the whole range of pipe inclinations. *International Journal of Multiphase Flow* vol. 12, pp 733-744.
- Baroczy, C.J. (1963), Correlation of liquid fraction in two-phase flow with application to liquid metals. *6th National Heat Transfer Conference American Institute of Chemical Engineers*, Preprint No 26.
- Baroczy, C.J. (1966), A systematic correlation for two-phase pressure drop. *Chemical Engineering Progress, Symposium Series*, vol. 62, pp 232-249.

- Beattie, D.R.H., and Whalley, P.B. (1982), A simple two-phase frictional pressure drop calculation method. *International Journal of Multiphase Flow* vol. 8, pp 83-87.
- Beattie, D.R.H., and Suguwara, S. (1986), Steam-water void fraction for vertical upflow in a 73.9 mm pipe. *International Journal of Multiphase Flow* vol. 12, pp 641-653.
- Beggs, H.D., and Brill, J.P. (1973), A study of two-phase flow in inclined pipes. *Journal of Petroleum Technology*, vol. 25, pp 607-617.
- Belghazi, A., Azzopardi, B.J., Fossa M., and Jones, T.F., (2002), Features of two-phase gas/liquid flow at a combining T junction. *Proceedings of the 3rd North American Conference on Multiphase Technology*, Banff, Canada.
- Bell, K.J., Taborek, J., and Fenoglio, F. (1970), Interpretation of horizontal in-tube condensation heat transfer correlations with a two-phase flow regime map. *American Institute of Chemical Engineers Symposium Series* No. 102, vol. 66, pp 150-163.
- Bendiksen, K. (1984), An experimental investigation of the motion of long bubbles in inclined tubes. *International Journal of Multiphase Flow* vol. 6, pp 467-483.
- Benedict, R.P. (1980), *Fundamentals of pipeflow*. Wiley-Interscience, New York.
- Benjamin, T.B. (1957), Wave formation in laminar flow down an inclined plane. *Journal of Fluid Mechanics* vol. 2, pp 554-574
- Benjamin, T.B. (1959), Shearing flow over a wavy boundary. *Journal of Fluid Mechanics* vol. 62, pp 161-205.
- Bennett, A.W., Hewitt, G.F., Kearsley, H.A., Keeys, R.K.F., and Lacey, P.M.C. (1965), Flow visualisation studies of flow boiling at high pressures. *Proceedings of the Institution of Mechanical Engineers* 180: Paper no 5.
- Bergles, A.E. (1969), Two-phase flow structure observations for high pressure water in a rod bundle. *ASME Winter Annual Meeting, Los Angeles, Two Phase Flow in Rod Bundles*, pp 47-55.
- Beyerlein, S.W., Cossmann, R.K., and Richter, H.J. (1985), Prediction of bubble concentration profiles in vertical turbulent two-phase flow. *International Journal of Multiphase Flow* vol. 11, pp 629-641.
- Bhaga, D., and Weber, M.E., (1972), Holdup in vertical two- and three-phase flow. *Canadian Journal of Chemical Engineering* vol. 50, pp 323-328.
- Binder, J.L., and Hanratty, T.J. (1991), A diffusion model for droplet dispersion in gas/liquid annular flow. *International Journal of Multiphase Flow* vol. 17, pp 1-11.
- Birchenough, P.N., Azzopardi, B.J., and Smith, P.A. (1990), Visualisation in the diffuser of a venturi using the laser sheet method. UKAEA Report AERE R13618.
- Boll, R.H. (1973), Particle collection and pressure drop in venturi scrubbers. *Industrial and Engineering Chemistry Fundamentals* vol. 12, pp 40-50.
- Bonnecaze, R.H., Erskine, W., and Greskovich, E.J. (1971), Holdup and pressure drop for two-phase slug flow in inclined pipelines. *American Institute of Chemical Engineers Journal* vol. 17, pp 1109-1113.
- Bowen, I.G., and Davies, G.P. (1951), Particle size distribution and the estimation of Sauter mean diameter. Shell Technical Report No. ICT/28.
- Boyce, B.E., Collier, J.G., and Levy, J. (1969), Hold-up and pressure drop measurements in the two-phase flow of air-water mixtures in helical coils. *Co-current Gas-Liquid Flow*, Pergamon Press, pp 203-234.
- Brauner, N., and Barnea, D. (1986), Slug/churn transition in upward gas-liquid flow. *Chemical Engineering Science* vol. 40, pp 159-163.
- Brauner, N. (2001), The prediction of dispersed flow boundaries in liquid-liquid and gas-liquid systems. *International Journal of Multiphase Flow* vol. 27, pp 885-910.

- Brauner, N., and Ullman, A. (2004), Modelling of gas entrainment from Taylor bubbles. Part A: Slug flow. *International Journal of Multiphase Flow* vol. 30, pp 239-272. Part B: A stationary bubble. *International Journal of Multiphase Flow* vol. 30, pp 273-290.
- Brazier K., Gillespie R. F., Dalzell W., and Livesley D. M. (1988), Bias corrections to size distribution and concentrations in phase-Doppler particle measurement. UKAEA Report AERE R13270.
- Brodkey, R.S. (1967), *The Phenomena of Fluid Motion*, Addison-Wesley Press.
- Brown, D.J., Jensen, A., and Whalley, P.B. (1975), Non-equilibrium effects in heated and unheated annular two-phase flow. ASME Paper 75-WA/HT/7.
- Brown, D.J. (1978), Disequilibrium annular flow. DPhil Thesis, University of Oxford.
- Buckles, J., Hanratty, T.J., and Adrian, R.J. (1984), Turbulent flow over large amplitude wavy surfaces. *Journal of Fluid Mechanics* vol. 140, pp 27-44.
- Burkholz, A. (1989), *Droplet Separation*. VCH, Weinheim, Germany.
- Butterworth, D. (1967), A visual study of mechanisms in horizontal air water flow. UKAEA Report, AERE M 2556.
- Butterworth, D. (1972), Air-water annular flow in a horizontal tube. *Progress in Heat and Mass Transfer* vol. 6, pp 235-251.
- Butterworth, D., and Pulling, D.J., (1972), A visual study of mechanisms in horizontal annular, air-water flow. UKAEA Report AERE M2556.
- Butterworth, D. (1973), An analysis of film flow for horizontal flow and condensation in a horizontal tube. UKAEA Report AERE R7575.
- Butterworth, D., and Pulling, D.J. (1973), Film flow and film thickness measurements for horizontal annular air-water flow. UKAEA Report AERE R7576.
- Caetano, E.F. (1989), Upward vertical two-phase flow through an annulus. PhD Thesis, University of Tulsa.
- Caetano, E.F., Shoham, O., and Brill, J.P. (1992), Upward vertical two-phase flow through an annulus – Part I: Single-phase friction factor, Taylor bubble rise velocity and flow pattern prediction. *Journal of Energy Resources Engineering* vol. 114, pp 1-13. Part II: modeling bubble, slug and annular flow. *Journal of Energy Resources Technology*, vol. 114, pp. 14-30.
- Calderbank, P.H. (1958), Physical rate processes in industrial fermentation. Part I: The interfacial area in gas-liquid contacting with mechanical agitation. *Transactions of the Institution of Chemical Engineers* vol. 36, pp 443-463.
- Campanile, F., and Azzopardi, B. J. (2003), Atomisation of very viscous liquids, *ICLASS*, Sarrento.
- Campos, J.B.L.M., and Guedes de Carvalho, J.R.F. (1988), Mixing induced by air slugs rising in narrow columns of water. *Chemical Engineering Science* vol. 43, pp 1569-1582.
- Cao, J., Brown, D.J., and Rennie, A.G. (1991), Laser diffraction particle sizing in dense suspensions and sprays with correction for multiple scattering. *Journal of the Institute of Energy* vol. 64, pp 26-30.
- Cebici, T., and Bradshaw, P. (1977), *Momentum Transfer in Boundary-Layers*. Hemisphere Publishing Co.
- Celata, G.P., D'Annibale, F., Di Marco, P., Grassi, W., Memoli, G., and Tomiyama, A. (2003), bubble rising velocity in two-component systems. 3rd European-Japanese Two-Phase Flow Group Meeting, Certosa di Pontignano, 21-27 September .
- Cemak, J.O., Jicha, J.J., and Lightner, R.G. (1963), Two-phase pressure drop across vertically mounted thick plate restrictions. *ASME paper* 63-HT-11.
- Chakbratai, P. (1976), Some aspects of annular two-phase flow in a horizontal tube PhD Thesis, Imperial College, London.
- Charron, Y., and Whalley, P.B. (1995), Gas-liquid annular flow at a vertical tee junction - part I. Flow separation. *International Journal of Multiphase Flow* vol. 21, pp 569-589.

- Chaudry, A.B. (1967), A study of the flow of air and water in vertical tubes. PhD Thesis, University of Edinburgh.
- Chawla, J.M. (1967), Waermeubergang und druckabfall in waagerechten rohren fur der stromung von verdampfenden. *VDI Forschungs Heft* 523.
- Chen, X.T., Cai, X.A., and Brill, J.P. (1997a), A general model for transition to dispersed bubble flow. *Chemical Engineering Science* vol. 52, pp 4373-4380.
- Chen, X.T., Cai, X.A., and Brill, J.P. (1997b), Gas-liquid stratified-wavy flow in horizontal pipelines. *Journal of Energy Resources Technology* vol. 119, pp 209-216.
- Cheng, H., Hills, J.H., and Azzopardi, B.J. (1998), A study of the bubble-to-slug transition in vertical gas-liquid flow in columns of different diameter. *International Journal of Multiphase Flow* vol. 24, pp 431-452.
- Cheng, H., Hills, J.H., and Azzopardi, B.J. (2002), Effects of initial bubble size on flow pattern transition in a 28.9 mm diameter column. *International Journal of Multiphase Flow* vol. 28, pp 1047-1062.
- Cheremisinoff, N.P., and Davis, E.J. (1979), Stratified turbulent-turbulent gas-liquid flow. *American Institute of Chemical Engineers Journal* vol. 25, pp 48-56.
- Chien, S.F., and Rubel, M.T. (1992), Phase splitting of wet steam in annular flow through a horizontal impacting tee. *SPE Production Engineering*, Nov, pp 368-374.
- Chisholm, D. (1967), A theoretical basis for the Lockhart-Martinelli correlation for two-phase flow. *International Journal of Heat and Mass Transfer* vol. 10, pp 1767-1778.
- Chisholm, D. (1972), An equation for velocity ratio in two-phase flow. *N.E.L.*, Report No 535.
- Chisholm, D. (1983), *Two-phase flow in pipelines and heat exchangers* Pitman Press Ltd., Bath, England
- Chong, L.Y., Azzopardi, B.J., and Hankins, N.P. (2001), Entrainment rate in annular two-phase flow. 7th *U.K. National Heat Transfer Conference*, Nottingham, September
- Chong, L.Y., Azzopardi, B.J., and Bate, D.J. (2005), Calculation of conditions at which dry out occurs in the serpentine channels of fired reboilers., *Chemical Engineering Research and Design*, vol. 83, pp 412-422.
- Chung, K. S., Liu, C. P., and Tien, C. L. (1980), Flooding in two-phase counter-current flows – II Experimental investigation. *PhysicoChemical Hydrodynamics* vol. 1, pp 209-220.
- Cicchitti, A., Lombardi, C., Silvestri, M., Soldani, G., and Zavatarelli, R. (1960), Two-phase cooling experiments - pressure drop, heat transfer and burnout experiments. *Energia Nucleare* vol. 7, pp 407-425.
- Clark, N.N., and Flemmer, R.L. (1985), Predicting the holdup in two-phase bubble upflow and downflow using the Zuber and Findlay drift-flux model. *American Institute of Chemical Engineers Journal* vol. 31, pp 500-503.
- Clark, N.N., and Flemmer, R. (1986), The effect of varying gas voidage distributions on average holdup in vertical bubble flow. *International Journal of Multiphase Flow* vol. 12, pp 299–302.
- Clark, W.W., Hills, J.H., and Azzopardi, B.J. (1999), Spatial film thickness measurements in falling films in a co-current airflow using a novel adaptation of the light absorption technique. *Two-Phase Flow Modelling and Experimentation 1999* (Ed. G.P. Celata, P. Di Marco, and R. Shah) Editzioi ETS, Pisa, vol. 1, pp.
- Clark, W.W. (2001), Liquid film thickness measurement. *Multiphase Science and Technology* vol. 14, pp 1-74.
- Collier, J.G. (1976), Single-phase and two-phase behaviour in primary circuit components. N.A.T.O. Advanced Study Institute on Two-phase Flow and heat Transfer, Istanbul, Turkey.

- Coney, M.W.E. (1974), The analysis of a mechanism of liquid replenishment and draining in horizontal two-phase flow. *International Journal of Multiphase Flow* vol. 1, pp 647-670.
- Conte, G., and Azzopardi, B. J. (2003), Film thickness variation about a T-junction, *International Journal of Multiphase Flow*, vol. 29, pp 305-328.
- Cooper, K.D., Hewitt, G.F., and Pinchin, B. (1963), Photography of two-phase flow. UKAEA Report AERE R4301.
- Corino, E.R., and Brodkey, R.S. (1969), A visual investigation of the wall region in turbulent flow. *Journal of Fluid Mechanics* vol. 37, pp 1-30.
- Costigan, G., and Whalley, P.B. (1997), Slug flow regime identification from dynamic void fraction measurements in vertical air-water flows. *International Journal of Multiphase Flow* vol. 23, pp 263–282.
- Cousins, L.B., Denton, W.H., and Hewitt, G.F. (1965), Liquid mass transfer in annular two-phase flow. *Proceeding of the Symposium on Two-phase Flow, Exeter*, vol 2, paper C4.
- Cousins, L.B., and Hewitt, G.F. (1968), Liquid phase mass transfer in annular two-phase flow: droplet deposition and liquid entrainment. UKAEA Report AERE-R5657.
- Crane, R.I., Farwagi, S., and Williams, A.J.E. (1983), Numerical modelling of droplet deposition from vertical turbulent gas flow. *Proceedings of the International Conference on Physical Modelling of Multi-phase Flow*, Coventry.
- Crawley, C.J. (1989), Scaling of multiphase flow at large pipe size and gas density. *Proceedings of the 4th International Conference on Multi-Phase Flow* (BHRA Pub.), Nice, 19-21 June, Paper F2.
- Dallman, J.C., Laurinat, J.E., and Hanratty, T.J. (1984), Entrainment for horizontal annular gas-liquid flow. *International Journal of Multiphase Flow* vol. 10, pp 677-689.
- Das, G, Das, P.K., Purohit, N.K., and Mitra, A.K. (1998), Rise velocity of a Taylor bubble through a concentric annulus. *Chemical Engineering Science* vol. 53, pp 977-993.
- Das, G, Das, P.K., Purohit, N.K., and Mitra, A.K. (1999), Flow pattern transition during gas liquid upflow through vertical concentric annuli – Part I: experimental investigations *Journal Fluids Engineering*, vol. 121, pp 895-901; - Part II: mechanistic models. *Journal Fluids Engineering*, vol. 121, pp 902-907.
- Das, G, Purohit, N.K., Mitra, A.K., and Das, P.K. (2002), Geometry of Taylor bubbles rising through liquid-filled annuli. *American Institute of Chemical Engineers Journal* vol/ 48, pp 411-416.
- Das, G., Das, P.K., and Azzopardi, B.J. (2005), The split of stratified gas-liquid flow at a small diameter T-junction. *International Journal of Multiphase Flow* vol. 31, pp 514-528.
- Davis, M.R., and Fungtamasan, B. (1990), Two-phase flow through pipe junctions. *International Journal of Multiphase Flow* vol. 16, pp 799-817.
- Davis, M.R. (1991), Compressible gas-liquid mixture flow at abrupt pipe enlargements. *Experimental Thermal and Fluid Science*, vol. 6, pp 684-697.
- de Cachard, F., and Delhaye, J.M. (1996), A slug-churn model for small-diameter airlift pumps. *International Journal of Multiphase Flow* vol. 22, pp 627-649.
- Delfos, R., Wisse, C.J., Oliemans, R.V.A. (2001a), Measurement of air entrainment from a stationary bubble in a vertical tube. *International Journal of Multiphase Flow* vol. 27, pp 1769-1787.
- Delfos, R., Rops, C.M., Kockx, and Nieuwstadt, T.M (2001b), Measurement of re-coalescence flux into the rear of a Taylor bubble. *Physics of Fluid Flow* vol. 13, pp 1141-1150.
- Delhaye, J.M. (1981), Singular pressure drops. In *Two-phase flow and heat transfer in the power and process industries*. A.E. Bergles (Ed), Hemisphere Pub. Corp.
- de Jong, P. and Gabriel, K.S. (2003), A preliminary study of two-phase annular flow at microgravity: experimental data on film thickness. *International Journal of Multiphase Flow* vol. 29, pp 1203-1220.

- Dodge, L.G. (1984), Calibration of the Malvern particle sizer. *Applied Optics* vol. 23, pp 2415; Change of calibration of diffraction-based particle sizes in dense sprays. *Optical Engineering* vol. 23, pp 626-630.
- Dressler, R.F. (1949), Mathematical solution of the problem of roll-waves in inclined open channels. *Communications on Pure and Applied Mathematics* vol. 2, pp 149-194.
- Dukler, A.E., Moye Wicks III, and Cleveland, R.G. (1965), Frictional pressure drop in two-phase flow - B: an approach through similarity analysis. *American Institute of Chemical Engineers Journal* vol. 10, pp 44-51.
- Dukler, A.E., and Hubbard, M.G. (1975), A model for gas-liquid slug flow in horizontal and near horizontal tubes. *Industrial and Engineering Chemistry Fundamentals* vol. 14, pp 337-347.
- Dukler, A.E., and Smith, L. (1979), Two-phase interactions in counter-current flow: studies of the flooding mechanism. USNRC Report NUREG/CR- 0617.
- Dukler, A.E., and Taitel, Y. (1984), Flow pattern transitions in gas-liquid systems: Measurement and modelling, In *Multiphase Science and Technology*, Volume 2, Hemisphere Pub. Corp.
- Duns Jr, H., and Ros, N.C.J. (1963), Vertical flow of gas and liquid mixtures in wells. *6th World Petroleum Congress*, paper 22.
- Eck, B. (1973), *Technische Stromungslehre*. Springer, New York.
- El-Shaboury, A.M.F., Soliman, H.M., and Sims, G.E. (2001), Current state of knowledge on two-phase flow in horizontal impacting tee junctions. *Multiphase Science and Technology* vol. 13, pp 139-178.
- Ekberg, N.P., Ghiaasiaan, S.M., Abdel-Khalik, S.I., Yoda, M., and Jeter, S.M. (1999), Gas-liquid two-phase flow in narrow horizontal annuli. *Nuclear Engineering and Design* vol. 192, pp 59-80.
- Ellis, J.E. and Lloyd Jones, E. (1965), Vertical gas-liquid problems. *Proceeding of the Symposium on Two-phase Flow, Exeter*, vol 2, pp B101-B140.
- Engineering Science Data Unit (ESDU) (1989), Two-phase flow pressure losses in pipeline fittings. ESDU Item No. 89012.
- Engineering Science Data Unit (ESDU) (2002), Frictional pressure gradient in adiabatic flow of gas-liquid mixtures in horizontal pipes: predictions using empirical correlation and data base. ESDU Item No. 01014.
- Engineering Science Data Unit (ESDU) (2004), Pressure gradient in upward adiabatic flow of gas-liquid mixtures in vertical pipes. ESDU Item No. 04006.
- Fabre, J., Fernschneider, G., and Masbernat, L. (1983), Intermittent gas liquid flow in horizontal and weakly inclined pipes. *Proceedings of the International Conference on Physical Modelling of Multi-Phase Flow, 19-21 April, Coventry, England*, pp 256-267.
- Fair, J.R. (1960), What you need to design thermosiphon reboilers. *Petroleum Refiner* vol 39, Issue 2, pp 105-123.
- Fan, Z., Lusseyran, F., and Hanratty, T.J. (1993), Initiation of slugs in horizontal gas-liquid flow. *American Institute of Chemical Engineers Journal*, vol. 39, pp 1741-1753.
- Feldhaus, G., Azzopardi, B.J., and Zeggel, W. (2002), Annular flow experiments in rod bundles with spacers. *Nuclear Engineering and Design* vol. 213, pp 199-207.
- Felton, P.G., Hamidi, A.A., and Aigai, A.K. (1985), Measurement of drop size distribution in dense sprays by laser diffraction. *3rd International Conference on Liquid Atomization and Spray Systems, London, UK (Institute of Energy, Pub.)*.
- Fernandes, R.C., Semiat, R., and Dukler, A.E. (1983), Hydrodynamic model for gas-liquid slug flow in vertical tubes. *American Institute of Chemical Engineers Journal* vol. 29, pp 981-989.
- Fernandez Alonso, D, Gonçalves, J.A.S., Azzopardi, B.J., and Coury, J.R., (2001), Drop size measurements in Venturi scrubbers. *Chemical Engineering Science* vol. 56, pp 4901-4911.

- Fernschneider, G., Lagiere, M., Bourgeois, T., and Fitremann, J.M. (1985), How to calculate two-phase flow of gas and oil in pipelines. *Pipe Line Industry* vol. 63, pp 33.
- Ferrell, J.K., and McGee, J.W. (1964), Two-phase flow through abrupt expansions and contractions. TID 23394.
- Ferziger, J.H., Lyrio, A.A., and Bardina, J.G. (1982), New skin friction and entrainment correlation for turbulent boundary layers. *Journal of Fluids Engineering* vol. 104, pp 537-540.
- Fisher, S.A., and Pearce, D.L. (1978), A theoretical model for describing horizontal annular flows. *International Seminar on Momentum, Heat and Mass Transfer in Two-Phase Energy and Chemical Systems*, Dubrovnik, Yugoslavia.
- Fisher, S.A., and Pearce, D.L. (1993), An annular flow model for predicting liquid carryover into austenitic superheaters. *International Journal of Multiphase Flow* vol. 19, pp 295-307.
- Fitzsimmons, D.E. (1964), Two-phase pressure drop in piping components. HW 80970 Rev. 1
- Flores, A.G., Crowe, K.E., and Griffith, P. (1995), Gas-phase secondary flow in horizontal stratified and annular two-phase flow. *International Journal of Multiphase Flow* vol. 21, pp 207-221.
- Fore, L.B., and Dukler, A.E. (1995a), The distribution of drop size and velocity in gas-liquid annular flow. *International Journal of Multiphase Flow* vol. 21, pp 137-149.
- Fore, L.B., and Dukler, A.E. (1995b), Droplet deposition and momentum transfer in annular flow. *American Institute of Chemical Engineers Journal* vol. 41, pp 2040-2046.
- Fore, L.B., Ibrahim, B.B., and Beus, S.G. (2002), Visual measurements of droplet size in gas-liquid annular flow. *International Journal of Multiphase Flow* vol. 28, pp 1895-1910.
- Fossa, M. (2001), Gas-liquid distribution in the developing region of horizontal intermittent flow. *Journal of Fluids Engineering*, vol.9, pp 103-109.
- Fossa, M., and Guglielmini, G. (1998), Dynamic void fraction measurements in horizontal ducts with sudden area contraction. *International Journal of Heat and Mass Transfer* vol. 41, pp 3807-3815.
- Fossa, M., and Guglielmini, G. (2002), Pressure drop and void fraction profiles during horizontal flow through thin and thick orifices. *Experimental Thermal and Fluid Science* vol. 26, pp 513-523.
- Fossa, M., Guglielmini, G., and Marchitto, A. (2003), Intermittent flow parameters from void fraction analysis. *Flow Measurement and Instrumentation* vol. 14, pp 161-168.
- Fossa, M., Guglielmini, G., and Marchitto, A. (2004), Void fraction structure close to orifice contractions during horizontal intermittent flows. *European Two-Phase Flow Group Meeting*, Genova, 23-25 June.
- Fouda, A.E., and Rhodes, E. (1974), Two-phase annular flow stream division in a simple tee. *Transactions of the Institution of Chemical Engineers* vol 52, pp 354-360.
- Frankum, D.P., Wadekar, V.V., and Azzopardi, B.J. (1997), Two-phase flow patterns for evaporating flow. *Experimental Thermal and Fluid Science* vol. 15, pp 183-192.
- Friedel, L. (1979), Improved friction pressure drop calculations for horizontal and vertical two-phase pipe flow. *European Two-phase Flow Group Meeting*, Ispra.
- Fruendt, J., Steiff, A., and Weinspach, P.-M. (1997), Pressure relief with highly viscous fluids. *Process Safety Progress* vol. 16, pp 57-59.
- Fukano, T., Ousaka, A., Morimoto, T., and Sekoguchi, K. (1983), Air-water annular two-phase flow in a horizontal tube (Part II: circumferential variation of film thickness parameters). *Bulletin of the JSME* vol. 26, pp 1387-1395.
- Fukano, T., and Ousaka, A. (1989), Prediction of the circumferential distribution of film thickness in horizontal and near-horizontal gas-liquid annular flow. *International Journal of Multiphase Flow* vol. 15, pp 403-419.
- Fukano, T., and Inatomi, T. (2003), Analysis of liquid film formation in a horizontal annular flow by DNS. *International Journal of Multiphase Flow* vol. 29, pp 1413-1430.

- Funada, T., and Joseph, D.D. (2001), Viscous potential flow analysis of interfacial instability in a channel. *Journal of Fluid Mechanics* vol. 445, pp 263-283.
- Furukawa, T., and Sekoguchi, K. (1986), Phase distribution for air-water two-phase flow in annuli. *Bulletin of the Japan Society of Mechanical Engineers* vol. 29, pp 3007-3014.
- Furukawa, T., and Fukano, T. (2001), Effects of liquid viscosity on flow patterns in vertical upward gas-liquid two-phase flow. *International Journal of Multiphase Flow* vol. 27, pp 1109-1126.
- Ganic, E.N., and Mastanaiah, K. (1981) Investigation of droplet deposition from turbulent gas streams. *International Journal of Multiphase Flow* vol. 7, pp 401-422.
- Gardel, A. (1957), Les pertes de charge dans les écoulements au travers de branchements en te. *Bulletin Technique de la Suisse Romande* vol. 9, pp 122-130 and vol. 10, pp 143-148.
- Gardner, G.C., and Neller, P.H. (1969), Phase distributions in flow of an air-water mixture round bends and past obstructions at the wall of a 76 mm boiler tube. *Proceedings of the Institution of Mechanical Engineers* vol. 184, pp 36.
- Geiger, G.E., and Rohrer, W.M. (1966), Sudden contraction losses in two-phase flow. *Journal of Heat Transfer* vol. 88, pp 1-9.
- George, K.K. (1971), Two-phase flow in 180° return bends –high speed cine film. UKAEA Report AERE M2459.
- Geraci, G. (2005), Gas-liquid flows in inclined pipes and venturis. PhD Thesis, University of Nottingham.
- Gibbons, D.B. (1985), Drop formation in annular two-phase flow. PhD Thesis, University of Birmingham, UK.
- Gibbons, D.B., Azzopardi, B.J., and Bott, T.R. (1983), Laser tomographic investigation of the entrained liquid in annular two-phase flow. *International Conference on Physical Modelling of Multiphase Flow*, pp 327-336.
- Gill, L.E., Hewitt, G.F., Hitchon, J., and Lacey, P.M.C. (1963) Sampling probe studies of the gas core in annular two-phase flow: I, the effect of length on phase and velocity distributions. *Chemical Engineering Science* vol. 18, pp 525-535.
- Gill, L.E., Hewitt, G.F., and Lacey, P.M.C. (1964) Sampling probe studies of the gas core in annular two-phase flow: II, studies of the effect of phase flowrates on phase and velocity distributions. *Chemical Engineering Science* vol. 19, pp 665-682.
- Gill, L.E., Hewitt, G.F., and Lacey, P.M.C. (1968), Sampling probe studies of the gas core in annular two-phase flow: III, distribution of velocity and droplet flowrate after injection through a centre jet. *Chemical Engineering Science* vol. 23, pp 677-686.
- Gill, L.E., Hewitt, G.F., and Roberts, D.N. (1969), Studies of the behaviour of disturbance waves in a long vertical tube. UKAEA Report AERE R6012.
- Giudici, R., Nascimento, C.A.O., Tresmondi, A., Domingues, A. and Pellicciotta, R. (1999), Mathematical modelling of an industrial process of nylon-6,6 polymerization in a two-phase flow tubular reactor. *Chemical Engineering Science* vol. 54, pp 3243-3249.
- Golan, L.P., and Stenning, A.H. (1969), Two-phase vertical flow maps. *Proceedings of the Institution of Mechanical Engineers* vol. 184, pp 108-114.
- Gonçalves, J.A.S., Fernandez Alonso, D, Martins Costa, M.A., Azzopardi, B.J., and Coury, J.R. (2001), Evaluation of the models available for the prediction of pressure drop in a venturi scrubber. *Journal of Hazardous Materials*, vol. 81, pp 123-140.
- Gore, R., and Crowe, C.T. (1989), Effects of particle size on modulating turbulence intensity. *International Journal of Multiphase Flow* vol. 15, pp 279-285.
- Gould, T.L. (1972), Vertical two-phase flow in oil and gas wells. PhD Thesis, University of Michigan.

- Govan, A.H. (1988), A note on statistical methods for comparing measured and calculated values. UKAEA Report AERE M3621.
- Govan, A.H. (1990), Modelling of vertical annular and dispersed two-phase flows. PhD Thesis, Imperial College, London.
- Govan, A. H., Hewitt, G. F., Richter, H. J., and Scott, A. (1991), Flooding and churn flow in vertical pipes. *International Journal of Multiphase Flow* vol. 17, pp 27-44.
- Grant, I.D.R. (1975), Flow and pressure drop with single-phase and two-phase flow on the shell side of segmentally baffled shell-and-tube heat exchangers. NEL Report 590.
- Gregory, G.A., and Scott, D.S. (1969), Correlation of liquid slug velocity and frequency in horizontal cocurrent gas-liquid slug flow. *American Institute of Chemical Engineers Journal*, vol. 15, pp 933-935.
- Gregory, G.A., Nicholson, M.K., and Aziz, K. (1978), Correlation of the slug liquid volume fraction in the slug for horizontal gas-liquid slug flow. *International Journal of Multiphase Flow* vol. 4, pp 33-39.
- Griffith, P., and Wallis, G.B. (1961), Two-phase slug flow. *Journal of Heat Transfer* vol. 83, pp 307-320.
- Griffith, P. (1964), The prediction of low quality boiling voids. *Journal of Heat Transfer* vol. 86, pp 327-333.
- Grolman, E., and Fortuin, J.M.H. (1997), Gas-liquid flows in slightly inclined pipes. *Chemical Engineering Science* vol. 52, pp 4461-4471.
- Guet, S., Ooms, G., and Oliemans, R.V.A. (2002), Influence of bubble size on the transition from low-Re bubbly flow to slug flow in a vertical pipe. *Experimental Thermal and Fluid Science* vol. 26, pp 635-641.
- Guevara, E., and Gotham, D.H.T. (1983), Entrainment in condensing annular flow. *International Journal of Multiphase Flow* vol. 9, pp 411-419.
- Guglielmini, G., Lorenzi, A., Muzzio, A., and Sotgia, G. (1986), Two-phase pressure drops across sudden area contractions - pressure and void fraction profiles. *Heat Transfer 86, (Proceedings of the 8th International Heat Transfer Conference, San Francisco, 17-22 Aug., C.L. Tien et al. Ed.)*, Hemisphere vol. 5, pp 2361-2366.
- Gunn, D.J., and Darling, C.W.W. (1963), Fluid flow and energy losses in non-circular conduits. *Transactions of the Institution of Chemical Engineers* vol. 41, pp 163-173.
- Haaland, S.E. (1983), Simple and explicit formulas for the friction factor in turbulent pipe flow. *Journal of Fluids Engineering* vol. 105, pp 89-90.
- Hale, C.P., (2000), Slug formation, growth and decay in gas-liquid flows. PhD Thesis, Imperial College London.
- Hall, A.R.W., Reader-Haris, M.I., and Millington, B.C. (2000), A study of the performance of Venturi meters in multiphase flow. *Proceedings of the 2nd North American Conference on Multiphase Technology*, Banff, Canada.
- Hall Taylor, N.S. (1967), Interfacial wave phenomena in vertical annular two-phase flow. PhD Thesis, University of Cambridge.
- Hall Taylor, N.S., Hewitt, G.F., and Lacey, P.M.C. (1963), The motion and frequency of large disturbance waves in annular two-phase flow of air-water mixtures. *Chemical Engineering Science* vol. 18, pp 537-552.
- Hall Taylor, N.S., and Nedderman, R.M. (1968), The coalescence of disturbance waves in annular two-phase flow. *Chemical Engineering Science* vol. 23, pp 551-564.

- Hamidi, A.A., and Swithenbank J. (1986), Treatment of multiple scattering of light in laser diffraction measurement technique in dense sprays and particle fields. *Journal of the Institute of Energy* vol. 59, pp 101-105.
- Hammond, D.C. (1980), Accuracy verification of a Malvern ST 1800 Analyser. General Motors Report GMR 3195.
- Hanratty, T.J., and Engen, J.M. (1957), Interaction between a turbulent air stream and a moving water surface. *American Institute of Chemical Engineers Journal* vol. 3, pp 299-304.
- Hanratty, T.J., and Hershman, A. (1961), Initiation of roll waves. *American Institute of Chemical Engineers Journal* vol. 7, pp 488-497.
- Hanratty, T.J., and Dykhno, L.A. (1997) Physical issues in analyzing gas-liquid annular flows. *Experimental Heat Transfer, Fluid Mechanics and Thermodynamics* (Ed. M. Giot, F. Mayinger and G.-P. Celata) Edizione ETS., vol. 2, pp 1127-1136.
- Hanratty, T.J., and Woods B.D. (2001), Frequency of slugging. *Fourth International Conference on Multiphase Flow*, New Orleans, May.
- Harmathy, T.Z. (1960), Velocity of large drops and bubbles in media of infinite or restricted extent. *American Institute of Chemical Engineers Journal* vol. 6, pp 281-288.
- Harris, D.M. (1967), Calibration of a steam-quality-meter for channel power measurement in the prototype SGHW Reactor. *European Two-Phase Flow Group Meeting*, Bournemouth.
- Harshe, B., Hussain, A., and Weisman, J. (1976), Two-phase pressure drop across restrictions and other abrupt area changes. Cincinnati University Ohio, Report NUREG 0062.
- Hart, J., Hamersma, P.J., and Fortuin, J.M.H. (1989), Correlations predicting frictional pressure drop and liquid holdup during horizontal gas-liquid pipe flow with a small liquid holdup", *International Journal of Multiphase Flow* vol. 15, pp 947-964.
- Hart, J., Hamersma, P.J., and Fortuin, J.M.H. (1991), A model for predicting liquid route preference during gas-liquid flow through horizontal branched pipelines. *Chemical Engineering Science* vol. 46, pp 1609-1622.
- Hasan, A., and Kabir, C.S. (1992), Two phase flow in vertical and inclined annuli. *International Journal of Multiphase Flow* vol. 18, pp 279-293.
- Hawkes, N.J. (1996), Wispy-annular flow. PhD Thesis, Imperial College.
- Hay, K.J., Liu, Z.C., and Hanratty, T.J. (1996), Relation of deposition rates to drop size at large concentrations. *International Journal of Multiphase Flow* vol. 22, pp 829-848.
- Head, M.R. (1958), ARC Technical Report, R & M No. 3152.
- Heidrick, T.R., Banerjee, S., and Azad, R.S. (1977), Experiments on the structure of turbulence in fully developed pipe flow. Part 2. A statistical procedure for identifying 'bursts' in the wall layer and some characteristics of flow during bursting period. *Journal of Fluid Mechanics* vol. 82, pp705-723.
- Henstock, W.H., and Hanratty, T.J. (1976), The interfacial drag and height of the wall layer in annular flows. *American Institute of Chemical Engineers Journal* vol. 22, pp 990-1000.
- Herringe, R.A., and Davis, M.R. (1978), Flow structure and distribution effects in gas-liquid mixture flows. *International Journal of Multiphase Flow* vol. 4, pp 461-486.
- Hervieu, E. (1988), Ecoulement monophasique et diphasique a bulles dans un branchement en te: etude theorique et experimentale. These de Doctorat de l'Institut National Polytechnique de Grenoble, France.
- Hetsroni, G. (1989), Particles-turbulence interaction. *International Journal of Multiphase Flow* vol. 15, pp 735-746.
- Hewitt, G.F. (1962), Unpublished information.
- Hewitt, G.F. (1978), *Measurement of two -phase flow parameters*. Academic Press, London

- Hewitt, G.F. (1983), Detailed modelling of two phase flow and its application to system prediction. *Proc. 2nd Int. Topical Meeting on Nuclear Reactor Thermal-Hydraulics (ANS/ASME/AICHE)* vol. 1, pp 38-48.
- Hewitt, G.F. (1983), Two-phase flow and its applications: past, present and future. *Heat Transfer Engineering* vol. 4, pp 67-79.
- Hewitt, G.F., Lovegrove, P.C., and Nicholls, B. (1964), Film thickness measurements using a fluorescence technique UKAEA Report AERE R4478
- Hewitt, G.F., and Lovegrove, P.C. (1969), Frequency and velocity measurements of disturbance waves in annular two-phase flow. UKAEA Report AERE R4304.
- Hewitt, G.F., and Nicholls, B. (1969), Film thickness measurements in annular two-phase flow using a fluorescence spectrometer technique UKAEA Report, AERE R4506.
- Hewitt, G.F., and Pulling, D.J. (1969), Liquid entrainment in adiabatic steam-water flow. UKAEA Report AERE R5374.
- Hewitt, G.F., and Roberts, D.N. (1969), Studies of two-phase patterns by simultaneous x-ray and flash photography. UKAEA Report AERE M2159.
- Hewitt, G.F. and Hall-Taylor, N.S. (1970), *Annular Two-Phase Flow*, Pergamon, Oxford.
- Hewitt, G.F., and Whalley, P.B. (1980), Advanced optical instrumentation methods. *International Journal of Multiphase Flow* vol. 6, pp 139-156.
- Hewitt, G.F. (1983), Detailed modelling of two phase flow and its application to system prediction. *Proc. 2nd Int. Topical Meeting on Nuclear Reactor Thermal-Hydraulics (ANS/ASME/AICHE)* vol. 1, pp 38-48.
- Hewitt, G.F., Martin, C.J., and Wilkes, N.S. (1985), Experiment and modeling studies of annular flow in the region between flow reversal and the pressure drop minimum. *Physico-Chemical Hydrodynamics* vol. 6, pp 69-86.
- Hewitt, G.F., Gill, L.E., Roberts, D.N., and Azzopardi, B.J. (1990), The split of low inlet quality gas/liquid flow at a vertical T - Experimental data. UKAEA Report AERE M3801.
- Hewitt, G.F., and Govan, A.H. (1990), Phenomenological modelling of non-equilibrium flow with phase change. *International Journal of Heat and Mass Transfer* vol. 32, pp 229-242.
- Hewitt, G.F., and Jayanti, S. (1993), To churn or not to churn. *International Journal of Multiphase Flow* vol. 19, pp 527-529.
- Heywood, N.I., and Richardson, J.F. (1979), Slug flow of air-water mixtures in a horizontal pipe: determination of liquid holdup by gamma-ray absorption. *Chemical Engineering Science*, vol. 34, pp 17-30.
- Hill, T.J., and Wood, D.G. (1990), A new approach to the prediction of slug frequency. SPE 20629, *65th Annual Technical Conference and Exhibition of the Society of Petroleum Engineers*, New Orleans, September 23-26, pp 141-149.
- Hills, J.H. (1976), The operation of a bubble column at high throughput - I Gas holdup measurements. *Chemical Engineering Journal* vol. 12, pp 89-99.
- Hills, J.H. (1997), The critical liquid flow rates for wave and droplet formation in annular gas-liquid flow. *Experimental Heat Transfer, Fluid Mechanics and Thermodynamics (Ed. M. Giot, F. Mayinger and G.-P. Celata) Edizione ETS.*, vol. 2, pp 1241-1247.
- Hills, J.H., and Chéty, P. (1998), The rise velocity of a Taylor bubble in an annulus. *Chemical Engineering Research and Design* vol. 76A, pp 723-727.
- Hinze, J.O. (1955), Fundamentals of the hydrodynamic mechanism of splitting of dispersion processes. *American Institute of Chemical Engineers Journal* vol. 1, pp 289-295.

- Hirleman, E.D. (1989), A general solution to the inverse near-forward scattering particle sizing problem in multiple scattering environments: theory. *Proceedings of the 2nd International Congress on Optical Particle Sizing, Tempe, Arizona*, pp 159-168.
- Hirleman, E.D., Oechsle, V., and Chigier, N.A. (1984), Response characteristics of laser diffraction particle size analyzers: optical sample volume extent and lens effects. *Optical Engineering*. Vol. 23, pp 610-619.
- Hirleman, E.D., and Dodge, L.G. (1985), Performance comparison of Malvern instruments laser diffraction drop size analyser. *3rd Int. Conference on Liquid Atomization and Spray Systems, London, UK (Institute of Energy, Pub.)*.
- Hoang, K., and Davis, M.R. (1984), Flow structure and pressure loss for two phase flow in return bends. *Journal of Fluids Engineering* vol. 106, pp 30-37.
- Holt, A.J., Azzopardi, B.J., and Biddulph, M.W. (1995), The effect of density ratio on two-phase frictional pressure drop. *International Symposium on Two-Phase Flow Modelling and Experimentation*, Rome, 9-11 October.
- Holt, A.J., Azzopardi, B.J., and Biddulph, M.W. (1997), Two-phase pressure drop and void fraction in narrow channels. *5th U.K. National Heat Transfer Conference*, London.
- Holt, A.J., Azzopardi, B.J., and Biddulph, M.W. (1999), Calculation of two-phase pressure drop for vertical upflow in narrow passages by means of a flow pattern specific model. *Chemical Engineering Research and Design* vol. 77, pp 7-15.
- Hong, K.C. (1978), Two-phase flow splitting at a pipe tee. *Journal of Petroleum Technology*, pp290-296.
- Hoogerdoorn, C.J., and Welling, W.A. (1965), Experimental studies on the character of annular-mist flow in horizontal pipes. *Symposium on Two-phase Flow*, Exeter, 21-23 June, Paper C3.
- Hsu, Y.Y., and Simon, F.F. (1969), Stability of cylindrical bubbles in a vertical pipe. ASME paper 69-HT-28.
- Hubbard, M.G. (1975), An analysis of horizontal gas-liquid slug flow. PhD Thesis, University of Houston.
- Hughmark, G.A. (1962), Hold-up in gas-liquid flow. *Chemical Engineering Progress* vol. 58, pp 62-65.
- Hurlburt, E.T., and Newell, T.A. (2000), Prediction of the circumferential film thickness distribution in horizontal annular gas-liquid flow. *Journal of Fluids Engineering* vol. 122, pp 1-7.
- Hurlburt, E.T., and Hanratty, T.J. (2002), Prediction of the transitions from stratified to slug and plug flow for long pipes. *International Journal of Multiphase Flow* vol. 28, pp 707-729.
- Hutchinson, P., Hewitt, G.F., and Dukler, A.E. (1971), Deposition of liquid or solid dispersion from turbulent gas streams: stochastic model. *Chemical Engineering Science* vol. 26, pp 419-439.
- Hutchinson, P., and Whalley, P.B. (1973), A possible characterisation of entrainment in annular flow. *Chemical Engineering Science* vol. 28, pp 974-975.
- Hutchinson, P., Butterworth, D., and Owen, R.G. (1974) Development of a model for horizontal annular flow. UKAEA Report AERE R7789.
- Hwang, S.T., Soliman, H.M., and Lahey, R.T. (1988), Phase separation in dividing two-phase flow. *International Journal of Multiphase Flow* vol. 14, pp 439-458.
- Hwang, S.T., Soliman, H.M., and Lahey, R.T. (1989), Phase separation in impacting wyes and tees. *International Journal of Multiphase Flow* vol. 15, pp 965-975.
- Isbin, H.S., Moen, R.H., Wickey, R.O., Mosher, D.R., and Larson, H.C. (1958), Two-phase steam-water pressure drops. *Nuclear Science and Engineering Conference, Chicago*.
- Ishii, M. (1977), One-dimensional drift-flux model and constitutive equations for relative motion between phases in various two-phase flow regimes. ANL Report ANL-77-47.

- Ishii, M., and Grolmes, M.A. (1975), Inception criteria for droplet entrainment in two-phase concurrent flow. *American Institute of Chemical Engineers Journal* vol. 21, pp 308-318.
- Ishii, M., and Mishima, K. (1989), Droplet entrainment correlation in annular two-phase flow. *International Journal of Heat and Mass Transfer* vol. 32, pp 1835-1846.
- Issa, R.I., and Oliveira, P.J. (1994), Numerical prediction of phase separation in two-phase flow through T-junctions. *Computers Fluids* vol. 23, pp 347-372.
- Ito, H. (1959), Pressure losses in smooth bends, *Journal of Basic Engineering* vol. 82, pp 131-143.
- Jacowitz, L.A. and Brodkey, R.S. (1964), An analysis of geometry and pressure drop for the horizontal annular two-phase flow of water and air in the entrance region of a pipe. *Chemical Engineering Science* vol. 19, pp 261-274.
- Jagota, A.K., Rhodes, E., and Scott, D.S. (1974), Tracer measurements in two-phase annular flow to obtain interchange and entrainment. *Canadian Journal of Chemical Engineering* vol. 51, pp 139-148.
- James, P.W. (1978), Interfacial waves in two-phase shear flow and their use in modelling roll waves. UKAEA Report AERE R9080.
- James, P.W., Hewitt, G.F., and Whalley, P.B. (1980), Droplet motion in two phase flow. *Proc. ANS/ASME/NRC Int. Topical Meeting on Nuclear Reactor Thermal-Hydraulics* vol. 2, pp 1484-1503.
- James, P.W., Wilkes, N.S. Conkie, W., and Burns A. (1987), Developments in the modelling of horizontal annular two-phase flow. *International Journal of Multiphase Flow* vol. 13, pp 173-198.
- James, P.W. Azzopardi, B.J. Graham, D.I., and Sudlow, C.A. (2000), The effect of a bend on droplet size distribution in two-phase flow. *7th International Conference on Multiphase Flow in Industrial Plants*, Bologna, 13-15 September.
- Janssen, E., and Kervinen, J.A. (1964), Two-phase pressure losses - final report. US Atomic Energy Comm., Report No. GEAP 4634.
- Jayanti, S. Hewitt, G.F., and White, S.P. (1990a), Time dependent behaviour of the liquid film in horizontal annular flow. *International Journal of Multiphase Flow* vol. 16, pp 1097-1116.
- Jayanti, S., Wilkes, N.S. Clarke, D.S., and Hewitt, G.F., (1990b), The prediction of turbulent flows over roughened surfaces and its application to interpretation of mechanisms of horizontal annular flow. *Proceedings of the Royal Society A* vol. 431, pp 71-88.
- Jayanti, S. and Hewitt, G.F. (1992). Prediction of the slug-to-churn transition in vertical two-phase flow. *International Journal of Multiphase Flow* vol. 18, pp 847-860.
- Jayanti, S. Tokarz, A., and Hewitt, G.F. (1996), Theoretical investigation of the diameter effect on flooding in countercurrent flow. *International Journal of Multiphase Flow* vol. 22, pp 307-324.
- Jeffreys, H. (1925), On the formation of water waves by wind. *Proceeding of the Royal Society (London)* vol. A107, pp 189-206.
- Jeffreys, H. (1926), On the formation of waves by wind. *Proceeding of the Royal Society (London)* vol. A110, pp 241-247.
- Jensen, A., and Mannov, G. (1974), Measurement of burnout, film flow and pressure drop in a concentric annulus 3500x26x17mm with heated rod and tube, *European Two-Phase Flow Group Meeting, Harwell*.
- Jepsen, J.C., and Ralph, J.L. (1969), Hydrodynamic studies of two-phase upflow in vertical pipelines. *Proceedings of the Institution of Mechanical Engineers* vol. 184, pp 154-165.
- Jepson, W.P. (1988), Liquid film thickness variation in horizontal annular flow in large diameter pipes. AERE Report R12991.
- Jepson, W.P., Taylor, R.E., and Evans, N. (1989), Slug flow and its transitions in large diameter horizontal pipes. UKAEA Report AERE R12992.

- Jepson, D.M. (1992), Vertical annular flow: the effect of physical properties. DPhil Thesis, Univ. of Oxford.
- Jepson, D.M., Azzopardi, B.J., and Whalley, P.B. (1989), The effect of gas properties on drops in annular flow. *International Journal of Multiphase Flow* vol. 15, pp 327-339.
- Jepson, D.M., Azzopardi, B.J., and Whalley, P.B. (1990), The effect of physical properties on drop size in annular flow. *Proceedings of the 9th International Heat Transfer Conference, Jerusalem* vol. 6, pp 95-100.
- Kamei, T., and Serizawa, A. (1998), Measurement of 2-dimensional local instantaneous liquid film thickness around simulated nuclear fuel rod by ultrasonic transmission technique. *Nuclear Engineering and Design* vol. 184, pp 349-362.
- Kataoka, I., and Ishii, M. (1982), Mechanism and correlation of droplet entrainment and deposition in annular two-phase flow. **NUREG/CR-2885, ANL-82-44.**
- Kataoka, I., Ishii, M., and Mishima, K. (1983), Generation and size distribution of droplet in annular two-phase flow. *Journal of Fluids Engineering* vol. 105, pp 230-238.
- Keays, R.K.F., Ralph, J.C., and Roberts, D.N. (1970), Liquid entrainment in adiabatic steam-water flow at 500 and 1000 psi. UKAEA Report AERE R6293.
- Kelessidis, V.C., and Dukler, A.E. (1989), Modelling flow pattern transitions for upward gas-liquid flow in vertical concentric and eccentric annuli. *International Journal of Multiphase Flow* vol. 15, pp 173-191.
- Kelessidis, V.C., and Dukler, A.E. (1990), Motion of large gas bubbles through liquids in vertical concentric and eccentric annuli. *International Journal of Multiphase Flow* vol. 16, pp 375-390.
- Kimpland, R.H., Lahey, R.T., Azzopardi, B.J., and Soliman, H.M. (1992), A contribution to the predictions of phase separation in branching conduits., *Chemical Engineering Communications* vol. 111, pp 79-105.
- Kirillov, P.L., Smogalev, I.P., Suvurov, M.Ya., Shumsky, R.V., and Stein, Yu.Yu. (1978), Investigation of steam-water flow characteristics at high pressures. *Proceedings of the 6th International Heat Transfer Conference, Toronto, Canada* vol. 1, pp 315-320.
- Kirillov, P.R., Smogalev, I.P., and Doroshenko, V.A. (1982), A graphical method of predicting the losses of pressure due to friction with a rising steam-water flow in round tubes. *Thermal Engineering* vol. 29, pp 171-172
- Kline, S.J., Reynolds, W.C., Schraub, F.A., and Runstadler, P.W. (1967), The structure of turbulent boundary layers. *Journal of Fluid Mechanics* vol. 30, pp 741-773.
- Kline, S.J., Bardina, J.G., and Strawn, R.C. (1983), Correlation of the detachment of two-dimensional turbulent boundary layer. *American Institute of Aeronautics and Astronautics Journal*, vol. 21, pp. 68-73.
- Kocamustafaogullari, G., Smits, S.R., Razi, J., and Huang, W.D. (1993), Droplet size modelling in annular flow. *Proceedings of the 6th International Topical Meeting on Nuclear Reactor Thermal Hydraulics, Grenoble, October 5-8*, vol. 2, pp 1021-1030.
- Kondo, Y., Mori, K., Yagishita, T., and Nabako, A. (1999), Effect of liquid viscosity on wave behaviour in gas-liquid two-phase flow. *5th ASME/JSME Joint Thermal Engineering Conference, San Diego*.
- Kondo, K., Yoshida, K., and Kataoka, I. (2004), Prediction of void fraction distribution for turbulent bubble flow in a vertical pipe with sudden expansion. *3rd International Symposium on Two-Phase Flow Modelling and Experimentation, Pisa, September 22-24*.
- Kooijman, J.M., and Lacey, P.M.C. (1968), Unpublished experiments. University of Exeter.
- Kosky, P.G., and Staub, F.W. (1971), Local condensing heat transfer coefficient in annular flow regime. *American Institute of Chemical Engineers Journal* vol. 17, pp 1037-1043.

- Kowalski, J.E. (1987), Wall and interfacial shear stress in stratified flow in a horizontal pipe. *American Institute of Chemical Engineers Journal* vol. 33, pp 274-281.
- Krishnan, V.S., and Kowalski, J.E. (1984), Stratified-slug flow transition in a horizontal pipe containing a rod bundle. *American Institute of Chemical Engineers Symposium Series* vol. 80 (236), pp 282-289
- Kubie, J., and Gardner, G.C. (1977), Drop sizes and drop dispersion in straight horizontal tubes and in helical coils. *Chemical Engineering Science* vol. 32, pp195-202.
- Kubo, T., Ueda, T. (1973), On the characteristics of confluent flow of gas liquid mixers in headers. *Bulletin of the Japan Society of Mechanical Engineers* vol. 16, pp 1376-1384.
- Lacey, P.M.C. (1970), Two-phase flow in curved ducts. *Annual meeting of DECHEMA*, 17-24 Jun, Frankfurt.
- Laforgia, A., Lao, L., Lawrence, C.J., and Hewitt, G.F. (2004), Modelling of vertical annular and wispy-annular flow. *3rd International Symposium on Two-Phase Flow Modelling and Experimentation*, Pisa.
- Lahey, R.T., Azzopardi, B.J., and Cox, M. (1985), Modelling two-phase flow division at T-junctions. *2nd International Conference on Multiphase Flows*, London, 19-21 June (ed. BHRA).
- Lahey, R.T. (1990), The analysis of phase separation and phase distribution phenomena using two-fluid models. *Nuclear Engineering and Design* vol. 122, pp 17-40.
- Landman, M.J. (1991), Non-unique holdup and pressure drop in two-phase stratified inclined pipe flow. *International Journal of Multiphase Flow* vol. 17, pp 377-394.
- Laurinat, J.E. Hanratty, T.J., and Jepson, W.P. (1985), Film thickness distribution for gas-liquid annular flow in a horizontal pipe. *PhysicoChemical Hydrodynamics* vol. 6, pp 179-195.
- Lee, D.H., and Obertelli, J.D. (1963), An experimental investigation of forced convection burnout in high pressure water. Part II: Preliminary results for round tubes with and non-uniform axial heat flux distribution. UKAEA Report AEEW R309.
- Lee, D.H. (1965), An experimental investigation of forced convection burnout in high pressure water. Part III: Long tubes with uniform and non-uniform axial heating. UKAEA Report AEEW R355.
- Lee, S.L., and Durst, F. (1982), On the motion of particles in turbulent duct flows. *International Journal of Multiphase Flow* vol. 8, pp 125-146.
- Leman, G.W. (1985), Atomization and deposition in two-phase annular flow: measurement and modelling. Ph.D. Thesis, University of Illinois, Urbana.
- Leman, G.W., Agosini, M., and Andreussi, P. (1985), Tracer analysis of developing two-phase annular flow. *PhysicoChemical Hydrodynamics* vol 6, pp 223-237.
- Lemonnier, H., and Hervieu, E. (1991), Theoretical modelling and experimental investigation of single-phase and two-phase division at a tee junction. *Nuclear Engineering and Design* vol. 125, pp 201-213.
- Levac, M.L-J., Soliman, H. M., Azzopardi, B. J., and Sims, G. E. (2002), Systematic testing of the two-phase pressure drop equations for horizontal dividing T-junctions. *Multiphase Science and Technology*, vol.14, pp 227-266.
- Levenspiel, O. (2002), Modeling in chemical engineering. *Chemical Engineering Science* vol. 57, pp 4691-4696.
- Levy, S. (1960), Steam-slip - theoretical prediction from momentum model. *Journal of Heat Transfer* vol. 82, pp 113-124.
- Lin, P.Y., and Hanratty, T.J. (1986), Prediction of the initiation of slugs with linear stability theory. *International Journal of Multiphase Flow* vol. 12, pp 79-98.
- Lin, P.Y., and Hanratty, T.J. (1987), Effect of pipe diameter on flow patterns for air-water flow in horizontal pipes. *International Journal of Multiphase Flow* vol. 13, pp 549-563.

- Linstead, R.D., Evans, D.L., Cass, J., and Smith, R.V. (1978), Private communication.
- Liu, T.J. (1997), Investigation of the wall shear stress in vertical bubbly flow under different bubble size conditions. *International Journal of Multiphase Flow* vol. 23, 1085-1109.
- Lockhart, R.W., and Martinelli, R.C. (1949), Proposed correlation of data for isothermal, two-phase, two-component flow in pipes. *Chemical Engineering Progress* vol. 45, pp 39-48.
- Lopes, J.C.B., and Dukler, A.E. (1985), Droplet sizes, dynamics and deposition in vertical annular flow. US Nucl. Regulatory Commission, Washington DC, USA, Report NUREG/CR-4424.
- Lopez de Bertodano, M.A., Jan, C.-S., and Beus, S.G. (1997), Annular flow entrainment rate experiments in a small vertical pipe. *Nuclear Engineering and Design* vol. 178, pp 61-70.
- Lopez de Bertodano, Assad, A., and Beus, S.G. (2001), Experiments for entrainment rate of droplets in the annular regime. *International Journal of Multiphase Flow* vol. 27, pp 685-699.
- Lucas, D. (2004), Private communication.
- Maddock, C., Lacey, P.M.C., and Patrick, M.A. (1974), The structure of two-phase flow in a curved pipe. *Symposium on Multiphase Flow Systems*, University of Strathclyde, paper J2, published in *Institution of Chemical Engineers Symposium Series No. 38*.
- Maeda, M., Hishida, K., and Furutani, T. (1980), Optical measurements of local gas and particle velocity in an upward flowing gas-solid suspension In *Polyphase Flow and Transport Technology*, p 211, Century 2 ETC, San Francisco, Calif.
- Mao, Z.S., and Dukler, A.E. (1993), The myth of churn flow?. *International Journal of Multiphase Flow* vol. 19, pp 377-383.
- Machado, R.T.M. (1997), Multiphase flow in a Venturi: an experimental and theoretical study. PhD Thesis, Imperial College, London.
- Mak, C.Y., Azzopardi, B.J., and Omebere-Iyari, N.K. (2006), The split of a gas/liquid flow at a small diameter T-junction with a vertical inlet pipe. In preparation.
- Manolis, I.G., Mendes-Tassis, M.A., and Hewitt, G.F. (1995), The effect of pressure on slug frequency on two-phase horizontal flow. *Proceedings of the 2nd International Conference on Multiphase Flow*, Kyoto, vol. 2, pp IF1-35-40.
- Marchaterre, J.F., and Hoglund, B.M. (1962), Correlation for two-phase flow. *Nucleonics* vol. 8, pp 142-142-
- Marie, J.L. (1987), Modelling of skin friction and heat transfer in turbulent two-component bubbly flows in pipes. *International Journal of Multiphase Flow* vol. 13, pp 309-325.
- Martin, C.J. (1983), Annular two-phase flow. DPhil Thesis, Univ. of Oxford.
- Martin, C.J., and Azzopardi, B.J. (1985), Waves in vertical annular flow. *Physicochemical Hydrodynamics* vol. 6, pp 257-265.
- Martinelli, R.C., and Nelson, D.B. (1948), Prediction of pressure drop during forced circulation boiling of water", *Transaction of the American Society of Mechanical Engineers* vol. 70, pp 695-702.
- Massena, W.A. (1960), Steam-water pressure drop. *Hanford report* H.W. 65706.
- Matuszkiewicz, A., Flamand, J.C., and Bouré, J.A. (1987), The bubble-slug flow pattern transition and instabilities of void fraction waves. *International Journal of Multiphase Flow* vol. 13, pp 199-217.
- Mayinger, F., and Zetzmann, K. (1976), Flow pattern of two-phase flow in inside-cooled tubes; a generalised of flow pattern map based on investigation in water and freon. *Advanced Study Institute in Two-phase Flow and Heat Transfer*, Istanbul, Turkey, 16-27 August.
- McCoy, D.D., and Hanratty, T.J. (1977), Rate of deposition of droplets in annular two-phase flow. *International Journal of Multiphase Flow* vol. 3, pp 319-331.
- McCreery, G.E. (1984), A correlation for phase separation in a tee. *Multi-phase Flow and Heat Transfer III. Part B: Applications*, pub. Elsevier Science Pub. B.V., Amsterdam (Ed. T.N. Veziroglu and A.E. Bergles), pp165-178.

- McNown, J.S. (1954), Mechanics of manifold flow. *American Society of Civil Engineers Transactions* vol. 119, pp 1103-1142.
- McNulty, J.G. (1987), Fluid property effects of freon two-phase flow in a horizontal pipeline. *Proceedings of the 3rd International Conference on Multiphase Flow* (BHRA Pub.), pp 149-160.
- McQuillan, K.W., and Whalley, P.B. (1984), The effect of orifices on the liquid distribution in annular two-phase flow. *International Journal of Multiphase Flow* vol. 10, pp 721-73.
- McQuillan, K.W. (1985), Flooding in annular two-phase flow. DPhil Thesis, University of Oxford.
- McQuillan, K.W., and Whalley, P.B. (1985a), Flow patterns in vertical two-phase flow. *International Journal of Multiphase Flow* vol. 11, pp 161-176.
- McQuillan, K.W., and Whalley, P.B. (1985b), A comparison between flooding correlations and experimental flooding data for gas-liquid flow in vertical circular tubes. *Chemical Engineering Science* vol. 40, pp 1425-1440.
- McQuillan, K.W., Whalley, P.B., and Hewitt, G.F. (1985), Flooding in vertical two-phase flow. *International Journal of Multiphase Flow* vol. 11, pp 741-760.
- McVean, S.S., and Wallis, G.B. (1969), Experience with the Wicks-Dukler probe for measuring drop size distribution in sprays. Dartmouth College Report.
- Meng, W., Chen, X.T., Kouba, G.T., Sarica, C., and Brill, J.P. (1999), Experimental study of low liquid loading gas-liquid flow in near-horizontal pipes. *SPE Annual Technical Conference and Exhibition*, Houston, vol. , pp 209-220.
- Miles, J.W. (1960), The hydrodynamic stability of a thin film of liquid in uniform shearing motion. *Journal of Fluid Mechanics* vol. 8, pp 593-607.
- Mishima, K., and Ishii, M. (1984), Flow regime transition criteria for upward two-phase flow in vertical tubes. *International Journal of Heat and Mass Transfer* vol. 27, pp 723-736.
- Mishima, K., and Hibiki, T. (1996), Some characteristics of air-water two-phase flow in small diameter vertical tubes. *International Journal of Multiphase Flow* vol. 22, pp 703-712.
- Miya, M., Woodmansee, D.E., and Hanratty, T.J. (1971), A model for roll waves in gas-liquid flow. *American Institute of Chemical Engineers Journal* vol. 26, pp 1915-1931.
- Miyagi, O. (1925), On air bubbles rising in water. *Philosophical Magazine* vol. 50, pp 112-140.
- Mizushima, T., and Usui, H. (1977), Reduction of eddy diffusion for momentum and heat in viscoelastic flow in a circular tube. *Physics of Fluids* vol. 20, pp S100-S.
- Moalem Maron, D., Brauner, N., and Dukler, A.E. (1985), Interfacial structure of thin falling films: piecewise modeling of the waves. *PhysicoChemical Hydrodynamics* vol. 6, pp 87-113.
- Moeck, E.O. (1970), AECL-3656.
- Mols, B., and Oliemans, R.V.A. (1998), A turbulent diffusion model for particle dispersion and deposition in horizontal tube flow *International Journal of Multiphase Flow* vol. 24, pp 77-92.
- Mori, K., Kaji, M., Miwa, M., and Sekoguchi, K. (1999), Interfacial structure and void fraction of slug flow for upward gas-liquid two-phase flow. *Two-Phase Flow Modelling and Experimentation 1999* (Ed. G.P. Celata, P. Di Marco, and R. Shah) Editzio ETS, Pisa, vol. 1, pp 687-694.
- Mori, K., and Nakano, K. (2001), Effects of liquid viscosity on inception of disturbance waves and droplets in gas-liquid two-phase flow. *Experimental Heat Transfer, Fluid Mechanics and Thermodynamics 2001* (Ed. G.P. Celata, P. Di Marco, A. Goulas and A. Mariani) Editzio ETS, Pisa, vol. 2, pp 1829-1834
- Morris, S.D. (1984), A simple model for estimating two-phase momentum flux. *Institution of Chemical Engineers Symposium Series* No. 86, vol. 2, pp 773-784.
- Morris, S.D. (1985), Two phase pressure drop across valves and orifice plates. *European Two Phase Flow Group Meeting, Southampton*.

- Mugele, R.A., and Evans, H.D. 1951 Droplet size distribution in sprays. *Industrial and Engineering Chemistry* vol. 43, pp 1317-1324.
- Muller-Steinhagen, H., and Heck, K. (1986), A Simple Friction Pressure Drop Correlation for Two-Phase Flow in Pipes. *Chemical Engineering Process* vol. 20, pp 297-308.
- Namie, S., and Ueda, T. (1973), Droplet transfer in two-phase annular mist flow: Part 2, Predictions of droplet transfer rate. *Bulletin of the Japan Society of Mechanical Engineers* vol. 16, pp 752-764.
- Nash, B.A. (1981), Nonlinear interfacial waves in two-phase flow. DPhil Thesis, Oxford University.
- Nedderman, R.M., and Shearer, C.J. (1963), The motion and frequency of large disturbance waves in annular two-phase flow of air-water mixtures. *Chemical Engineering Science* vol. 18, pp 661-670.
- Nicholson, M.K., Aziz, K., and Gregory, G.A. (1978), Intermittent two-phase flow in horizontal pipes. *Canadian Journal of Chemical Engineering* vol. 56, pp 653-663.
- Nicklin, D.J., and Davidson, J.F. (1962), The onset of instability in two-phase slug flow. *Institution of Mechanical Engineers Symposium on Two-Phase Flow*, London.
- Nigmatulin, B.I., Malysenko, V.I., and Shugaev, Y.Z. (1977), Investigation of liquid distribution between the core and the film in annular dispersed flow of steam/water mixtures. *Thermal Engineering* vol. 23, pp 66-68.
- Nigmatulin, R.I., Nigmatulin, B.I., Khodzhaev, Ya.D., and Kroshlin, V.E. (1996), Entrainment and deposition rates in a dispersed-film flow. *International Journal of Multiphase Flow* vol. 22, pp 19-30.
- Nikuradse, J. (1932), Gesetzmäßigkeiten der turbulenten Stromung in glatten Rohren. *VDI-Forschungsheft* 356.
- Nishikawa, K., Sekoguchi, K., and Fukano, T. (1968), Characteristics of pressure pulsation in upward two-phase flow. *International Symposium on Research in Cocurrent Gas-Liquid Flow*, Univ. of Waterloo, paper A2
- Noghrehkar, G.R., Kawaji, M., and Chan, A.M.C. (1999) Investigation of two-phase flow regimes in tube bundles under cross-flow conditions. *International Journal of Multiphase Flow* vol. 25, pp 857-874.
- Nusselt, W. (1915), Die oberflächenkondensation des wasserdampfes. *VDI Zeitschrift* vol. 60, pp 541-546 and pp 569-575.
- Nunner, W. (1956), Waermeubergang und Druckfall in rauhen Rohren. *VDI-Forschungsheft* 455.
- Ohba, K., and Nagae, K., (1993), Characteristics and behaviour of the interfacial wave on the liquid film in a vertically upward air-water two-phase annular flow. *Nuclear Engineering and Design* vol. 141, pp 17-25.
- Ohnuki, A., and Akimoto, H. (2000). Experimental study on transition of flow pattern and phase distribution in upward air-water two-phase flow along a large vertical pipe. *International Journal of Multiphase Flow* vol. 26, pp 367 - 386
- Okada, O., Fujimatsu, T., Fujita, H., and Homma, K. (1994), Some problems on droplet size measurement by immersion liquid method. *Proceedings of the 6th International Conference on Liquid Atomization and Spray Systems*, pp 406-413.
- Okada, O., Fujimatsu, T., Fujita, H., and Nakajima, Y. (1995), Measurement of droplet size distribution in an annular mist flow in a vertical pipe by immersion liquid method. *Proceeding of the 2nd International Conference on Multiphase Flow, Kyoto, Japan* vol. 1, pp IP2/11-IP2/18.
- Okawa, T., Kitihara, T., Yoshida, K., Matsumoto, T., and Kataoka, I. (2002), New entrainment rate correlation in annular two-phase flow applicable to wide range of flow condition. *International Journal of Heat and Mass Transfer* vol. 45, pp 87098.
- Oliemans, R.V.A., Pots, B.F.M., and Trompe, N. (1986), Modelling of annular dispersed two-phase flow in vertical pipes. *International Journal of Multiphase Flow* vol. 12, pp 711-732.

- Omebere-Iyari, N.K., Azzopardi, B.J., and Akinmade, A.A. (2005), Flow patterns for gas/liquid flow in small diameter tubes. *UK National Heat Transfer Conference*, Manchester.
- Oranje, L. (1973), Condensate behaviour in gas pipelines is predictable. *Oil & Gas Journal* vol. 71, pp 39-44.
- Osmasali, S.I., and Chang, J.S. (1988), Two-phase flow regime transition in a horizontal pipe and annular flow under gas-liquid two-phase flow *ASME FED* vol. 72, pp 63-69
- Oshinowo, T., and Charles, M.E. (1974), Vertical two-phase flow. *Canadian Journal of Chemical Engineering* vol. 52, pp 25-35, 438-448.
- Ottens, M., de Swart, A., Hoefsloot, H.C.J., and Hammersma, P.J. (1995), Gas-liquid flow splitting in regular, reduced and impacting T-junctions. *Impiantistica Italiana* vol. 8, pp 23-33.
- Ottens, M. (1998), Gas-liquid flow through pipes and T-junctions. PhD Thesis, University of Amsterdam.
- Owen, D.G., and Hewitt, G.F. (1984), A proposed entrainment correlation. UKAEA Report AERE R12279.
- Owen, D.G. (1986), An equilibrium and theoretical analysis of equilibrium annular flows. Ph.D. thesis, University of Birmingham, UK.
- Owens, W.L. (1961), Two-phase pressure gradient. *International Heat Transfer Conference*, Boulder, Colorado.
- Pan, L., and Hanratty, T.J. (2002), Correlation of entrainment for annular flow in vertical pipes. *International Journal of Multiphase Flow* vol. 28, pp 363-384.
- Paleev, I.I., and Filippovich, B.S. (1966), Phenomena of liquid transfer in two-phase dispersed annular flow. *International Journal of Heat and Mass Transfer* vol. 9, pp 1089-1093.
- Papavergos, P.G., and Hedley, A.B. (1984), Particle deposition behaviour from turbulent flows. *Chemical Engineering Research and Design* vol. 62A, pp 275-295.
- Paras, S.V., and Karabelas, A.J. (1991), Properties of the liquid layer in horizontal annular flow. *International Journal of Multiphase Flow* vol. 17, pp 439-454.
- Paras, S.V., Vlachos, N.A., and Karabelas, A.J. (1994), Liquid layer characteristics in stratified-atomization flow. *International Journal of Multiphase Flow* vol. 20, pp 939-956.
- Pashniak, D.W. (1969), An investigation of the interfacial disturbances in vertical two phase flow. PhD Thesis, University of Washington.
- Pearce, D.L. (1979a), Film waves in horizontal annular flow: space-time correlator experiments. CEGB Report No. CERL/RD/L/N 193/75.
- Pearce, D.L. (1979b), Air-water annular flow in helices. CEGB Report No. CERL/RD/L/N 166/78.
- Pearce, D.L. (1982), An experimental investigation of flow regimes in R12. *European Two-phase Flow Group Meeting*, Paris, 2-4 June, paper A24.
- Peng, F., Shoukri, M., and Chan, A.M.C. (1996), The effect of branch orientation on annular two-phase flow. *Journal of Fluids Engineering* vol. 118, pp 166-171.
- Peng, F., and Shoukri, M. (1997), Modelling the phase redistribution of horizontal annular flow divided in T-junctions. *Canadian Journal of Chemical Engineering* vol. 75, pp 264-270.
- Penmatcha, R., Ashton, P.J.N., and Shoham, O. (1996), Two-phase flow splitting at a tee junction with an inclined branch. *International Journal of Multiphase Flow* vol. 22, pp 1105-1122.
- Petrick, M., and Swanson, B.S. (1959), Expansion and contraction of an air-water mixture in vertical flow. *American Institute of Chemical Engineers* vol. 5, pp 440-445.
- Pogson, J.T., Roberts, J.H., and Waibler, P.J. (1970), An investigation of the liquid disintegration in annular mist flow. *Journal of Heat Transfer* vol. 92, pp 651-658.
- Pols, R.M., Azzopardi, B.J., and Hibberd, S. (1998), Discontinuous wave solutions in stratified and annular two-phase flows. *3rd International Conference on Multiphase Flow*, Lyon.

- Popp, M., and Sallet, D.W. (1983), Experimental investigation of one and two-phase flow through a tee-junction. Paper B3, *International Conference on the Physical Modelling of Multiphase Flows*, Coventry, England, April 19-21.
- Portalski, S., and Clegg, A.J. (1971), Interfacial area increase in rippled film flow on wetted wall columns. *Chemical Engineering Science* vol. 26, pp 773-784.
- Poulson, B. (1991), Measuring and modelling mass transfer at bends in annular two-phase flow. *Chemical Engineering Science* vol. 46, p. 1069-1082.
- Prasser, H.-M., Krepper, E., and Lucas, D. (2000), Fast wire mesh sensors for gas-liquid flows and decomposition of gas fraction profiles according to bubble size classes. *2nd Japanese-European Two-Phase Flow Group Meeting*, Tsukuba, Japan, September 25-29.
- Prasser, H.-M., Krepper, E., and Lucas, D. (2001), Fast wire-mesh sensors for gas-liquid flows and decomposition of fraction profiles according to bubble size classes. *Proceedings of the 5th International Conference on Experimental Heat Transfer, Fluid Mechanics and Thermodynamics*, Thessaloniki, 23-28 September, vol. II, pp 1135-1140.
- Premoli, A., Francesco, D., and Prina, A. (1970), An empirical correlation for evaluating two-phase mixture density under adiabatic conditions. *European Two-Phase Flow Group Meeting*.
- Pushkina, O.L., and Sorokin, Y.L. (1969), Breakdown of liquid film motion in vertical tubes. *Heat Transfer Soviet Research* vol. 1, pp 56-64.
- Quandt, E.R. (1965), Measurements of some basic parameters in two-phase annular flow. *American Institute of Chemical Engineers Journal* vol. 11, pp 311-318.
- Radovcich, N.A., and Moissis, R. (1962), The transition from two-phase bubble flow to slug flow. MIT Report No. 7-7673-22.
- Rae, J. (1975), A model for interface waves in two-phase flow. UKAEA Report AERE-TP611.
- Rea, S. (1998), Stratified flow at T-junctions. PhD Thesis, University of Nottingham.
- Reeks, M.W. (1977), On the dispersion of small particles suspended in an isentropic turbulence. *Journal of Fluid Mechanics* vol. 83, pp 529-546.
- Reimann, J., John, G., and Seeger, W. (1981), Transition to slug and annular flow in horizontal air-water and steam-water flow. Report No. KfK3189.
- Ribeiro, A.M. (1993), Studied of gas-liquid flows in bends. PhD Thesis, University of Birmingham.
- Ribeiro, A.M., Bott, T.R., and Jepson, D.M. (2001) The influence of a bend on drop sizes horizontal annular two-phase flow. *International Journal of Multiphase Flow* vol. 27, pp 721-728.
- Richardson, B.E. (1959), Some problems in horizontal two-phase two component flows. ANL 5949.
- Rippel, G.R., Eidt, C.M., and Jordan jr, H.B. (1966), Two-phase flow in a coiled tube. *Industrial and Engineering Chemistry Process Design and Development* vol. 5, pp 3239.
- Roberts, D.C., and Hartley, D.E. (1961), A correlation of pressure drop data for two phase annular flows in vertical channels. Queen Mary College, Nuclear Research Memorandum Q6.
- Roberts, P.A., Azzopardi, B.J., and Hibberd, S. (1995), The split of horizontal semi-annular flow at a large diameter T-junction. *International Journal of Multiphase Flow* vol. 21, pp 455-466.
- Roberts, P.A., Azzopardi, B.J., and Hibberd, S. (1997), The split of horizontal annular at a T-junction. *Chemical Engineering Science* vol. 52, pp 3441-3453.
- Romie, F. (1958) Unpublished information.
- Rooney, D.H. (1968), Void fraction prediction under saturated conditions. *N.E.L.* Report No 386.
- Rose, S. (1964), Some hydrodynamic characteristics of bubbly mixtures flowing vertically upwards in tubes. ScD Thesis, Massachusetts Institute of Technology.
- Rosin, P., and Rammler, E. (1933), Laws governing the fineness of powdered coal. *Journal of the Institute of Fuel* vol. 7, pp 29-36.

- Saba, N., and Lahey, R.T. (1984), The analysis of phase separation phenomena in branched conduits. *International Journal of Multiphase Flow* vol. 10, pp 1-20.
- Sadatom, M., Sato, Y., and Suruwatari, S. (1982), Two-phase flow in vertical noncircular channels. *International Journal of Multiphase Flow* vol. 8, pp 641-655.
- Saito, T., Hughes, E.D., and Carbon, M.W. (1978), Multi-fluid modeling of annular two-phase flow. *Nuclear Engineering and Design* vol. 50, pp. 225-271.
- Sakaguchi, T., Akagawa, K., Hamaguchi, H., Imoto, M., and Ishida, S. (1979), Flow regime maps for developing steady air-water two-phase flow in horizontal tubes. *Memoirs of the Faculty of Engineering of Kobe University* vol. 25, pp 191-202.
- Sakamoto, G., Doi, T., Murakami, Y., and Usui, K. (2004), Profiles of liquid film thickness and drop flow rate in U-bend annular mist flow. *5th International Conference on Multiphase Flow*, Yokohama, May 30-June 4, paper Mo. 317.
- Sardesai, R.G., Owen, R.G., and Pulling, D.J. (1981), Flow regimes for condensation of a vapour in a horizontal tube. *Chemical Engineering Science* vol. 36, pp 1173-1180.
- Sarimeseli, A., and Azzopardi, B.J. (2004), Correlating drop sizes in annular gas/liquid flows in vertical and horizontal pipes. *Proceedings of ILASS (Europe) 2004*, pp 248-253.
- Sauter, J. (1926), Die Groessenbestimmung der im Gemischnebel von Verbrennungskraftmaschinen Vorhandenen Brennstoffteilchen. *VDI Forschungsarbeiten*, 279.
- Sawai, T., Yamauchi, S., and Nakanishi, S. (1989), Behaviour of disturbance waves under hydrodynamic non-equilibrium conditions. *International Journal of Multiphase Flow* vol. 15, pp 341-356.
- Sawai, T., and Kaji, M. (2001), Flow structure and pressure gradient in churn flow. *Experimental Heat Transfer, Fluid Mechanics and Thermodynamics 2001* (Ed. G.P. Celata, P. Di Marco, A. Goulas and A. Mariani) Editzio ETS, Pisa, vol. 2, pp 1791-1796.
- Sawai, T., Kaji, M., Kasugai, T., Nakashima, H., and Mori, T. (2004), Gas-liquid interfacial structure and pressure drop characteristics of churn flow. *Experimental Thermal and Fluid Science*, vol. 28, pp 597-606.
- Schadel, S.A. (1988), Atomisation and deposition rates in vertical annular two-phase flow. Ph.D Thesis, Univ. Illinois, Urbana-Campaign.
- Schadel, S.A., Leman, G.W., Binder, J.L., and Hanratty, T.J. (1990), Rates of atomisation and deposition in vertical annular flow. *International Journal of Multiphase Flow* vol. 16, pp 363-374.
- Schmidt, H., and Loth, R. (1993), Predictive methods for two-phase flow pressure loss in tee junctions with combing flows. *International Journal of Multiphase Flow* vol.20, pp 703-720.
- Schmidt, J., and Friedel, L. (1996), Two-phase pressure drop across sudden expansions in duct area. *Chemical Engineering Communications* vol. 141-142, pp 175-190.
- Schmidt, J., and Friedel, L. (1997), Two-phase pressure drop across sudden contractions in duct area. *International Journal of Multiphase Flow* vol. 23, pp 283-299.
- Sekoguchi, K., Nishikawa, K., Nakasatomi, M., Nishi, H., and Kaneugi, A. (1973), A study of liquid films in gas-liquid annular two-phase flow. *Transaction of the Japanese Society of Mechanical Engineers* vol. 39, pp 313-323.
- Sekoguchi, K., Kawakari, Y., Fukano, T., and Shimizu, H. (1978a), Film thickness in gas-liquid two phase flow (1st report, effect of ring type obstacle inserted into tube). *Bulletin of the Japan Society of Mechanical Engineers* vol. 21, pp 869-876.
- Sekoguchi, K., Kawakari, Y., Fukano, T., and Shimizu, H. (1978b), Film thickness in gas liquid two phase flow (2nd report, Effect of four rectangular obstacles inserted into tube). *Bulletin of the Japan Society of Mechanical Engineers* vol. 21, pp 877-887.

- Sekoguchi, K., Takeishi, M., and Ishimatsu, T. (1985a), Interfacial structure in vertical upward annular flow. *PhysicoChemical Hydrodynamics* vol 6, pp 239-255.
- Sekoguchi, K., Tanaka, O., and Ueno, T. (1985b), On the determination method of entrained droplet flow in the disturbance wave region of annular flow. *Bulletin of the Japan Society of Mechanical Engineers* vol. 28, pp 1105-1112.
- Sekoguchi, K., and Takeishi, M. (1989), Interfacial structures in upwards huge wave flows and annular flow regimes. *International Journal of Multiphase Flow* vol. 15, pp 295-305.
- Sekoguchi, K., Mori, K., Tsujino, H., Ikeshita, M. And Kaji, M. (1994), Wave venation in gas-liquid two-phase flow (1st Report, time-spatial map of wave behaviour and its characterisation). *Transaction of the Japanese Society of Mechanical Engineers* vol. 60, pp 1716-1723.
- Sekoguchi, K., and Mori, K. (1997), New development of experimental study on interfacial structure in gas-liquid two-phase flow. *Experimental Heat Transfer, Fluid Mechanics and Thermodynamics* (Ed. M. Giot, F. Mayinger and G.-P. Celata) Edizione ETS, vol. 2, pp 1177-1188.
- Semiat, R., and Dukler, A.E. (1981), Simultaneous measurement of size and velocity of bubbles and drops: a new optical technique. *American Institute of Chemical Engineers Journal* vol. 27, pp 148-159.
- Serizawa, A., and Kataoka, I. (1988), in *Transient Phenomena in Multi-phase flow*, Afghan, N.H. (ed), Hemisphere, New York, pp179-224.
- Sevik, M., and Park, S.H. (1973), The splitting of drops and bubbles by turbulent fluid flow. *Journal of Fluids Engineering* vol. 95, pp 53-60.
- Shah, M.M. (1976), A new correlation for heat transfer during flow boiling in pipes. *ASHRAE Transactions* vol. 82, pp 60-86.
- Shearer, C.J. (1964), Interfacial wave phenomena in two-phase flow. PhD Thesis, University of Cambridge.
- Shearer, C.J., and Davidson, J.F. (1965), The investigation of a standing wave due to gas blowing upwards over a liquid film; its relation to flooding in wetted wall columns. *Journal of Fluid Mechanics* vol. 22, pp 321-336.
- Shen, X., Mishima, K., and Nakamura, H. (2004), Two-phase phase distribution effect on drift flux parameters in a vertical large diameter pipe. *3rd International Symposium on Two-Phase Flow Modelling and Experimentation*, Pisa, 22-24 September.
- Shires, G.L., and Khanna, R.D. (1971), Two-phase flow and heat transfer in helical coils. UKAEA Report AEEW R1023.
- Shoham, O. (1982), Flow pattern transitions and characterization in gas-liquid flow in inclined pipes. PhD Thesis, Tel-Aviv University, Israel.
- Shoham, O., Brill, J.P., and Taitel, Y. (1987), Two-phase flow splitting in a Tee junction - experiment and modelling. *Chemical Engineering Science* vol. 42, pp 2667-2676.
- Shoham, O., Arirachakaran, S. and Brill J. P. (1989), Two phase flow splitting in a horizontal reduced pipe tee. *Chemical Engineering Science* vol. 44, pp 2388-2391.
- Simmons, M.J.H., and Hanratty, T.J. (2001), Transition from stratified to intermittent flows in small angle upflows. *International Journal of Multiphase Flow* vol. 27, pp 599-616.
- Simmons, M.J.H., and Hanratty, T.J. (2001), Droplet size measurements in horizontal annular gas-liquid flow. *Int. J. Multiphase Flow* vol. 27, pp 861-883.
- Simon, M (1998), On the effects of inclination on non-adiabatic gas/liquid two-phase flow. *3rd International Conference on Multiphase Flow*, Lyon, 8-12 June.
- Simpson, H.C., Rooney, D.H., and Callender, T.M. (1985), Pressure loss through gate valves with liquid-vapour flows. *2nd International Conference on Multiphase Flows*, London, 19-21 June (ed. BHRA), pp 67-80.

- Singh, K., St Pierre, C.C., Crago, W.A., and Moeck, E.O. (1969), Liquid film flow-rates in two-phase flow of steam and water at 1000 lb./sq. in. abs.. *American Institute of Chemical Engineers Journal* vol. 15, pp 51-56.
- Sliwicki, E., and Mikieliwicz, J. (1988), Analysis of an annular-mist flow model in a T-junction. *International Journal of Multiphase Flow* vol. 14, pp 321-331.
- Smith, S.L. (1971), Void fraction in two-phase flow - a correlation based upon equal velocity head model. *Heat and Fluid Flow* vol. 1, pp 22-39
- Soldati, A., and Andreussi, P. (1996), The influence of coalescence on droplet transfer in vertical annular flow. *Chemical Engineering Science* vol. 51, pp 353-363.
- Soliman, H.M. (1985), Flow pattern transitions during horizontal intube condensation. In *Encyclopedia of Fluid Mechanics* (ed. N. Chermisinoff), Gulf Publishing Co, Houston.
- Song, C.H., No, H.C., and Chung, M.K (1995), Investigation of bubble flow developments and its transision based on the instability of void fraction waves. *International Journal of Multiphase Flow* vol. 21, pp 381-404.
- Spedding, P.L., and Nguyen, V.T. (1980), Regime maps for air-water two-phase flow. *Chemical Engineering Science* vol. 35, pp 779-793.
- Spedding, P.L., and Hand, N.P. (1997), Prediction in stratified gas-liquid co-current flow in horizontal pipelines. *International Journal of Heat and Mass Transfer* vol. 40, pp 1923-1935.
- Srinivasan, P.S., Nandapurkar, S.S, and Holland, F.A. (1970), Friction factors for coils. *Transactions of the Institution of Chemical Engineers* vol. 48, pp 156-161.
- Stacey, T., Azzopardi, B.J., and Conte, G. (2000), The split of annular two-phase flow at a small diameter T-junction. *International Journal of Multiphase Flow* vol. 26, pp 845-856.
- Sterling, V.C. (1985), Two-phase flow theory and engineering decision. Lecture Presented at AIChE Annual Meeting.
- Strakey, P.A. (2003), Assessment of multiple scattering errors of laser diffraction instruments. 9th *International Conference on Liquid Atomisation and Spray Systems*, Sorrento, July.
- Subbotin, V.I., Kirillov, P.L., Smogalev, I.P., Suvorov, M. Ya., Stein, Yu.Yu., and Shumsky, R.V. (1975), Measurement of some characteristics of a steam-water flow in a round tube at pressures of 70 and 100 atm. A.S.M.E. paper No. 75-WA/HT-21.
- Sun, K.H. (1979), Flooding correlations for BWR bundle upper tieplates and bottom side-entry orifices. in Veziroglu T.N. (ed) *Proceedings of Multiphase Flow and Heat Transfer Symposium Workshop*, Miami Beach, Florida, pp 1615 – 1635.
- Sun, H. (2003), Hydrodynamics and mass transfer in Venturi scrubbers. PhD Thesis, University of Nottingham.
- Sun, H., and Azzopardi, B.J. (2003), Modelling gas-liquid flow in venturi scrubbers at high pressure. *Process Safety and Environmental Protection*, vol. 81, pp 250-256.
- Sutharshan, B., Kawaji, M., and Ousaka, A. (1995), Measurement of circumferential and axial film velocities in horizontal annular flow. *International Journal of Multiphase Flow* vol. 21, pp 193-206.
- Suu, T. (1992), Air-water two-phase flow through a pipe junction: effect of the Reynolds number on the local void fraction distribution. *Japan Society of Mechanical Engineers International Journal Series II* vol. 35, pp 76-81.
- Swithenbank, J., Beer, J.M., Taylor, D.S., Abbot, D., and McCreath, G.C. (1976), A laser diagnostic for the measurement of droplet and particle size distributions. *Progress in Astronautics and Aeronautics*, vol. 1, pp 421-447.
- Sylvester, N.D. (1987), A mechanistic model for two-phase vertical slug flow in pipes. *Journal of Energy Resources Technology* vol. 109, pp 206-213.

- Taitel, Y., and Dukler, A.E. (1976), A model for predicting flow regime transitions in horizontal and near-horizontal gas-liquid flow. *American Institute of Chemical Engineers Journal* vol. 22, pp 47-55.
- Taitel, Y., Barnea, D., and Dukler, A.E. (1980), Modelling flow pattern transitions for steady upward gas-liquid flow in vertical tubes. *American Institute of Chemical Engineers Journal* vol. 6, pp 345-354.
- Takemura, T., Roko, K., Shiraha, M. and Midoriyama, S. (1986), Dryout characteristics and flow behaviour of gas-water two-phase flow through U-shaped and inverted U-shaped bends. *Nuclear Engineering and Design* vol. 95, pp 365-373.
- Tatterson, D.F., Dallman, J.C., and Hanratty, T.J. (1977), Drop sizes in annular gas-liquid flows. *American Institute of Chemical Engineers Journal* vol. 23, pp 68-76.
- Tayali, N.E., and Bates, C.J. (1990) Particle sizing techniques in multiphase flow: a review. *Flow Measurement and Instrumentation* vol. 1, pp 77-105.
- Tayali, N.E., Bates, C.J., and Yeoman, M.L. (1990), Drop size and velocity measurements in vertical developing annular two-phase flow. *Proceedings of the 3rd International Conference on Laser Anemometry Advances and Applications*, Pub. Springer Verlag, pp 431-440.
- Taylor, G.I. (1940), Generation of ripples by wind blowing over a viscous liquid. Reprinted in *The Scientific Papers of Sir Geoffrey Ingram Taylor*, vol. 3, pp 244-255. Cambridge Univ. Press, London (1963).
- Taylor, R.E., and Evans, N. (1989), Slug flow in a 153 mm diameter horizontal pipe. UKAEA Report AERE R13572.
- Teixeira, J.C.F. (1988), Turbulence in annular two phase flow. PhD Thesis, University of Birmingham.
- Teixeira, S.F.C.F. (1989), A model for the hydrodynamics of venturis applicable to scrubbers. PhD Thesis, University of Birmingham.
- Teixeira, J.C.F., Azzopardi, B.J., and Bott, T.R. (1988), The effect of inserts on drop size in vertical annular flow. *2nd U.K. National Heat Transfer Conference*, Strathclyde University.
- Thang, N.T., and Davis, M.R. (1979), The structure of bubbly flow through venturis. *International Journal of Multiphase Flow* vol. 5, pp 17-37.
- Thang, N.T., and Davis, M.R. (1981), Pressure distribution in bubbly flow through venturis. *International Journal of Multiphase Flow* vol. 7, pp 191-210.
- Thompson, J.G., Hacking, H., and Cuthbertson, M.G. (1966), S.G.H.W.R. steam quality meter calibration trials. British Ship Research Association, Marine Engineering Contract Report No. W.46.
- Thwaites, G.R., Kulov, N.N., and Nedderman, R.M. (1976), Liquid film properties in two-phase annular flow. *Chemical Engineering Science* vol. 31, pp 481-486.
- Thom, J.R.S. (1964), Prediction of pressure drop during forced circulation boiling of water. *International Journal of Heat and Mass Transfer* vol. 7, pp 709-624.
- Treballier, K., Cousin, J., and Dumouchel, C. (2003), Behaviour of the Spraytec in the presence of multiple light scattering of bimodal drop size distribution. *9th International Conference on Liquid Atomisation and Spray Systems*, Sorrento, July.
- Tribbe, C., and Muller-Steinhagen, H.M. (2000), An evaluation of the performance of phenomenological models for predicting pressure gradient during gas-liquid flow in horizontal pipelines. *International Journal of Multiphase Flow* vol. 26, pp 1019-1036.
- Truong Quang Mihn and Huyghe, J. (1965), Some hydrodynamical aspects of annular dispersed flow: entrainment and film thickness. *Proceeding of the Symposium on Two-phase Flow, Exeter*, vol 2, paper C2.

- Tso, C.P., and Sugawara, S. (1990), Film thickness prediction in a horizontal annular two-phase flow. *International Journal of Multiphase Flow* vol. 16, pp 867-884.
- Tso, C.P., and Sugawara, S. (1993), Corrective technique for numerical prediction of liquid flow rate in annular flow study. *Communications in Numerical Methods in Engineering* vol. 9, pp 533-542.
- Tsuji, Y., and Morikawa, Y. (1982), LDV measurements of an air-solid two phase flow in a horizontal pipe. *Journal of Fluid Mechanics* vol. 120, pp 385-409.
- Tsuji, Y., Morikawa, Y., and Shiomi H. (1984), LDV measurements of an air-solid two phase flow in a vertical pipe. *Journal of Fluid Mechanics* vol. 139, pp 417-434.
- Turner, R.G., Hubbard, M.G., and Dukler, A.E. (1969), Analysis and prediction of minimum flow rates for continuous removal of liquid from gas wells. *Journal of Petroleum Technology* vol. 21, pp 1475-1482.
- Tyrrell, R.J. (1981), Single and two-phase pressure loss measurements for the flow of freon-12 through a helical coil containing rippled and sand type roughnesses. CEGB Report No. CERL/RD/L/2177/N81.
- Ueda, T., Tanaka, H., and Koizumi, Y. (1978), Dryout of liquid film in high quality R-113 upflow in a heated tube. *Proceedings of the 6th International Heat Transfer Conference, Toronto, Canada*.
- Ueda, T. (1979), Entrainment rate and size of entrained droplets in annular two-phase flow. *Bulletin of the Japan Society of Mechanical Engineers* vol. 22, pp 1258-1265.
- Uijtewaal, W.J.S., and Oliemans, R.V.A. (1996), Particle dispersion and deposition in direct numerical and large eddy simulations of vertical pipe flows. *Physics of Fluids* vol. 8, pp 2590-2604.
- Ulbrich, R., and Mewes, D. (1994), Vertical, upward gas-liquid two-phase flow across a tube bundle. *International Journal of Multiphase Flow* vol. 20, pp 249-272.
- Usui, K., Aoki, S., and Inoue, A. (1980), Flow behaviour and pressure drop of two-phase flow through C-shaped bend in vertical plane, (I) upward flow. *Journal of Nuclear Science and Technology* vol. 17, pp 875-887.
- Usui, K., Aoki, S., and Inoue, A. (1981), Flow behaviour and pressure drop of two-phase flow through C-shaped bend in vertical plane, (II) downward flow. *Journal of Nuclear Science and Technology* vol. 18, pp 179-190.
- Usui, K., Aoki, S., and Inoue, A. (1983), Flow behaviour and phase distribution in two-phase flow around an inverted U-shaped bend. *Journal of Nuclear Science and Technology* vol. 20, pp 915-928.
- Usui, K. (1992), Annular Two-phase flow in a C-shaped bend (liquid film flow). *Transaction of the Japan Society of Mechanical Engineers* vol. 58, pp. 200-205.
- Usui, K. (1993), Annular two-phase flow in a C-shaped bend (flow of liquid drop entrained in the gas core)., *Transaction of the Japan Society of Mechanical Engineers* vol. 59, pp. 214-219.
- van Hout, R., Shemer, L., and Barnea, D. (1992), Spatial distribution of void fraction within a liquid slug and some other related slug parameters. *International Journal of Multiphase Flow*, vol. 18, pp 831-845.
- van Hout, R., Barnea, D., and Shemer, L. (2002), Experimental investigation of the velocity field induced by a Taylor bubble rising in stagnant water. *International Journal of Multiphase Flow* vol. 28, pp 579-596.
- van Maanen, H.R.E., and Fortuin, J.M.H. (1983), Experimental determination of the random lump-age distribution in the boundary layer of the turbulent pipe flow using laser-Doppler anemometry. *Chemical Engineering Science* vol. 38, pp 399-424.
- van Werven, M., van Maanen, H.R.E., Ooms, G., and Azzopardi, B.J. (2003), Modeling wet-gas annular/dispersed flow through a venture. *American Institute of Chemical Engineers Journal* vol. 49, pp 1383-1391.

- Venkaseswararao, P., Semiat, R., and Dukler, A.E. (1982), Flow pattern transition for gas-liquid flow in a vertical rod bundle. *International Journal of Multiphase Flow* vol. 8, pp 509-524.
- Verbeek, P.H.J., Miesen, R., and Schellenkens, C.J. (1992), Liquid entrainment in annular dispersed upflow. *8th Annual European Conf. On Liquid Atomisation and Spray Systems, Amsterdam, 30 September-2 October*.
- Vermeulen, L.R., and Ryan, J.T. (1971), Two-phase slug flow in horizontal and inclined tubes. *Canadian Journal of Chemical Engineering* vol. 49, pp 195-201.
- Vijayan, M., Jayanti, S., and Balakrishnan, A.R. (2001), Effect of tube diameter on flooding. *International Journal of Multiphase Flow* vol. 27, pp 797-816.
- Viswanathan, S., Gryp, A.W., and St Pierre, C.C. (1984), Annular flow pressure drop model for Pearce-Anthony type Venturi scrubbers. *American Institute of Chemical Engineers Journal* vol. 31, pp 1947-1958.
- Wallis, G.B. (1962), The onset of entrainment in annular gas-liquid flow. General Electric Report No. 62 GL127.
- Wallis, G.B. (1961), Flooding velocities for air and water in vertical tubes. UKAEA Report AEEW R123.
- Wallis, G.B. (1969), *One-dimensional Two-phase Flow.*, McGraw-Hill.
- Wallis, G.B. (1968), Phenomena of liquid transfer in two-phase dispersed annular flow. *International Journal of Heat and Mass Transfer* vol. 11, pp 783-785
- Wallis, G.B. (1970), Annular two-phase flow. I Basic aspects. *Journal of Basic Engineering* vol. 92, pp. 59-72.
- Wallis, G.B., and Dobson, J.E. (1973), The onset of slugging in horizontal stratified air-water flow. *International Journal of Multiphase Flow* vol.1, pp 173-193.
- Walters, L.C., Soliman, H.M., and Sims, G.E. (1998), Two-phase pressure drop and phase distribution at reduced tee junctions. *International Journal of Multiphase Flow* vol. 24, pp 775-792.
- Wang, S.F., and Shoji, M. (2002), Fluctuation characteristics of two-phase flow splitting at a vertical impacting T-junction. *International Journal of Multiphase Flow* vol. 28, pp 2007-2016.
- Wang, S.F., Ozawa, M., Shoji, M., 2003. Fluctuation of gas-liquid two-phase flow through an impacting T-junction. UK/Japan Meeting on Two-Phase Flow, Guildford, UK, April.
- Watson, M. (1989), Wavy stratified and the transition to slug flow. *4th International Conference on Multiphase Flow*, Nice, France, 19-21 June (BHRA pub.).
- Watson, M.J., and Hewitt, G.F. (1998), Effect of diameter on the flooding initiation mechanism. 3rd International Conference on Multiphase Flow, Lyon, 8-12 June.
- Watson, M.J., and Hewitt, G.F. (1999), Pressure effects on the slug to churn transition. *International Journal of Multiphase Flow* vol. 25, pp 1225-1241.
- Weisman, J. (1974) Two-phase pressure drop studies. Second Water Reactor Information Meeting, Washington, October.
- Weisman, J., Duncan, D., Gibson, J., and Crawford, T. (1979), Effects of fluid properties and pipe diameter on two-phase flow patterns in horizontal lines. *International Journal of Multiphase Flow* vol. 5, pp 437-462.
- Weisman, J., and Kang, S.Y. (1981), Flow pattern transitions in vertically upwardly inclined lines. *International Journal of Multiphase Flow* vol. 7, pp 271-291.
- Whalley, P.B., Hedley, B.D., and Davidson, J.F. (1972), Gas hold-up in bubble columns with liquid flow, *VDI Berichte* vol. 182, pp 57-61.
- Whalley, P.B., Hutchinson, P., and Hewitt, G.F. (1974a), The calculation of critical heat flux for forced convection boiling, *5th International Heat Transfer Conference* Tokyo, paper B6.11.

- Whalley, P.B., Hewitt, G.F., and Hutchinson, P. (1974b), Experimental wave and entrainment measurements in vertical annular two-phase flow. *Symp. on Multiphase Flow Systems*, University of Strathclyde, Paper A1, I. Chem. E. Symposium Series No. 38
- Whalley, P.B., Hutchinson, P., and Hewitt, G.F. (1975), Prediction of annular flow parameters for transient conditions and for complex geometries.. *European Two-Phase Flow Group Meeting*, Haifa, June.
- Whalley, P.B., and Hewitt, G.F. (1978), The correlation of liquid entrainment fraction and entrainment rate in annular two-phase flow. UKAEA Report AERE R 9187.
- Whalley, P.B. (1980), Air-water two-phase flow in a helically coiled tube. *International Journal of Multiphase Flow* vol. 6, pp 345-356.
- Wiafe, F.K. (1970), Two-phase flow through rough tubes. PhD Thesis, University of Strathclyde.
- Wicks, M., and Dukler, A.E. (1966), In situ measurements of drop size distribution in two-phase flow: a new method for electrically conducting liquids. *Third International Heat Transfer Conf., Chicago*.
- Wilkes, N.S., Azzopardi, B.J., and Thompson, C.P. (1983a), Wave coalescence and entrainment in vertical annular two-phase flow. *International Journal of Multiphase Flow* vol. 9, pp 383-398.
- Wilkes, N.S., Azzopardi, B.J., and Willetts, I.P. (1983b), Drop motion and deposition in annular two-phase flow. *Proc. Nuclear Reactor Thermal-Hydraulics*, ANS, pp 202-209.
- Willetts, I. P. (1987), Non-aqueous annular two-phase flow. D.Phil. Thesis, University of Oxford.
- Willetts, I.P., Azzopardi, B.J., and Whalley, P.B. (1987), The effect of gas and liquid properties on annular two-phase flow. *3rd International Conference on Multiphase Flow*, The Hague, The Netherlands, 18-20 May (BHRA pub.).
- Williams, C.L., and Peterson, A.C. (1978), Two-phase flow patterns with high pressure water in a heated four-rod bundle. *Nuclear Science and Engineering* vol. 68, pp 155-169.
- Williams, L.R., Dykhnov, L.A., and Hanratty, T.J., (1996), Droplet flux distributions and entrainment in horizontal gas-liquid flows. *International Journal of Multiphase Flow* vol. 22, pp 1-18.
- Wolf, A., Jayanti, S., and Hewitt, G.F. (1996), On the nature of ephemeral waves in vertical annular flow. *International Journal of Multiphase Flow* vol. 22, pp 325-333.
- Wolf, A., Jayanti, S., and Hewitt, G.F. (2001), Flow development in vertical annular flow. *Chemical Engineering Science* vol. 56, pp 3221-3235.
- Woodmansee, D.E., and Hanratty, T.J. (1969), Mechanism for the removal of droplets from a liquid surface by a parallel air flow. *Chemical Engineering Science* vol. 24, pp 299-307.
- Wooley, D.M., and Muller-Steinhagen, H. (1989), Prediction of frictional pressure drop for two phase flow in horizontal pipes. *Proceedings of the Seventeenth Australian Chemical Engineering Conference*, pp 184-190.
- Wren, E., Azzopardi, B.J., and Rea, S. (1999), Geometric effects on phase split in a large diameter T-junction. *Two-Phase Flow Modelling and Experimentation 1999*, (Ed. G.P. Celata, P. Di Marco, and R. Shah) Edizioni ETS, Pisa vol II, 1999, pp 811-818.
- Wren, E., Kaji, R., Geary, R., Robinson, H., Cheney, E., Omebere-Iyari, N.K., and Azzopardi, B.J (2004), Further investigations into the phase split at a larger diameter T-junction. *3rd International Symposium on Two-Phase Flow Modelling and Experimentation*, Pisa, 22-24 September.
- Wren, E., Baker, G., Azzopardi, B.J., and Jones, R. (2005), Slug flow in small diameter pipes and T-junctions. *Experimental Thermal and Fluid Science* vol. 29, pp 893-899.
- Wu, H.L., Pots, B.F.M., Heelenberg, J.F., and Meerhoff, R. (1987), Flow pattern transitions in two-phase gas/condensate flow at high pressure in an 8-inch horizontal pipe. *3rd International Conference on Multiphase Flow*, The Hague, The Netherlands, 18-20 May (BHRA pub.).

- Wurtz, J. (1978), An experimental and theoretical investigation of annular steam water in tubes and annuli at 30 and 90 bar. Riso Report 372.
- Xu, G.P., Tso, C.P., and Tou, K.W. (1998), Hydrodynamics of two-phase flow in vertical up- and downflow across a horizontal tube bundle. *International Journal of Multiphase Flow* vol. 24, pp 1639-1648.
- Yang, L., Azzopardi, B.J., Belghazi, A. and Nakanishi, S. (2006), Phase separation of liquid-liquid two-phase flow at a T-junction. *American Institute of Chemical Engineers Journal* vol. 52, pp 141-149.
- Yoshida, K., Arai, S., Matsumoto, T., Okawa, T. and Katatoka, I. (2000), Experimental studies on the effect of liquid film to gas-phase turbulence modification in two-phase annular flow. *2nd Japan-Korea Symposium on Nuclear Thermal Hydraulics and Safety*, Fukuoka, Japan, October 15-18.
- Yoshida, K., Tanaka, H., S., Matsuura, K., and Katatoka, I. (2003), Studies on gas-phase turbulence modification in vertical upward annular flow. *Proceedings of the FEDSM'03, 4th ASME-JSME Joint Fluid Engineering Conference*, Honolulu, Hawaii, June 6-11.
- Yu, Q.C., Barbier, D., and Cognet, G. (1989), Two-phase flow in horizontal and vertical C-type bends. *European Two-Phase Flow Group Meeting*, Paris, Paper G5.
- Zabaras, G.J., and Dukler, A.E. (1988), Countercurrent gas-liquid annular flow including the flooding state. *American Institute of Chemical Engineers Journal* vol. 34, pp 389-396.
- Zaidi, S.H., Altunbas, A., and Azzopardi, B.J. (1998), A comparative study of phase Doppler and laser diffraction techniques to investigate drop sizes in annular two-phase flow. *Chemical Engineering Journal* vol. 71, pp 135-143.
- Zanelli, S., and Hanratty, T.J. (1973), Effect of entrainment on roll waves in air-water flows. *Chemical Engineering Science* vol. 28, pp 643-644.
- Zapte, A., and Kroger, D. G. (1996), The influence of fluid properties and inlet geometry on flooding in vertical and inclined tubes. *International Journal of Multiphase Flow* vol. 22, pp 461-472.
- Zapte, A., and Kroger, D. G. (2000), Countercurrent gas-liquid flow in inclined and vertical ducts – I: Flow patterns, pressure drop characteristics and flooding. *International Journal of Multiphase Flow* vol. 26, pp 1439-1455. Countercurrent gas-liquid flow in inclined and vertical ducts – II: The validity of the Froude-Ohnesorge number correlation for flooding. *International Journal of Multiphase Flow* vol. 26, pp 1457-1468.
- Zetzmann, K. (1984), Phase separation of air-water flow in a vertical T-junction. *German Chemical Engineering* vol. 7, pp 305-312.
- Zhang, J.-P., Grace, J.R., Epstein, N., and Lim, K.S. (1997), Flow regime identification in gas-liquid flow and three-phase fluidised beds. *Chemical Engineering Science* vol. 52, pp 3979-3992.
- Zisselmar, R., and Molerus, O. (1979), Investigation of solid-liquid pipe flow with regard to turbulence modification. *Chemical Engineering Journal* vol. 18, pp 233-239.
- Zivi, S.M. (1964), Estimation of steady state steam void fraction by means of the principle of minimum entropy production. *Journal of Heat Transfer* vol. 86, pp 247-252.
- Zuber, N., and Findlay, J.A. (1965), Average volumetric concentration in two-phase flow systems. *Journal of Heat Transfer* vol. 87, pp 453-468.
- Zuber, N., and Hench, J. (1962), Steady state and transient void fraction of bubbling systems and their operating limits, Part I: Steady state operation. General Electric Report 62GL100.
- Zun, I. (2003), The principles of complexity in bubbly flows., 3rd European-Japanese Two-Phase Flow Group Meeting, Certosa di Pontignano, 21-27 September .